

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
SANTA ANA REGION

Region 8 Office
3737 Main Street, Suite 500
Riverside, CA 92501-3348
(951) 782-4130

[Santa Ana Water Board Website](https://www.waterboards.ca.gov/santaana) (<https://www.waterboards.ca.gov/santaana>)

REVISION ORDER R8-2025-0071

ORDER INFORMATION

Order Type(s): Party Substitution and Time Extension
Prior Order(s): R8-2021-0008
Status: Adopted

CERTIFICATION

I, Eric Lindberg, Executive Officer, hereby certify that the following is a full, true, and correct copy of the order adopted by the California Regional Water Quality Control Board, Santa Ana Region, on September 12, 2025.



ERIC T. LINDBERG
Executive Officer

BOARD ACTIONS

IT IS HEREBY ORDERED that Order R8-2021-0008, previously adopted by the California Regional Water Quality Control Board, Santa Ana Region (Santa Ana Water Board), shall be revised as provided in **Attachment A**.

ADMINISTRATIVE REVIEW

Any person aggrieved by this Santa Ana Water Board action may petition the State Water Board for review in accordance with Water Code section 13320 and California Code of Regulations, title 23, section 2050 et seq. To be timely, the petition must be received by the State Water Board by 5:00 pm on the 30th day after the date of this Order; if the 30th day falls on a Saturday, Sunday or state holiday, the petition must be received by the State Water Board by 5:00 pm on the next business day. The law and regulations applicable to filing petitions are available on the [State Water Board website \(http://www.waterboards.ca.gov/public_notices/petitions/water_quality\)](http://www.waterboards.ca.gov/public_notices/petitions/water_quality). Copies will also be provided upon request.

ATTACHMENT A

Existing Santa Ana Water Board order identified in Table 1 below shall be revised as follows:

Table 1. Affected Order

Order Number	Order Type	Facility or Project, County	Named Parties	Action(s) Taken	Reason(s)
R8-2021-0008	Waste Discharge Requirements (Wat. Code, § 13263)	Tuscany Valley/Crest Residential Development Project	SPT-AREP III Tuscany Associates, LLC (as originally issued)	<u>Substituted Permittee</u> Prior Discharger: SPT-AREP III Tuscany Associates, LLC New Discharger: KB Home Cal Management Services, LLC <u>Extension</u> The WDRs will remain valid for five (5) years following adoption of this Order <u>Provisions</u> (see below)	Substitution of Discharger for regulatory coverage. Project has not started and no changes in impacts or scope are proposed.

New Provisions:

In addition to the permittee substitutions specified in Table 1, Order R8-2021-0008 shall be amended to incorporate the following provisions at the end of the “Provisions” section:

1. The Discharger shall maintain a copy of Order R8-2025-0071 at the Project site.
2. The Discharger shall remain authorized to discharge waste to the waters of the State (WOTS) for five years following the adoption of Revision Order R8-2025-0071 (any reporting requirements shall continue to remain in effect). Thereafter, the Discharger shall file a new dredge and fill application in accordance with California Code of Regulations, title 23, division 3, chapter 9 no later than 180 days in advance of this expiration date. The application, with filing fee, will be discussed between the Discharger and Santa Ana Water Board staff regarding any need for additional information and changes in fees prior to the issuance of new WDRs.