

State of California  
California Regional Water Quality Control Board  
Santa Ana Region

December 1, 2023

STAFF REPORT

**ITEM:** \*8

**SUBJECT:** County of Riverside Transportation Department, Mission Boulevard Bridge Replacement at Santa Ana River Project, Cities of Jurupa Valley and Riverside, Riverside County, Order R8-2023-0061

**DISCUSSION:**

Due to the scope of the federal regulatory definition of waters of the United States (WOTUS), not all discharge activities are considered discharges of dredged or fill material to WOTUS. Pursuant to the Porter-Cologne Water Quality Control Act (Wat. Code, § 13000 et seq.), the Tentative Order prescribes Waste Discharge Requirements (WDRs) for dredged and fill material to surface waters that are not considered WOTUS and subject to the federal Clean Water Act. (See Wat. Code, § 13263, subd. (a).) Non-WOTUS surface waters are referred to as waters of the state (WOTS).

The attached Order prescribes WDRs for the Mission Boulevard Bridge Replacement at Santa Ana River Project. The Order regulates the discharge of fill material to waters of the state.

The Project will replace the existing Mission Boulevard Bridge (State Bridge Number 56C-0071) over the Santa Ana River near Mount Rubidoux in Riverside County due to the necessary approach roadway work, re-striping, and utility relocation. The new bridge will be approximately 88 feet wide and 1,100 feet long. The replacement bridge profile will be raised slightly to accommodate current standards for the roadway design. As part of the Project, the existing 11 spans of the bridge and two abutments will be removed and replaced with five spans and two abutments. The bridge type will be cast-in-place prestressed concrete box girder. The new bridge will be supported on four piers, each pier would consist of four 7-ft diameter concrete columns with a two-way flare. Rock slope protection will be added underneath the abutments to match existing site conditions. Maps showing the Project location are found in Attachment A of the tentative Order No. R8-2023-0061.

A total of 9.26 acres of non-wetland and 0.03 acre of wetland waters of the state (Santa Ana River) are present on the Project site. The Project implementation will consist of 7.42 acres of temporary impacts to non-wetland waters and 0.02 acre of temporary impact to wetland waters of the state resulting from the construction activities. Also, it will include 0.02 acre of permanent impacts to non-wetland waters of the state due to

## County of Riverside Transportation Department

## Mission Boulevard Bridge Replacement at Santa Ana River Project

new pier columns installation. A net gain of 0.12 acre of waters of the state is obtained from the removal of existing pier walls (0.14 acre) and replacing with new pier columns (0.02 acre). Construction of the Project will require diversion of flow to provide contractor access to construct the pier and removing the existing bridge structure.

The Discharger has proposed to restore areas of temporary impacts to waters of the state by conducting onsite and offsite habitat restoration work. No mitigation for the 0.02-acre permanent impact is required as removal of the existing bridge walls will result in a net gain of 0.12 acre of waters of the state.

The Project activities would implement Best Management Practices (BMPs) to control and prevent discharges, such as sediment from erosion of soil surfaces and other pollutants that could impact surface waters. The Discharger proposes that BMPs would be implemented as part of the stormwater pollution prevention measures in accordance with appropriate stormwater permit requirements.

Santa Ana Water Board staff are relying on the County of Riverside Transportation Department's Initial Study/Mitigated Negative Declaration documents for compliance with California Environmental Quality Act (CEQA) and staff have determined that no further environmental review is required for the Project under the CEQA Guidelines.

For further information on the proposed Project, please contact Santa Ana Water Board staff Hossein Shahrokhnia at [Hossein.Shahrokhnia@waterboards.ca.gov](mailto:Hossein.Shahrokhnia@waterboards.ca.gov)

**RECOMMENDATION:**

Adopt Order R8-2023-0061 as presented.

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
SANTA ANA REGION

3737 Main Street, Suite 500  
Riverside, CA 92501-3348  
(951) 782-4130

[Regional Board Website](https://www.waterboards.ca.gov/santaana) (<https://www.waterboards.ca.gov/santaana>)

---

**[TENTATIVE] WASTE DISCHARGE REQUIREMENTS ORDER**  
**R8-2023-0061**

---

**ORDER INFORMATION**

**Status:** TENTATIVE  
**Program:** Dredged or Fill Material Program  
**Discharger(s):** County of Riverside Transportation Department  
**Project:** Mission Boulevard Bridge Replacement at Santa Ana River Project  
**County:** Riverside County  
**CIWQS WDID:** 332022-16  
**Prior Order(s):** (none)

**CERTIFICATION**

I, JAYNE JOY, Executive Officer, hereby certify that the following is a full, true, and correct copy of the order adopted by the California Regional Water Quality Control Board, Santa Ana Region, on December 1, 2023.

---

JAYNE JOY  
Executive Officer

**TABLE OF CONTENTS**

<b>Findings .....</b>	<b>1</b>
Project Description and Discharge Characteristics .....	2
Regulatory Considerations.....	3
CEQA and Public Participation .....	5
<b>Requirements .....</b>	<b>5</b>
A. Discharge Specifications .....	6
B. Discharge Prohibitions.....	7
C. Mitigation Requirements.....	7
D. Provisions.....	8
<b>Attachment A—MAPS .....</b>	<b>12</b>
<b>Attachment B—REPORTS and NOTIFICATIONS .....</b>	<b>14</b>
<b>Attachment C—SIGNATORY REQUIREMENTS .....</b>	<b>21</b>

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
SANTA ANA REGION

**ORDER R8-2023-0061**

WASTE DISCHARGE REQUIREMENTS  
FOR  
DISCHARGES OF DREDGED OR FILL MATERIALS TO WATERS OF THE STATE  
MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT  
RIVERSIDE COUNTY TRANSPORTATION DEPARTMENT

**FINDINGS**

The Santa Ana Regional Water Quality Control Board (Santa Ana Water Board) hereby finds as follows:

1. This Order prescribes Waste Discharge Requirements (WDRs) for the Mission Boulevard Bridge Replacement at Santa Ana River Project (Project) for the County of Riverside Transportation Department (Discharger).
2. Receiving waters and groundwater potentially impacted by this Project are protected in accordance with the Water Quality Control Plan for the Santa Ana River Basin (Basin Plan) and all other pertinent plans and policies. The Basin Plan includes water quality standards, which consist of existing and potential beneficial uses of waters of the state, water quality objectives to protect those uses, and the state and federal antidegradation policies.
3. The Santa Ana Water Board has the authority to regulate the discharge of dredged and fill materials by prescribing WDRs pursuant to California Water Code section 13263. The Santa Ana Water Board has determined that WDRs are necessary to adequately address the Project's potential impacts on the beneficial uses of waters of the state.
4. This Order regulates the discharge of fill materials to waters of the state.
5. This Order is issued in compliance with the State Water Resources Control Board's (State Water Board) *State Policy for Water Quality Control: State Wetland Definition and Procedures for Discharges of Dredged or Fill Material to Waters of the State* (Dredge and Fill Procedures), as revised on April 6, 2021.
6. On July 18, 2022, LSA Associates, Inc., on behalf of the Discharger submitted an Application for Discharges of Dredged or Fill Materials to Waters of the State (Application) for the Project, which was assigned Santa Ana Water Board WDID No. 332022-16.
7. The Application was considered complete on July 25, 2023.

## COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT

## MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

**Project Description and Discharge Characteristics**

8. The Project will replace the existing Mission Boulevard Bridge (State Bridge Number 56C-0071) over the Santa Ana River near Mount Rubidoux in Riverside County for necessary approach roadway work, re-striping, and utility relocation.
9. The Project will accommodate four lanes of vehicular traffic with dedicated space for pedestrians and bicyclists, and include two 12-foot lanes, two 14-foot lanes, two 8-foot shoulders, and a 4-foot median. A 12-foot multipurpose trail with barrier separation from vehicular traffic located along the south side of the bridge in place of standard sidewalks on each side.
10. The new bridge will be approximately 88 feet wide and 1,100 feet long. The replacement bridge profile will be raised slightly to accommodate current standards for the roadway design. At mid-span the profile will be approximately 4 to 6 feet higher than the existing bridge.
11. As part of the Project, the existing 11 spans of the bridge and two abutments will be removed and replaced with five spans and two abutments. The bridge type will be a cast-in-place prestressed concrete box girder. The new bridge will be supported on four piers; each pier will consist of four 7-ft diameter concrete columns with a two-way flare. Each column will be supported by a single, large diameter (8 ft) cast-in drilled hole (CIDH) pile. The depth of the CIDH pile varies depending on soil conditions and pier location. There will be a total of 20 CIDH piles supporting the (5) five bridge piers. The abutments, on either end of the bridge, will be supported by sixteen (16) 3-foot diameter CIDH piles for a total of 32 CIDH piles. Additionally, the abutments will be supported by concrete wing walls on each side. Rock slope protection will be added underneath the abutments to match existing site conditions.
12. The construction will occur in stages to allow for continued traffic flow during construction. The staging areas have been identified north of the existing bridge on either side of the Santa Ana River, and south of the bridge at the intersection of Mission Boulevard and Crestmore Road. Improvements to the Santa Ana River and levees are not anticipated except to restore the channel and levee berms to pre-existing conditions after construction. Appropriate bioretention and/or drainage features will be incorporated into the proposed Project to meet water quality standards. Some of the drainage features may extend into the Carlson Park area.
13. The Project construction will require diversion of water flows to provide contractor access to construct the pier and removing the existing bridge structure.
14. The Project is located on the border of Cities of Jurupa Valley and Riverside, in Riverside County, and encompasses approximately 35.9 acres (Assessor Parcel

## COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT

## MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

Numbers: 179-340-003, 179-330-008, 181-220-016, 179-330-009, 179-340-004, 181-220-008, 187-080-012, and 187-080-001), Latitude 33.99081, Longitude - 117.393388). Maps showing the Project location are found in Attachment A of this Order.

15. A total of 9.26 acres of non-wetland and 0.03 acre of wetland waters of the state (Santa Ana River) are present at the Project site. The Santa Ana River within the study area is broad with a low gradient. The river is leveed and contains a low-flow, open water channel along the easterly levee.
16. The implementation of the Project will consist of 7.42 acres of temporary impacts to non-wetland waters and 0.02 acre of temporary impact to wetland waters of the state due to temporary construction easements, temporary equipment access areas and temporary staging areas, totaling 7.44 acres of temporary impact. Also, it will include 0.02 acre of permanent impacts to non-wetland waters of the state resulting from the new pier columns installation. A net gain of 0.12 acre of waters of the state is obtained from the removal of existing pier walls (0.14 acre) and replacing it with new pier columns (0.02 acre).
17. The Project would impact Santa Ana River, Reach 3 and Reach 4. The Santa Ana River, Reach 3 and 4 have the following designated beneficial uses (existing or potential): Agricultural Supply, Groundwater Recharge, Water Contact Recreation, Non-contact Water Recreation, Warm Freshwater Habitat, Wildlife Habitat, Rare, Threatened, or Endangered Species, Spawning, Reproduction, and Development.
18. The Discharger has proposed to provide compensatory mitigation for temporary impacts to waters of the state by conducting onsite and offsite habitat restoration work. No mitigation for the 0.02-acre permanent impact is required as removal of the existing bridge walls will result in a net gain of 0.12 acre of waters of the state.

### **Regulatory Considerations**

19. This Order is adopted pursuant to Water Code section 13263, subdivision (a), which provides that the Santa Ana Water Board may, after any necessary hearing, prescribe requirements (WDRs) as to the nature of any proposed discharge with relation to the existing conditions in the disposal area or receiving waters upon, or into which, the discharge is made or is proposed. The WDRs are required implement any relevant water quality control plans that have been adopted and take into consideration the beneficial uses to be protected, the water quality objectives reasonably required for that purpose, other waste discharges, the need to prevent nuisance, and the provisions of Water Code section 13241.

## COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT

## MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

20. This Order is adopted pursuant to Water Code section 13267, subdivision (b)(1) which authorizes the Santa Ana Water Board to require technical and monitoring program reports, submitted under penalty of perjury, from persons discharging or proposing to discharge waste within the Santa Ana Region, in connection with the issuance of WDRs. This Order incorporates requirements for water quality monitoring and Project reporting, which are necessary to ensure that the discharge of dredged and fill material complies with WDRs and is protective of water quality. In accordance with Water Code section 13267, the burden, including costs, of generating these reports bears a reasonable relationship to the need for the report and the benefits to be obtained from them.
21. The Santa Ana Water Board has considered the federal and state antidegradation policies (State Water Board Resolution 68-16 and 40 C.F.R. § 131.12) and finds that the discharge permitted under this Order is consistent with these policies. Filling wetlands, riparian areas, headwaters, and other waters causes partial or complete loss of the beneficial uses provided by those waters. This Order requires that impacts to waters of the state be mitigated through avoidance and minimization to the maximum extent practicable and that unavoidable loss of beneficial uses is offset with compensatory mitigation, including the restoration (reestablishment or rehabilitation), establishment (creation), enhancement, and/or preservation of other waters of the state. The mitigation requirements in this Order comply with the State Water Board's Dredge and Fill Procedures.
22. This Order is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to Water Code section 13330 and California Code of Regulations, title 23, section 2050 et seq. Additionally, the Santa Ana Water Board reserves the right to suspend, cancel, or modify and reissue this Order, after providing notice to the Discharger, if the Santa Ana Water Board determines that the Project fails to comply with any of the conditions of this Order; or when necessary to implement any new or revised water quality standards and implementation plans adopted or approved pursuant to the Porter-Cologne Water Quality Control Act (Wat. Code, § 13000 et seq.).
23. The provisions of this Order are severable and, if any provision of this Order or the application of any provisions of this Order to any circumstance is held invalid, the application of such provision to other circumstances and the remainder of this Order shall not be affected thereby.
24. A request for modification, revocation and re-issuance, or termination of this Order or a notification of planned changes or anticipated noncompliance does not stay any requirements of this Order.
25. The requirements prescribed herein do not authorize the commission of any act causing injury to the property of another, nor protect the Discharger from



## COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT

## MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

liabilities under federal, state, or local laws, nor guarantee the Discharger a capacity right in the receiving waters.

26. This Order does not convey any property rights of any sort, or any exclusive privilege. The ability to discharge waste is a privilege, not a right; nothing in this Order shall create a vested right to continue any discharges authorized herein, which are subject to rescission or modification. (Wat. Code, § 13263, subd. (g).)

### **CEQA and Public Participation**

27. On November 7, 2018, the County of Riverside Transportation Department, as the lead agency under the California Environmental Quality Act (CEQA; Public Resources Code, § 21000 et seq.) conducted an Initial Study and adopted a Mitigated Negative Declaration (MND) for the Project (State Clearinghouse 2018081028). On December 12, 2018, the lead agency filed a Notice of Determination with the County of Riverside.
28. The Santa Ana Water Board is a responsible agency under CEQA for the purposes of issuing this Order. As a responsible agency, the Santa Ana Water Board is “responsible for considering only the effects of those activities involved in a project which it is required by law to carry out or approve.” (Public Resources Code, § 21002.1, subd. (d).) In approving this Order, the Santa Ana Water Board has considered the MND adopted by the County of Riverside Transportation Department and subsequent information provided by the Discharger. Specifically, the Santa Ana Water Board considered those sections of the MND pertaining to impacts to water quality. The Santa Ana Water Board finds that compliance with the mitigation measures of the MND and conditions in this Order will reduce potentially adverse impacts to water quality to a less than significant level and protect beneficial uses of receiving waters.
29. Consistent with Water Code section 189.7, the Santa Ana Water Board has conducted outreach to potentially affected disadvantaged and/or tribal communities concerning this Order. The Santa Ana Water Board has notified the Discharger and other interested agencies and persons of its intent to prescribe WDRs for the discharge and has provided them with an opportunity for public hearing to submit comments.
30. The Santa Ana Water Board, in a public meeting, heard and considered all comments pertaining to the WDRs for the discharge.

### **REQUIREMENTS**

**IT IS HEREBY ORDERED**, pursuant to Water Code sections 13263 and 13267, that the Discharger shall comply with the following:

## COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT

## MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

**A. Discharge Specifications**

1. No activities associated with the Project shall cause or threaten to cause a condition of nuisance, contamination or pollution as defined in Water Code section 13050.
2. The groundwater in the vicinity of the Project shall not be degraded resulting from the Project activities or placement of fill material for the Project.
3. The Discharger shall, as applicable, obtain coverage under and comply with the State Water Board's NPDES *General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities* (Order 2009-0009-DWQ, as amended by Order 2012-0006-DWQ; NPDES No. CAS000002) and any subsequent amendments (Construction General Permit). If the Project construction activities do not require coverage under the Construction General Permit, the Discharger shall develop and implement a storm water runoff management plan or equivalent construction best management practices (BMP) plan, to prevent the discharge of sediment and other pollutants during construction activities.
4. The Discharger shall comply with all local regulations associated with the Santa Ana Water Board's Municipal Stormwater Permit issued to Riverside County and co-permittees under NPDES No. CAS618033 and WDRs Order R8-2010-0033, and subsequent iterations thereof.
5. If construction dewatering discharges, including temporary stream diversions, are necessary to carry out the Project, the Discharger shall enroll and comply with the Santa Ana Water Board Order R8-2020-0006, *General Waste Discharge Requirements for Discharges to Surface Waters that Pose an Insignificant (De Minimis) Threat to Water Quality*.
6. Discharges of fill materials shall be limited to the placement of native fill and "inert waste", as defined in California Code of Regulations, title 27, section 20230. The discharge of fill materials other than native soil shall not be discharges as part of the project.
7. Construction and post-construction BMPs shall be implemented.
8. The Discharger shall provide a Diversion Plan addressing water diversion practices and best management practices (BMPs) during the Project. The Diversion Plan shall be provided to Santa Ana Water Board staff prior to starting Project activities and shall include, but not be limited to, proposed water quality monitoring and measures for Santa Ana Sucker protection. No water diversion shall occur until the Diversion Plan has been approved

## COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT

## MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

by the Santa Ana Water Board. Upon acceptance by Santa Ana Water Board staff, the Discharger shall implement the approved plan.

9. The Discharger shall provide the Santa Ana Water Board with a copy of the final U.S. Fish and Wildlife Service's Biological Opinion at least 30 days prior to initiating discharge and impacts to waters of the state.

**B. Discharge Prohibitions**

1. The permanent impacts to waters of the state from the Project shall not exceed quantities identified in Finding 17.
2. Except as expressly authorized in another WDRs order, waste shall not be discharged in a manner or location other than as described in the Application referenced in Finding 6, or the findings herein.
3. Except for authorized fill material discharges to waters of the state, the direct discharge of wastes, including rubbish, refuse, bark, sawdust, or any other solid or liquid wastes, into water channels, surface waters, or any place where they would contact or be eventually transported to surface waters, including flood plains, is prohibited.
4. The discharge of oil or other floating materials from any activity in quantities sufficient to cause deleterious bottom deposits, turbidity, or discoloration in surface waters is prohibited.
5. The discharge of silt, sand, clay, or other earthen materials from any activity in quantities sufficient to cause deleterious bottom deposits, turbidity, or discoloration in surface waters is prohibited.
6. Discharges to surface waters of wastes or pollutants that are not authorized by this Order or regulated by a separate permit are prohibited.
7. During the grading and filling operation, there shall be no onsite fueling, lubrication, changing of oil or other equipment fluids and their filters, or any other maintenance or storage of construction equipment within or next to drainage areas or other surface runoff conveyances.

**C. Mitigation Requirements**

1. The Discharger shall perform onsite habitat restoration and monitoring to offset all 7.44 acres of temporary impact (1:1 ratio), consistent with the proposed Draft Conceptual Mitigation Plan.
2. A final, detailed restoration plan shall be submitted to the Santa Ana Water Board for review and approval prior to initiating the Project. The

## COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT

## MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

plan must include restoration of all areas of temporary disturbance which could result in a discharge to waters of the state and grading of disturbed areas to pre-Project conditions. Temporary impacts to waters of the state are not authorized and shall not occur until a restoration plan has been approved by the Santa Ana Water Board.

3. The Discharger shall implement the final approved restoration plan within 60 days of Project completion.
4. The Santa Ana Water may extend the monitoring period and require additional compensatory mitigation upon determination by the Santa Ana Water Board that the Project has not met its success criteria for mitigation.

**D. Provisions**

1. The Discharger shall maintain a copy of this Order at the Project site so that it is always available to site operating personnel. Key operating personnel shall be familiar with the Order's content.
2. The Discharger shall take all reasonable steps to minimize or prevent any discharge that has a reasonable likelihood of adversely affecting human health and the environment.
3. This Order is not transferable to any person without written approval by the Executive Officer of the Santa Ana Water Board. Prior to any change in ownership, the Discharger shall notify the Santa Ana Water Board's Executive Officer in writing at least 30 days in advance. The notice shall include a written transfer agreement between the existing owner and the new owner. At a minimum, the transfer agreement shall contain a specific date for transfer of responsibility for compliance with this Order and an acknowledgment that the new owner or operator is liable for compliance with this Order from the date of transfer. The Santa Ana Water Board may require modification or revocation and reissuance of this Order to change the name of the Discharger and incorporate other requirements as may deem necessary under the applicable Water Code.
4. The Discharger shall submit an annual report each year on the anniversary of this Order. Annual reporting shall continue until a *Notice of Project Complete Letter* is issued to the Discharger. The contents of the annual report shall include a construction summary, Project status and schedule (including ground disturbance, site clearing and grubbing, and site construction), and the implementation status of Best Management Practices (BMPs) during the active discharge period. If the Project has not started, the Discharger shall provide an estimated start date and reasons for any expected delays.

## COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT

## MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

5. The Discharger shall submit a *Commencement of Construction Report* at least seven days prior to start of initial ground disturbance activities.
6. The Discharger shall submit a *Request for Notice of Completion of Discharges Letter* following completion of active Project construction activities, including any required restoration and Discharger-responsible mitigation. This request shall be submitted to Santa Ana Water Board staff within 30 days following completion of all Project construction activities. Upon acceptance of the request, Santa Ana Water Board staff will issue to the Discharger a *Notice of Completion of Discharges Letter*, which will end the active discharge period and, if appropriate, associated annual fees.
7. The Discharger shall submit a *Request for Notice of Project Complete Letter* when construction and any required post-construction monitoring is complete and no further Project activities will occur. This request shall be submitted to Santa Ana Water Board staff within 30 days following completion of all Project activities. Upon approval of the request, Santa Ana Water Board staff will issue to the Discharger a *Notice of Project Complete Letter* and prepare a draft order terminating this Order for approval by the Santa Ana Water Board. The *Notice of Project Complete Letter* will end the post-discharge monitoring period, and either the expiration or Board approval of the termination of this Order will end the associated annual fees.
8. The Discharger shall retain records of all monitoring information, including all calibration and maintenance records, copies of all reports required by this Order, and records of all data used to complete the application for this Order. Records shall be maintained for a minimum of five years from the date of the sample, measurement, report, or application. Records may be maintained electronically. This period may be extended during any unresolved enforcement action or litigation regarding this discharge or when requested by the Santa Ana Water Board.
9. The Discharger shall report any noncompliance that may endanger human health or the environment. Information shall be provided orally to the Santa Ana Water Board office and the Office of Emergency Services within twenty-four (24) hours of when the Discharger becomes aware of the incident. If noncompliance occurs outside of business hours, the Discharger shall leave a message on the Santa Ana Water Board's office voicemail. A written report shall also be provided within five business days of the time the Discharger becomes aware of the incident. The written report shall contain a description of the noncompliance and its cause, the period of noncompliance, the anticipated time to achieve full compliance, and the steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance. All other forms of noncompliance shall

## COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT

## MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

be reported with the Discharger's next scheduled Monitoring Report, or earlier if requested by the Executive Officer.

10. Before initiating a new discharge or making a material change in the character, location, or volume of an existing discharge, the Discharger shall report all pertinent information in writing to the Santa Ana Water Board, and if required by the Santa Ana Water Board, obtain revised requirements before any modifications are implemented.
11. The Discharger shall allow the Santa Ana Water Board, or an authorized representative, upon presentation of credentials and other documents as may be required by law to:
  - a. Enter premises where a regulated facility or activity is located or conducted, or where records are kept under the requirements of this Order;
  - b. Access and copy any records that are kept under the requirements of this Order;
  - c. Inspect any facility, equipment (including monitoring and control equipment), practices, or operations regulated or required under this Order; and
  - d. Photograph, sample, or monitor for the purpose of assuring compliance with this Order or as otherwise authorized by the Water Code.
12. This Order becomes effective on the date of adoption by the Santa Ana Water Board.
13. This Order will remain valid for five years from the date of its adoption. The Discharger shall file a new dredge and fill application in accordance with California Code of Regulations, title 23, division 3, chapter 9 no later than 180 days in advance of this expiration date. The application, with filing fee, will be discussed between the Discharger and Santa Ana Water Board staff regarding any need for additional information and changes in fees prior to the issuance of new WDRs.

### LIST OF ATTACHMENTS

Attachment A—MAPS

Attachment B—REPORTS and NOTIFICATIONS

Attachment C—SIGNATORY REQUIREMENTS

### **ENFORCEMENT**

The Santa Ana Water Board reserves the right to take any enforcement action authorized by law. Accordingly, failure to timely comply with any provisions of this Order may subject the Discharger to enforcement action. Such actions include, but are not limited to, the assessment of administrative civil liability pursuant to Water Code sections 13323, 13268, and 13350, a Time Schedule Order (TSO) issued pursuant to Water Code sections 13300 and 13308, or referral to the California Attorney General for recovery of judicial civil liability. Failure to comply with this Order may result in the assessment of administrative civil liability of up to \$10,000 per violation, per day, depending on the type of violation.

### **ADMINISTRATIVE REVIEW**

Any person aggrieved by this Santa Ana Water Board action may petition the State Water Board for review in accordance with Water Code section 13320 and California Code of Regulations, title 23, section 2050 et seq. To be timely, the petition must be received by the State Water Board by 5:00 pm on the 30th day after the date of this Order; if the 30th day falls on a Saturday, Sunday or a state holiday, the petition must be received by the State Water Board by 5:00 pm on the next business day. The law and regulations applicable to filing petitions are available on the [State Water Board website](http://www.waterboards.ca.gov/public_notices/petitions/water_quality) ([http://www.waterboards.ca.gov/public\\_notices/petitions/water\\_quality](http://www.waterboards.ca.gov/public_notices/petitions/water_quality)). Copies will also be provided upon request.



## COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT

## MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

## ATTACHMENT A—MAPS





FIGURE 1



Source: USGS 7.5' Quad: Riverside East and West, Fontana, San Bernardino South (1980); Riverside County, 2015

*Mission Boulevard Bridge Replacement at Santa Ana River  
Jurisdictional Delineation*


**Regional and Project Location**

(State Bridge Number 56C-0071)

BRLSZ-5956(192) EANumber 08-925179



COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT  
MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT  
**ATTACHMENT A—MAPS**



Mission Boulevard Bridge Replacement at Santa Ana River  
RWQCB Jurisdictional Impacts  
(State Bridge Number 56C-0071)  
BRLSZ-5956(192) EA Number 08-925179

**ATTACHMENT B—REPORTS AND NOTIFICATIONS****Copies of this Form**

In order to identify your Project, it is necessary to include a copy of the Project-specific Report and Notification Cover Sheet below with your report (see below). Please retain a copy for your records.

**Report Submittal Instructions**

- 1) Check the box on the *Report and Notification Cover Sheet* next to the report or notification you are submitting.
  - a) Part A (Annual Report): Submitted annually from the anniversary of the Project effective date until a *Notice of Project Complete Letter* is issued.
  - b) Part B (Project Status Notifications): Used to notify the Santa Ana Water Board of the status of the Project schedule that may affect Project billing.
- 2) Sign the *Report and Notification Cover Sheet* and attach all information requested for the Report Type.
- 3) Electronic Report Submittal Instructions:
  - a) Submit signed *Report and Notification Cover Sheet* and required information via email to: [RB8-401Reporting@waterboards.ca.gov](mailto:RB8-401Reporting@waterboards.ca.gov)
  - b) Include in the subject line of the email: Order R8-2023-0061 and Report Type Name
  - c) Additionally, electronically submit Annual Reports using the State Water Board's California Integrated Water Quality System (CIWQS) Program website [California Integrated Water Quality System Project \(CIWQS\) | California State Water Resources Control Board](#). The CIWQS website will provide additional information for report submittal in the event there will be a planned service interruption for electronic submittal.



COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT  
MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT  
**ATTACHMENT B—REPORTS AND NOTIFICATIONS**

### Definition of Reporting Terms

- 1) **Active Discharge Period:** The active discharge period begins with the effective date of this Order and ends on the date that the Discharger receives a *Notice of Completion of Discharges Letter* or, if no post-construction monitoring is required, a *Notice of Project Complete Letter*. The Active Discharge Period includes all elements of the Project, including site construction and restoration, and any Discharger-responsible compensatory mitigation construction.
- 2) **Request for Notice of Completion of Discharges Letter:** This request by the Discharger to the Santa Ana Water Board staff pertains to projects that have post construction monitoring requirements (e.g., if site restoration were required to be monitored for five (5) years following construction). Santa Ana Water Board staff will review the request and send a *Completion of Discharges Letter* to the Discharger upon approval. This letter will initiate the post-discharge monitoring period and a change in fees from the annual active discharge fee to the annual post-discharge monitoring fee.
- 3) **Request for Notice of Project Complete Letter:** This request by the Discharger to the Santa Ana Water Board staff pertains to projects that either have completed post-construction monitoring and achieved performance standards, or have no post-construction monitoring requirements and no further Project activities are planned. Santa Ana Water Board staff will review the request and send a *Project Complete Letter* to the Discharger upon approval. Termination of annual invoicing of fees will correspond with the expiration or termination by Board action of this Order.

### Map/Photo Documentation Information

When submitting maps or photos, please use the following formats.

#### 1. **Map Format Information:**

Preferred map formats of at least 1:24000 (1" = 2000') detail (listed in order of preference):

- **GIS shapefiles:** The shapefiles shall depict the boundaries of all Project areas and extent of aquatic resources impacted. Each shape should be attributed with the extent/type of aquatic resources impacted. Features and boundaries should be accurate to within 33 feet (10 meters). Identify datum/projection used and, if possible, provide map with a North American Datum of 1983 (NAD83) in the California Teale Albers projection in feet.
- **Google KML files** saved from Google Maps: My Maps or Google Earth Pro. Maps shall show the boundaries of all Project areas and extent/type of aquatic resources impacted. Include URL(s) of maps. If this format is used, include a

COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT  
MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT  
**ATTACHMENT B—REPORTS AND NOTIFICATIONS**

Map/Photo Documentation Information
<p>spreadsheet with the object ID and attributed with the extent/type of aquatic resources impacted.</p> <ul style="list-style-type: none"><li>• <b>Other electronic format</b> (CAD or illustration format) that provides a context for location (inclusion of landmarks, known structures, geographic coordinates, or USGS DRG or DOQQ). Maps shall show the boundaries of all Project areas and extent/type of aquatic resources impacted. If this format is used, include a spreadsheet with the object ID and attributed with the extent/type of aquatic resources impacted.</li><li>• Aquatic resource maps marked on paper <b>USGS 7.5-minute topographic maps</b> or <b>Digital Orthophoto Quarter Quads (DOQQ)</b> printouts. Maps shall show the boundaries of all Project areas and extent/type of aquatic resources impacted. If this format is used, include a spreadsheet with the object ID and attributed with the extent/type of aquatic resources impacted.</li></ul> <p><b>2. Photo-Documentation:</b> Include a unique identifier, date stamp, written description of photo details, and latitude/longitude (in decimal degrees) or map indicating location of photo. Successive photos should be taken from the same vantage point to compare pre/post-construction conditions.</p>

COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT  
MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT  
**ATTACHMENT B—REPORTS AND NOTIFICATIONS**

Report and Notification Cover Sheet
<b>Project: Mission Boulevard Bridge Replacement at Santa Ana River</b>
<b>Discharger: County of Riverside Transportation Department</b>
<b>Order No.: R8-2023-0061</b>
<b>Order Effective Date: December 1, 2023</b>

Report Type Submitted
<input type="checkbox"/> Report Type 1: Annual Report
<input type="checkbox"/> Report Type 2: Commencement of Construction Report
<input type="checkbox"/> Report Type 3: Request for Notice of Completion Discharges Letter
<input type="checkbox"/> Report Type 4: Request for Notice of Project Complete Letter
<input type="checkbox"/> Report Type 5: Transfer of Property Ownership Report

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

---

STATEMENT OF AUTHORIZATION (include if authorization has changed since application was submitted)

I hereby authorize \_\_\_\_\_ to act in my behalf as my representative in the submittal of this report, and to furnish upon request supplemental information in support of this submittal.

---

COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT  
MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT  
**ATTACHMENT B—REPORTS AND NOTIFICATIONS**

<b>Report Type 1</b>	<b>Annual Report</b>
<b>Purpose:</b>	Notify the Santa Ana Water Board staff of Project status during both the active discharge and post-discharge monitoring periods.
<b>When to Submit:</b>	Annual reports shall be submitted each year by the effective date. Annual reports shall continue until a <i>Notice of Project Complete Letter</i> is issued to the Discharger.
<b>Report Contents:</b>	<p><b>Part A:</b></p> <ol style="list-style-type: none"> <li>1. Project progress and schedule, including initial ground disturbance, site clearing and grubbing, road construction, site construction, and the implementation status of construction storm water BMPs. If construction has not started, provide estimated start date and reasons for delay.</li> </ol> <p><b>Part B:</b></p> <ol style="list-style-type: none"> <li>1. Planned date of initiation of compensatory mitigation site installation.</li> <li>2. If installation is in progress, a map of what has been completed to date.</li> <li>3. If the compensatory mitigation site has been installed, provide a final map and information concerning attainment of performance standards contained in the compensatory mitigation plan.</li> <li>4. For Mitigation Bank or In-Lieu Fee (ILF) mitigation, status or proof of purchase of credit types and quantities.</li> <li>5. Include the name of bank/ILF Program and contact information.</li> </ol>

<b>Report Type 2</b>	<b>Commencement of Construction</b>
<b>Purpose:</b>	Notify the Santa Ana Water Board staff prior to the start of construction.
<b>When to Submit:</b>	Must be received at least seven (7) days to start of initial ground disturbance activities.
<b>Report Contents:</b>	<ol style="list-style-type: none"> <li>1. Date of commencement of construction.</li> <li>2. Anticipated date when discharges to waters of the state will occur.</li> <li>3. Project schedule milestones, including a schedule for onsite compensatory mitigation, if applicable.</li> </ol>

## COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT

## MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

**ATTACHMENT B—REPORTS AND NOTIFICATIONS**

<b>Report Type 3</b>	<b>Request for Notice of Completion of Discharge Letter</b>
<b>Purpose:</b>	Notify Santa Ana Water Board staff that post-construction monitoring is required and that active Project construction, including any mitigation and Discharger-responsible compensatory mitigation, is complete.
<b>When to Submit:</b>	Must be received by Santa Ana Water Board staff within thirty (30) days following completion of all Project activities.
<b>Report Contents:</b>	<ol style="list-style-type: none"> <li>1. Status of storm water Notice of Termination(s), if applicable.</li> <li>2. Status of post-construction storm water BMP installation.</li> <li>3. Pre- and post-photo documentation of all Project activity sites where the discharge of dredge and/or fill/excavation was authorized.</li> <li>4. Summary of deviation discharge quantities compared to initial authorized impacts to waters of the state, if applicable.</li> <li>5. An updated monitoring schedule for mitigation for temporary impacts to waters of the state and Discharger-responsible compensatory mitigation during the post-discharge monitoring period, if applicable.</li> </ol>

<b>Report Type 4</b>	<b>Request for Notice of Project Complete Letter</b>
<b>Purpose:</b>	Notify Santa Ana Water Board staff that construction and/or any post-construction monitoring is complete, or is not required, and no further Project activity is planned.
<b>When to Submit:</b>	Must be received by Santa Ana Water Board staff within thirty (30) days following completion of all Project activities.
<b>Report Contents:</b>	<p><b>Part A: Mitigation for Temporary Impacts</b> (if applicable)</p> <ol style="list-style-type: none"> <li>1. A report establishing that the performance standards outlined in the restoration plan have been met for Project site upland areas of temporary disturbance that could result in a discharge to waters of the state.</li> <li>2. A report establishing that the performance standards outlined in the restoration plan have been met for restored areas of temporary impacts to waters of the state. Pre- and post-photo documentation of all restoration sites.</li> </ol>

COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT  
MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT  
**ATTACHMENT B—REPORTS AND NOTIFICATIONS**

Report Type 4	Request for Notice of Project Complete Letter
	<p><b>Part B: Discharger-Responsible Compensatory Mitigation</b> (if applicable)</p> <ol style="list-style-type: none"> <li>1. A report establishing that the performance standards outlined in the compensatory mitigation plan have been met.</li> <li>2. Status on the implementation of the long-term maintenance and management plan and funding of endowment.</li> <li>3. Pre- and post-photo documentation of all compensatory mitigation sites.</li> <li>4. Final maps of all compensatory mitigation areas (including buffers).</li> </ol>

Report Type 5	Transfer of Property Ownership
<b>Purpose:</b>	Notify Santa Ana Water staff of change in ownership of the Project or Discharger-responsible mitigation area.
<b>When to Submit:</b>	At least 30 working days prior to the transfer of ownership.
<b>Report Contents:</b>	<ol style="list-style-type: none"> <li>1. A statement that the Discharger has provided the purchaser with a copy of this Order and that the purchaser understands and accepts: <ul style="list-style-type: none"> <li>• the Order's requirements and the obligation to implement them or be subject to administrative and/or civil liability for failure to do so; and</li> <li>• responsibility for compliance with any long-term BMP maintenance plan requirements in this Order.</li> </ul> </li> <li>2. A statement that the Discharger has informed the purchaser to submit a written request to the Santa Ana Water Board to be named as the Discharger in a revised order.</li> </ol>



COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT  
MISSION BOULEVARD BRIDGE REPLACEMENT AT SANTA ANA RIVER PROJECT

### **ATTACHMENT C—SIGNATORY REQUIREMENTS**

*All Documents Submitted in Compliance With this Order Shall Meet the Following Signatory Requirements*

1. All applications, reports, or information submitted to the Santa Ana Water Board shall be signed and certified as follows:
  - a. For a corporation, by a responsible corporate officer of at least the level of vice-president.
  - b. For a partnership or sole proprietorship, by a general partner or proprietor, respectively.
  - c. For a municipality, or a State, federal, or other public agency, by either a principal executive officer or ranking elected official.
2. A duly authorized representative of a person designated in items 1.a through 1.c above may sign documents if:
  - a. The authorization is made in writing by a person described in items 1.a through 1.c above.
  - b. The authorization specifies either an individual or position having responsibility for the overall operation of the regulated activity.
  - c. The written authorization is submitted to the Santa Ana Water Board staff contact prior to submitting any documents listed in item 1 above.
3. Any person signing a document under this section shall make the following certification:

“I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.”