

## Santa Ana Regional Water Quality Control Board

### Item No. 8

December 11, 2025

### ERRATA SHEET

TENTATIVE ORDER R8-2025-0082

### WASTE DISCHARGE REQUIREMENTS FOR SAN TIMOTEO SANITARY LANDFILL STOCKPILE 3 PROJECT

(Note: Upon adoption of the Order, changes will be incorporated and in the finalization of the document, formatting and corrections will be made; further, non-substantive changes may be made to improve readability in compliance with California Code section 11546.7 document accessibility requirements.)

(Language added is underlined)

(Language deleted is ~~stuck out~~)

1. Modifying page 3, Finding 20, as follows:

The Discharger has proposed to provide compensatory mitigation for permanent impacts to waters of the State through the purchase of ~~0.94~~ 1.36 acres of Ephemeral ~~Stream~~ Riparian Enhancement credits from the Soquel Canyon Mitigation Bank. The purchase represents a 1.5:1 ratio (mitigation to impacts) for a total of ~~0.94~~ 1.36 acres.

2. Modifying page 7, Section C. Mitigation Requirements, Requirements 1 and 2 to revise compensatory mitigation acreage and type:

1. The Discharger shall provide compensatory mitigation for authorized impacts to waters of the State from the Project by purchasing ~~0.94~~ 1.36 acres of Ephemeral ~~Stream~~ Riparian Enhancement credits from the Soquel Canyon Mitigation Bank.
2. The Discharger shall submit to the Santa Ana Water Board the receipt of the purchase of ~~0.94~~ 1.36 acres of enhancement credits from the Soquel Canyon Mitigation Bank within nine (9) months of initiating the Project activities.