

## **Notice of Section 401 Application Reception**

**File Number:** 332022-29

**Project Name:** River Walk Village Emergency Overflow Outlet Project

**Received:** 9/12/2022

**Date Posted:** 10/11/2022

**End of 21 Day Public Comment Period:** 11/01/2022

**Project City:** Menifee

**Project County:** Riverside

**Applicant Organization:** CRP/CWR River Walk Project, L.L.C., a Delaware limited liability company

**Applicant Name:** Donald Fontana

**Waterboard Staff:** KF

### **Brief Description of Project:**

**Project Description:** The goal of the project is to construct an outlet storm drain to the existing Bradley Road Channel from a proposed bioretention basin that would be constructed at the northwest corner of the parcel. The purpose of constructing the outlet into Bradley Road Channel is to provide emergency overflow from the bioretention basin.

**Project Activities:** The project would consist of installing two, 36-foot long, 24-inch diameter reinforced concrete drainpipes in the existing Bradley Road Channel side slope that would outlet into Bradley Road Channel from the adjacent bioretention basin. Bradley Road Channel is an existing concrete trapezoidal Riverside County Flood Control District channel. The installation of the pipes would likely require cutting the concrete Bradley Road Channel side slope and temporarily excavating the slope to install the two pipes, then backfilling the slope and replacing the concrete around the ends of the pipes along the channel slope.