

Conclusions of the Agricultural Expert Panel

Recommendations to the State Water Resources Control Board
pertaining to the Irrigated Lands Regulatory Program

in fulfillment of SBX 2 1 of the California Legislature

Draft for Public Comment



July 2014

Expert Panel Members

Dr. Charles Burt, Chair
Dr. Robert Hutmacher
Till Angermann
Bill Brush

Daniel Munk
James duBois
Mark McKean
Dr. Lowell Zelinski

Prepared for

California State Water Resources Control Board
1001 I Street, 24th Floor
Sacramento, CA 95814

Disclaimer:

Reference to any specific process, product or service by manufacturer, trade name, trademark or otherwise does not necessarily imply endorsement or recommendation of use by either California Polytechnic State University, the Irrigation Training & Research Center, or any other party mentioned in this document. No party makes any warranty, express or implied and assumes no legal liability or responsibility for the accuracy or completeness of any apparatus, product, process or data described previously. This report was prepared as an account of work done to date. There is legal authority behind the contents or recommendations.

Editing and organization by: Irrigation Training & Research Center (ITRC)

July 2014

EXECUTIVE SUMMARY

The Expert Panel was convened to address thirteen questions posed by the State Water Board. The questions were primarily technical in nature, and are abbreviated below.

Questions Posed to the Expert Panel

1. How can risk to or vulnerability of groundwater best be determined in the context of a regulatory program such as the ILRP?
2. Evaluate and develop recommendations for the current approaches taken to assessing risk to or vulnerability of groundwater.
3. How can risk to or vulnerability of surface water best be determined in the context of a regulatory program such as the ILRP?
4. Evaluate and develop recommendations for the current approaches taken to assessing risk to or vulnerability of surface water.
5. What management practices are expected to be implemented and under what circumstances for the control of nitrogen?
6. What management practices are recommended for consideration by growers when they are selecting practices to put in place for the control of nitrogen?
7. Evaluate and make recommendations regarding the usage of various nitrogen management and accounting practices.
8. Evaluate and make recommendations regarding the most effective methods for ensuring growers have the knowledge required for effectively implementing recommended management practices.
9. What measurements can be used to verify that the implementations of management practices for nitrogen are as effective as possible?
10. Evaluate and make recommendations regarding the usage of listed verification measurements of nitrogen control.
11. Evaluate the relative merits, and make recommendations regarding the usage of, surface water measurement systems derived from either receiving water or a discharge monitoring approach to identify problem discharges.
12. Evaluate and make recommendations on how best to integrate the results of the Nitrogen Tracking and Reporting System Task Force with any above recommendation regarding management practices and verification measures.
13. Evaluate and make recommendations on the reporting requirements to report budgeting and recording of nitrogen application on a management block basis versus reporting aggregated numbers on a nitrate loading risk unit level.

Programmatic Recommendations from the Agricultural Expert Panel

The Agricultural Expert Panel (referred to as “the Panel” in this report) recommends a paradigm shift in its regulatory attempts to reduce nitrate levels in groundwater. The essential elements of this shift are:

1. All farmers should have good irrigation and nitrogen management plans, not just those with lands above aquifers with high nitrates, or those that in the past have historically been identified to be in a high vulnerability area, or those with a certain size farm or field. This recommendation comes with the caveat that certain groups (such as the rice growers on clay soils) may be considered for exemption because of very unique chemical situations, and that the groundwater quality of some areas may be de-designated from beneficial uses related to drinking water.
2. Reporting by farmers should be simple yet effective. The basic elements of reporting are reporting unit location, total nitrogen applied, crop type, and acreage.
3. Individual fields can be grouped into units for reporting purposes, in which all fields have the same crop (or very similar crops as designated by coalitions; this is primarily targeted toward produce crops), same irrigation and nitrogen management plan, same irrigation water quality, same irrigation method, similar soils and same general geographic area.
4. Meaningful education programs for farmers, and of persons who develop irrigation and nitrogen management plans, must be developed and implemented. Training for on-farm irrigation and fertilization decision-makers may need to be required (in an enforceable manner) to ensure success.

General Understanding by the Panel

The recommendations of the Panel are dependent upon the interpretation and understanding by Panel members of many surrounding issues. Some of the background consensus points among the members include the following:

1. Just collecting data does not necessarily improve or help clarify a situation.
2. Accurate and practical collection of data and its proper interpretation, regarding nitrogen balances and conversions (e.g., the “nitrogen cycle), is extremely difficult at the field level.
3. Collecting data on changing nitrate levels in the groundwater, to indicate success or failure of on-surface N management practices, is typically problematic at best.
4. What will be seen in the groundwater for the next two decades will be the results of historical, rather than current, management practices.
5. An increase in nitrate concentrations at the very upper surface of an aquifer may indicate better nitrate management rather than poorer nitrate management. This can be caused by reduced irrigation water leaching, which would result in higher concentrations of nitrate in the leachate, even though the nitrate loading may be lower.
6. The data that is currently available regarding nitrate levels in groundwater often comes from data sources of poor quality.
7. Complete nitrogen balances are very difficult to construct, on a seasonal basis, for many crops. There are numerous unknowns and a large range in the values of components used in the computations.
8. Even on a large spatial scale, which should be considerably easier than on an individual field scale, there are challenges in exhibiting a proper nitrogen balance by researchers and academics with a large budget and expertise.

9. Graphs and figures regarding the nitrate issues rarely delineate the uncertainties in the data.
10. The data that have been cited in many reports are dated; caution must be used in making policy based on outdated data. Agronomic practices and crop mixes constantly change.
11. Due to human nature, varying abilities of people to assimilate new information of various complexities, difficulty of properly communicating instructions, lack of information, etc., many changes in practices and procedures and behavior cannot be successfully accomplished in just a few years.
12. There are major differences between individual perceptions regarding the ease and quality of available data. As an example, one might consider the tonnage of nitrogen that is removed annually via crop harvest.
13. Regulatory efforts should consider three points: that there are no direct measurements or metrics currently available that can be used to determine good from bad management practices in the context of agricultural, non-point source discharges related to growing crops; that there are no surrogate measurements currently available that can be used to determine mass flux of nutrients and dissolved minerals below the crop root zone on a field scale; and that it cannot be assumed that data collected on the farm accurately document actual conditions.
14. The subjects considered by the Panel are highly complex and no “one-size-fits-all” solution is possible.

Key Points of the Panel Related to the Specific Questions Posed by the State Water Board Staff

The Panel determined that many of the answers and recommendations were pertinent to multiple questions. The table below provides the linkage between various questions from the State Water Board staff, and Key Points provided by the Panel. The Key Points are listed on the next pages.

Table 1. Key points related to original questions

Questions from State Water Board Staff	Applicable Key Points From the Panel
<i>Vulnerability and Risk Assessment</i>	
1	A, B, C, D, E, F, G, H
2	A, B, C, D, E, F, G, H
3	B, BB
4	B, BB, J
<i>Application of Management Practices</i>	
5	I, K, M, N
6	I, K, M, N
7 (a-d)	I, K, M, N, Y
8 (a-e)	L, O, P, Q, R
<i>Verification Measures</i>	
9	S, T
10 (a-f)	S, T
11	BB
<i>Reporting</i>	
12	U, V, W, X, Y, Z, AA
13	U, V, W, X, Y, Z, AA

Key Points Regarding Vulnerability & Risk

- A. The definition of "high vulnerability area" by the CVRWQCB creates ambiguity, uses circular logic, and has vague wording. It also lacks technical rationale, and confounds the spatial delineation of "risk of nitrate leaching below the crop root zone" with the concept of "impact to groundwater" at some undefined point within the aquifer.
- B. The Panel was not confident that the designation of high or low "risk" or "vulnerability" should even be relevant for regulation. However, risk level may be considered in the administration of responsibilities of growers to the coalitions.
- C. There is no reliable and practical method available that is generally applicable to accurately pinpoint the causes and sources of groundwater nitrates found at any point (horizontal and vertical) in an aquifer.
- D. The Panel does not believe that extensive monitoring of "first encountered groundwater" for nitrate is appropriate because of all of the uncertainties involved in interpreting results.
- E. Using a hazard index of conditions above ground such as with NHI, or an index based on groundwater nitrate levels, are both poor proxies to answering two basic questions on farms/fields: Are the nitrogen and water needs of the crop(s) being managed in a reasonably good manner?
- F. Rather than use proxy measures such as NHI index or groundwater nitrate concentrations, it is best to obtain direct data of the nitrogen applied by field/crop.
- G. Coalitions should define a process/procedure that they can use to identify the location of the source of water quality impairment. Many tools are available, and others can be developed. However, the Panel believes that all tools will only provide guidance, as opposed to certainty.
- H. It is incorrect to assume that accurate estimates of deep percolation on individual fields can be made.

Key Points Regarding Application of Management Practices

- I. The only way to reduce nitrate deep percolation from crop root zones is to reduce the volume of deep percolation water (irrigation or rainfall), and to also match the available nitrogen management to the plant needs.
- J. Regulatory programs must meet the challenge of being meaningful without being overly complex. Programs with excess complexity and excessive data collection/reporting will likely fail.
- K. Having an excellent irrigation water and nitrogen management plan is a fundamental and good farming practice. The Panel believes that the management plans must be individualized and developed by competent individuals.
- L. The development of excellent, pragmatic education/awareness/training programs will be an essential ingredient for successful development and implementation of irrigation water and nitrogen management plans.
- M. All management plans must include estimates of nitrogen required, nitrogen removed, the distribution uniformity (DU) of the irrigation system, and the volume of water infiltrated in a field. They must account for the fact that some of the variables change over the season, such as the DU of individual irrigation events.
- N. Management plans must identify actions to be taken, if identified, to improve performance.
- O. An essential detail for irrigation and nutrient management plan development is "Who will be deemed qualified to create and evaluate these plans"? The Panel believes that the State and Regional Water Boards should agree on the qualifications of the individuals who will create and evaluate these plans, and the basic simple requirements of the plans. But the Board staff will not approve individual plans. Individual management plans must be available for Board staff to review, if needed.
- P. The Panel defined a variety of details that must be addressed in the development of a pragmatic educational/awareness/training program.

(continued on next page)

- Q. Excellent attendance of the educational programs will be essential. A variety of ways to ensure attendance were contemplated. This will be a challenge.
- R. Common terminology and recommendations for Nitrogen applications that farmers are accustomed to hearing (often related to nutrient uptake), currently are not consistent in focusing on matching N applications with N removal from fields. This results in differences in methods to identify target amounts for N fertilizer applications.

Key Points Regarding Verification Measures

- S. The Regional and State Water Boards need some metric (index or tool) to evaluate the effectiveness of fertilizer management programs. However, deep groundwater nitrate levels, examined over periods of less than 10-20 years, cannot be expected to demonstrate such an impact. A different metric must be used.
- T. The Panel emphasizes that such N application data should only be used to provide a multiple-year picture of nitrogen use in an entire region. Data should not be compared year-to-year, but rather examined as multi-year trends in a region.

Key Points Regarding Reporting

- U. The cost and hassle of data collection for a farmer is the same whether it must be reported or not.
- V. Details about the blends of fertilizer and the timing of fertilizer applications are considered to be the same as a trade secret by most farmers. Details of this type do not need to be shared for any reasonable nitrogen management reporting program.
- W. It is highly inadvisable to require annual nitrogen cycle computations for fields.

- X. Describing and understanding the nitrogen management of a 160 acre almond orchard is relatively simple as compared to describing and understanding the nitrogen management of 16 - 10 acre produce crop fields.
- Y. A reporting of the applied nitrogen (along with the crop type and acreage) is recommended as the primary numerical metric because of three points:
 - Y.1 The State and Regional Water Boards will have good data that demonstrates if trends are indeed occurring.
 - Y.2 Farmers will need to develop this information, in any case, so it will not require extra data collection.
 - Y.3 Coalitions can provide simple information to farmers that allow them to compare their nitrogen applications for a crop against the nitrogen applications of others with the same crops.
- Z. A “reporting unit” could be defined in one of two ways (i) on a crop basis, which could include multiple fields that have similar soils, irrigation methods, irrigation water nitrate levels (not defined by the Panel), and irrigation/nutrient management styles. Alternatively (ii) a reporting unit could be defined as an individual field.
- AA. The time period for a report should encompass a 12-month period, and should consolidate monthly or short-season values into single reported values.

Key Points Regarding Surface Water Discharge Monitoring

- BB. A network of sampling points in drains and streams throughout a watershed, with emphasis on downstream areas, is recommended to identify if there are pollution problems upstream. This is recommended rather than sampling at each discharge point.

TABLE OF CONTENTS

Executive Summary	i
Programmatic Recommendations from the Agricultural Expert Panel.....	ii
General Understanding by the Panel.....	ii
Key Points of the Panel Related to the Specific Questions Posed by the State Water Board Staff	iii
1 Background.....	1
1.1 Call for an Panel.....	1
1.1.1 Regulatory Context	1
1.1.2 Charges to the Panel.....	1
1.2 Agricultural Expert Panel	2
1.2.1 Role of Panel.....	2
1.2.2 Panel Members.....	3
1.3 Meetings and Sessions	3
1.3.1 Public Comment Meetings.....	3
1.3.2 Work Sessions.....	3
1.3.3 Additional Public Input.....	3
2 Questions for the Panel	4
2.1 Vulnerability and Risk Assessment	4
2.2 Application of Management Practices	5
2.3 Verification Measures.....	6
2.4 Reporting.....	6
3 Panel Findings	7
3.1 Essential Background Concepts.....	7
3.2 Key Points and Recommendations by Panel	17
3.2.1 Risk and Vulnerability	17
3.2.2 Application of Management Practices	22
3.2.3 Verification Measures.....	31
3.2.4 Reporting.....	32
3.2.5 Surface Water Discharges.....	35
4 References	36
Appendix A.	Agricultural Expert Panel Members
Appendix B.	Information Given to Expert Panel
Appendix C.	Definitions and Clarifications for Panel
Appendix D.	Meeting Agendas

LIST OF FIGURES

Figure 1. Cross-sectioned view of lithologic well-log data along azimuth of 50 degrees between Stanislaus and Tulolumne Rivers (Figure 10 from Burow et al. 2004).... 8

Figure 2. Crop type maps of North Kern Water Storage District, 1990 and 2012. Provided by Dr. Joel Kimmelshue..... 9

Figure 3. Graphs of major changes in pistachio acreages and yield in the Tulare Lake Basin 10

Figure 4. Graphs of major changes in almond acreages and yield in the Tulare Lake Basin 11

Figure 5. Graphs of major changes in tomato acreages and yield in Fresno, Kings, and Kern Counties 12

Figure 6. Three-year running annual average fertilizer purchases in the Tulare Lake Basin, 1991-2011 (data from CDFR, 2014)..... 13

Figure 7. Total nitrogen mass in commercial fertilizer purchased in California and other states for 2003 to 2011 (AAPFCO, 2011)..... 13

Figure 8. Mass balance of cropland nitrogen (Harter and Lund, 2012)..... 14

LIST OF TABLES

Table 1. Key points related to original questions iii

1 BACKGROUND

1.1 *Call for an Panel*

Chapter 1 of the Second Extraordinary Session of 2008 (SBX2 1, Perata), required the State Water Board to develop pilot projects focusing on nitrate in groundwater in the Tulare Lake Basin and Salinas Valley, and to submit a report to the Legislature on the scope and findings of the pilot projects, including recommendations. The State Water Board made fifteen recommendations in four key areas to address the issues associated with nitrate contaminated groundwater. The key areas to address these issues are:

1. Providing safe drinking water
2. Monitoring, notification, and assessment
3. Nitrogen tracking and reporting
4. Protecting groundwater

Recommendation 14 of the State Water Board’s report to the Legislature was to convene a panel of experts to assess existing agricultural nitrate control programs and develop recommendations, as needed, to ensure that ongoing efforts are protective of groundwater quality.

The State Water Board in its subsequent adoption of Order WQ 2013-0101 also tasked the Panel with certain issues related to impacts of agricultural discharges on surface water.

1.1.1 Regulatory Context

The charge and questions below directed to the Agricultural Panel were done so in the context of the State Water Resources Control Board’s Policy for Implementation and Enforcement of the Nonpoint Source Pollution Control Program, May 20, 2004, and Regional Water Quality Control Boards’ Irrigated Lands Regulatory Programs as implemented through various separate orders.

1.1.2 Charges to the Panel

Assess existing agricultural nitrate control programs and develop recommendations, as needed, to ensure that ongoing efforts are protective of groundwater quality.

(Recommendations Addressing Nitrates in Groundwater, State Water Board’s Report to the Legislature, February 20, 2013)

- and -

Provide a more thorough analysis and long-term statewide recommendations regarding many of the issues implicated in State Water Board Order WQ 2013-0101, including indicators and methodologies for determining risk to surface and groundwater quality, targets for measuring reductions in risk, and the use of monitoring to evaluate practice effectiveness.

1.2 Agricultural Expert Panel

Recommendation 14 of the State Water Board’s report to the Legislature was to convene a panel of experts to assess existing agricultural nitrate control programs and develop recommendations, as needed, to ensure that ongoing efforts are protective of groundwater supply quality. The State Water Board contracted with the Irrigation Training and Research Center (ITRC) to assemble the Agricultural Expert Panel (referred to as “the Panel” in this report) of up to 10 persons. Recommended Panel types were to include, but not be limited to:

- Irrigation Specialist /Ag Engineer – specializing in irrigation systems including drip, sprinkler, furrow, and flood irrigation systems and the use of fertigation.
- Soil Scientist – specializing in soil conservation, soil fertility management and movement of water and nitrogen through the soil.
- Hydrogeologist – specializing in aquifer contamination and contaminate movement within groundwater.
- Certified Crop Advisor – specializing in the application of synthetic and organic fertilizers.
- UC Cooperative Extension Farm Advisor – specializing in annual and perennial crops.
- Grower – experience in both annual and perennial crops
- Agronomist – specializing in California agricultural production, nutrient uptake and yields.
- Agricultural Economist – specializing in economic analysis of California agriculture with some experience in the economic analysis of air and water quality regulations.

1.2.1 Role of Panel

The role of Panel Members is as follows:

- Review the Irrigated Lands Regulatory Program (ILRP).
- Evaluate ongoing agricultural control measures that address nitrate in groundwater and surface water.
- Evaluate and address other risks to water quality posed by agricultural practices.
- Address questions posed by the State Water Board in its order regarding the petitions of the Central Coast Regional Water Board.
- Address questions developed by an Advisory Committee, other agencies and the public as approved by the State Water Board.
- Propose new agricultural control measures, if necessary.
- Hold meetings with the Advisory Committee as necessary.
- Conduct three public meetings to take public comment.
- ITRC was mandated to write the final report on findings and summary of project discoveries and recommendations.

This report contains observations, recommendations, and comments of an advisory nature for the State Water Board staff to consider or discard at staff discretion. The Panel was given no authority or power to write regulations or requirements of any nature.

1.2.2 Panel Members

The Panel was made up of eight members that matched the qualifications requested by the State Water Board. A brief biography of each panel member is provided in **Appendix A**. Members were:

- Dr. Charles Burt (Panel Chairman), Irrigation Engineer, California Polytechnic State University, San Luis Obispo, Irrigation Training & Research Center
- Dr. Robert Hutmacher, Extension Specialist, UC Cooperative Extension, Westside Research and Extension Center
- Till Angermann, Hydrogeologist, Luhdorff & Scalmanini Consulting Engineers, Woodland
- Bill Brush, Certified Crop Advisor, Almond Board of California, East San Joaquin Water Quality Control Board, Modesto
- Daniel Munk, Farm Advisor, UC Cooperative Extension, Fresno
- James duBois, Grower, Reiter Affiliated Companies, Central Coast Region
- Mark McKean, Grower, Central Valley Region (Riverdale)
- Dr. Lowell Zelinski, Agronomist, Precision Ag Consulting (Paso Robles)

1.3 *Meetings and Sessions*

1.3.1 Public Comment Meetings

In May of 2014, the Agricultural Panel called by the California State Water Board held a series of three meetings over to invite and hear public comment on nitrate groundwater issues, and to publicly discuss the topic. The Panel was tasked with collecting input and information that centered on 13 previously developed questions that the Panel had been asked to address. Due to the large number of people who wanted to comment verbally, comment duration was limited. Commenting time was truncated by the Chair if they appeared to deviate from the topics that were to be addressed by the Panel.

The meetings were held in San Luis Obispo (May 5-6), Tulare (May 7), and Sacramento (May 9) to facilitate public access. The meeting sessions were videotaped and posted online at www.itrc.org/swrcb/ in accordance with the Bagley-Keene Open Meeting Act.

1.3.2 Work Sessions

Three open work sessions were held at Cal Poly ITRC (June 9, June 23, July 1) by the Agricultural Expert Panel for the purpose of developing a draft report. Public comments were invited, but were restricted to 2 minutes/person due to limited time.

1.3.3 Additional Public Input

Written comments provided by the public, as well as the Panel meeting schedule, background information, reports, relevant agency contacts, and other notices were maintained by ITRC on a public website at www.itrc.org/swrcb/. Agendas and speaker lists for all meetings are included as **Appendix D** of this document.

2 QUESTIONS FOR THE PANEL

The State Water Board staff provided the Panel with a list of questions. The Panel was instructed that those questions (listed below) were for guidance, and that the Panel could combine answers to related questions, address other questions that the Panel members felt were important, and even question the validity of individual questions or assumptions behind the questions.

2.1 Vulnerability and Risk Assessment

Regulatory programs are most effective when they are able to focus attention and requirements on those discharges or dischargers (i.e. growers) that pose the highest risk or threat because of the characteristics of their discharge or the environment into which the discharge occurs. The various Irrigated Lands Regulatory Program (ILRP) orders issued throughout the state by the Regional Water Boards have taken different approaches in their prioritization schemas, some using specific criteria or methodologies, others utilizing measurements of previous known impacts.

1. How can risk to or vulnerability of groundwater best be determined in the context of a regulatory program such as the ILRP?
2. Evaluate and develop recommendations for the current approaches taken to assessing risk to or vulnerability of groundwater:
 - a. Nitrate Hazard Index (as developed by the University of California Center for Water Resources, 1995),
 - b. Nitrate Loading Risk Factor (as developed by the Central Coast Regional Water Quality Control Board in Order R3-2012-0011),
 - c. Nitrogen Consumption Ratio,
 - d. Size of the farming operation,
 - e. High Vulnerability Areas Methodology (as developed by the Central Valley Regional Water Board in a series of Waste Discharge Requirements issued to agricultural coalitions in the ILRP).
3. How can risk to or vulnerability of surface water best be determined in the context of a regulatory program such as the ILRP?
4. Evaluate and develop recommendations for the current approaches taken to assessing risk to or vulnerability of surface water:
 - a. Proximity to impaired water bodies.
 - b. Usage of particular fertilizer or pesticide materials.
 - c. Size of farming operation.
 - d. High Vulnerability Areas Methodology (as developed by the Central Valley Regional Water Board in a series of Waste Discharge Requirements issued to agricultural coalitions in the ILRP)

2.2 Application of Management Practices

The application and use of management practices for the control of nonpoint source pollution is a fundamental approach taken by many Water Board orders, and considered a key element in the State Water Board's Policy for Implementation and Enforcement of the Nonpoint Source Pollution Control Program, May 20, 2004. Management practices that are cost-effective and are easy to implement have the best chance of being adopted and successful. However, when comparing management practices, consideration should also be given to the likelihood that a management practice will be effective in reducing nitrogen loading to surface and groundwater. The Regional Water Boards have included specific management practices in their various orders, as well as requiring the growers to identify and implement management practices on their own.

5. What management practices are expected to be implemented and under what circumstances for the control of nitrogen?
6. What management practices are recommended for consideration by growers when they are selecting practices to put in place for the control of nitrogen?
7. Evaluate and make recommendations regarding the usage of the following management practices:
 - a. Nitrogen mass balance calculations and tracking of nitrogen applied to fields. This should include consideration of measuring and tracking Nitrogen:
 - i. Applied to crops or fields.
 - ii. In soil.
 - iii. In irrigation water.
 - iv. Removed from field.
 - v. Estimation of losses.
 - b. Templates for determining nitrogen balance.
 - c. The usage of nitrogen balance ratios.
 - d. Nutrient management plans.
8. Evaluate and make recommendations regarding the most effective methods for ensuring growers have the knowledge required for effectively implementing recommended management practices. Consider the following:
 - a. Required training.
 - b. Required certifications.
 - c. Workshops sponsored by third parties such as: CDFA, County Agricultural Commissioners, Farm Bureau, UC Cooperative Extension.
 - d. Usage of paid consultants – e.g., CCAs/PCAs.
 - e. UC Cooperative Extension specialists.

2.3 Verification Measures

Utilization of verification measures to determine whether management practices are being properly implemented and achieving their stated purpose is another key element to the success of a nonpoint source control program. Because of the nature of nonpoint source discharges, direct measurements are often difficult or impossible to obtain and other means of verifications may be required.

9. What measurements can be used to verify that the implementations of management practices for nitrogen are as effective as possible?
10. Evaluate and make recommendations regarding the usage of the following verification measurements of nitrogen control:
 - a. Sampling first encountered groundwater via shallow monitoring wells.
 - b. Direct sampling of groundwater from existing wells, such as an irrigation well or domestic drinking water well, near the field(s) where management practices for nitrogen are being implemented.
 - c. Sampling of the soil profile to determine the extent to which nitrogen applied to a field moved below the root zone.
 - d. Representative sampling of a limited area and applying the results broadly.
 - e. Sampling water in surface water containment structures for their potential discharge to groundwater.
 - f. Estimating discharge to groundwater based on nitrogen balance model and measured irrigation efficiency.
11. Evaluate the relative merits, and make recommendations regarding the usage of, surface water measurement systems derived from either receiving water or a discharge monitoring approach to identify problem discharges.

2.4 Reporting

The ILRP orders issued by the Regional Water Boards require reporting to both determine compliance and inform overall management of the discharges associated with agriculture. Also, specifically in regards to nitrogen, the California Department of Food and Agriculture convened the Nitrogen Tracking and Reporting System Task Force, called for by Recommendation 11 of the State Water Board’s report to the Legislature, which makes recommendations on a potential reporting system.

12. Evaluate and make recommendations on how best to integrate the results of the Nitrogen Tracking and Reporting System Task Force with any above recommendation regarding management practices and verification measures.
13. Evaluate and make recommendations on the reporting requirements to report budgeting and recording of nitrogen application on a management block basis versus reporting aggregated numbers on a nitrate loading risk unit level. (Definitions of “management block” and “nitrate loading risk unit” are contained in State Water Board Order WQ 2013-0101.)

3 PANEL FINDINGS

3.1 Essential Background Concepts

The recommendations of the Panel were impacted by members' interpretations and understandings of many background concepts and issues, which together create a picture of what is reasonable and proper. Some of those understandings are noted below.

1. Just collecting data does not necessarily improve or help clarify a situation. This was heard repeatedly during the public hearings.
2. Dr. John Letey, in discussing the State Water Board's "Recommendations Addressing Nitrates in Groundwater, Report to the Legislature" (20 Feb 2013), provides a grim view of traditional nitrogen data collection at the field level:
 - a. *"... there was no significant correlation between the N concentration in the soil-water with either the drainage volume or the amount of N applied. The significance of this is that there is no value gained by measuring the N concentration in the soil-water. The concentration neither reflects the N load to groundwater nor the quality of the farm management. Indeed, as will be supported later, erroneous conclusions can be drawn from these data..."*
 - b. *The amount of N leached is far greater for the higher irrigation (low N concentration) than the lower irrigation (higher N concentration). The amount of N leached is directly related to the water flux at the bottom of the root zone. This flux cannot be practically measured (tracked) in the field, especially for the great variation with time and location. Tracking the N load migrating to groundwater, and not concentration, is the most important factor to track, and it is impossible to track...*
 - c. *...efforts today should be directed toward reducing the future N loads to groundwater. The load is dictated by farmer management; and therefore, the approach should be directed toward inducing good farm management, not merely tracking and reporting what is being done. This is particularly true when some of the costly tracking information is, at best, of useless value."*
3. Collecting data on changing nitrate levels in the groundwater, to indicate success or failure of on-surface N management practices, is problematic at best. While there is no doubt that with shallow water tables (e.g., less than 7 feet) there will be a rapid response to deep percolation (below the root zone) water and nitrate flows, it becomes almost impossible to get good numbers from deeper zones. The following points were repeatedly made:
 - a. Lag times between deep percolation of nitrates and the nitrates reaching the top of the aquifer typically range from a few years to up to extremes of several hundred years.
 - b. While there can always be exceptions, there is very little direct correlation between deep percolation water qualities and the aquifer immediately below that agricultural surface. Instead, many explanations and examples were given regarding the mixing of aquifer flows, and the heterogeneous nature of the subsurface.

- c. Groundwater simulation model results are approximate even on very large scales.
- d. California aquifer physical characteristics are very complex and even with large studies are poorly defined. As an example, Figure 1 shows a single transect of the Modesto area aquifer.




Figure 1. Cross-sectioned view of lithologic well-log data along azimuth of 50 degrees between Stanislaus and Tulolumne Rivers (Figure 10 from Burow et al. 2004)

- 4. What will be seen in the groundwater for the next 20 years in the Tulare Basin, on the average, are the results of historical management practices – not the result of today’s irrigation/fertilizer practices.

The graphs in Figure 2, provided in testimony by Dr. Joel Kimmelshue, illustrate how things have changed in 20 years in North Kern Water Storage District. The point was that today what is seen in groundwater nitrate changes has little or no relationship to today’s conditions.




Figure 2. Crop type maps of North Kern Water Storage District, 1990 and 2012. Provided by Dr. Joel Kimmelschue

- a. On a broader geographic scale, there have been major changes in cropping patterns in recent years. Figure 3 through Figure 5, developed from CDFA reports, illustrate some of the major changes in the southern San Joaquin Valley. Pistachio, almond, and tomato acreages have increased, and the yields for all three crops (lb/acre) have also increased. The major changes in both acreage and yields have occurred in the last 10-15 years.




Figure 3. Graphs of major changes in pistachio acreages and yield in the Tulare Lake Basin¹

¹ Data from County of Fresno (2014), County of Kern (2014), Kings County (2014), and Tulare County (2014). Includes production from young orchards officially classified as non-bearing. Pistachio production stated in terms of In-shell Equivalents.




Figure 4. Graphs of major changes in almond acreages and yield in the Tulare Lake Basin²

² Data from County of Fresno (2014), County of Kern (2014), Kings County (2014), and Tulare County (2014). Includes production from young orchards officially classified as non-bearing. Almond production stated in terms of Nut Meat Equivalents.




Figure 5. Graphs of major changes in tomato acreages and yield in Fresno, Kings, and Kern Counties³

- b. Irrigation methods have also changed dramatically. While drip/micro systems have been widely used since the late 1970’s in the San Joaquin Valley, it is now difficult to find pistachio, almond, or tomato fields that are not drip-irrigated. The big shift from surface irrigation (furrows and border strip) has occurred in the last 10-15 years.
- c. Meanwhile, reported nitrogen fertilizer sales are about the same in the Southern San Joaquin Valley, but have reportedly dropped in California (see Figure 6 and Figure 7).

³ Data from County of Fresno (2014), County of Kern (2014), Kings County (2014), and Tulare County (2014).




Figure 6. Three-year running annual average fertilizer purchases in the Tulare Lake Basin, 1991-2011 (data from CDFA, 2014)

State	Fertilizer purchased in 2003 (1000 kg of N)	Fertilizer purchased in 2005 (1000 kg of N)	Fertilizer purchased in 2007 (1000 kg of N)	Fertilizer purchased in 2009 (1000 kg of N)	Fertilizer purchased in 2011 (1000 kg of N)	% change from 2002-2006 to 2007-2011*
Alabama	90,956	114,387	106,729	60,319	68,225	-19%
Alaska	2,741	2,741	2,741	2,501	2,817	-2%
Arizona	96,855	89,720	71,420	89,747	60,041	-23%
Arkansas	265,684	227,586	297,798	213,021	223,361	-3%
California	792,148	694,217	670,619	609,774	672,302	-8%
Colorado	110,324	115,719	130,718	121,902	152,647	16%
Connecticut	10,791	8,284	10,634	8,889	8,480	-15%

Figure 7. Total nitrogen mass in commercial fertilizer purchased in California and other states for 2003 to 2011 (AAPFCO, 2011)

5. An increase in nitrate concentrations at the very upper surface of an aquifer may indicate better nitrate management rather than poorer nitrate management. This can be caused by reduced irrigation water leaching, which would result in higher concentrations of nitrate in the leachate, even though the nitrate loading may be lower.
6. The data that is currently available regarding nitrate levels in groundwater often comes from data sources of poor quality. Samples come from wells for which there is often little information available regarding the depth of casing perforations, the depth of the well itself, the relative transmissivity of various zones in the aquifer, mixing between upper and lower aquifers, etc. In addition, due to the nature of horizontal flows, the nitrate levels at a point in a groundwater aquifer do not necessarily indicate nitrogen practices in the field directly above that point.

7. Complete nitrogen balances are very difficult to construct, on a seasonal basis, for many crops. There are numerous unknowns and a large range in the values of components used in the computations. A wide variety of papers and testimony (such as the earlier quotes by Letey) discuss **how** it is almost impossible to accurately quantify many of the N conversion details regarding mineralization, volatilization, nitrification, denitrification, etc. as related to both synthetic and organic sources of nitrogen. The difficulties for experts are tremendous, and are therefore unrealistic expectations for farmers.
8. Even on a large scale, which should be considerably easier than on an individual field scale, there are challenges in exhibiting a proper nitrogen balance. For example, Figure 3 from Harter and Lund (2012) (referred to in this report as “the Harter Report”) is seen below.




Figure 8. Mass balance of cropland nitrogen (Harter and Lund, 2012)

In the mass balance above, the “leaching to groundwater” is a mathematical remainder term, where:

$$\text{Leaching} = (\text{everything on the left}) - (\text{everything else but leaching on the right})$$

While it can be desirable to provide simple depictions such as this, a logical question is: Why does the harvested nitrogen equal the N in land-applied dairy manure? Surely some of the harvested nitrogen was destined to something other than manure. The study has numerous assumptions (which all studies must have), one of which is that all harvested alfalfa received all of its nitrogen from the atmosphere. However, alfalfa is generally planted in a rotation with other crops, and alfalfa will use readily available soil N before

it fixes atmospheric N for its use. On a macro level, just the nitrogen in milk in the area of the pie chart is about 58,000 ton/yr of N – accounting for a significant part of the harvested N. In other words, the depiction of a simple conceptual nitrogen balance for one intensively studied area as a product of a multi-million dollar effort suffers from lack of clarity. The development of complex nitrogen budgets for individual fields has similar challenges, but multiplied thousands of times and without nearly the equivalent budget and level of expertise to support them.

As a side point, the graph in Figure 8 does not clearly indicate that very little manure is applied on the Central Coast (part of the study area). It would also be incorrect to extrapolate the findings in the limited study area, to other areas of the state.

9. Graphs and figures regarding the nitrate issues rarely delineate the uncertainties in the data. Agronomic practices and crop mixes constantly change. For example, each component of the pie chart's basin nitrogen depiction (which is not really a balance because not all major components are included) has a level of uncertainty.
10. The data that have been cited in many reports are dated. For example, The Harter Report used crop and fertilizer data from 2000-2005. This is not a criticism of that report; it instead points out the importance of using current, relative data/indicators to direct policy.
11. Due to human nature, varying abilities of people to assimilate new information of various complexities, difficulty of properly communicating instructions, lack of information, etc., many changes in practices and procedures and behavior cannot be successfully accomplished in just a few years.

Testimony from Parry Klassen (East San Joaquin Water Quality Coalition) showed that it is a challenge to receive meaningful data from farmers on even simple details such as field locations. It did not appear that this challenge was because of reluctance to respond, but rather because it is a new task, requiring information from unknown sources, using unfamiliar procedures, with instructions that may not be crystal clear.

Because of the combination of scientific uncertainties plus the human element, it is essential to start slowly with attainable and meaningful steps. It may be determined later that these simple steps are sufficient in themselves.

12. There are major differences between individual perceptions regarding the ease and quality of available data. As an example, one might consider the tonnage of nitrogen that is removed annually via crop harvest.
 - a. Almonds, with many years of focused research and simple cropping systems, have good and readily available information regarding harvested yield (meat, husks, plus shells) and removed nitrogen, plus an estimate of annual nitrogen uptake for wood growth.
 - b. A very similar crop – pistachios – has similar information, but that information is not readily available to the public.
 - c. The members of the Panel are not aware of readily available, easily usable information regarding harvested nitrogen/acre for a wide range of crops. This is

especially true of produce crops (broccoli, lettuce, cauliflower) which have widely different pack-out rates, in which yield is expressed as boxes per acre rather than tons/acre, seasons are highly variable in duration, and the percentage of vegetative matter that is harvested can change drastically depending upon the market.

- d. For most crops, most farmers do not presently track the amount of harvested nitrogen. Rather, they are accustomed to a completely different way of thinking about nitrogen. Typical extension service recommendations are based on the amount of nitrogen needed to produce a crop – rather than on harvested nitrogen rates. Or, recommendations may be based on some type of leaf or petiole sample results at specific growth stages. Reporting or accounting for harvested nitrogen is a completely new concept for farmers of a much higher difficulty than what they are currently doing.
- e. The further one moves from the field into research and academia, testimony indicates that the idea of accounting for harvested nitrogen sounds more and more simple.

13. Regulatory actions should consider the following:

- a. There are no direct measurements or metrics currently available that can be used to determine good from bad management practices in the context of agricultural, non-point source discharges related to growing crops (i.e., one cannot accurately measure the mass flux of nutrients and dissolved minerals below the crop root zone on a field scale).
- b. There are no surrogate measurements (i.e., proxies for direct measurements) currently available that can be used to determine mass flux of nutrients and dissolved minerals below the crop root zone on a field scale. Inherent errors and uncertainties far exceed needed precision.
- c. The Irrigated Lands Regulatory Program (ILRP) and Dairy General Order data collection efforts that relate to nitrogen mass accounting (Nutrient Management Plan, Farm Template, etc.) assume that data collected on the farm accurately document actual conditions. That assumption is often incorrect.

The current regulatory approach requires the regulated community to carry out enormous data collection and investigative efforts with questionable utility and no indication that they will be successful in protecting groundwater quality. In other words, the Water Boards are over-tasked by their legislative charge to protect beneficial uses of groundwater in the context of the ILRP and other agricultural orders (e.g., the Dairy General Order). This suggests the value of a paradigm shift.

The Panel recommends that a new paradigm be developed and proposes a framework in Section 3.2. In summary, the new paradigm places emphasis on training/education, irrigation and nitrogen management plans, and concise reporting.

14. The subjects considered by the Panel are highly complex and no “one-size-fits-all” solution is possible; the recommendations presented in this report represent the Panel’s best attempts at creating a plan that will be practical, effective, and manageable in the long term.

3.2 Key Points and Recommendations by Panel

3.2.1 Risk and Vulnerability

The State and Regional Water Boards are interested in prioritizing regulatory oversight and assistance according to the risk posed by discharges to the environment into which the discharge occurs. The State Water Board expressed this interest in response to the Harter Report. Recommendation 6 states:

*The Water Boards will define and identify nitrate high-risk areas in order to prioritize regulatory oversight and assistance efforts in these areas.*⁴

Since then, the CVRWQCB issued their first WDRs to growers within the Eastern San Joaquin River Watershed (R5-2012-0116-R2; revised October 2013 and March 2014). In this Order, the term “nitrate high-risk area” (or related) appears only once; and it is not defined. Instead, the term “vulnerability” or “vulnerable” (or related) appears 157 times, predominantly in connection with groundwater. This incongruence between the State Water Board and CVRWQCB creates much confusion. Therefore, the concepts of vulnerability, as currently used by CVRWQCB, and risk (as proposed to be used by the Panel) are discussed on the next few pages.

⁴ Recommendation 6 references two previous interpretive efforts that the State Water Board will invoke:

The Water Boards will develop a definition of a nitrate high-risk area, using both the hydrogeologically vulnerable areas identified by the State Water Board (http://www.waterboards.ca.gov/gama/docs/hva_map_table.pdf) as well as current DPR Groundwater Protection Areas (http://www.cdpr.ca.gov/docs/emon/grndwtr/gwpa_locations.htm), in addition to other available hydrogeologic data.

The Expert Panel finds that neither the State Water Board’s Hydrogeologically Vulnerable Areas method nor DPR’s Groundwater Protection Areas approach can constructively contribute to a definition of nitrate high-risk area in the context of the ILRP. For example, the Hydrogeologically Vulnerable Areas method categorically excludes the entirety of the area known to be underlain by the Corcoran Clay although groundwater extraction from above this extensive aquitard is substantial both for agricultural and drinking water supply. Further, DPR’s Groundwater Protection Areas were delineated specifically to protect groundwater from contamination with pesticides, not nitrate. DPR states:

A ground water protection area (GWPA) is a one-square mile section of land that is sensitive to the movement of pesticides. GWPAs can be established if any of the following are true:

- *previous detections of pesticides in that section*
- *contains coarse soils and depth to ground water < 70 feet*
- *contains runoff-prone soils/hardpans and depth to ground water < 70 feet*

Areas of pesticide application do not necessarily match those where fertilizers are applied (e.g., along railroads, highways and county roads, canals, etc.) and DPR’s groundwater protection considerations included chemical properties of pesticides, not those of nitrate. Also, the inclusion of runoff-prone soils/hardpans makes sense for the control of the off-site transport of pesticides to surface waters. However, these conditions tend to decrease deep percolation of water and nitrates and should, therefore, not be included in the delineation of nitrate high-risk areas.

3.2.1.i *The Concept of Vulnerability*

In the context of the ILRP and the development of its Waste Discharge Requirements' general orders, groundwater vulnerability has become a highly controversial concept. Part of the controversy is caused by the difficulty of agreeing on a definition, plus the difficulty of spatially determining areas of different vulnerability. The term itself is confusing. In many cases, vulnerability of an aquifer is better characterized as “rapidly responding” to a given input signal (e.g., a waste discharge to land) and the “degree of signal attenuation” that occurs between the point of discharge and point of interest within the aquifer system. However, some authors refer to these properties as the aquifer’s “sensitivity”. Clearly, vadose zone physical, hydraulic and chemical properties are important variables that determine aquifer vulnerability, and so are aquifer characteristics. Unfortunately, there is very little quantitative information on these properties, with the exception of highly investigated sites.

CVRWQCB defined “high vulnerability area” in Attachment E to R5-2012-0116-R2. This definition is the basis of the High Vulnerability Areas Methodology:

High vulnerability area (groundwater) – Areas identified in the approved Groundwater Quality Assessment Report “...where known groundwater quality impacts exist for which irrigated agricultural operations are a potential contributor or where conditions make groundwater more vulnerable to impacts from irrigated agricultural activities.” (see section IV.A.3 of the MRP) or areas that meet any of the following requirements for the preparation of a Groundwater Quality Management Plan (see section VIII.H of the Order): (1) there is a confirmed exceedance (considering applicable averaging periods) of a water quality objective or applicable water quality trigger limit (trigger limits are described in section VIII of the MRP) in a groundwater well and irrigated agriculture may cause or contribute to the exceedance; (2) the Basin Plan requires development of a groundwater quality management plan for a constituent or constituents discharged by irrigated agriculture; or (3) the Executive Officer determines that irrigated agriculture may be causing or contributing to a trend of degradation of groundwater that may threaten applicable Basin Plan beneficial uses.

The Panel finds that:

1. This definition creates ambiguity because, arguably, in most areas of the Central Valley floor “irrigated agricultural operations are a potential contributor” to nitrate concentrations in groundwater. Further, the statement “where conditions make groundwater more vulnerable to impacts from irrigated agricultural activities” is exceedingly vague such that it carries little meaning. It also constitutes circular logic because it uses the to-be-defined term in its own definition.
2. This definition lacks technical rationale. Nitrate concentrations in water supply wells (as opposed to dedicated monitoring wells that were installed with the specific purpose of monitoring first encountered groundwater in relatively shallow groundwater bodies) are in most cases not reflective of land uses in their immediate vicinity but rather reflect a mixture of waters of wide-ranging spatial origin and age. This is an amply documented fact and relates to the purposeful separation of the water intake sections from surface processes via sanitary seals; the depth, length and number of well screens; and the specific aquifers tapped; other well construction details; the integrity of the well casing; pumping rates, and total extraction volumes. Therefore, the locations of water supply

wells with nitrate MCL exceedances do not provide the data needed to identify discharges or dischargers that pose a high risk or threat to groundwater resources.

3. The ILRP's focus on groundwater vulnerability confounds the spatial delineation of "risk of nitrate leaching below the crop root zone" with the concept of "impact to groundwater" at some undefined point within the aquifer.

Based on the above assessment, the Panel recommends that CVRWQCB abandon its definition of High Vulnerability and the High Vulnerability Areas Methodology.

3.2.1.ii The Concept of Risk

There are three important types of risk with respect to groundwater nitrate concentrations. All of them involve the likelihood or probability of an occurrence.

1. Human health risks (i.e., the probability of falling ill) associated with the ingestion of drinking water with nitrate-N concentrations exceeding the MCL of 10 mg/L.
2. The risk (i.e., probability) of a particular drinking water well or wells in a certain location or area of exhibiting nitrate concentrations exceeding the MCL.
3. The risk (i.e., probability) associated with growing crops of losing nitrate (including related nitrogen components) to deep percolation below the crop root zone.

An assessment of the risks to human health (*Item 1*) is not part of the charge to the Panel and is, therefore, not discussed. The risks defined in *Items 2* and *3* involve different processes, time scales, and solutions. Further, their assessment serves different purposes. Therefore, to effectively assess these risks, they need to be separated.

Establishing Areas of High Priority for Action/Attention

There are numerous factors that might impact deep percolation – factors that can be used to create exhaustive lists of best management practices, intrinsic soil properties, etc. Some indexes (such as NHI) attempt to mesh both aspects: information about the soil plus something about the irrigation method. However, the use of a single index to lump numerous complex inter-relationships together is merely a proxy to answering two basic questions: Are the nitrogen and water needs of the crop being managed in a reasonably good manner?

The measurements currently most used for determining risk are proximity or operation within an impaired water body and the use of a risk calculation such as NHI or Nitrate Loading Factor. Both of these tools create use output values to trigger a lower or higher regulatory burden, but do not give the grower much flexibility to adopt practices or otherwise make changes to operations to reduce risk or exposure. For example, a grower cannot readily change his/her crop, soil type, or irrigation source, but these are all significant and high-magnitude indicators of risk in the language of the current central coast order. At best the current tools should serve as basin, region, or coalition wide, high-level indicators of risk or as an education and awareness tool to bring attention to the magnitude of the growers' subsequent irrigation and fertilization strategies.

The Panel does not believe that there is one excellent universal tool to define zones/areas that might be prioritized for educational and extension efforts. However, risk level may be considered in the administration of responsibilities of growers to the coalitions.

Probability of Nitrate MCL Exceedance in Drinking Water Wells

Sampling and reporting of nitrate concentrations (among many other constituents) in drinking water wells is the responsibility of the operator of the regulated drinking water system and the review and evaluation of this information is the responsibility of the regulatory agency (the regulatory oversight of the drinking water program is presently transferred from CDPH to the State Water Board). The objective of this monitoring is to protect human health, and enforcement decisions are made based on actual nitrate concentrations rather than probabilities. An increased risk to water consumers is assumed when constituent concentrations reach one-half of the drinking water MCL; this has commonly been addressed by requiring operators of water systems to conduct more frequent sampling and reporting to the regulatory agency.

The existing data set, housed by the regulatory agency, may be usable to delineate areas where nitrate MCL exceedances in drinking water supply wells are thought to be more probable than in other areas based on, for example, straight-forward spatial autocorrelations. The regulatory agency may deem such effort necessary to implement notification of groundwater consumers of potential exposure to elevated nitrate concentrations in their water supply. However, this should not be an effort required of the regulated community (i.e., the operators of water systems or the farming community).

Probability of Nitrogen Deep Percolation Losses below the Root Zone

For any given crop, the probability of nitrogen leaving the crop root zone via deep percolation increases with increasing nitrogen input. Estimating this probability in a qualitative, comparative manner begins to address the groundwater nitrate issue (and the related salinity issue) and is congruent with the State and Regional Water Boards' need to prioritize regulatory oversight and assistance efforts in these areas. To accomplish this task, the Panel recommends implementation of a basic data collection effort, as described later. The recommended approach is guided by a basic recognition:

“It is the mark of an instructed mind to rest satisfied with the degree of precision which the nature of the subject permits, and not to seek exactness where only an approximation of the truth is possible.”
- Aristotle

3.2.1.iii Key Point Summary for Vulnerability and Risk

The Panel recognizes that the State and Regional Water Boards have limited resources and are seeking to identify specific geographic areas on which they should focus those resources to make the greatest impact. However, the Panel does not feel that adequate tools exist to accurately target specific areas; regulation and education efforts should apply to all growers rather than those with specific environmental characteristics. To that end, the Panel agrees upon the following key points related to the question of “vulnerability” and “risk”.

- A. The definition of “high vulnerability area” by the CVRWQCB creates ambiguity, uses circular logic, and has vague wording. It also lacks technical rationale, and confounds the spatial delineation of “risk of nitrate leaching below the crop root zone” with the concept of “impact to groundwater” at some undefined point within the aquifer.
- B. The Panel was not confident that the designation of high or low “risk” or “vulnerability” should even be relevant for regulation. However, risk level may be considered in the administration of responsibilities of growers to the coalitions.
- C. There is no reliable and practical method available that is generally applicable to accurately pinpoint the causes and sources of groundwater nitrates found at any point (horizontal and vertical) in an aquifer.
- D. The Panel does not believe that extensive monitoring of “first encountered groundwater” for nitrate is appropriate because of all of the uncertainties involved in interpreting results.
- E. Using a hazard index of conditions above ground such as with NHI, or an index based on groundwater nitrate levels, are both poor proxies to answering two basic questions on farms/fields: Are the nitrogen and water needs of the crop(s) being managed in a reasonably good manner?
- F. Rather than use proxy measures such as NHI index or groundwater nitrate concentrations, it is best to obtain direct data of the nitrogen applied by field/crop.
- G. Coalitions should define a process/procedure that they can use to identify the location of the source of water quality impairment. Many tools are available, and others can be developed. However, the Panel believes that all tools will only provide guidance, as opposed to certainty.
- H. It is incorrect to assume that accurate estimates of deep percolation on individual fields can be made.

3.2.2 Application of Management Practices

3.2.2.i *Management Practices*

To reduce or maintain nitrate levels in the groundwater, improvements have to start at the surface, which means on-farm. Efforts to improve agricultural nitrogen fertilizer management will be challenging, in part because of common terminology and recommendations that have traditionally been provided to farmers. For example, consider the following statement in an extension publication:

Compared to most other vegetable crops, lettuce has a moderate nitrogen requirement, taking up on average only 100 to 120 lb N/acre. Many replicated trials have demonstrated that, with efficient water management, seasonal nitrogen application of about 150 lb/acre should be adequate to achieve high yield and quality; in fields with significant residual concentration of nitrates in the soil even lower nitrogen rates can be adequate. (Hartz, 2009)

Although there is mention of “significant residual concentration of nitrates in the soil”, the recommendation above clearly illustrates two common concepts:

1. Common recommendations are phrased in terms of “requirements” or “demand” and talk about the N uptake from the soil – not the N removal from a field at harvest.
2. Common recommendations have a built-in inefficiency. For example, one could interpret the statement above to say that the plant needs 100 lb N/acre, and the recommendation of application is 150 lb N/acre – a guaranteed efficiency of 67%, not including the difference between plant uptake and plant N removed.

There is also ambiguity when distinguishing between plant uptake of N, and harvested (or removed) N. It is difficult to know what the efficiency of N fertilizer uptake is, and information on synchronization is not widely available. Because of this, some farmers commonly apply more N than needed as a sort of “insurance” application to avoid negatively impacting crop quality and yields. The Panel agrees that optimized nitrogen use efficiency should be the focus of management practices encouraged. Much of the efforts required to improve nitrogen use efficiency must stem from widespread education of growers, which will be discussed in the next section.

With some crops, most farmers are very aware of the negatives associated with excess uptake of nitrogen. For example, the yield and quality of cotton and almonds will suffer from excess nitrogen.

The Panel has chosen not to create a “laundry list” of Best Management Practice (BMP) options for growers. Such lists⁵ already exist, but generally lack sufficient detail to be effective on a site-by-site basis, and usually avoid the root of the problem. The Panel agrees that lists of any specific practices should be in the form of heightened awareness only, rather than requirements.

⁵ For examples, see the NRCS’s Nutrient & Pest Management program (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/national/landuse/crops/npm/>), of the Best Management Practices Studies compiled by the Coalition for Urban/Rural Environmental Stewardship (CURES) (<http://www.curesworks.org/bmp/bmpGeneral.asp>)

Instead, the Panel believes that future efforts should focus on the following four areas:

1. **Creation of irrigation and nutrient management plans specific to each grower and similar management unit**
2. Development and execution of awareness/education programs
3. Implementation of the management plans
4. Internal (private) review and assessment of the impacts (crop quality, amount of fertilizer and water used, gross costs)

The details of these plans should be used for management only, and not for reporting purposes. The management plans should aid growers in determining the current status of their nitrogen use, as well as develop tools and practices to minimize nitrogen applications. To begin the creation of a management plan, the irrigation/fertilizer decision makers must be knowledgeable about certain data (which should be current data that is updated at some interval). These data include:

- How much nitrogen is being applied from all sources, including fertilizers, compost, irrigation water etc., plus residual nitrogen, as well as the timing and uniformity of the applications
- Residual nitrogen in the soil
- How much nitrogen is removed, by crop type
- The distribution uniformity of existing irrigation systems
- The volume of water applied to a field

A first step for many management plans will be to describe the data collection process (water and fertilizer), and data organization procedures and tools to accomplish this. From these data, an appropriate nutrient management plan, an appropriate irrigation schedule, and a plan for irrigation system maintenance should be developed based on system type and crop demand.

A management plan will describe processes, procedures, and/or objectives that are applicable throughout each management unit/farm. For example, items such as wellhead protection, installation of new fertigation equipment, checking distribution uniformity of systems, will fall in this category.

Within the management plan more detail will be provided for individual reporting units. The plan for individual reporting units will include an estimated fertilizer application schedule (amounts, timing), irrigation schedule (amounts, timing), and irrigation maintenance program. It will also define what/how data will be collected to estimate nitrogen and water application requirements. The process to annually evaluate the effectiveness of the plan should be described; this should focus on basic indicators such as N applied and yield.

3.2.2.ii **Education and Training**

All members of the Panel emphasize the high need for education, both in terms of educating growers as well as training the consultants and professionals who will be assisting growers in creating their management plans. Most importantly, growers must understand why the programs that are implemented are important, what the impacts will be to their specific operation, and how they can meet the requirements and recommendations that will be set forth. Additionally, any agricultural consultants, commodity groups, trade organizations, service providers, etc. need to be on the same page about the program.

Important rules behind an education effort for irrigation and nitrogen management plans are sometimes called the “Four Rs”:

- Rule 1: Right time
- Rule 2: Right place
- Rule 3: Right form
- Rule 4: Right amount

Effective Educational/Awareness Programs – General

The Panel believes that true progress in reducing nitrate leaching will only occur if good irrigation and nitrogen management plans are developed and implemented. The Panel believes that a very aggressive, well-funded, and high-quality educational program is necessary because there simply are not enough qualified consultants and individual farmers to develop and implement good irrigation and nitrogen water management plans.

There are presently a variety of professionals who are trained in irrigation and nitrogen management. The Certified Crop Advisor program focuses on crops and nitrogen, but is weak on irrigation systems and irrigation management. The Certified Agricultural Irrigation Specialist program by The Irrigation Association focuses on drainage, irrigation systems and irrigation management, and salinity, but is weak on crops and nitrogen.

In California, there are many sources of information regarding irrigation and nutrient management. Two major university irrigation and nutrient management education groups are Cal Poly (SLO) and UCCE.

1. Cal Poly’s Irrigation Training and Research Center (ITRC) has focused on the related topics (for this discussion) of:
 - a. Irrigation System Evaluation
 - b. Irrigation System Design
 - c. Irrigation System Maintenance
 - d. Irrigation Scheduling
 - e. Fertigation – including hardware, chemicals, and practices

ITRC has developed high quality web-based courses for portions of these topics, and holds about 60 short courses each year.

2. The University of California’s Cooperative Extension service has classes that are formatted quite differently from those at ITRC. UCCE’s efforts are focused more on the agronomic aspects than are ITRC’s. Typical UCCE areas of focus include:
 - a. Crop nutrient requirements
 - b. Irrigation scheduling
 - c. Crop varieties, pruning, planting, etc.

Educational programs must address two key groups:

1. Individual farmers or farm managers who are the water/nutrient decision makers.
2. Persons who develop the irrigation and nutrient water management plans

The Panel believes that in many cases, these can be the same persons. However, the level of detail and specific topics to be addressed for each group will be different.

Several topics were emphasized as vital components of a good grower/farmer education program, including:

- Water and nitrogen needs specific to particular crops – separating uptake versus removal
- How to create an appropriate irrigation schedule
- The standing of other growers in a region. In other words, what is the range of N applications/year for crop “Z”?
- Correct timing of nitrogen applications
- “Spoon-feeding” of fertilizers and other chemicals, rather than large-dose applications, should be emphasized. Currently, most growers have neither the equipment nor adequate education to do this; however, education about and adoption of these techniques should be encouraged.
- Lower-dose, split applications of nitrogen throughout a growing season are highly recommended to reduce N fertilizer applications (similar in concept to “spoon-feeding”)
- Maintenance requirements of different irrigation systems
- Nitrogen management considerations with crop rotations
- Fertigation principles – techniques, hardware, and chemicals
- Irrigation distribution uniformity
- Irrigation scheduling

Effective Educational/Awareness Programs – Designing the Venue and Materials

Although it is easy to say that education is needed, the “devil is in the details”. Funding related to nitrogen has focused on research, to the almost total exclusion of developing strong educational programs for irrigation and nitrogen management either at the university level, or for universities to develop extension materials and programs.

It was beyond the scope of the Panel’s task to develop an educational/training program, but the Panel emphasizes that a good education/awareness/training program must address the following:

1. Fill in knowledge gaps and publish them widely – perhaps in farming magazines. Although some points may be well-known by some people, they are certainly not well-advertised. The primary gaps in knowledge are:
 - a. Harvested (removed) N for various crops
 - b. Timing of uptake of N for various crops

- c. Requirements for other nutrient balances, to ensure proper N uptake
 - d. Justification for the inherent inefficiency that is embedded in UC recommendation of fertilizer applications that assume a 30% or so inefficiency
2. Make a clear decision on what the obligations of individual farmers will be, and the justification for those obligations. If the obligation is to develop and implement a good but simple management plan, this will be a major advancement for many farmers. The plan, however, must be developed by a qualified individual: either a consultant, employee, or the farmer. The farmer must certify that he/she will adopt the plan and implement it fully within a specified time period or before a specified date. The key elements of each annual plan, for each representative field, could be:
- a. Keep records on all nitrogen inputs and timing
 - b. Keep records on all irrigation inputs (flows and volumes) and timing. This requires a means of measuring or reasonable estimation of the flow rates and volumes into individual fields – **which is a major advancement for most farmers.**
 - c. Keep records of rainfall
 - d. Have recent measurement of the distribution uniformity of the irrigation system, or from a comparable irrigation system on the farm
 - e. Summarize, in a neat table, the inputs and the expected consumption of water and nitrogen
 - f. A list of improvements to be made the coming year
3. Define the training venue. If this is to be a long-term program, there must be consistency over many years, with the ability to upgrade and expand training. There are several different venues:
- a. One would be the approach that UCCE used in its recent workshop effort with Certified Crop Advisors. Benefits of that workshop appear to include:
 - i. It was very quick
 - ii. It reached a large number of peopleDisadvantages are:
 - i. This is difficult to sustain, and difficult to provide over the long haul with consistency because it consisted of numerous people who were evidently pulled together quickly
 - ii. There was no testing, so there was no way to objectively evaluate the effectiveness of knowledge transfer
 - b. A second approach would be to have formal 1-3 day workshops such as some that Cal Poly has at ITRC. These are based on structured educational material, and are usually taught by only one or two individuals. Advantages include:
 - i. Because the educational material is standardized, participants obtain a consistent message from year to year
 - ii. The timing is published well in advance, so people can plan on these classes every year
 - iii. Many of the classes dovetail with Irrigation Association certification programs, which require that students pass classes

Disadvantages include:

- i. These classes require that people travel to San Luis Obispo
 - ii. Because these classes are often lab-intensive, they can be expensive to provide
- c. A third approach is to develop distance learning modules, which include testing and accounting of registration, etc. ITRC has developed this type of program for several topics. Advantages include:
- i. People can study when and wherever they want
 - ii. The material is standardized, so everyone receives the same information from year to year
 - iii. The teaching quality does not depend on the instructor of the moment
 - iv. The distance learning can be augmented by written materials, or local lab exercises
 - v. A “distance learning package” can serve as a backbone training tool for an in-person training session. That is, an instructor can be present in Merced, for example, to help stimulate discussion, answer questions, etc. – but use the “distance learning module” as the primary teaching tool.

Disadvantages include:

- i. A high-quality distance learning package is much more expensive than most people think. It cannot be funded by student registrations, but must be developed with up-front funds.
 - ii. A high-quality distance learning module takes months to develop. It is not the same as throwing together a PowerPoint presentation or video-recording a lecture.
- d. A fourth approach is to develop standardized training materials, and then have local qualified individuals – not necessarily from a university – lead the training. Some trade associations do this. Advantages include:
- i. This can get local people heavily involved
- Disadvantages include:
- i. It is often very difficult to get qualified people to teach the courses
- e. Some mix of (a)-(d)
4. Once the format(s) is/are defined, develop standardized training materials to provide knowledge transfer to those who will develop the irrigation and nitrogen management plans.
- a. A key item will be to build upon existing knowledge. For example, UCCE has a strong track record in materials and short courses regarding crop nutrient requirements. ITRC has been teaching a short course on Fertigation, and another on Irrigation Evaluation, for about 30 years.
 - b. The specific topics must be standardized and well defined. For example, topics might be:
 - i. How to fill out the basic cover sheet for a management plan
 - ii. How to determine timing of nitrogen applications
 - iii. How to determine lbs/acre needed, making various assumptions about the nitrogen cycle in the soil
 - iv. How to check for adequacy

- v. Interaction of N with other nutrients
 - vi. Fertigation principles and equipment
 - vii. Irrigation system evaluation
5. Define the process for certification of “planners”. Some key principles exist:
- a. “Grandfathering” people into certification is undesirable.
 - b. Simple attendance at classes is insufficient for demonstrating knowledge.
 - c. Evaluation of course effectiveness is best done by evaluating (through testing) knowledge of the class participants. A simple course evaluation based on subjective statements such as “I learned a little, a lot, or nothing” is fairly meaningless. Most good instructors know that there is a huge difference between the student’s perception of what the student knows, and what the student actually knows. Good course reviews are easy to obtain by having humorous instructors who require very little, and if coffee and donuts are readily available during the class with lots of bathroom breaks.
 - d. Exams need to be standardized, but have a good selection of randomized questions to prevent cheating. Grading must also be standardized. This is a major effort.
 - e. A big question is if people need to have degrees in Soil Science or Agronomy. There are likely too few people who have these degrees.
 - f. Another big question is if people who make management plans should already be certified in some other program.
 - g. Trainers must be well qualified. This is a serious challenge. People who understand the plant physiology aspects of water management often mistakenly assume they also know about irrigation system design and management – a very different topic, requiring a different skill set.
 - h. It is difficult to maintain consistent momentum, year-in, and year-out. Therefore, there must be some official organization to manage any certification program.
6. Develop the examinations, if applicable.

It was also noted that the State Water Board should approve the curriculum that will be used by various coalitions and groups.

Effective Educational/Awareness Programs – Farmer Involvement

It was assumed by the Panel that if growers are required to have an irrigation and nitrogen management plan, there will be some type of mandatory training and examination required for those who develop the plans. In other words, mere attendance will be insufficient.

The Panel also realizes that if growers (farmers) or managers do not attend some meaningful, pragmatic training, the desired goal of reducing nitrate leaching will not be met.

It was the consensus of the Panel members that compliance will be low unless there is some enforceable requirement. The Panel members struggled with defining the proper incentives for grower compliance with management plan and training requirements. A variety of ideas were discussed, without a final decision for a recommendation.

One of the stronger ideas presented was that nitrogen fertilizer sales should be handled the same way as pesticide sales, in the sense that pesticides can only be sold if a purchaser has a valid and current permit. There are testing and continuing education requirements to obtain and maintain the permit. The permit is issued and recorded by the county Agricultural Commissioner, and must be on file with the pesticide seller. In a similar fashion, nitrogen fertilizers could only be sold if farms have on record, at the fertilizer sales office, a form that certifies the completion of a satisfactory irrigation water and nitrogen management plan.

Effective Educational/Awareness Programs – Other Details

The core element of the recommended policy is to ensure that decision-makers have a good irrigation and nitrogen management plan that results in good nitrogen efficiency. There are several weaknesses with this approach:

1. There are not enough qualified specialists available to develop thorough plans.
2. It takes many years to develop high-quality training materials and implement a full-scale training program. Such development and execution requires significant funding, and this funding has not been even thought about at this stage.
3. The Panel recognizes that there will likely be challenges in getting widespread compliance from growers with small farms. There is likely a need for special training, funding, and/or reporting requirements for this group.
4. There are liability concerns by some specialists who might eventually develop management plans. The State and Regional Water Boards must clearly define that the developer of plans will not be responsible for the proper implementation of that plan unless that person is also the implementer. Furthermore, it must be stated that it is understood that plans will be imperfect, and will be modified/upgraded over time after re-assessment of results, and as knowledge improves.
5. On the nutrient side, precision management plans face a lack of adequate research in some areas.

Three important issues that were discussed, but not finalized, were:

1. The timeline for various levels of educational effort
2. Requirements for continuing education
3. Who will review whether management plans are implemented

3.2.2.iii Key Point Summary for Application of Management Practices

- I. The only way to reduce nitrate deep percolation from crop root zones is to reduce the volume of deep percolation water (irrigation or rainfall), and to also match the available nitrogen management to the plant needs.
- J. Regulatory programs must meet the challenge of being meaningful without being overly complex. Programs with excess complexity and excessive data collection/reporting will likely fail.
- K. Having an excellent irrigation water and nitrogen management plan is a fundamental and good farming practice. The Panel believes that the management plans must be individualized and developed by competent individuals.
- L. The development of excellent, pragmatic education/awareness/training programs will be an essential ingredient for successful development and implementation of irrigation water and nitrogen management plans.
- M. All management plans must include estimates of nitrogen required, nitrogen removed, the distribution uniformity (DU) of the irrigation system, and the volume of water infiltrated in a field. They must account for the fact that some of the variables change over the season, such as the DU of individual irrigation events.
- N. Management plans must identify actions to be taken, if identified, to improve performance.
- O. An essential detail for irrigation and nutrient management plan development is “Who will be deemed qualified to create and evaluate these plans”? The Panel believes that the State and Regional Water Boards should agree on the qualifications of the individuals who will create and evaluate these plans, and the basic simple requirements of the plans. But the Board staff will not approve individual plans. Individual management plans must be available for Board staff to review, if needed.
- P. The Panel defined a variety of details that must be addressed in the development of a pragmatic educational/awareness/training program.
- Q. Excellent attendance of the educational programs will be essential. A variety of ways to ensure attendance were contemplated. This will be a challenge.
- R. Common terminology and recommendations for Nitrogen applications that farmers are accustomed to hearing (often related to nutrient uptake), currently are not consistent in focusing on matching N applications with N removal from fields. This results in differences in methods to identify target amounts for N fertilizer applications.

3.2.3 Verification Measures

The Panel recognizes that the State and Regional Water Boards must have some way of measuring progress over time on a regional basis.

However, many factors, such as residual nitrogen and nitrogen removal rates, vary by year and by crop rotation. These differences tend to even out over multiple years. In collecting initial data, the Regional Water Boards will be able to report to the State Water Board a specific multi-year baseline for future comparison. This baseline can be used to indicate progress in the long term. Similarly, when viewed on a regional basis, areas with a relatively high nitrogen use can be easily identified based on this data.

The Panel agrees that the trend monitoring of groundwater nitrate concentrations (not first encountered groundwater) should occur, in order to track general aquifer conditions over multiple years. This can be done with water samples from existing wells.

3.2.3.i *Key Point Summary for Verification Measures*

- S. The Regional and State Water Boards need some metric (index or tool) to evaluate the effectiveness of fertilizer management programs. However, deep groundwater nitrate levels, examined over periods of less than 10-20 years, cannot be expected to demonstrate such an impact. A different metric must be used.
- T. The Panel emphasizes that such N application data should only be used to provide a multiple-year picture of nitrogen use in an entire region. Data should not be compared year-to-year, but rather examined as multi-year trends in a region.

3.2.4 Reporting

Some Regional Water Board testimony distinguished between data that needs to be collected, versus data that needed to be reported, versus data that needed to be maintained on-site for inspection by a farmer. Additionally, the Panel emphasizes that reporting by growers and any data collection requirements should be coordinated by third-party coalitions where feasible, rather than having farmers report directly to the Regional Water Boards. The Panel agrees that grower coalitions should be strongly encouraged by Regional Water Boards. The Panel recommends strong, local, third-party participation in all regions for the administration of whatever program is put into place.

Current groundwater conditions should not trigger reporting or regulation of above-ground activity. Current groundwater conditions can likely be useful for grower awareness by providing:

- Knowledge of whether his/her farm is in an area that has high nitrates in the groundwater
- Knowledge of the level of nitrates in the groundwater that he/she is using as his/her irrigation water

However, measuring groundwater was deemed unreliable, because the source of the nitrates cannot be pinpointed. Fertilizer sales are also unreliable indicators of regional nitrogen applications.

Applied water volumes to individual fields are not known in many cases with a high degree of accuracy. Many irrigation districts in California are currently struggling to meet a +/- 12% accuracy standard for measurement of annual volumes at district turnouts. Once district water is beyond the turnout, it is often split, applied to a large number of fields, mixed with groundwater in common pipe systems, and is generally not measured to individual fields.

Detailed nitrogen cycle computations for individual fields, for a growing season, will be fraught with error and unnecessary expense. It is well known that even one aspect of the nitrogen cycle – the rates of mineralization of organic residues – is tremendously complex. To obtain an accurate value, one would need to know the nitrogen forms in residue, the residue concentrations at various levels in the soil, the temperatures and moisture contents in various levels, and have some indication of many key factors that influence the microbiological conversions. Even research studies have difficulties with this.

Any improvements in nitrogen management on the ground must require the development and implementation of simple and pragmatic nutrient and water management plans by farmers. A key element of any field/farm nutrient management program is a record of the nitrogen applied to fields.

The Panel clearly recommends that the data collected be used for education and later development of management plans, not for enforcement. Grower understanding and improvements are vital, and growers will be reluctant to participate in programs if they fear self-incrimination.

The nitrogen application computation should include the total nitrogen applied as:

- Organic applications (manure, etc.)
- Synthetic fertilizer applications
- Irrigation water

The Panel acknowledges that this method (reporting applied N) is imperfect. For example, a crop planted after alfalfa is removed will have a smaller nitrogen requirement than one that does not follow a legume. Nitrogen requirements will depend upon many factors. But as stated earlier, multiple years and multiple fields will create an averaging effect.

The benefit of N reporting is that it is simple and gets to the root of the issue. It also fits into the most important element – which is not enforcement. The most important element of any program is increasing awareness by fertilizer users, and improvement of fertilizer management practices. The nitrogen application values are key ingredients of any such farm program.

It was discussed whether a program that requires reporting nitrogen concentration in groundwater might provide a disincentive for farmers to use high-nitrate water. The Panel members believe that there should be no dis-incentive to pump high-nitrate water, and coalitions and Regional Water Boards must be especially careful to finesse guidelines that emphasis this point.

The recommended data collection/reporting effort seeks basic information, aggregated over the course of one year (e.g., calendar year or crop year), on a reporting unit scale. This effort purposefully limits data collection to basic information that can be easily obtained and all farmers need and should be knowledgeable of as part of their nutrient management. The data collected should be:

1. Crop (e.g., lettuce, wheat, almond)
2. Crop acreage (acres) – The crop acreage is the total acreage on which a specific crop is grown. If three different crops are grown in succession on the same field, this field's acreage is used to compute the nitrogen inputs for each of the three different crops. Nitrogen inputs to multiple plantings of the same crop are aggregated over the year.
3. Nitrogen applications for each crop (lbs/acre) including organic applications (e.g., manure, compost), synthetic fertilizer applications, and nitrogen in irrigation water. This requires separate estimation and documentation of these three nitrogen sources.

This data collection effort does not require farmers to account for nitrogen applications to individual fields. Instead, it provides the flexibility to consider multiple fields that may receive nitrogen applications simultaneously but without the infrastructural means to separate their applications. It gives the flexibility to vary the field sizes between crops and seasons. It does not necessitate mapping or farm-scale spatial analysis.

This data collection effort serves two main purposes:

1. Development of baseline nitrogen application information, crop-specific, and integrated regionally. This provides the basis for comparison of regional nitrogen application differences and addresses the probability of nitrogen leaving the crop root zone via deep percolation.
2. Identification of multi-year trends as the data collection is continued.

It is emphasized that the collected data should be used to examine regional, multiple-year conditions and trends of nitrogen applications. Analysis of these data on too-short time frames (e.g., year-to-year) will introduce random error and potentially misleading results because many confounding variables, such as residual soil nitrogen and nitrogen removal rates, vary by year and by crop rotation. These differences tend to even out over multiple years. It is also emphasized that the data should not be used for regulatory enforcement because the possibility of regulatory consequences will negate the accuracy of the data.

This basic data collection effort provides several compelling benefits to farmers, the ILRP, and groundwater quality in the long term:

1. It gets to the root of the nitrate issue
2. It is simple and attainable in a timely fashion
3. It raises awareness because it introduces farmers to key components of on-farm nutrient management about which they need to be knowledgeable
4. It allows farmers to compare their nitrogen applications to those of their peers growing the same crops

3.2.4.i Key Point Summary for Reporting

- U. The cost and hassle of data collection for a farmer is the same whether it must be reported or not.
- V. Details about the blends of fertilizer and the timing of fertilizer applications are considered to be the same as a trade secret by most farmers. Details of this type do not need to be shared for any reasonable nitrogen management reporting program.
- W. It is highly inadvisable to require annual nitrogen cycle computations for fields.
- X. Describing and understanding the nitrogen management of a 160 acre almond orchard is relatively simple as compared to describing and understanding the nitrogen management of 16 – 10 acre produce crop fields.
- Y. A reporting of the applied nitrogen (along with the crop type and acreage) is recommended as the primary numerical metric because of three points:
 - Y.1 The State and Regional Water Boards will have good data that demonstrates if trends are indeed occurring.
 - Y.2 Farmers will need to develop this information, in any case, so it will not require extra data collection.
 - Y.3 Coalitions can provide simple information to farmers that allow them to compare their nitrogen applications for a crop against the nitrogen applications of others with the same crops.
- Z. A “reporting unit” could be defined in one of two ways (i) on a crop basis, which could include multiple fields that have similar soils, irrigation methods, irrigation water nitrate levels (not defined by the Panel), and irrigation/nutrient management styles. Alternatively (ii) a reporting unit could be defined as an individual field.
- AA. The time period for a report should encompass a 12-month period, and should consolidate monthly or short-season values into single reported values.

3.2.5 Surface Water Discharges

Monitoring the water quality of surface discharges from individual fields/farms, as a general policy, has the following problems:

1. Water quality tests are quite expensive, even with individual samples.
2. Periodic sampling of water runoff as opposed to extensive sampling has serious challenges with being able to identify events that might cause pollution of streams, because:
 - a. The timing of individual sample collection might not coincide with pesticide applications, or with events of high sediment runoff.
 - b. It is difficult to identify, in advance, exactly when (time of day, and day) there might be surface runoff. This is because irrigation schedules constantly change as field crews shift operations.
 - c. Typical labor schedules for samplers require that samples be collected during daylight hours, from M-F. Other times/days may be more important.
 - d. The schedule of lab operations, and constraints of sample hold times, may not coincide with irregular timing of surface discharges.
3. Continuous water sampling equipment (to collect samples, and in some cases to also analyze samples) is available for some constituents, but it is very expensive, complicated, and subject to vandalism.

With surface water discharge monitoring, there is a special appeal for some type of coalition effort because it meets the recommendation of the Panel on how to address monitoring. If individuals do not belong to a coalition, there does not seem to be alternative to expensive sampling of every discharge point. The recommendation is to take sufficient samples in the watershed streams to detect if problems do indeed exist. The sampling should be of sufficient density (spatially and temporally) to identify general locations of possible pollution. For example, a single measurement point at the downstream discharge of a very large watershed would be insufficient. When/if problems are identified, sampling should move upstream with sampling to locate the source of the problem.

Recommendations of the exact density and timing of sampling are not provided by the Panel, because the details will depend upon the size and complexity of the watershed, and upon the results of data that are collected. If, for example, an initial and sparse network of sampling points at watershed bifurcation points indicates that there are no problems, it would be unreasonable to require a more intensive sampling point network.

For surface water issues, the Panel recommends water quality monitoring of receiving water and that the watershed hydrology be understood. Individual point discharge measurements/monitoring would be used only if individual points are identified as being serious contributors to water quality problems, based on working upstream in the watershed. The program would not start with monitoring of discharge points.

3.2.5.i *Key Point Summary for Surface Discharge Monitoring*

- BB. A network of sampling points in drains and streams throughout a watershed, with emphasis on downstream areas, is recommended to identify if there are pollution problems upstream. This is recommended rather than sampling at each discharge point.

4 REFERENCES

- Association of American Plant Food Control Officials. (2012). Commercial Fertilizers Annual Data, 2002-2011. Maintained for The Fertilizer Institute. <online at: <http://www2.epa.gov/nutrient-policy-data/commercial-fertilizer-purchased#table1>>
- Burow, K.R., J.L. Shelton, J.A. Hevesi, and G.S. Weissmann. (2004) Hydrogeologic Characterization of the Modesto Area, San Joaquin Valley, California. USGS Scientific Investigations Report 2004-5232.
- California Department of Food and Agriculture. (2014). Fertilizer Tonnage Report by Year. <online at: http://www.cdfa.ca.gov/is/ffldrs/Fertilizer_Tonnage.html>
- California Department of Food and Agriculture. (2013). Nitrogen Tracking and Report Task Force Final Report.
- Central Valley Regional Water Quality Control Board. (2012). Order R5-2012-0116-R1. Waste Discharge Requirements General Order for Growers within the Eastern San Joaquin River Watershed that are Members of the Third-Party Group.
- County of Fresno. (2014). California Crop Reports. <online at: <http://www.co.fresno.ca.us/DepartmentPage.aspx?id=54231>>
- County of Kern. (2014). California Crop Reports. <online at: <http://www.kern.com/caap/crop-reports/crop-reports.asp>>
- Harter, T. and J.R. Lund (2012). Addressing Nitrate in California’s Drinking Water: With a Focus on Tulare Lake Basin and Salinas Valley Groundwater. Report for the State Water Resources Control Board Report to the Legislature. Groundwater Nitrate Project, Implementation of Senate Bill X2 1.
- Hartz, T.K. (2009). UC IPM Pest Management Guidelines: Lettuce. UC ANR Publication 3450.
- Kings County. (2014). California Crop Reports. <online at: <http://www.countyofkings.com/departments/agricultural-commissioner/crop-reports-1941-2011>>
- State Water Resources Control Board. (2013). Recommendations Addressing Nitrate in Groundwater, Report to the Legislature.
- Tulare County. (2014). California Crop Reports. <online at: <http://agcomm.co.tulare.ca.us/default/index.cfm/standards-and-quarantine/crop-reports1/>>
- Wu, L., Letey, J., French, C., Wood, Y. & Birkle, D. (2005) Nitrate leaching hazard index developed for irrigated agriculture. Journal of Soil and Water Conservation, 60, 90–95.

APPENDIX A
Agricultural Expert Panel Members

Appendix A

Agricultural Expert Panel Members



Dr. Charles Burt (Panel Chairman) – Irrigation Specialist/Ag Engineer

Dr. Burt is a Professor Emeritus of Irrigation, and Chairman and Founder of the Irrigation Training & Research Center (ITRC) at California Polytechnic State University, San Luis Obispo, California. Experiences include professional work in 25 countries, three tours in Vietnam as a combat demolition specialist, work as a farm laborer in the San Joaquin Valley as a youth, designer/sales/installation in a major irrigation dealership in Fresno, partner in a consulting agricultural engineering firm, and 36 years at Cal Poly where he previously taught core irrigation classes

while also leading the ITRC. Dr. Burt now focuses on applied technical assistance (with some research) through ITRC. He has written and has extensive field experience regarding on-farm irrigation system design, fertigation, water balances, irrigation efficiency, the energy-water nexus, canal automation, and irrigation project modernization.

Dr. Robert Hutmacher – Soil Scientist

Area of Expertise: Plant water status responses, nutrient uptake, growth responses to irrigation and nutrient management. Further expertise in cotton research and variety evaluations, interactions between production practices and pest management, alternative cropping systems including evaluations of double row planting and reduced tillage management, crop responses to and potential nitrogen losses under a range of nitrogen management practices in cotton.

Qualifications: 30+ years in the areas of agricultural research. Extensive research background on plant physiology, production practices, and nutrient uptake. UCCE State Cotton Specialist and Director of the West Side Research and Extension Center in Five Points, CA

Till Angermann – Hydrogeologist

Mr. Angermann is a Principal Hydrogeologist at Luhdorff & Scalmanini Consulting Engineers. His fifteen years of professional experience and expertise include (i) research methodology and conceptualization of hydrogeologic systems, (ii) groundwater hydraulic, hydrologic, hydrogeologic, hydrochemical, and statistical analysis and computations, (iii) assessment of surface water/groundwater interactions, infiltration and runoff processes, (iv) data quality objectives, sampling and testing protocols, (v) nitrogen cycling, irrigated agriculture and subsurface loading. Mr. Angermann served as lead technical expert to Western United Dairymen for the testing and implementation of a measurement-supported water balance method to determine seepage rates of working liquid dairy manure storage lagoons with quantified uncertainty, including preparation of a technical guidance manual. He was a key contributor to the conceptualization and implementation of the Representative Groundwater Monitoring Program (RMP) in response to the Dairy General Order and Technical Program Manager (TPM) to the Central Valley Dairy Representative Monitoring Program (CVDRMP) since its inception in 2010. As TPM, Mr. Angermann is responsible for all aspects of monitoring well design and design of a network of over 430 monitoring wells, data collection efforts and data management, analyses and interpretation, special studies, coordinating and leading the external Multidisciplinary and Groundwater Technical

Advisory Committees, interaction and coordination with dairy producers, services providers, and subcontractors, presentations/outreach to stakeholders, and adherence to budgets and schedules. He is the author of refereed journal articles and has reviewed manuscripts for the American Geophysical Union's Water Resources Research and the American Society of Civil Engineers' Journal of Hydrologic Engineering.



Bill Brush – *Certified Crop Advisor*

Mr. Brush has been a certified crop advisor since 1996, a pest control advisor since 1990, serves on the Almond Board of California, and the East San Joaquin Water Quality Coalition Board. Mr. Brush is an expert in soil fertility and water management, and has presented on soil fertility issues all over the world, including in the United States, South Africa, Australia, and in the Philippines. Mr. Brush currently consults on more than 100 different crops around the world, and, in California, provides consulting services on tree crops, field crops, vegetables, berries, and alfalfa. Mr. Brush also has experience with conventional as well as organic farming systems.

Daniel Munk – *UC Cooperative Extension*

Mr. Munk, M.S. has been a UC Cooperative Extension Farm Advisor for the past 23 years working in the area of irrigation, soils and cotton production. He spent his early career evaluating soil and management factors influencing water infiltration rates in San Joaquin Valley soils. He began investigating cropping systems research in the late 1990's and is currently involved in several conservation tillage projects focusing on short and long term water management elements in annual cropping systems. Mr. Munk has lead numerous deficit irrigation studies working to understand the impacts that reduced water supplies have on crop yield, crop quality and soil quality. More recently, his research and education program has been directed towards crop water use projects in almonds, processing tomatoes, and Pima cotton. He was appointed in 2012 to the Peer Review Committee for the USBR San Joaquin River Restoration Project Technical Feedback Group and serves on the steering committee for the UC/CDFA Nitrate Curriculum Development Program.



James duBois – *Grower, Central Coast Region*

Mr. duBois studied Environmental Resource Science at the University of California, Davis. He spent three years farming and supervising production research and development in the water scarce areas of Baja California. During this time, he facilitated technology exchange between growers in Spain and the US/Mexico to develop knowledge within Reiter Affiliated Companies (RAC) on Reverse Osmosis water treatment and soilless media production systems. In 2007, James relocated to Ventura County to work on various water projects throughout RAC's global enterprise. His work included collaboration with growers to increase irrigation efficiency, research on salinity management, development of recycled water sources, and co-development of soil moisture monitoring technology with external companies. His work has greatly influenced the amount of water usage and discharge in RAC's operations in coastal California (which span several thousand acres from Oxnard to Watsonville) and their global operations. Mr. duBois spearheaded a recent water technology and resource management exchange and visit to Israel involving US and Mexico growers, Panoche Water District Management, and the Israeli government.

Recently, James has collaborated with regional water districts and the ag community in the development of drought water management policy and recycled source development



Mark McKean – *Grower, Central Valley Region*

Mark McKean is a third-generation farmer from Riverdale, CA. Mark owns and operates a diversified production agricultural operation. Mark graduated from Cal Poly in 1979 with a B.S. degree and later completed a master's degree at Colorado State University, Fort Collins. McKean is the president of the Reed Ditch Company, president of the Crescent Canal Company, a director of the Murphy Slough Association, the chairman for Kings River Conservation District (KRCD) Board of Directors, a graduate of the California Ag Leadership Class XX and the president of the West Hills Community College Board. McKean has taken a leadership role as the Chairman of the Kings Basin Water Quality Coalition, which is implementing the Irrigated Lands Regulatory Program. These leadership roles have included on farm presentations to State and Regional Water Resources Control Board members.



Dr. Lowell Zelinski – *Agronomist*

Lowell Zelinski, Ph.D. is a well-respected agricultural leader who has worked in the ag industry for over 30 years. He earned his doctorate degree in Soil Science and his bachelor's degree in Soil and Water Science from UC Davis. He also holds a master's degree in Agricultural Science from Cal Poly, San Luis Obispo. Dr. Zelinski began his career as a farm advisor for the University of California Cooperative Extension in Fresno County specializing in soil and water management and cotton production. Dr. Zelinski has now been a private agricultural consultant for over 20 years and currently owns his own business, Precision Ag Consulting, which focuses on soils, irrigation, water quality compliance issues on the Central Coast and vineyard management. He has taught at four California State University campuses: San Luis Obispo, Pomona, Fresno and Bakersfield, and is well-known for his teaching and speaking abilities. He is currently teaching Grapevine Physiology at Cal Poly SLO. He is the creator of the Central Coast VINE Symposium, which has turned into the renowned WiVi Central Coast.

APPENDIX B
Information Given to Expert Panel

Appendix B

Information Given to Expert Panel

In April of 2014, the Expert Panel was provided with a lengthy clarification of what the Expert Panel was expected to address, and what it was not expected to address. Key points include:

- The focus was on nitrates, rather than sediment, pesticides, etc.
- Groundwater was the main issue, although several questions for the Expert Panel were related to surface water monitoring.
- The Expert Panel was expected to address questions related to:
 - Proper establishment of “risk” or “vulnerability” categories for large geographic areas, fields, crop types, or farms.
 - The type of above-groundwater data collection and computations that are needed for compliance, or to estimate impacts of practices.
 - Effectiveness of management practices that have been recommended for agricultural irrigators, which might affect nitrate leaching into the groundwater.

Waste Discharge Requirements (WDRs) and Conditional Waivers to WDRs

Under the California Water Code (CWC), anyone who discharges waste (other than community water systems) that affects waters of the state must file a Report of Water Discharge (ROWD) with their Regional Water Quality Control Board (Regional Water Board). The CWC requires that the Regional Water Board prescribe the Waste Discharge Requirements (WDRs) or waive the WDRs (called a "Conditional Waiver") to anyone who is determined to be a “discharger” of waste.

Definitions:

WDR (Waste Discharge Requirement) – For the Irrigated Lands Regulatory Program (ILRP) this is a permit issued by the Regional Water Boards to geographic areas or to groups of growers of identical crops. It requires certain water quality monitoring and reporting.

Conditional Waiver – A permit issued by the Regional Water Boards. It was originally intended to serve as a precursor to the issuing of a WDR. In some regions, the “Conditional Waiver” has the same status as a WDR.

Ag Waiver/Agricultural Order – Synonyms for Conditional Waivers and WDRs that have been adopted specifically to address agricultural discharges from irrigated lands.




Figure B-1. California regional water board locations

Conditional Waivers and WDRs are documents that serve as a type of permit that formalize regulatory actions taken by the Regional Water Boards. Typically, a Conditional Waiver or WDR includes a list of findings establishing the need for action, followed by a list of required actions. For the ILRP, the Conditional Waivers or WDRs allow for the formation of third-party representatives, commonly referred to as “coalitions”, to represent farmers as a group to meet compliance requirements.

Through a series of events related to the passage of Senate Bill 390 (Alpert), the ILRP originated in 2003. Initially, the ILRP was developed for the Central Valley Regional Water Quality Control Board. As the Central Valley Water Board ILRP progressed, a groundwater quality element was added to the filing requirement for agricultural lands that had previously only been subjected to surface water discharge concerns. As of April 2014, all nine Regional Water Boards in the state were in different stages of the Irrigated Lands Regulatory Program as described briefly below:

- The North Coast and San Francisco Regional Water Quality Control Boards (Regions 1 and 2 respectively) were in the process of developing agricultural discharge permits (i.e., either WDRs or Conditional Waivers of WDRs).
- The Lahontan Regional Water Quality Control Board (Region 6) had not begun developing an ILRP, but will do so as agricultural-related TMDLs are implemented.
- The Santa Ana Regional Water Quality Control Board (Region 8) was working on a proposed Conditional Waiver of Waste Discharge Requirements for the Agricultural Discharges Program for Growers in the San Jacinto River Watershed.
- The Los Angeles and San Diego Regional Water Quality Control Boards (Regions 4 and 9 respectively) operated under Conditional Waivers, but these Regional Water Boards were not addressing groundwater quality, and their respective Conditional Waivers *did not* include groundwater-specific requirements or actions.
- The Colorado River Regional Water Quality Control Board (Region 7) had a variety of situations. Most of the region was not covered by Conditional Waivers.
 - a. In 2012, Region 7 adopted a Conditional Waiver for the Palo Verde portion of the region that includes both groundwater and surface water requirements. Palo Verde

Irrigation District serves as the third-party (coalition) for the Palo Verde Conditional Waiver.

- b. In 2013, Region 7 adopted a Conditional Waiver for a separate part of the region for the Bard Unit of Reservation Division in Imperial County.
- The Central Coast Regional Water Quality Control Board (Region 3) issued a new conditional waiver in 2012 for the entire region that *did* include groundwater. The Region 3 conditional waiver allowed the use of a monitoring group to conduct monitoring and manage fees. The 2012 conditional waiver included a provision for the use of approved third-party certification groups. There were no other coalitions for this region.
- In the Central Valley (Region 5), seven out of eight planned Waste Discharge Requirements (geographically-based) had been adopted by the Central Valley Regional Water Board as of March 20, 2014, all of which consider groundwater. Sometimes multiple coalitions were covered by the same WDR.
 - a. Only one of the Region 5 coalitions (East San Joaquin Water Quality Coalition) had a Groundwater Quality Assessment Report (GAR) that had been adopted (approved) by the Regional Board. The GAR was the first work product related to groundwater that was required in the WDRs.
 - b. The California Rice Commission developed a GAR at the same time it was working with the Regional Board to develop its WDR. It is unclear when the GAR will be approved.

For reference, the process used in Region 5 is outlined in **Figure B-2** on the next page. The groundwater compliance requirements for Region 5 that will be addressed by the Expert Panel are highlighted in yellow.




Figure B-2. Outline of groundwater portion of the WDR process for Region 5. Region 5 stresses a coalition-based approach. Only two coalitions have completed the GAR step, in which they provide a “groundwater vulnerability designation” of “high” or “low” to areas within their coalition. The highlighted boxes indicate the areas for which questions will be asked of the Expert Panel.

Major Differences between Region 3 and 5 Approaches

Most of the actions (and controversy) with groundwater requirements have taken place in Region 5 (Central Valley) and Region 3 (Central Coast). The two Regional Water Boards have taken very different approaches toward compliance requirements.

APPENDIX C
Definitions and Clarifications for Panel

Appendix C

Definitions and Clarifications for Panel

General Intent

All of the adopted Waste Discharge Requirements for the Central Valley Region (Region 5) contain the following excerpt that addresses the purpose of the Panel:

“The Panel will evaluate ongoing agricultural control measures that address nitrate in groundwater, and will propose new measures, if necessary. In its assessment of existing agricultural nitrate control programs and development of recommendations for possible improvements in the regulatory approaches being used, the Panel will consider groundwater monitoring, mandatory adoption of best management practices, tracking and reporting of nitrogen fertilizer application, estimates of nitrogen use efficiency or a similar metric, and farm-specific nutrient management plans as source control measures and regulatory tools.” (Central Valley Regional Water Board, 2012).

Specifically, the Panel was asked to answer a number of questions provided by the State Water Board. It was the intent of the State Water Board that the Panel’s responses to these questions provide guidance to the Regional Water Boards as they continue to develop the requirements in their ILRPs.

It was understood that high nitrate levels in the groundwater cannot be lowered immediately, and that the proper management practices and evaluation techniques have uncertainties and costs. The Panel was, however, expected to provide answers that would help regulators improve the likelihood that:

1. Nitrate contamination occurs less frequently than it would have without any changes to management practices of today.
2. The nitrate contamination that does occur is less than, and occurs more slowly than, it would have been without any changes to management practices of today.

The Expert Panel focused on what can (and cannot) be done today “on the surface” to reduce nitrate discharges to both surface water and groundwater.

It was not within the scope of the Panel’s assignment to:

1. Develop criteria that will result in clean drinking water in some specified number of years.
2. Address questions regarding methods for treating nitrates in surface water or groundwater to bring it to drinking water quality.
3. Address the question of whether it is possible to bring the groundwater quality to drinking water quality.

Furthermore, the Panel was expected to provide answers and recommendations that are pragmatic and essential. Specifically, the Panel was asked to weigh all recommendations in light of the fact that the requirements within the WDRs are not meant to:

1. Answer scientific questions or uncertainties, such as the details of the nitrogen cycle with dairy effluent disposal.
2. Collect data that is only useful for creating statistics.
3. Serve as research projects.

The following sections explain some terms, and provide background for specific questions.

Vulnerability and Risk

The exact definitions of “vulnerability” and “risk” are somewhat fuzzy when one compares Region 5 and Region 3 in light of requirements as of April 2014.

In regards to the term “**vulnerability**”:

1. The term is generally intended to distinguish large areas that already have “high” or “low” nitrate levels in the groundwater.
2. In Region 5, areas that have a “high” vulnerability to groundwater nitrates have special requirements for the coalitions (identified as “Management Practices Evaluation Program, MPEP” in Figure 2).
3. In Region 3, there are no special requirements for coalitions because:
 - a. There are no coalitions that administer programs (there are two coalitions of a different type, which are organized only to sample and analyze data).
 - b. The entire region was classified as “high” vulnerability.

The two regional approaches used to designate the “vulnerability” of groundwater bodies in regards to nitrates have been:

- Region 5 allows the individual coalitions to define the “low” and “high” vulnerable areas in their areas. The Region 5 Regional Water Board works with the coalitions to determine the criteria that will be used locally. As an example, the Rice Growers Association, in its proposed GAR, submits the argument that because rice fields are flooded and nitrogen fertilizer is exclusively ammonia-based, there will be no conversion to nitrate and therefore all the groundwater under rice fields is a “low” vulnerability classification.
- Region 3’s Regional Water Board staff determined that the complete Region 3 is “highly” vulnerable. There was no joint effort with formal coalitions; it was a unilateral decision by the Regional Water Board staff that did include input at public meetings.

In regards to the term “**risk**”:

1. The term is used to describe the relative likelihood of serious nitrate loading into the groundwater by a field or farm.
2. *Risk assessment categorization is the basis for the prescription of best management practices for individual fields or farms.*
3. Region 3 has four established procedures for assessing “risk” (only one of which is selected by an individual farmer).
4. The level of “risk” in Region 3 is assigned using a tiering system where individual fields are categorized into one of three “tiers”. Each tier requires a different level of monitoring, reporting, and best management practices.

It was not the mandate of the Expert Panel to determine, designate, or map vulnerability areas. However, the Expert Panel was asked questions regarding how risk can best be determined.

Management Practices (MPs) and Data Collection

Currently Regional Water Quality Control Boards and/or coalitions (various regions) prescribe agricultural actions to farmers in their regions that have been deemed “management

practices” (MPs). In general, the MPs that are prescribed to farmers were developed by the UC Cooperative Extension.

The MPs of interest to the Panel are only those that pertain to nitrate application and control. The Panel will assess existing MPs and may recommend others if desired.

As an example, a requirement of the WDRs adopted in the Central Valley is the Management Practices Evaluation Program (MPEP). The MPEP will include evaluation studies of management practices to determine whether those practices are protective of groundwater quality for identified constituents of concern under a variety of site conditions.

The Expert Panel was asked to recommend a “suite” of management practices that should be tried to complete the requirements of the MPEP. MPs might be related to flow measurement, irrigation system Distribution Uniformity, ET-based irrigation scheduling, fertigation, or other topics. However, the Expert Panel may decide that if it can be demonstrated that only a small amount (e.g., 10%) of nitrogen is applied, above what is removed from a field during harvest, there is no need to go into the details of irrigation and other practices.

Reporting

Definitions:

- **Reporting** – This term is used by regulatory agencies to designate information that must be officially reported to the agency.
- **Data Collection and Analysis** – Sometimes regulatory agencies require that data be collected and analyzed, but not officially reported. The result to farmers is still often the same: there is an expense to set up a monitoring system, collect data, and possibly analyze the importance of the data.

Per the mandate of the State Water Board, the California Department of Food and Agriculture (CDFA) convened the Nitrogen Tracking and Reporting Task Force to address the outcomes and benefits of a nitrogen mass balance tracking system. A report (referred to in this memo as the “CDFA Report”) was completed in the summer of 2013 (CDFA, 2013).

While the Panel was not intended to focus on the “reporting” that is addressed in the CDFA Report, there is a definite linkage. For example, the Panel may decide that certain types of data are interesting for statistics and reports, but they may not be economically (or practically) beneficial to significantly helping achieve the ultimate goal of reducing nitrate loading.

As an example, a variety of nitrogen computations have been proposed to be included in monitoring, identifying risk, and as BMPs. The Panel assessed the relative importance of using field-level nitrogen computations such as those described below.

1. **Nitrogen mass balance** – The general idea is to have a spreadsheet or model which incorporates all nitrogen inputs to a field, along with extractions. In general, the deep percolation of nitrates is a mathematical “remainder”. Differences between various “mass balance” computations enter when one integrates factors such as:
 - a. Nitrogen transformation rates
 - b. Volatilization

- c. Crop removal – measured or estimated?
 - d. Carry-over between crops
 - e. Details of leaching factors, such as frequency and intensity of rainfall.
2. Ratio of [(Nitrogen In)/(Nitrogen Removed by the Crop)] – Again, there can be differences between the technique used to determine the “nitrogen removed”. There are also questions regarding what ratio might be acceptable. The applicability of this type of ratio may depend upon factors such as:
- a. The type of crop. For example, trees versus vines versus leafy greens.
 - b. The amount of rainfall.

Groundwater Monitoring

Definitions:

- **Trend monitoring** – Designates some type of groundwater monitoring on a regional scale.

The Expert Panel did not address trend monitoring.

- **Representative monitoring** – The “sampling” of techniques. Monitoring may be done on a “representative field”, but not on all fields, if the results from that “representative field” can provide conclusions for many similar fields.
- **Individual monitoring** – Generally indicates that discharges from every field or farm must be measured.

While all three types of monitoring are common with surface water, there are questions regarding the value of using any or all of these monitoring techniques to assess groundwater nitrate loading.

The Expert Panel assessed whether or not it is reasonable to expect that groundwater monitoring will accurately assess agricultural management practice performances on individual fields.

Surface Water Monitoring

Definitions:

- **Discharge water monitoring** – Monitoring of the water quality and/or quantity at individual discharge points from fields, farms, etc. to creeks and other surface water bodies.
- **Receiving water monitoring** – Monitoring of the water quality and/or quantity in the creeks or other surface water bodies that receive water from farms or fields.

Two approaches have been taken to monitoring surface water. Region 3 has taken the approach of discharge water monitoring to surface water while Region 5 has taken the approach of receiving water monitoring.

The Expert Panel was asked to address a question regarding the value of both receiving water and discharge water monitoring regarding surface water monitoring (both receiving water and individual discharge).



State Water Resources Control Board

Additional Details on Agricultural Expert Panel Questions 3, 4 and 11

The Agricultural Expert Panel (Panel) has requested further clarification on questions 3, 4, and 11 pertaining to surface water. The following brief is in an effort to provide that requested information.

Questions 3 and 4 were presented to the panel as follows:

Vulnerability and Risk Assessment

Regulatory programs are most effective when they are able to focus attention and requirements on those discharges or dischargers (i.e. growers) that pose the highest risk or threat because of the characteristics of their discharge or the environment into which the discharge occurs. The various Irrigated Lands Regulatory Program (ILRP) orders issued throughout the state by the Regional Water Boards have taken different approaches in their prioritization schemas, some using specific criteria or methodologies, others utilizing measurements of previous known impacts.

...

3. *How can risk to or vulnerability of surface water best be determined in the context of a regulatory program such as the ILRP?*
4. *Evaluate and develop recommendations for the current approaches taken to assessing risk to or vulnerability of surface water:*
 - a. *Proximity to impaired water bodies.*
 - b. *Usage of particular fertilizer or pesticide materials.*
 - c. *Size of farming operation.*
 - d. *High Vulnerability Areas Methodology (as developed by the Central Valley Regional Water Board in a series of Waste Discharge Requirements issued to agricultural coalitions in the ILRP)*

June 12, 2014

1

Additional Details on Agricultural Expert Panel Question Numbers 3, 4 and 11

Upon researching this brief it was determined that one suggested revision to part d of question 4 was inadvertently omitted and it should have been presented as follows:

4. d. High Vulnerability Areas Methodology (*for sediment/erosion risk*)/*Surface Water Quality Management Plan requirements* (as developed by the Central Valley Regional Water Board in a series of Waste Discharge Requirements issued to agricultural coalitions in the ILRP)

Questions presented to the Panel are derived from two sources: (1) The State Water Board's *Recommendations Addressing Nitrates in Groundwater*, State Water Board's Report to the Legislature, February 20, 2013, and (2) State Water Board Order WQ 2013-0101. While the former was focused on nitrates in groundwater, the later also included some questions for the Panel regarding surface water.

Below is the quoted section from Order WQ-2013-0101(pages 17-20) pertaining to vulnerability and risk in the context of establishing Tiering Criteria.

C. Reasonableness of Tiering Criteria, Provisions 13-21

The Agricultural Order assigns each discharger to one of three "tiers," which determine the requirements applicable to the discharger. The tier designations are based on a number of criteria intended to capture the risk posed by the operation to water quality, including whether the discharger uses the pesticides chlorpyrifos or diazinon, proximity of discharger's farm to a surface waterbody listed as impaired for toxicity, pesticides, nutrients, turbidity or sediment,⁴⁴ and whether the discharger grows crop types with high potential to discharge nitrogen to groundwater.⁴⁵

Specifically, a discharger is classified as a Tier 3 discharger – the tier expected to pose the highest threat to water quality – if (a) the discharger grows crop types with high potential to discharge nitrogen to groundwater and the farm total irrigated acreage is 500 acres or more, or (b) the discharger applies chlorpyrifos or diazinon at the farm, and the farm discharges irrigation or storm water runoff to a waterbody listed as impaired for toxicity or pesticides.

On the other hand, a discharger is classified as a Tier 1 discharger – the lowest threat tier – if (a) if the discharger does not use chlorpyrifos or diazinon at the farm; and (b) the discharger's farm is located more than 1,000 feet from a surface waterbody listed as impaired for toxicity, pesticides, nutrients, turbidity, or sediment; and (c) the discharger either does not grow crop types with high potential to discharge nitrogen to groundwater or, if the discharger does grow such crops, the farm has less than 50 acres of total irrigated area and is not within 1,000 feet of a well that is part of a public water system that exceeds the maximum contaminant level (MCL) for nitrogen-related pollutants. Additionally, a

discharger is classified as Tier 1 if the farm is certified by Sustainability in Practice (SIP), a sustainable agriculture program certified by a group of Central Coast vineyards, or a similar certified sustainable agriculture program approved by the Executive Officer of the Central CoastWater Board.

Dischargers that do not meet the criteria for Tier 1 or Tier 3 are classified as Tier 2 dischargers.⁴⁶

Consistent with the expectation of threat to water quality, Tier 3 dischargers must comply with more stringent requirements than Tier 2 dischargers. Tier 2 dischargers, in turn, must meet more stringent requirements than Tier 1 dischargers. For example, while dischargers in all three tiers must prepare Farm Plans, only Tier 2 and Tier 3 dischargers are subject to annual reporting on their practices. And only Tier 3 dischargers are required to conduct and report individual surface water discharge monitoring.

The Agricultural Petitioners argue that the tiering criteria used by the Central CoastWater Board do not necessarily correlate to risk to water quality and are therefore arbitrary. They argue, for example, that there may be farms smaller than 50 acres that pose a greater risk to water quality than larger farms.⁴⁷ They posit that some farms using diazinon and chlorpyrifos may have no discharges to surface water.⁴⁸ They point out that the tiers do not capture the geology of a farm's soil or the depth to groundwater, both of which affect impacts to groundwater.⁴⁹ They argue that the management and cultural practices of certain commodities may be a better indicator of threat to water quality than the physical characteristics of the farms.⁵⁰ But the Agricultural Petitioners do not appear to be advancing a proposed, well- defined, alternative, and they are not advocating for uniform requirements for all dischargers.

The Central CoastWater Board chose to use a general order in the form of a conditional waiver, rather than farm-specific orders, to regulate agricultural discharges. The StateWater Board supports the use of a general order given the general similarity of operations and discharges for the agricultural community in the Central Coast and in particular the considerations of efficiency in regulating a large number of dischargers. A general order necessitates either a one-size-fits-all approach or a scheme for grouping the dischargers into different categories to enable assigning different requirements. With as many farms as are covered by the Agricultural Order, it is no surprise that the categories chosen by the Central CoastWater Board may not fit each circumstance perfectly. The question for the StateWater Board is not whether the Central CoastWater Board's criteria capture the risk level posed by each farm with perfect accuracy, but, rather, whether the Board chose rational distinctions between the farms to create those different categories.

We recognize that the tiering approach used by the Central Coast Water Board was not the only reasonable option available to it. There are numerous factors that determine the threat a given farm will pose to water quality and multiple variations on how those factors may be organized to provide a reasonable framework for assigning the farm to a risk category. Moreover, while the Central Coast Water Board utilized an approach based on individual farm characteristics, the Board could instead have chosen an approach based on regional characteristics, where dischargers are placed in a higher risk category commensurate with the vulnerability of the groundwater in the larger geographic area rather than individual farm characteristics.⁵¹

Yet, while the approach that was ultimately chosen by the Central Coast Water Board may not be perfect, it is a reasonable approach based on the evidence in the record⁵² and based on a rationale articulated in the staff reports and responses to comments supporting the Agricultural Order.⁵³ For example, the criteria make distinctions in risk to water quality based on use of pesticides that are currently documented as a primary cause of toxicity in the Central Coast region.⁵⁴ As another example, with regard to farms growing crops with high potential to discharge nitrogen, the Central Coast Water Board analyzed the impact of size of the farm on such potential and explained that the numbers less than 50 acres and more than 500 acres were chosen as the thresholds for placing a discharger in Tiers 1 or 3 respectively because 50-500 acres represented an average loading appropriate for Tier 2 categorization.⁵⁵ The Board further articulated that, regardless of size, proximity of a farm to a public water system polluted by nitrate should trigger Tier 2 requirements consistent with proximal distances recommended by the Department of Public Health for source water assessment and protection.⁵⁶ The Central Coast Water Board also pointed out that the particular tiering criteria were selected in part because they reflect already available information and do not require additional data collection or complicated or expensive site evaluations.⁵⁷ Finally, the Central Coast Water Board included provisions that allow the Executive Officer to adjust the tier for any given farm, which helps ameliorate any potentially unreasonable result of the tiering scheme.

We are reluctant to substitute another reasonable, but imperfect, set of criteria for those selected by the Central Coast Water Board. Further, we will ask the Expert Panel to evaluate the selection of appropriate indicators of risk to water quality as one of the long-term, state-wide issues it considers. Accordingly, in the short-term, we will not disturb the tier structure set out in the Agricultural Order.

⁴⁴ Relevant Central Coast region waterbodies are listed in Table 1 of the Agricultural Order based on the 2010 Clean Water Act Section 303(d) List of Impaired Waterbodies.

⁴⁵ The definitions section of the Agricultural Order specifies the crop types with high potential to discharge nitrogen to groundwater. (Agricultural Order, Att. A., Part C, & Prov. 10.)

- ⁴⁶ In general, the following categories of dischargers will be in Tier 2: dischargers that apply chlorpyrifos or diazinon at the farm, but do not discharge to a waterbody listed as impaired for toxicity or pesticides; dischargers with farms located within 1000 feet of a surface waterbody listed for impairment for toxicity, pesticides, nutrients, turbidity, or sediment, or dischargers that grow crop types with high potential to discharge nitrogen to groundwater and that are 50 acres or more but less than 500 acres or are within 1000 feet of a public water well that exceeds the MCL for nitrogen-related pollutants.
- ⁴⁷ Petition for Review of Farm Bureau et al. (Apr. 16, 2012) (Farm Bureau Petition), p. 67; Grower-Shipper Petition, p. 37, Request for Stay and Petition for Review of Ocean Mist and RC Farms (Apr. 16, 2012) (Ocean Mist Petition), p. 24. Ocean Mist appears to have misinterpreted the tiering criteria on this issue. Size is relevant to tiering only to the extent the farm already grows crops that have high potential to discharge nitrogen to groundwater.
- ⁴⁸ Grower-Shipper Petition, p. 37.
- ⁴⁹ Petition to Review of Jensen (Apr. 13, 2012), pp. 18-20.
- ⁵⁰ Grower-Shipper Petition, p. 36.
- ⁵¹ This type of approach is utilized by the Central Valley Water Board in waste discharge requirements issued to growers in the Eastern San Joaquin River Watershed. (Order R5-2012-0116, <http://www.swrcb.ca.gov/rwqcb5/board_decisions/adopted_orders/general_orders/r5-2012-0116.pdf> [as of Jun. 4, 2013].) For illustrative purposes, we take official notice of the Central Valley Water Board's order (Cal. Code Regs., tit. 23, § 648.2 and Evid. Code, § 452, subd. (c)), although we express no opinions here on the merits of its approach.
- ⁵² Such evidence includes, but is not limited to, the following: AR Reference Nos. 35, 47, 72, 74, 75, 132, 133, 134, 137, 145, 146, 147, 148, 149, 165, 226, 227, 228, & 258.
- ⁵³ AR File Nos. 228, pp. 21-27; 232, pp. 6-16; 233; 260.
- ⁵⁴ See discussion of toxicity related to chlorpyrifos and diazinon at AR File No. 228, p. 23.
- ⁵⁵ See AR File Nos. 260, slides 18-23; 265, pp. 586-591; 283, p. 25.
- ⁵⁶ See AR File No. 228, p. 26.
- ⁵⁷ *Id.*, p. 22.

Any deliberation on questions 3 and 4 should also be informed by language contained in the Central Valley Water Board's Orders for the Irrigated Lands Regulatory Program. Below are excerpts from Order R5-2012-0166-r1:

Findings

23 *The surface water quality monitoring and trend groundwater quality monitoring under this Order are regional in nature instead of individual field discharge monitoring. The benefits of regional monitoring include the ability to determine whether water bodies accepting discharges from numerous irrigated lands are meeting water quality objectives and to determine whether practices, at the watershed level, are protective of water quality. However, there are limitations to regional monitoring's effectiveness in determining possible sources of water quality problems, the effectiveness of management practices, and individual compliance with this Order's requirements.*

Therefore, through the Management Practices Evaluation Program and the Surface Water Quality Management Plans and Groundwater Quality Management Plans, the third-party must evaluate the effectiveness of management practices in protecting water quality. In addition, Members must report the practices they are implementing to protect water quality.

Through the evaluations and studies conducted by the third-party, the reporting of practices by the Members, and the board's compliance and enforcement activities, the board will be able to determine whether a Member is complying with the Order.

Where required monitoring and evaluation does not allow the Central Valley Water Board to determine potential sources of water quality problems or identify whether management practices are effective, this Order requires the third-party to provide technical reports at the direction of the Executive Officer. Such technical reports are needed when monitoring or other available information is not sufficient to determine the effects of irrigated agricultural waste discharges to state waters. It may also be necessary for the board to conduct investigations by obtaining information directly from Members to assess individual compliance. (page 7)

III. Receiving Water Limitations

A. Surface Water Limitations¹⁵

- 1. Wastes discharged from Member operations shall not cause or contribute to an exceedance of applicable water quality objectives in surface water, unreasonably affect applicable beneficial uses, or cause or contribute to a condition of pollution or nuisance. (page 17)*

¹⁵ These limitations are effective immediately except where Members are implementing an approved Surface Water Quality Management Plan (SQMP) for a specified waste parameter in accordance with an approved time schedule authorized pursuant to sections VIII.H and XII of this Order.

VII. Required Reports and Notices – Member

C. Sediment and Erosion Control Plan

The requirements and deadlines of this section apply as specified to Members that are required to develop a Sediment and Erosion Control Plan per section IV.B.7 of this Order. The Member must use the Sediment and Erosion Control Plan Template approved by the Executive Officer (see section VIII.C below), or equivalent. The Sediment and Erosion Control Plan must be prepared in one of the following ways:

- The Sediment and Erosion Control Plan must adhere to the site-specific recommendation from the Natural Resources Conservation Service (NRCS), NRCS technical service provider, the University of California Cooperative Extension, the local Resource Conservation District; or conform to a local county ordinance applicable to erosion and sediment control on agricultural lands. The Member must retain written documentation of the recommendation provided and certify that they are implementing the recommendation; or*

- *The Sediment and Erosion Control Plan must be prepared and self-certified by the Member, who has completed a training program that the Executive Officer concurs provides necessary training for sediment and erosion control plan development; or*
- *The Sediment and Erosion Control Plan must be written, amended, and certified by a Qualified Sediment and Erosion Control Plan Developer possessing one of the following registrations or certifications, and appropriate experience with erosion issues on irrigated agricultural lands: California registered professional civil engineer, geologist, engineering geologist, landscape architect; professional hydrologist registered through the American Institute of Hydrology; certified soil scientist registered through the American Society of Agronomy; Certified Professional in Erosion and Sediment Control (CPSEC)TM/Certified Professional in Storm Water Quality (CPSWQ)TM registered through Enviro Cert International, Inc.; professional in erosion and sediment control registered through the National Institute for Certification in Engineering Technologies (NICET); or*
- *The Sediment and Erosion Control Plan must be prepared and certified in an alternative manner approved by the Executive Officer. Such approval will be provided based on the Executive Officer's determination that the alternative method for preparing the Sediment and Erosion Control Plan meets the objectives and requirements of this Order.*

The plan shall be maintained and updated as conditions change. A copy of the Sediment and Erosion Control Plan shall be maintained at the farming operations headquarters or primary place of business; and must be produced by the Member, if requested, should Central Valley Water Board staff, or an authorized representative, conduct an inspection of the Member's irrigated lands operation.

1. Deadline for Members with Small Farming Operations

Within one (1) year of the Executive Officer accepting the third party's Sediment Discharge and Erosion Assessment Report, Members with Small Farming Operations must complete and implement a Sediment and Erosion Control Plan.

2. Deadline for all Other Members²⁰

Within 180 days of the Executive Officer accepting the third party's Sediment Discharge and Erosion Assessment Report, all other

Members must complete and implement a Sediment and Erosion Control Plan. (pages 25-26)

²⁰ Members with parcels that do not meet the Small Farming Operation definition (see Attachment E).

VIII. Required Reports and Notices – Third-Party

F. Surface Water Exceedance Reports

The third-party shall provide exceedance reports if surface water monitoring results show exceedances of adopted numeric water quality objectives or trigger limits, which are based on interpretations of narrative water quality objectives. Surface water exceedance reports shall be submitted in accordance with the requirements described in section V.D of the MRP. (page 32)

Attachment A – Information Sheet

Sediment and Erosion Control Plans

The Order requires that Members with the potential to cause erosion and discharge sediment that may degrade surface waters prepare a sediment and erosion control plan. Control of sediment discharge will work to achieve water quality objectives associated with sediment and also water quality objectives associated with sediment bound materials such as pesticides. To ensure that water quality is being protected, this Order requires that sediment and erosion control plans be prepared in one of the following ways:

- *The sediment and erosion control plan must adhere to the site-specific recommendation from the Natural Resources Conservation Service (NRCS), NRCS technical service provider, the University of California Cooperative Extension, the local Resource Conservation District; or conform to a local county ordinance applicable to erosion and sediment control on agricultural lands. The Member must retain written documentation of the recommendation provided and certify that they are implementing the recommendation; or*
- *The plan must be prepared and self-certified by the Member, who has completed a training program that the Executive Officer concurs provides necessary training for sediment and erosion control plan development; or*
- *The plan must be written, amended, and certified by a qualified sediment and erosion control plan developer possessing one of the registrations shown in Table 3 below; or*

- The plan must be prepared and certified in an alternative manner approved by the Executive Officer. Such approval will be provided based on the Executive Officer's determination that the alternative method for preparing the plan meets the objectives and requirements of this Order.

Table 3. Qualified Sediment and Erosion Control Plan Developers

Title/Certification	Certifier
Professional Civil Engineer	State of California
Professional Geologist or Engineering Geologist	State of California
Landscape Architect	State of California
Professional Hydrologist	American Institute of Hydrology
Certified Professional in Erosion and Sediment Control™ (CPESC)	Enviro Cert International Inc.
Certified Professional in Storm Water Quality™ (CPSWQ)	Enviro Cert International Inc.
Certified Soil Scientist	American Society of Agronomy

The sediment and erosion control plan will: (1) help identify the sources of sediment that affect the quality of storm water and irrigation water discharges; and (2) describe and ensure the implementation of water quality management practices to reduce or eliminate sediment and other pollutants bound to sediment in storm water and irrigation water discharges. The plan must be appropriate for the Member's operations and will be developed and implemented to address site specific conditions. Each farming operation is unique and requires specific description and selection of water quality management practices needed to address waste discharges of sediment. The plan must be maintained at the farming operations headquarters or primary place of business. The Order requires development of a sediment and erosion control plan template to assist Members and qualified developers in completing the plan. The Order establishes prioritization for Member completion of the plan based on farm size. Small farming operations will have additional time to complete the plan.

To assist Members in determining whether they need to prepare a sediment and erosion control plan, the third-party must prepare a sediment and erosion control assessment report that identifies the areas susceptible to erosion and the discharge of sediment that could impact receiving waters. In addition, the Executive Officer may identify areas requiring such plans based on evidence of ongoing erosion or sediment control problems. (Attachment A pages 23-24)

Question 11 for the Panel is specifically from State Water Board Order WQ 2013-0101. The question was stated as:

Verification Measures

Utilization of verification measures to determine whether management practices are being properly implemented and achieving their stated purpose is another key element to the success of a nonpoint source control program. Because of the nature of nonpoint source discharges, direct measurements are often difficult or impossible to obtain and other means of verifications may be required.

11. *Evaluate the relative merits, and make recommendations regarding the usage of, surface water measurement systems derived from either receiving water or a discharge monitoring approach to identify problem discharges.*

Excerpts from the State Water Board Order WQ 2013-0101 (page 37-38) pertaining to this question are as follows:

We are skeptical that the Central Coast Water Board has adopted the monitoring program best suited to meet the purpose of identifying and following up on high-risk discharges. The variability in the composition of end-of-field discharges makes it difficult to characterize such discharges through sampling at a limited number of locations and in a limited number of sampling events. Further, even though the surface water discharge monitoring requirements are targeted to the highest risk dischargers, problem discharges and areas are likely to be found outside of the influence of farms operated by Tier 3 dischargers. The better approach may be to rely on receiving water monitoring data and to require the third party monitoring groups administering receiving water monitoring to pursue exceedances with increasingly focused monitoring in upstream channels designed to narrow down and identify the sources of the exceedances. Although the Agricultural Order's surface receiving water monitoring contemplates that the Executive Officer may approve additional monitoring sites to "better assess the pollutant loading from individual sources"⁹⁰ or may require toxicity evaluation "to identify the individual discharges causing the toxicity,"⁹¹ it does not establish the type of comprehensive process necessary to identify and address problem discharges. The surface receiving water monitoring approach recently approved by the Central Valley Regional Water Quality Control Board (Central Valley Water Board) for growers in the Eastern San Joaquin Watershed, where a detected exceedance may trigger source identification, management practice implementation, and follow up reporting,⁹² perhaps more closely matches the type of monitoring that would assure pollutant discharges are actually addressed.

We will ask the Expert Panel to consider both the receiving water and discharge monitoring approaches to identification of problem discharges.

⁹⁰ Tiers 1-3 MRPs, Part 1, § A.9.

⁹¹ *Id.* at Part 1, § A.13.

⁹² Central Valley Water Board Order R5-2012-0116, Appendix MRP-1.

APPENDIX D
Meeting Agendas

Appendix D Meeting Agendas

Agricultural Expert Panel Public Meeting #1 **Monday May 5, 2014 – 9:00 AM (Convene Panel and Invited Testimony)** **Tuesday May 6, 2014 – 8:30 AM (Invited Testimony and Public Comment)**

Locations different for each day:

May 5: Irrigation Training and Research Center
California Polytechnic State University, SLO
1 Grand Ave, Building 08A, Room 022
San Luis Obispo, CA 93405

May 6: The Monday Club
1815 Monterey Street
San Luis Obispo, CA 93401

THIS MEETING IS A CONTINUATION OF THE EFFORTS ASSOCIATED WITH THE STATE WATER RESOURCES CONTROL BOARD CHAPTER 1 OF THE SECOND EXTRAORDINARY SESSION OF 2008 (SBX2 1, PERATA) REPORT TO THE LEGISLATURE – RECOMMENDATION 14, EXPERT PANEL AND ADVISORY COMMITTEE FORMATION. THE MEETING WILL BE CONDUCTED BY THE EXPERT PANEL. A QUORUM OF STATE WATER BOARD MEMBERS MAY BE IN ATTENDANCE, BUT NO BOARD ACTION WILL BE TAKEN AT THIS MEETING.

AGENDA (rev. 1)

May 5

- I. Call the meeting to order**
- II. Declaration of a quorum**
Dr. Charles Burt, Panel Chair; Dr. Robert Hutmacher; Till Angermann; Bill Brush; Daniel Munk; James duBois; Mark McKean; Dr. Lowell Zelinski
- III. Housekeeping announcements**
- IV. Panel Introduction and opening remarks by panel members**
- V. Review Agenda**
- VI. Review the Charge of the Panel and take invited speaker comments** (public comments will not start until after 8:30 am on Tuesday May 6)
 - Presentation of charge to the panel and specific questions – Darrin Polhemus, State Water Resources Control Board
 - Region Water Quality Control Boards panel
 - Angela Schroeter, Central Coast Regional Water Quality Control Board
 - Clay Rodgers, Central Valley Regional Water Quality Control Board
 - Joe Karkoski, Central Valley Regional Water Quality Control Board

- Nitrate Tracking and Reporting System Task Force – Dr. Amrith Gunasekara and Dr. Amadou Ba, California Department of Food and Agriculture
- Parry Klassen, East San Joaquin Water Quality Coalition
- Dr. Joel Kimmelshue, Land IQ
- Chris Kapheim, Alta Irrigation District
- Dr. Ken Baerenklau, UC Riverside
- Paul Giboney, M. Caraten Inc/Columbine Vineyards
- Butch Massa, Comgro Soil Amendments
- Hung Le, Paramount Farming Company
- Richard Smith, UC Cooperative Extension
- Dr. Robert Mikkelsen, International Plant Nutrition Institute
- George Adam, Innovative Produce

VII. Adjourn for the Day

May 6

I. Call the meeting to order

II. Declaration of a quorum

Dr. Charles Burt, Panel Chair; Dr. Robert Hutmacher; Till Angermann; Bill Brush; Daniel Munk; James duBois; Mark McKean; Dr. Lowell Zelinski

III. Housekeeping announcements

IV. Review Agenda

V. Panel Introduction and opening remarks by panel members

VI. Review the Charge of the Panel and take invited and public comments (this item is continued from the previous day)

- Roy Killgore Jr., San Ysidro Farms
- Salinas Valley Grower
- Public Comment (Any member of the public may present comments or remarks to the Panel. Commenters will be limited to 5 minutes or otherwise at the discretion of the Chair. Commenters will be asked to fill out a speaker card if they wished to be called to speak. Written comments are due by May 14, 12:00 pm noon.)

VII. Panel Discussion

VIII. Adjournment

Background

Chapter 1 of the Second Extraordinary Session of 2008 (SBX2 1, Perata), required the State Water Resources Control Board (State Water Board) to develop pilot projects focusing on nitrate in groundwater in the Tulare Lake Basin and Salinas Valley, and to submit a report to the Legislature on the scope and findings of the pilot projects, including recommendations. The State Water Board made 15 recommendations in 4 key areas to address the issues associated with nitrate contaminated groundwater. The key areas to address these issues are:

1. Providing safe drinking water.
2. Monitoring, notification, and assessment.
3. Nitrogen tracking and reporting.
4. Protecting groundwater.

Expert Panel

Recommendation 14 of the State Water Board's report to the Legislature was to convene a panel of experts to assess existing agricultural nitrate control programs and develop recommendations, as needed, to ensure that ongoing efforts are protective of groundwater supply quality. The State Water Board has contracted with the Irrigation Training and Research Center (ITRC), a center established within the BioResource and Agricultural Engineering Department of the California Polytechnic State University, San Luis Obispo to assemble the expert panel of up to 10 persons. The Expert Panel members have been selected and information about the panel members is available on the ITRC website at <http://www.itrc.org/001/swrcb.htm>. Questions to be presented to the Expert Panel for consideration are provided below.

Written Public Comments

The State Water Board will accept written comments from the public for the Expert Panel's consideration. Comments and remarks must be received by **12:00 noon on Wednesday, May 14, 2014** and addressed to:

Jeanine Townsend, Clerk to the Board
State Water Resources Control Board
1001 I Street, 24th Floor
Sacramento, CA 95814

Comments and remarks may be submitted electronically, in pdf text format (if less than 15 megabytes in total size), to the Clerk to the Board via e-mail at commentletters@waterboards.ca.gov.

If the file is greater than 15 megabytes in total size, then the document(s) may be submitted by fax at (916) 341-5620. Please indicate in the subject line: **"Agricultural Expert Panel Comments."**

Couriers delivering hard copies of documents must check in with lobby security personnel, who can contact Jeanine Townsend at (916) 341-5600.

Schedule (some dates may be changed at a later date and all changes will be noticed).

Date	Event	Location
Completed	Advisory Committee Kickoff Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
May 5 th -6 th , 2014*	Expert Panel Public Meeting #1	San Luis Obispo 5th: Irrigation Training and Research Center 6th: Monday Club
May 7 th , 2014	Expert Panel Public Meeting #2	SCE Energy Education Center, Tulare
May 9 th , 2014	Expert Panel Public Meeting #3	Cal/EPA Building Byron Sher Auditorium, Sacramento
June 30 th , 2014	Expert Panel Draft Report Released	N/A
July 1 st – July 30 th , 2014	Public Comment Period on Expert Panel Draft Report	N/A
July 18 th , 2014	Expert Panel Public Meeting on Draft Report	Cal/EPA Building Byron Sher Auditorium, Sacramento
July 28 th , 2014	Advisory Committee Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
September 23 rd , 2014	Expert Panel presents Final Report at Board Meeting	Cal/EPA Building Coastal Hearing Room, Sacramento

Project Tools and Information

Project information, including meeting notices, agendas, meeting minutes, and other pertinent material/documents will be posted online at <http://www.itrc.org/001/swrcb.htm> and at http://www.waterboards.ca.gov/water_issues/programs/agriculture/.

To receive updates by email, please subscribe to our email list: Nitrate Project - SBX2 1 - Expert Panel. (Located in the "Water Quality Topics" section at http://www.waterboards.ca.gov/resources/email_subscriptions/swrcb_subscribe.shtml.)

Please direct any questions about this agenda to Johnny Gonzales at (916) 341-5510 or Ashley Zellmer at (916) 341-5911.

Agricultural Expert Panel Public Meeting #2

Wednesday May 7, 2014 – 8:30

(Invited Testimony and Public Comment)

Southern California Edison Energy Education Center

4175 South Laspina Street

Tulare, CA 93274

THIS MEETING IS A CONTINUATION OF THE EFFORTS ASSOCIATED WITH THE STATE WATER RESOURCES CONTROL BOARD CHAPTER 1 OF THE SECOND EXTRAORDINARY SESSION OF 2008 (SBX2 1, PERATA) REPORT TO THE LEGISLATURE – RECOMMENDATION 14, EXPERT PANEL AND ADVISORY COMMITTEE FORMATION. THE MEETING WILL BE CONDUCTED BY THE EXPERT PANEL. A QUORUM OF STATE WATER BOARD MEMBERS MAY BE IN ATTENDANCE, BUT NO BOARD ACTION WILL BE TAKEN AT THIS MEETING.

AGENDA

- I. Call the meeting to order**
- II. Declaration of a quorum**
Dr. Charles Burt, Panel Chair; Dr. Robert Hutmacher; Till Angermann; Bill Brush; Daniel Munk; James duBois; Mark McKean; Dr. Lowell Zelinski
- III. Housekeeping announcements**
- IV. Review Agenda**
- V. Panel Introduction and opening remarks by panel members**
- VI. Review the Charge of the Panel and take invited and public comments**
 - Presentation of charge to the panel and specific questions – Darrin Polhemus, State Water Resources Control Board
 - Public Comment (Any member of the public may present comments or remarks to the Panel. Commenters will be limited to 5 minutes or otherwise at the discretion of the Chair. Commenters will be asked to fill out a speaker card if they wished to be called to speak. Written comments are due by May 14, 12:00 pm noon.)
- VII. Panel Discussion**
- VIII. Adjournment**

Background

Chapter 1 of the Second Extraordinary Session of 2008 (SBX2 1, Perata), required the State Water Resources Control Board (State Water Board) to develop pilot projects focusing on nitrate in groundwater in the Tulare Lake Basin and Salinas Valley, and to submit a report to the Legislature on the scope and findings of the pilot projects, including recommendations. The State Water Board made 15 recommendations in 4 key areas to address the issues associated with nitrate contaminated groundwater. The key areas to address these issues are:

5. Providing safe drinking water.
6. Monitoring, notification, and assessment.
7. Nitrogen tracking and reporting.
8. Protecting groundwater.

Expert Panel

Recommendation 14 of the State Water Board's report to the Legislature was to convene a panel of experts to assess existing agricultural nitrate control programs and develop recommendations, as needed, to ensure that ongoing efforts are protective of groundwater supply quality. The State Water Board has contracted with the Irrigation Training and Research Center (ITRC), a center established within the BioResource and Agricultural Engineering Department of the California Polytechnic State University, San Luis Obispo to assemble the expert panel of up to 10 persons. The Expert Panel members have been selected and information about the panel members is available on the ITRC website at <http://www.itrc.org/001/swrcb.htm>. Questions to be presented to the Expert Panel for consideration are provided below.

Written Public Comments

The State Water Board will accept written comments from the public for the Expert Panel's consideration. Comments and remarks must be received by **12:00 noon on Wednesday, May 14, 2014** and addressed to:

Jeanine Townsend, Clerk to the Board
State Water Resources Control Board
1001 I Street, 24th Floor
Sacramento, CA 95814

Comments and remarks may be submitted electronically, in pdf text format (if less than 15 megabytes in total size), to the Clerk to the Board via e-mail at commentletters@waterboards.ca.gov.

If the file is greater than 15 megabytes in total size, then the document(s) may be submitted by fax at (916) 341-5620. Please indicate in the subject line: **"Agricultural Expert Panel Comments."**

Couriers delivering hard copies of documents must check in with lobby security personnel, who can contact Jeanine Townsend at (916) 341-5600.

Schedule (some dates may be changed at a later date and all changes will be noticed).

Date	Event	Location
Completed	Advisory Committee Kickoff Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
May 5 th -6 th , 2014*	Expert Panel Public Meeting #1	San Luis Obispo 5th: Irrigation Training and Research Center 6th: Monday Club
May 7 th , 2014	Expert Panel Public Meeting #2	SCE Energy Education Center, Tulare
May 9 th , 2014	Expert Panel Public Meeting #3	Cal/EPA Building Byron Sher Auditorium, Sacramento
June 30 th , 2014	Expert Panel Draft Report Released	N/A
July 1 st – July 30 th , 2014	Public Comment Period on Expert Panel Draft Report	N/A
July 18 th , 2014	Expert Panel Public Meeting on Draft Report	Cal/EPA Building Byron Sher Auditorium, Sacramento
July 28 th , 2014	Advisory Committee Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
September 23 rd , 2014	Expert Panel presents Final Report at Board Meeting	Cal/EPA Building Coastal Hearing Room, Sacramento

Project Tools and Information

Project information, including meeting notices, agendas, meeting minutes, and other pertinent material/documents will be posted online at <http://www.itrc.org/001/swrcb.htm> and at http://www.waterboards.ca.gov/water_issues/programs/agriculture/.

To receive updates by email, please subscribe to our email list: Nitrate Project - SBX2 1 - Expert Panel. (Located in the "Water Quality Topics" section at http://www.waterboards.ca.gov/resources/email_subscriptions/swrcb_subscribe.shtml.)

Please direct any questions about this agenda to Johnny Gonzales at (916) 341-5510 or Ashley Zellmer at (916) 341-5911.

Agricultural Expert Panel Public Meeting #3

Friday May 9, 2014 – 8:30

(Invited Testimony and Public Comment)

Joe Serna Jr. – Cal/EPA Headquarters Building
Byron Sher Auditorium
1001 I Street, Second Floor
Sacramento, CA 95814

THIS MEETING IS A CONTINUATION OF THE EFFORTS ASSOCIATED WITH THE STATE WATER RESOURCES CONTROL BOARD CHAPTER 1 OF THE SECOND EXTRAORDINARY SESSION OF 2008 (SBX2 1, PERATA) REPORT TO THE LEGISLATURE – RECOMMENDATION 14, EXPERT PANEL AND ADVISORY COMMITTEE FORMATION. THE MEETING WILL BE CONDUCTED BY THE EXPERT PANEL. A QUORUM OF STATE WATER BOARD MEMBERS MAY BE IN ATTENDANCE, BUT NO BOARD ACTION WILL BE TAKEN AT THIS MEETING.

AGENDA

- I. Call the meeting to order**
- II. Declaration of a quorum**
Dr. Charles Burt, Panel Chair; Dr. Robert Hutmacher; Till Angermann; Bill Brush; Daniel Munk; James duBois; Mark McKean; Dr. Lowell Zelinski
- III. Housekeeping announcements**
- IV. Review Agenda**
- V. Panel Introduction and opening remarks by panel members**
- VI. Review the Charge of the Panel and take invited and public comments**
 - Presentation of charge to the panel and specific questions – Darrin Polhemus, State Water Resources Control Board
 - Dr. Thomas Harter, UC Davis
 - Brock Taylor, Certified Crop Advisor
 - Dr. Melanie Harrison, NOAA National Marine Fisheries Service
 - Public Comment (Any member of the public may present comments or remarks to the Panel. Commenters will be limited to 5 minutes or otherwise at the discretion of the Chair. Commenters will be asked to fill out a speaker card if they wished to be called to speak. Written comments are due by May 14, 12:00 pm noon.)
- VII. Panel Discussion**
- VIII. Adjournment**

Background

Chapter 1 of the Second Extraordinary Session of 2008 (SBX2 1, Perata), required the State Water Resources Control Board (State Water Board) to develop pilot projects focusing on

nitrate in groundwater in the Tulare Lake Basin and Salinas Valley, and to submit a report to the Legislature on the scope and findings of the pilot projects, including recommendations. The State Water Board made 15 recommendations in 4 key areas to address the issues associated with nitrate contaminated groundwater. The key areas to address these issues are:

9. Providing safe drinking water.
10. Monitoring, notification, and assessment.
11. Nitrogen tracking and reporting.
12. Protecting groundwater.

Expert Panel

Recommendation 14 of the State Water Board's report to the Legislature was to convene a panel of experts to assess existing agricultural nitrate control programs and develop recommendations, as needed, to ensure that ongoing efforts are protective of groundwater supply quality. The State Water Board has contracted with the Irrigation Training and Research Center (ITRC), a center established within the BioResource and Agricultural Engineering Department of the California Polytechnic State University, San Luis Obispo to assemble the expert panel of up to 10 persons. The Expert Panel members have been selected and information about the panel members is available on the ITRC website at <http://www.itrc.org/001/swrcb.htm>. Questions to be presented to the Expert Panel for consideration are provided below.

Written Public Comments

The State Water Board will accept written comments from the public for the Expert Panel's consideration. Comments and remarks must be received by **12:00 noon on Wednesday, May 14, 2014** and addressed to:

Jeanine Townsend, Clerk to the Board
State Water Resources Control Board
1001 I Street, 24th Floor
Sacramento, CA 95814

Comments and remarks may be submitted electronically, in pdf text format (if less than 15 megabytes in total size), to the Clerk to the Board via e-mail at commentletters@waterboards.ca.gov.

If the file is greater than 15 megabytes in total size, then the document(s) may be submitted by fax at (916) 341-5620. Please indicate in the subject line: **"Agricultural Expert Panel Comments."**

Couriers delivering hard copies of documents must check in with lobby security personnel, who can contact Jeanine Townsend at (916) 341-5600.

Schedule (some dates may be changed at a later date and all changes will be noticed).

Date	Event	Location
Completed	Advisory Committee Kickoff Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
May 5 th -6 th , 2014*	Expert Panel Public Meeting #1	San Luis Obispo 5th: Irrigation Training and Research Center 6th: Monday Club
May 7 th , 2014	Expert Panel Public Meeting #2	SCE Energy Education Center, Tulare
May 9 th , 2014	Expert Panel Public Meeting #3	Cal/EPA Building Byron Sher Auditorium, Sacramento
June 30 th , 2014	Expert Panel Draft Report Released	N/A
July 1 st – July 30 th , 2014	Public Comment Period on Expert Panel Draft Report	N/A
July 18 th , 2014	Expert Panel Public Meeting on Draft Report	Cal/EPA Building Byron Sher Auditorium, Sacramento
July 28 th , 2014	Advisory Committee Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
September 23 rd , 2014	Expert Panel presents Final Report at Board Meeting	Cal/EPA Building Coastal Hearing Room, Sacramento

Project Tools and Information

Project information, including meeting notices, agendas, meeting minutes, and other pertinent material/documents will be posted online at <http://www.itrc.org/001/swrcb.htm> and at http://www.waterboards.ca.gov/water_issues/programs/agriculture/.

To receive updates by email, please subscribe to our email list: Nitrate Project - SBX2 1 - Expert Panel. (Located in the "Water Quality Topics" section at http://www.waterboards.ca.gov/resources/email_subscriptions/swrcb_subscribe.shtml.)

Please direct any questions about this agenda to Johnny Gonzales at (916) 341-5510 or Ashley Zellmer at (916) 341-5911.



State Water Resources Control Board

Agricultural Expert Panel Public Meeting #4

Monday June 9, 2014 – 8:00 AM
Irrigation Training and Research Center
California Polytechnic State University, SLO
1 Grand Ave, Building 08A, Room 022
San Luis Obispo, CA 93405

THIS MEETING IS A CONTINUATION OF THE EFFORTS ASSOCIATED WITH THE STATE WATER RESOURCES CONTROL BOARD CHAPTER 1 OF THE SECOND EXTRAORDINARY SESSION OF 2008 (SBX2 1, PERATA) REPORT TO THE LEGISLATURE – RECOMMENDATION 14, EXPERT PANEL AND ADVISORY COMMITTEE FORMATION. THE MEETING WILL BE CONDUCTED BY THE EXPERT PANEL. A QUORUM OF STATE WATER BOARD MEMBERS MAY BE IN ATTENDANCE, BUT NO BOARD ACTION WILL BE TAKEN AT THIS MEETING.

AGENDA

- I. **Call the meeting to order**
- II. **Declaration of a quorum**
Dr. Charles Burt, Panel Chair; Dr. Robert Hutmacher; Till Angermann; Bill Brush; Daniel Munk; James duBois; Mark McKean; Dr. Lowell Zelinski
- III. **Housekeeping announcements**
- IV. **Panel introduction and opening remarks by panel members**
- V. **Review Agenda**
- VI. **Public Comments** (Any member of the public may present comments or remarks to the Panel. Commenters will be limited to 2 minutes or otherwise at the discretion of the Chair. Commenters will be asked to fill out a speaker card if they wished to be called to speak.)
- VII. **Panel discussion on questions presented to the panel and formulation of recommendations**
- VIII. **Adjournment**

FELICIA MARCUS, CHAIR | THOMAS HOWARD, EXECUTIVE DIRECTOR

1001 I Street, Sacramento, CA 95814 | Mailing Address: P.O. Box 100, Sacramento, Ca 95812-0100 | www.waterboards.ca.gov



Background

Chapter 1 of the Second Extraordinary Session of 2008 (SBX2 1, Perata), required the State Water Resources Control Board (State Water Board) to develop pilot projects focusing on nitrate in groundwater in the Tulare Lake Basin and Salinas Valley, and to submit a report to the Legislature on the scope and findings of the pilot projects, including recommendations. The State Water Board made 15 recommendations in 4 key areas to address the issues associated with nitrate contaminated groundwater. The key areas to address these issues are:

1. Providing safe drinking water.
2. Monitoring, notification, and assessment.
3. Nitrogen tracking and reporting.
4. Protecting groundwater.

Expert Panel

Recommendation 14 of the State Water Board’s report to the Legislature was to convene a panel of experts to assess existing agricultural nitrate control programs and develop recommendations, as needed, to ensure that ongoing efforts are protective of groundwater supply quality. The State Water Board has contracted with the Irrigation Training and Research Center (ITRC), a center established within the BioResource and Agricultural Engineering Department of the California Polytechnic State University, San Luis Obispo to assemble the expert panel of 8 persons. The Expert Panel members have been selected and presented with questions for their consideration. Information about the panel members and their charge is available on the ITRC website at <http://www.itrc.org/001/swrcb.htm>.

Schedule (some dates may be changed at a later date and all changes will be noticed).

Date	Event	Location
Completed	Advisory Committee Kickoff Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
Completed	Expert Panel Public Meeting #1	San Luis Obispo Day 1: Irrigation Training and Research Center Day 2: Monday Club
Completed	Expert Panel Public Meeting #2	SCE Energy Education Center, Tulare
Completed	Expert Panel Public Meeting #3	Cal/EPA Building Byron Sher Auditorium, Sacramento
June 9 th , 2014	Expert Panel Discussion Meeting	Irrigation Training and Research Center, San Luis Obispo
June 23 rd , 2014	Expert Panel Discussion Meeting	Irrigation Training and Research Center, San Luis Obispo
June 30 th , 2014	Expert Panel Draft Report Released	N/A
July 1 st – July 30 th , 2014	Public Comment Period on Expert Panel Draft Report	N/A

July 18 th , 2014	Expert Panel Public Meeting on Draft Report	Cal/EPA Building Byron Sher Auditorium, Sacramento
July 28 th , 2014	Advisory Committee Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
September 23 rd , 2014	Expert Panel presents Final Report at Board Meeting	Cal/EPA Building Coastal Hearing Room, Sacramento

Project Tools and Information


Project information, including meeting notices, agendas, meeting minutes, and other pertinent material/documents will be posted online at <http://www.itrc.org/001/swrcb.htm> and at http://www.waterboards.ca.gov/water_issues/programs/agriculture/.

To receive updates by email, please subscribe to our email list: Nitrate Project - SBX2 1 - Expert Panel. (Located in the "Water Quality Topics" section at http://www.waterboards.ca.gov/resources/email_subscriptions/swrcb_subscribe.shtml.)

Please direct any questions about this agenda to Johnny Gonzales at (916) 341-5510 or Ashley Zellmer at (916) 341-5911.

Expert Panel Public Meeting Location Map

June 9 & 23, 2014: Irrigation Training and Research Center, Cal Poly, San Luis Obispo



Building Accessibility

The ITRC Building is accessible to people with disabilities. Individuals who require special accommodations, including real-time translation services, at either of the public meetings are requested to contact Ashley Zellmer at (916) 341-5911.



State Water Resources Control Board

REVISED

Agricultural Expert Panel Meeting #5

Monday June 23, 2014 – ~~8:00~~ 8:30 AM

Meeting Location:

Irrigation Training and Research Center
California Polytechnic State University, SLO
1 Grand Ave, Building 08A, Room 022
San Luis Obispo, CA 93405

Teleconference Location:

Luhdorff & Scalmanini Consulting Engineers
500 First Street
Woodland, CA 95695

Teleconference Location: At least one member of the expert panel will participate in the meeting from the remote teleconference location identified above. The teleconference location is also open to the public. Members of the public are welcome to listen to the meeting from the teleconference location, and will be given an opportunity to present comments to the expert panel during the meeting's public comment period.

THIS MEETING IS A CONTINUATION OF THE EFFORTS ASSOCIATED WITH THE STATE WATER RESOURCES CONTROL BOARD CHAPTER 1 OF THE SECOND EXTRAORDINARY SESSION OF 2008 (SBX2 1, PERATA) REPORT TO THE LEGISLATURE – RECOMMENDATION 14, EXPERT PANEL AND ADVISORY COMMITTEE FORMATION. THE MEETING WILL BE CONDUCTED BY THE EXPERT PANEL. A QUORUM OF STATE WATER BOARD MEMBERS MAY BE IN ATTENDANCE, BUT NO BOARD ACTION WILL BE TAKEN AT THIS MEETING.

AGENDA

- I. Call the meeting to order**
- II. Declaration of a quorum**
Dr. Charles Burt, Panel Chair; Dr. Robert Hutmacher, Till Angermann; Bill Brush;
Daniel Munk; James duBois; Mark McKean; Dr. Lowell Zelinski
- III. Housekeeping announcements**
- IV. Panel introduction and opening remarks by panel members**

FELICIA MARCUS, CHAIR | THOMAS HOWARD, EXECUTIVE DIRECTOR

1001 I Street, Sacramento, CA 95814 | Mailing Address: P.O. Box 100, Sacramento, Ca 95812-0100 | www.waterboards.ca.gov



- V. **Review Agenda**
- VI. **Public Comments** (Any member of the public may present comments or remarks to the Panel. Commenters will be limited to 2 minutes or otherwise at the discretion of the Chair. Commenters will be asked to fill out a speaker card if they wished to be called to speak.)
- VII. **Panel discussion on questions presented to the panel and formulation of recommendations**
- VIII. **Adjournment**

Background

Chapter 1 of the Second Extraordinary Session of 2008 (SBX2 1, Perata), required the State Water Resources Control Board (State Water Board) to develop pilot projects focusing on nitrate in groundwater in the Tulare Lake Basin and Salinas Valley, and to submit a report to the Legislature on the scope and findings of the pilot projects, including recommendations. The State Water Board made 15 recommendations in 4 key areas to address the issues associated with nitrate contaminated groundwater. The key areas to address these issues are:

1. Providing safe drinking water.
2. Monitoring, notification, and assessment.
3. Nitrogen tracking and reporting.
4. Protecting groundwater.

Expert Panel

Recommendation 14 of the State Water Board’s report to the Legislature was to convene a panel of experts to assess existing agricultural nitrate control programs and develop recommendations, as needed, to ensure that ongoing efforts are protective of groundwater supply quality. The State Water Board has contracted with the Irrigation Training and Research Center (ITRC), a center established within the BioResource and Agricultural Engineering Department of the California Polytechnic State University, San Luis Obispo to assemble the expert panel of 8 persons. The Expert Panel members have been selected and presented with questions for their consideration. Information about the panel members and their charge is available on the ITRC website at <http://www.itrc.org/001/swrcb.htm>.

Project Tools and Information

Project information, including meeting notices, agendas, meeting minutes, and other pertinent material/documents will be posted online at <http://www.itrc.org/001/swrcb.htm> and at http://www.waterboards.ca.gov/water_issues/programs/agriculture/.

To receive updates by email, please subscribe to our email list: Nitrate Project - SBX2 1 - Expert Panel. (Located in the "Water Quality Topics" section at http://www.waterboards.ca.gov/resources/email_subscriptions/swrcb_subscribe.shtml.)


Please direct any questions about this agenda to Johnny Gonzales at (916) 341-5510 or Ashley Zellmer at (916) 341-5911.

Schedule (some dates may be changed at a later date and all changes will be noticed).

Date	Event	Location
March 10th, 2014 Completed	Advisory Committee Kickoff Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
May 5th-6th, 2014 Completed	Expert Panel Public Meeting #1	San Luis Obispo 5th: Irrigation Training and Research Center 6th: Monday Club
May 7th, 2014 Completed	Expert Panel Public Meeting #2	SCE Energy Education Center, Tulare
May 9th, 2014 Completed	Expert Panel Public Meeting #3	Cal/EPA Building Byron Sher Auditorium, Sacramento
June 9th, 2014 Completed	Expert Panel Meeting #4	Irrigation Training and Research Center, San Luis Obispo
June 23th, 2014	Expert Panel Meeting #5	Meeting Location: Irrigation Training and Research Center, San Luis Obispo Teleconference Location: Luhdorff & Scalmanini, Woodland
July 1st, 2014	Expert Panel Meeting #6	Meeting Location: Irrigation Training and Research Center, San Luis Obispo Teleconference Location: BerryMex SA de CV, Mexico
June 30th, 2014 July 7th, 2014	Expert Panel Draft Report Released	N/A
July 1st – July 30th, 2014 July 7th – August 7th, 2014	Public Comment Period on Expert Panel Draft Report	N/A
July 18th, 2014	Expert Panel Public Meeting #7 on Draft Report	Cal/EPA Building Byron Sher Auditorium, Sacramento
July 28th, 2014	Advisory Committee Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
August 20th, 2014	Expert Panel Meeting #8	Irrigation Training and Research Center, San Luis Obispo
September 23rd, 2014	Expert Panel presents Final Report at Board Meeting	Cal/EPA Building Coastal Hearing Room, Sacramento

Expert Panel Report Drafting Public Meeting Location Maps

June 23, 2014: Irrigation Training and Research Center, Cal Poly, San Luis Obispo



Building Accessibility

Meeting locations are accessible to people with disabilities. Individuals who require special accommodations, including real-time translation services, at the meeting are requested to contact Ashley Zellmer at (916) 341-5911.

Agricultural Expert Panel Meeting #6

Tuesday July 1, 2014 – 8:30 AM

Meeting Location:

Irrigation Training and Research Center
California Polytechnic State University, SLO
1 Grand Ave, Building 08A, Room 022
San Luis Obispo, CA 93405

THIS MEETING IS A CONTINUATION OF THE EFFORTS ASSOCIATED WITH THE STATE WATER RESOURCES CONTROL BOARD CHAPTER 1 OF THE SECOND EXTRAORDINARY SESSION OF 2008 (SBX2 1, PERATA) REPORT TO THE LEGISLATURE – RECOMMENDATION 14, EXPERT PANEL AND ADVISORY COMMITTEE FORMATION. THE MEETING WILL BE CONDUCTED BY THE EXPERT PANEL. A QUORUM OF STATE WATER BOARD MEMBERS MAY BE IN ATTENDANCE, BUT NO BOARD ACTION WILL BE TAKEN AT THIS MEETING.

AGENDA

- I. Call the meeting to order**
- II. Declaration of a quorum**
Dr. Charles Burt, Panel Chair; Dr. Robert Hutmacher; Till Angermann; Bill Brush; Daniel Munk; James duBois; Mark McKean; Dr. Lowell Zelinski
- III. Housekeeping announcements**
- IV. Panel introduction and opening remarks by panel members**
- V. Review Agenda**
- VI. Public Comments** (Any member of the public may present comments or remarks to the Panel. Commenters will be limited to 2 minutes or otherwise at the discretion of the Chair. Commenters will be asked to fill out a speaker card if they wished to be called to speak.)
- VII. Panel discussion of draft report**
- VIII. Adjournment**

Background

Chapter 1 of the Second Extraordinary Session of 2008 (SBX2 1, Perata), required the State Water Resources Control Board (State Water Board) to develop pilot projects focusing on nitrate in groundwater in the Tulare Lake Basin and Salinas Valley, and to submit a report to the Legislature on the scope and findings of the pilot projects, including recommendations. The State Water Board made 15 recommendations in 4 key areas to address the issues associated with nitrate contaminated groundwater. The key areas to address these issues are:

13. Providing safe drinking water.
14. Monitoring, notification, and assessment.
15. Nitrogen tracking and reporting.
16. Protecting groundwater.

Expert Panel

Recommendation 14 of the State Water Board's report to the Legislature was to convene a panel of experts to assess existing agricultural nitrate control programs and develop recommendations, as needed, to ensure that ongoing efforts are protective of groundwater supply quality. The State Water Board has contracted with the Irrigation Training and Research Center (ITRC), a center established within the BioResource and Agricultural Engineering Department of the California Polytechnic State University, San Luis Obispo to assemble the expert panel of 8 persons. The Expert Panel members have been selected and presented with questions for their consideration. Information about the panel members and their charge is available on the ITRC website at <http://www.itrc.org/001/swrcb.htm>.

Project Tools and Information

Project information, including meeting notices, agendas, meeting minutes, and other pertinent material/documents will be posted online at <http://www.itrc.org/001/swrcb.htm> and at http://www.waterboards.ca.gov/water_issues/programs/agriculture/.

To receive updates by email, please subscribe to our email list: Nitrate Project - SBX2 1 - Expert Panel. (Located in the "Water Quality Topics" section at http://www.waterboards.ca.gov/resources/email_subscriptions/swrcb_subscribe.shtml.)


Please direct any questions about this agenda to Johnny Gonzales at (916) 341-5510 or Ashley Zellmer at (916) 341-5911.

Schedule (some dates may be changed at a later date and all changes will be noticed).

Date	Event	Location
March 10th, 2014 Completed	Advisory Committee Kickoff Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
May 5th-6th, 2014 Completed	Expert Panel Public Meeting #1	San Luis Obispo 5th: Irrigation Training and Research Center 6th: Monday Club
May 7th, 2014 Completed	Expert Panel Public Meeting #2	SCE Energy Education Center, Tulare
May 9th, 2014 Completed	Expert Panel Public Meeting #3	Cal/EPA Building Byron Sher Auditorium, Sacramento
June 9th, 2014 Completed	Expert Panel Meeting #4	Irrigation Training and Research Center, San Luis Obispo
June 23th, 2014 Completed	Expert Panel Meeting #5	Meeting Location: Irrigation Training and Research Center, San Luis Obispo Teleconference Location: Luhdorff & Scalmanini, Woodland
July 1st, 2014	Expert Panel Meeting #6	Meeting Location: Irrigation Training and Research Center, San Luis Obispo
July 7th, 2014	Expert Panel Draft Report Released	N/A
July 7th – August 7th, 2014	Public Comment Period on Expert Panel Draft Report	N/A
July 18th, 2014	Expert Panel Public Meeting #7 on Draft Report	Cal/EPA Building Byron Sher Auditorium, Sacramento
July 28th, 2014	Advisory Committee Meeting	Cal/EPA Building Sierra Hearing Room, Sacramento
August 20th, 2014	Expert Panel Meeting #8	Irrigation Training and Research Center, San Luis Obispo
September 23rd, 2014	Expert Panel presents Final Report at Board Meeting	Cal/EPA Building Coastal Hearing Room, Sacramento

Expert Panel Report Drafting Public Meeting Location Map

July 1, 2014: Irrigation Training and Research Center, Cal Poly, San Luis Obispo



Building Accessibility

Meeting locations are accessible to people with disabilities. Individuals who require special accommodations, including real-time translation services, at the meeting are requested to contact Ashley Zellmer at (916) 341-5911.