

Critical Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	4 cfs	15 cfs	15 cfs
December	4 cfs	15 cfs	15 cfs
January	4 cfs	15 cfs	15 cfs
February	4 cfs	15 cfs	15 cfs
March	6 cfs	20 cfs	20 cfs

Dry and Below Normal Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	8 cfs	15 cfs	15 cfs
December	8 cfs	15 cfs	15 cfs
January	8 cfs	15 cfs	15 cfs
February	8 cfs	15 cfs	15 cfs
March	10 cfs	20 cfs	20 cfs

Above Normal and Wet Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	8 cfs	15 cfs	15 cfs
December	8 cfs	15 cfs	15 cfs
January	8 cfs	15 cfs	15 cfs
February	8 cfs	15 cfs	15 cfs
March	12 cfs	20 cfs	20 cfs

*Federal Energy Regulatory Commission has issued a new license to Placer County Water Agency, which asserts minimum instream flow requirement on the Middle Fork American River below Duncan Creek Diversion Dam as summarized in the above table. A compliance gage has not been identified for this stream section. Please contact the State Water Resources Control Board for further guidance.

Web Link to FERC License:

[FERC License #P-2079 Middle Fork American River Project](#)