

Critical Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	1 cfs	5 cfs	5 cfs
December	2 cfs	7 cfs	7 cfs
January	2 cfs	7 cfs	7 cfs
February	2 cfs	7 cfs	7 cfs
March	2 cfs	7 cfs	7 cfs

Dry Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	3 cfs	5 cfs	5 cfs
December	3 cfs	7 cfs	7 cfs
January	3 cfs	7 cfs	7 cfs
February	4 cfs	7 cfs	7 cfs
March	5 cfs	7 cfs	7 cfs

Below Normal Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	4 cfs	5 cfs	5 cfs
December	5 cfs	7 cfs	7 cfs
January	5 cfs	7 cfs	7 cfs
February	6 cfs	7 cfs	7 cfs
March	7 cfs	7 cfs	7 cfs

Above Normal and Wet Water Year Type			
Month	Existing Flow Requirement*	Cannabis Policy Flow Requirement	Effective Flow Requirement
November	5 cfs	5 cfs	5 cfs
December	6 cfs	7 cfs	7 cfs
January	6 cfs	7 cfs	7 cfs
February	8 cfs	7 cfs	8 cfs
March	10 cfs	7 cfs	10 cfs

*Federal Energy Regulatory Commission has issued a new license to the El Dorado Irrigation District for the El Dorado Hydroelectric Project, which asserts minimum instream flow requirement at USGS gage 11435100 as summarized in the above table.

Web Link to FERC License:

[FERC License #P-184 El Dorado Hydroelectric Project](#)