

**January 2016 Supplier Conservation Compliance** (by priority, missed target by %)

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
California City City of	South Lahontan	36%	6.8%	29.2%	1 C	13.3%	74.7	14,120
Riverbank City of	San Joaquin River	32%	7.8%	24.2%	1 C	-51.7%	71.5	23,298
Blythe City of	Colorado River	32%	13.9%	18.1%	1 C	13.9%	76.2	13,839
Yreka, City of	North Coast	32%	15.1%	16.9%	1 C	18.4%	52.5	7,840
El Segundo City of	South Coast	20%	3.9%	16.1%	1 A	3.4%	70.5	16,654
West Kern Water District	Tulare Lake	28%	12.3%	15.7%	1 A	8.6%	71.2	21,181
Sierra Madre City of	South Coast	32%	16.6%	15.4%	1	9.7%	132.6	11,100
Livingston City of	San Joaquin River	32%	16.9%	15.1%	1 A	10.7%	59.2	14,898
Wasco City of	Tulare Lake	36%	21.1%	14.9%	2	24.2%	38.7	26,159
Los Angeles County Public Works Waterworks District 29	South Coast	36%	21.4%	14.6%	2	26.3%	141.0	22,250
Phelan Pinon Hills Community Services District	South Lahontan	32%	17.7%	14.3%	2 C	32.5%	48.5	25,160
Hanford City of	Tulare Lake	28%	13.9%	14.1%	2 C	9.0%	82.2	57,050
Winton Water & Sanitary District	San Joaquin River	36%	22.5%	13.5%	2	13.0%	73.7	8,500
Yucaipa Valley Water District	South Coast	36%	22.6%	13.4%	2	29.5%	92.3	44,695
Humboldt Community Service District	North Coast	24%	10.6%	13.4%	2	26.2%	46.3	20,032
Twentynine Palms Water District	Colorado River	28%	14.8%	13.2%	2	26.1%	67.0	18,795
Beverly Hills City of	South Coast	32%	19.0%	13.0%	2	25.9%	119.5	42,157
Redlands City of	South Coast	36%	23.0%	13.0%	2	25.3%	92.2	77,852
Hesperia Water District City of	South Lahontan	32%	19.5%	12.5%	2	5.2%	86.8	91,627
Indian Wells Valley Water District	South Lahontan	36%	23.6%	12.4%	2 C	17.9%	97.9	31,120
Imperial, City of	Colorado River	24%	12.1%	11.9%	2	8.6%	51.7	18,022
Beaumont-Cherry Valley Water District	South Coast	36%	24.2%	11.8%	2	10.0%	95.6	43,111
Norco City of	South Coast	36%	24.5%	11.5%	2	28.3%	99.7	25,891
Hemet City of	South Coast	32%	20.8%	11.2%	2 C	18.6%	47.1	29,982
West Valley Water District	South Coast	32%	20.9%	11.1%	2	6.2%	94.4	74,366
Casitas Municipal Water District	South Coast	32%	20.9%	11.1%	2	38.2%	32.8	9,603
Shafter City of	Tulare Lake	36%	25.2%	10.8%	2	5.6%	98.4	19,100
El Centro City of	Colorado River	24%	13.3%	10.7%	2	8.7%	72.7	44,311
Loma Linda City of	South Coast	32%	21.4%	10.6%	2	18.2%	81.8	23,614
Coachella Valley Water District	Colorado River	36%	25.5%	10.5%	2	35.1%	108.9	318,217
Indio City of	Colorado River	32%	21.6%	10.4%	2	28.1%	80.5	88,411
Desert Water Agency	Colorado River	36%	25.8%	10.2%	2	10.3%	124.1	105,117

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance (by priority, missed target by %)**

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
Perris, City of	South Coast	24%	13.8%	10.2%	2	-21.4%	87.5	9,000
Mission Springs Water District	Colorado River	28%	18.0%	10.0%	2 C	29.2%	78.3	37,600
Lemoore City of	Tulare Lake	32%	22.1%	9.9%	2 A	5.7%	81.2	25,281
Susanville City of	North Lahontan	36%	26.1%	9.9%	2 C	47.2%	99.3	8,943
Fallbrook Public Utility District	South Coast	36%	26.4%	9.6%	2	23.5%	56.4	34,894
Fortuna City of	North Coast	24%	14.4%	9.6%	2	-10.6%	75.0	12,032
Tulare, City of	Tulare Lake	32%	22.6%	9.4%	2	11.1%	65.6	62,363
Vaughn Water Company	Tulare Lake	36%	26.6%	9.4%	2	18.3%	123.9	31,105
Humboldt Bay Municipal Water District	North Coast	4%	-4.9%	8.9%	2 A	-2.2%	90.1	422
Redding City of	Sacramento River	36%	27.1%	8.9%	2	15.1%	67.4	91,207
Pinedale County Water District	Tulare Lake	36%	27.2%	8.8%	2	25.6%	56.0	16,735
Exeter City of	Tulare Lake	36%	27.2%	8.8%	2	-0.2%	86.2	10,572
Eastern Municipal Water District	South Coast	28%	19.2%	8.8%	2	26.5%	55.5	548,862
Ripon City of	San Joaquin River	36%	27.3%	8.7%	2	9.3%	92.1	14,915
Arcadia City of	South Coast	36%	27.4%	8.6%	2	21.8%	124.7	57,639
Valley Water Company	South Coast	36%	27.6%	8.4%	2	12.9%	128.1	9,900
Rialto City of	South Coast	28%	19.7%	8.3%	2	18.9%	72.7	54,036
San Dieguito Water District	South Coast	28%	19.7%	8.3%	2	18.1%	69.9	37,376
Hi-Desert Water District	Colorado River	16%	7.8%	8.2%	2	11.5%	61.5	23,760
Bakersfield City of	Tulare Lake	36%	27.9%	8.1%	2	11.0%	97.0	143,636
California Water Service Company Kern River Valley	Tulare Lake	28%	20.1%	7.9%	2	18.9%	81.2	5,524
Modesto, City of	San Joaquin River	36%	28.2%	7.8%	2	16.9%	79.6	220,916
Upland City of	South Coast	36%	28.3%	7.7%	2	25.2%	88.1	76,469
Bakman Water Company	Tulare Lake	36%	28.4%	7.6%	2	-5.6%	93.7	16,756
Rowland Water District	South Coast	20%	12.4%	7.6%	2	10.2%	60.3	62,106
Western Municipal Water District of Riverside	South Coast	32%	24.5%	7.5%	2	10.2%	64.4	96,139
Newport Beach City of	South Coast	28%	20.5%	7.5%	2	23.2%	40.1	66,219
Adelanto City of	South Lahontan	20%	12.5%	7.5%	2 C	6.3%	61.0	32,543
Corona City of	South Coast	28%	20.6%	7.4%	2	12.5%	80.3	168,070
Red Bluff City of	Sacramento River	36%	28.7%	7.3%	2	24.9%	62.2	14,076
Camrosa Water District	South Coast	32%	24.8%	7.2%	2	44.5%	73.7	34,483
Sanger City of	South Coast	28%	20.8%	7.2%	2	9.2%	63.3	25,664

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance** (by priority, missed target by %)  
 401 suppliers reporting; non-filers on page 14

Data pulled 22 February 2016

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
California Water Service Company Palos Verdes	South Coast	36%	28.9%	7.1%	2	31.0%	105.8	69,969
Fullerton City of	South Coast	28%	20.9%	7.1%	2	12.5%	70.1	138,000
Rio Vista, city of	Sacramento River	36%	28.9%	7.1%	2	-10.4%	84.3	8,324
Oildale Mutual Water Company	Tulare Lake	36%	29.1%	6.9%	2	31.5%	93.4	33,163
East Niles Community Service District	Tulare Lake	36%	29.5%	6.5%	2	30.1%	95.6	31,772
Hawthorne City of	South Coast	16%	9.5%	6.5%	2	8.5%	61.3	44,593
Las Virgenes Municipal Water District	South Coast	36%	29.5%	6.5%	2	17.9%	104.0	75,384
California Water Service Company Visalia	Tulare Lake	32%	25.6%	6.4%	2	17.5%	62.9	139,627
Nevada Irrigation District	Sacramento River	36%	29.7%	6.3%	2	14.9%	73.8	44,761
Rubidoux Community Service District	South Coast	28%	21.7%	6.3%	2	17.1%	73.2	32,000
Palmdale Water District	South Lahontan	32%	25.7%	6.3%	2	21.6%	61.0	116,359
Rubio Canyon Land and Water Association	South Coast	36%	29.9%	6.1%	2	25.6%	85.7	9,600
La Habra City of Public Works	South Coast	28%	22.0%	6.0%	2	14.6%	65.0	63,118
Kerman, City of	Tulare Lake	32%	26.1%	5.9%	2	24.5%	56.4	14,359
Cerritos City of	South Coast	28%	22.1%	5.9%	2	14.1%	89.0	49,041
Rancho California Water District	South Coast	36%	30.2%	5.8%	2	30.1%	106.6	146,390
Jurupa Community Service District	South Coast	28%	22.2%	5.8%	2	11.8%	82.1	118,731
Clovis City of	Tulare Lake	36%	30.2%	5.8%	2	16.2%	72.8	108,227
Riverside City of	South Coast	28%	22.3%	5.7%	2	22.4%	66.2	300,266
Ventura County Waterworks District No 1	South Coast	32%	26.4%	5.6%	2	39.6%	68.3	38,703
Covina City of	South Coast	28%	22.5%	5.5%	2	15.6%	75.5	33,300
Corcoran, City of	Tulare Lake	36%	30.5%	5.5%	2	27.0%	100.4	24,154
Turlock City of	San Joaquin River	32%	26.6%	5.4%	2	15.2%	63.1	71,181
Golden State Water Company Cordova	Sacramento River	36%	30.6%	5.4%	2	1.7%	87.6	43,767
Myoma Dunes Mutual Water Company	Colorado River	36%	30.7%	5.3%	2	34.6%	141.0	8,948
San Juan Capistrano City of	South Coast	28%	22.7%	5.3%	2	15.6%	66.7	39,189
Pasadena City of	South Coast	28%	22.8%	5.2%	2	33.5%	72.9	166,482
Norwalk City of	South Coast	20%	14.8%	5.2%	2	8.1%	78.6	18,361
Los Banos, City of	San Joaquin River	28%	22.8%	5.2%	2	6.0%	64.4	37,168
California-American Water Ventura District	South Coast	32%	26.9%	5.1%	2	30.9%	82.7	62,144
Cucamonga Valley Water District	South Coast	32%	26.9%	5.1%	2	20.4%	67.0	202,693
Carlsbad Municipal Water District	South Coast	28%	23.0%	5.0%	2	20.1%	67.5	86,596

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance** (by priority, missed target by %)

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
Monrovia City of	South Coast	28%	23.1%	4.9%	3	5.8%	100.8	37,406
Yuba City City of	Sacramento River	32%	27.2%	4.8%	3	12.2%	72.5	68,379
Folsom City of	Sacramento River	32%	27.2%	4.8%	3	6.2%	83.1	63,951
Riverside Highland Water Company	South Coast	36%	31.3%	4.7%	3	27.0%	84.4	15,160
Joshua Basin Water District	Colorado River	28%	23.3%	4.7%	3	33.5%	55.4	9,514
Lynwood City of	South Coast	16%	11.4%	4.6%	3	7.9%	33.5	65,965
Fruitridge Vista Water Company	Sacramento River	36%	31.5%	4.5%	3	6.1%	100.6	21,441
La Verne City of	South Coast	32%	27.5%	4.5%	3	23.2%	65.6	32,228
City of Big Bear Lake, Dept of Water & Power	South Coast	16%	11.6%	4.4%	3	7.9%	57.3	25,650
Lamont Public Utility District	Tulare Lake	28%	23.7%	4.3%	3	14.3%	72.6	19,057
Glendora City of	South Coast	36%	31.7%	4.3%	3	23.6%	75.5	51,463
Lodi City of Public Works Department	San Joaquin River	32%	27.8%	4.2%	3	34.9%	49.1	63,719
Colton, City of	South Coast	20%	15.8%	4.2%	3	15.1%	63.2	47,612
Suburban Water Systems Whittier/La Mirada	South Coast	28%	23.8%	4.2%	3	16.7%	70.5	115,000
Georgetown Divide Public Utilities District	Sacramento River	32%	27.9%	4.1%	3	8.4%	80.7	9,874
Lee Lake Water District	South Coast	32%	28.0%	4.0%	3	11.6%	74.9	15,543
Victorville Water District	South Lahontan	28%	24.1%	3.9%	3	23.7%	64.1	126,388
Elsinore Valley Municipal Water District	South Coast	28%	24.1%	3.9%	3	2.8%	57.3	149,982
Olivenhain Municipal Water District	South Coast	32%	28.3%	3.7%	3	24.4%	70.1	84,351
Ceres City of	San Joaquin River	28%	24.3%	3.7%	3	15.2%	52.7	47,639
Delano City of	Tulare Lake	24%	20.5%	3.5%	3	13.1%	44.0	55,459
Banning City of	Colorado River	32%	28.5%	3.5%	3	19.3%	83.2	30,325
Santa Paula City of	South Coast	28%	24.5%	3.5%	3	18.7%	82.3	30,009
Chino City of	South Coast	24%	20.6%	3.4%	3	18.1%	61.3	78,073
North Tahoe Public Utility District	North Lahontan	28%	24.7%	3.3%	3	22.7%	86.4	7,500
San Bernardino County Service Area 70J	South Coast	28%	25.0%	3.0%	3	28.8%	53.4	11,536
Walnut Valley Water District	South Coast	28%	25.0%	3.0%	3	13.7%	77.8	113,236
Truckee-Donner Public Utilities District	North Lahontan	28%	25.0%	3.0%	3	18.9%	63.6	32,776
Soledad, City of	Central Coast	24%	21.0%	3.0%	3	32.9%	54.0	16,729
Rio Linda - Elverta Community Water District	Sacramento River	36%	33.0%	3.0%	3	19.1%	84.2	11,013
San Fernando City of	South Coast	24%	21.1%	2.9%	3	17.9%	68.7	23,645
Golden State Water Company Cowan Heights	South Coast	36%	33.2%	2.8%	3	29.9%	131.6	7,254

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance** (by priority, missed target by %)

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
Rosamond Community Service District	South Lahontan	28%	25.2%	2.8%	3	19.1%	70.1	17,700
San Bernardino County Service Area 64	South Lahontan	32%	29.2%	2.8%	3	4.4%	72.0	14,097
Ontario City of	South Coast	24%	21.2%	2.8%	3	19.0%	61.5	168,777
Monterey Park City of	South Coast	20%	17.3%	2.7%	3	13.6%	65.8	62,183
Big Bear City Community Services District	South Coast	16%	13.4%	2.6%	3	12.5%	55.5	12,411
Castaic Lake Water Agency Santa Clarita Water Division	South Coast	32%	29.4%	2.6%	3	29.2%	73.3	122,998
California Water Service Company Westlake	South Coast	36%	33.5%	2.5%	3	41.7%	104.7	19,452
Reedley City of	Tulare Lake	24%	21.5%	2.5%	3	16.1%	42.0	24,194
San Jacinto City of	South Coast	32%	29.5%	2.5%	3	17.4%	73.0	15,582
Manteca City of	San Joaquin River	32%	29.6%	2.4%	3	19.5%	52.3	75,748
Pico Water District	South Coast	24%	21.7%	2.3%	3	11.6%	70.2	25,284
Carmichael Water District	Sacramento River	36%	33.7%	2.3%	3	18.5%	75.2	38,354
Laguna Beach County Water District	South Coast	24%	21.8%	2.2%	3	21.2%	73.6	19,121
Suisun-Solano Water Authority	San Francisco Bay	28%	25.9%	2.1%	3	12.6%	52.9	29,442
East Valley Water District	South Coast	28%	25.9%	2.1%	3	18.7%	18.6	101,733
Lomita City of	South Coast	20%	18.0%	2.0%	3	15.8%	65.2	20,463
Brea City of	South Coast	24%	22.0%	2.0%	3	26.9%	78.8	43,328
San Bernardino City of	South Coast	28%	26.2%	1.8%	3	16.3%	75.8	199,634
Porterville City of	Tulare Lake	32%	30.2%	1.8%	3	11.5%	70.1	61,946
Bellflower-Somerset Mutual Water Company	South Coast	20%	18.2%	1.8%	3	16.6%	66.9	46,300
Golden State Water Company Barstow	South Lahontan	24%	22.2%	1.8%	3	17.3%	57.7	31,209
Coalinga City of	Tulare Lake	32%	30.2%	1.8%	3	21.2%	83.4	16,529
Fresno City of	Tulare Lake	28%	26.2%	1.8%	3	18.2%	56.4	520,159
California Water Service Company Hermosa/Redondo	South Coast	20%	18.3%	1.7%	3	17.0%	62.4	95,922
Tehachapi, City of	Tulare Lake	28%	26.4%	1.6%	3	4.9%	59.1	8,923
Davis City of	Sacramento River	28%	26.4%	1.6%	3	13.0%	58.9	68,320
Placer County Water Agency	Sacramento River	32%	30.4%	1.6%	3	9.1%	56.6	99,307
Madera City of	San Joaquin River	28%	26.4%	1.6%	3	4.5%	46.3	63,961
Chino Hills City of	South Coast	28%	26.5%	1.5%	3	22.0%	71.5	77,596
Los Angeles County Public Works Waterworks District 40	South Lahontan	32%	30.5%	1.5%	3	12.9%	79.5	207,654
Tustin City of	South Coast	28%	26.7%	1.3%	3	17.0%	82.6	67,700
Santa Fe Irrigation District	South Coast	36%	34.7%	1.3%	3	24.8%	162.9	19,839

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance** (by priority, missed target by %)

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
Westminster City of	South Coast	20%	18.8%	1.2%	3	18.7%	66.3	93,322
Rincon Del Diablo Municipal Water District	South Coast	32%	30.8%	1.2%	3	23.1%	61.4	29,955
Sacramento Suburban Water District	Sacramento River	32%	30.9%	1.1%	3	12.0%	63.6	175,099
Quartz Hill Water District	South Lahontan	36%	34.9%	1.1%	3	26.6%	80.6	20,352
South Tahoe Public Utilities District	North Lahontan	20%	18.9%	1.1%	3	24.9%	41.4	33,124
Linda County Water District	Sacramento River	32%	31.0%	1.0%	3	9.8%	84.2	18,808
Paradise Irrigation District	Sacramento River	36%	35.0%	1.0%	3	13.8%	76.9	26,032
California Water Service Company Bear Gulch	San Francisco Bay	36%	35.0%	1.0%	0	19.2%	49.6	68,221
California Water Service Company Bakersfield	Tulare Lake	32%	31.1%	0.9%	0	14.5%	75.3	279,621
Sonoma City of	San Francisco Bay	28%	27.1%	0.9%	0	24.5%	52.9	11,579
Stockton City of	San Joaquin River	28%	27.3%	0.7%	0	1.8%	55.3	177,808
Newhall County Water District	South Coast	28%	27.4%	0.6%	0	32.5%	73.5	45,036
Fair Oaks Water District	Sacramento River	36%	35.4%	0.6%	0	20.4%	69.5	36,226
Orange City of	South Coast	28%	27.5%	0.5%	0	22.0%	68.9	139,463
Monte Vista Water District	South Coast	24%	23.5%	0.5%	0	17.1%	57.9	56,039
South Gate City of	South Coast	12%	11.5%	0.5%	0	1.4%	57.1	96,057
Coachella City of	Colorado River	24%	23.5%	0.5%	0	40.4%	63.4	43,917
San Juan Water District	Sacramento River	36%	35.6%	0.4%	0	4.5%	96.5	32,779
Apple Valley Ranchos Water Company	South Lahontan	28%	27.6%	0.4%	0	18.3%	59.7	62,602
Alhambra City of	South Coast	24%	23.6%	0.4%	0	17.4%	79.2	85,068
Suburban Water Systems San Jose Hills	South Coast	24%	23.7%	0.3%	0	15.8%	60.6	178,500
Alco Water Service	Central Coast	24%	23.7%	0.3%	0	12.3%	79.5	29,179
Golden State Water Company Southwest	South Coast	12%	11.7%	0.3%	0	8.7%	55.7	271,677
Golden State Water Company Artesia	South Coast	16%	15.8%	0.2%	0	14.2%	59.9	47,978
Pittsburg City of	San Francisco Bay	20%	19.8%	0.2%	0	1.1%	64.7	66,183
Moulton Niguel Water District	South Coast	20%	19.8%	0.2%	0	19.4%	71.3	172,068
Long Beach City of	South Coast	16%	16.0%	0.0%	0	13.1%	55.1	474,949
Vacaville City of	Sacramento River	32%	32.0%	0.0%	0	17.9%	64.1	86,893
California-American Water Company Los Angeles District	South Coast	28%	28.1%	-0.1%	0	20.1%	82.9	102,889
Tracy City of	San Joaquin River	28%	28.1%	-0.1%	0	21.8%	79.1	85,296
Manhattan Beach City of	South Coast	20%	20.1%	-0.1%	0	23.8%	67.3	35,996
Crescent City City of	North Coast	16%	16.2%	-0.2%	0	17.2%	54.6	18,382

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance** (by priority, missed target by %)

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
Arcata City of	North Coast	4%	4.3%	-0.3%	0	11.7%	44.7	18,464
Irvine Ranch Water District	South Coast	16%	16.3%	-0.3%	0	5.2%	60.0	388,319
South Pasadena City of	South Coast	28%	28.3%	-0.3%	0	21.9%	94.5	25,899
Lincoln City of	Sacramento River	32%	32.3%	-0.3%	0	13.5%	58.6	45,837
Los Angeles Department of Water and Power	South Coast	16%	16.4%	-0.4%	0	13.7%	59.4	4,030,285
Whittier City of	South Coast	20%	20.4%	-0.4%	0	29.4%	59.8	49,954
Montebello Land and Water Company	South Coast	16%	16.5%	-0.5%	0	15.6%	54.7	32,219
Ventura County Waterworks District No. 8	South Coast	28%	28.5%	-0.5%	0	35.5%	60.3	90,687
San Gabriel Valley Fontana Water Company	South Coast	28%	28.5%	-0.5%	0	19.2%	66.1	209,035
California Water Service Company Oroville	Sacramento River	28%	28.5%	-0.5%	0	38.3%	56.1	10,668
Vernon City of	South Coast	8%	8.6%	-0.6%	0 A	19.1%	31.2	112
City of Newman Water Department	San Joaquin River	24%	24.7%	-0.7%	0	2.3%	67.2	10,668
Marin Municipal Water District	San Francisco Bay	20%	20.7%	-0.7%	0	12.1%	56.8	189,400
East Orange County Water District	South Coast	36%	36.7%	-0.7%	0	39.7%	106.6	3,247
Galt City of	Sacramento River	32%	32.8%	-0.8%	0	20.6%	70.9	24,289
Santa Margarita Water District	South Coast	24%	24.8%	-0.8%	0	20.5%	69.8	157,090
California Water Service Company Dominguez	South Coast	16%	16.8%	-0.8%	0 A	6.4%	55.1	142,299
Azusa City of	South Coast	20%	20.9%	-0.9%	0	14.8%	57.4	110,000
Downey City of	South Coast	20%	21.0%	-1.0%	0	17.6%	69.0	111,931
Poway City of	South Coast	32%	33.0%	-1.0%	0	25.5%	60.8	48,774
Pismo Beach City of	Central Coast	24%	25.0%	-1.0%	0	17.1%	63.3	7,861
Atascadero Mutual Water Company	Central Coast	28%	29.0%	-1.0%	0	12.0%	54.5	31,459
Sacramento City of	Sacramento River	28%	29.1%	-1.1%	0	6.0%	72.0	480,155
Mesa Water District	South Coast	20%	21.2%	-1.2%	0	39.8%	63.9	108,000
Golden State Water Company San Dimas	South Coast	28%	29.2%	-1.2%	0	23.2%	72.0	54,872
Golden State Water Company S San Gabriel	South Coast	12%	13.3%	-1.3%	0	10.5%	58.3	27,656
Trabuco Canyon Water District	South Coast	28%	29.3%	-1.3%	0	18.9%	67.9	13,175
Yorba Linda Water District	South Coast	36%	37.3%	-1.3%	0	31.3%	78.6	78,539
Oceanside City of	South Coast	20%	21.3%	-1.3%	0	16.2%	57.9	174,522
Thousand Oaks City of	South Coast	28%	29.3%	-1.3%	0	27.7%	95.1	51,609
San Gabriel County Water District	South Coast	20%	21.4%	-1.4%	0	15.0%	67.1	45,000
Golden State Water Company Culver City	South Coast	16%	17.4%	-1.4%	0	14.1%	58.0	36,215

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance** (by priority, missed target by %)

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
Santa Monica City of	South Coast	20%	21.4%	-1.4%	0	17.1%	61.2	93,283
Hollister City of	Central Coast	20%	21.5%	-1.5%	0	21.2%	50.6	20,672
Golden State Water Company Florence Graham	South Coast	8%	9.5%	-1.5%	0	7.4%	47.8	65,492
Santa Maria City of	Central Coast	16%	17.6%	-1.6%	0	13.8%	46.5	102,087
Rohnert Park City of	North Coast	16%	17.6%	-1.6%	0	17.1%	44.9	43,398
Camarillo City of	South Coast	20%	21.6%	-1.6%	0	24.9%	68.7	47,207
Orange Vale Water Company	Sacramento River	36%	37.7%	-1.7%	0	37.0%	86.3	14,283
Torrance City of	South Coast	20%	21.7%	-1.7%	0	20.8%	72.1	105,717
El Toro Water District	South Coast	24%	25.7%	-1.7%	0	23.2%	68.0	48,628
Watsonville City of	Central Coast	20%	21.8%	-1.8%	0	11.7%	44.6	65,739
Valley Center Municipal Water District	South Coast	36%	37.8%	-1.8%	0	41.1%	97.4	25,522
Fairfield City of	Sacramento River	20%	21.8%	-1.8%	0	2.4%	56.0	107,540
Golden State Water Company Placentia	South Coast	24%	25.8%	-1.8%	0	19.6%	66.9	46,543
Burbank City of	South Coast	24%	25.8%	-1.8%	0	19.6%	66.7	106,084
Golden State Water Company S Arcadia	South Coast	24%	25.8%	-1.8%	0	15.5%	66.9	26,827
Healdsburg City of	North Coast	24%	25.9%	-1.9%	0	15.1%	54.1	11,687
Estero Municipal Improvement District	San Francisco Bay	12%	13.9%	-1.9%	0	11.5%	47.2	37,339
Ramona Municipal Water District	South Coast	28%	30.0%	-2.0%	0	20.1%	63.0	36,564
Merced City of	San Joaquin River	36%	38.0%	-2.0%	0	25.0%	81.4	83,400
El Dorado Irrigation District	Sacramento River	28%	30.0%	-2.0%	0	25.2%	76.4	118,500
Lincoln Avenue Water Company	South Coast	28%	30.1%	-2.1%	0	34.9%	50.8	16,126
California Water Service Company Willows	Sacramento River	28%	30.1%	-2.1%	0	13.6%	56.9	7,125
Glendale City of	South Coast	20%	22.1%	-2.1%	0	16.0%	80.6	193,300
Garden Grove City of	South Coast	20%	22.2%	-2.2%	0	29.9%	82.3	177,020
California Water Service Company Dixon, City of	Sacramento River	28%	30.2%	-2.2%	0	9.8%	61.4	10,014
California Water Service Company Marysville	Sacramento River	24%	26.2%	-2.2%	0	17.2%	66.7	12,257
Huntington Beach City of	South Coast	20%	22.3%	-2.3%	0	15.0%	69.9	196,041
San Clemente City of	South Coast	24%	26.4%	-2.4%	0	18.5%	59.8	55,398
Fountain Valley City of	South Coast	20%	22.5%	-2.5%	0	17.9%	65.7	59,227
Patterson City of	San Joaquin River	28%	30.5%	-2.5%	0	23.9%	63.9	21,094
Paso Robles City of	Central Coast	28%	30.5%	-2.5%	0	15.7%	57.8	30,450
Anaheim City of	South Coast	20%	22.6%	-2.6%	0	23.4%	57.0	360,142

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order



**January 2016 Supplier Conservation Compliance** (by priority, missed target by %)

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
California Water Service Company Stockton	San Joaquin River	20%	22.6%	-2.6%	0	8.5%	48.9	171,165
Antioch City of	San Joaquin River	28%	30.7%	-2.7%	0	11.2%	58.0	108,298
Paramount City of	South Coast	12%	14.8%	-2.8%	0	20.2%	52.8	55,051
Helix Water District	South Coast	20%	22.9%	-2.9%	0	13.5%	56.7	271,759
Buena Park City of	South Coast	20%	22.9%	-2.9%	0	23.0%	55.9	82,767
Citrus Heights Water District	Sacramento River	32%	35.0%	-3.0%	0	10.4%	80.1	67,333
Vista Irrigation District	South Coast	20%	23.0%	-3.0%	0	8.2%	56.6	124,746
Sunny Slope Water Company	South Coast	24%	27.2%	-3.2%	0	23.1%	64.7	30,611
Otay Water District	South Coast	20%	23.2%	-3.2%	0	11.7%	54.4	220,200
Vallejo City of	San Francisco Bay	16%	19.3%	-3.3%	0	6.2%	62.9	125,200
Sacramento County Water Agency	Sacramento River	32%	35.3%	-3.3%	0	3.1%	64.9	174,455
Napa City of	San Francisco Bay	20%	23.4%	-3.4%	0	8.8%	50.7	86,051
Kingsburg, City of	Tulare Lake	36%	39.6%	-3.6%	0	33.3%	79.8	11,685
La Palma City of	South Coast	20%	23.7%	-3.7%	0	22.1%	52.6	15,896
Diablo Water District	San Joaquin River	28%	31.7%	-3.7%	0	17.9%	47.7	38,194
Pomona City of	South Coast	20%	23.8%	-3.8%	0	15.4%	55.3	152,419
Inglewood City of	South Coast	12%	15.8%	-3.8%	0	13.1%	56.4	86,418
South Coast Water District	South Coast	24%	27.9%	-3.9%	0	21.1%	72.4	35,004
San Diego City of	South Coast	16%	20.0%	-4.0%	0	11.7%	46.3	1,314,290
Triunfo Sanitation District / Oak Park Water Service	South Coast	32%	36.1%	-4.1%	0	40.4%	78.2	12,200
Vallecitos Water District	South Coast	24%	28.1%	-4.1%	0	23.9%	52.5	96,406
Discovery Bay Community Services District	San Joaquin River	32%	36.2%	-4.2%	0	26.4%	75.1	14,906
West Sacramento City of	Sacramento River	28%	32.3%	-4.3%	0	9.3%	85.0	50,836
Amador Water Agency	San Joaquin River	24%	28.4%	-4.4%	0	26.2%	36.3	23,347
Daly City City of	San Francisco Bay	8%	12.4%	-4.4%	0	20.6%	50.3	105,810
Nipomo Community Services District	Central Coast	28%	32.7%	-4.7%	0	29.4%	57.4	13,293
Golden State Water Company Norwalk	South Coast	12%	16.7%	-4.7%	0	9.9%	54.9	44,466
North Marin Water District	San Francisco Bay	24%	28.7%	-4.7%	0	13.3%	56.5	61,299
Groveland Community Services District	San Joaquin River	24%	29.0%	-5.0%	0	13.0%	64.9	3,400
Oxnard City of	South Coast	12%	17.0%	-5.0%	0	13.8%	47.3	196,720
Gilroy City of	Central Coast	24%	29.1%	-5.1%	0	8.3%	49.9	53,795
Compton City of	South Coast	8%	13.1%	-5.1%	0	12.8%	51.8	81,963

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance** (by priority, missed target by %)

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
Santa Ana City of	South Coast	12%	17.1%	-5.1%	0	13.6%	50.4	332,005
Golden State Water Company Claremont	South Coast	32%	37.4%	-5.4%	0	29.0%	74.6	37,160
Sunnyslope County Water District	Central Coast	28%	33.4%	-5.4%	0	19.9%	51.3	19,240
Arvin Community Services District	Tulare Lake	28%	33.4%	-5.4%	0	13.1%	49.8	20,499
Mountain House Community Services District	San Joaquin River	25%	30.4%	-5.4%	0	30.7%	61.4	14,967
Huntington Park City of	South Coast	8%	13.5%	-5.5%	0	11.4%	39.3	64,219
Lakewood City of	South Coast	20%	25.6%	-5.6%	0	15.0%	65.6	59,081
Golden State Water Company Orcutt	Central Coast	32%	37.7%	-5.7%	0	33.7%	76.2	31,872
Morgan Hill City of	Central Coast	28%	33.7%	-5.7%	0	5.3%	40.0	41,779
Golden State Water Company West Orange	South Coast	16%	21.7%	-5.7%	0	15.3%	58.2	111,904
El Monte City of	South Coast	8%	13.8%	-5.8%	0	-5.0%	40.8	22,968
Hillsborough Town of	San Francisco Bay	36%	41.8%	-5.8%	0	38.0%	65.7	10,850
Ukiah City of	North Coast	20%	25.9%	-5.9%	0	7.6%	57.2	16,075
Golden State Water Company Bell-Bell Gardens	South Coast	8%	14.0%	-6.0%	0	13.2%	49.7	57,934
California Water Service Company Los Altos/Suburban	San Francisco Bay	32%	38.1%	-6.1%	0	34.9%	50.8	70,027
Santa Fe Springs City of	South Coast	16%	22.1%	-6.1%	0	21.6%	55.3	18,199
Woodland City of	Sacramento River	24%	30.2%	-6.2%	0	16.4%	56.1	57,223
Valley County Water District	South Coast	16%	22.3%	-6.3%	0	17.4%	49.4	71,003
California Water Service Company Chico District	Sacramento River	32%	38.3%	-6.3%	0	25.1%	64.3	103,344
American Canyon, City of	San Francisco Bay	20%	26.4%	-6.4%	0	8.2%	52.5	20,080
Oakdale City of	San Joaquin River	32%	38.4%	-6.4%	0	36.8%	61.8	22,115
Santa Clara City of	San Francisco Bay	16%	22.4%	-6.4%	0	19.2%	50.0	120,973
Shasta Lake City of	Sacramento River	28%	34.5%	-6.5%	0	48.6%	76.7	10,293
Roseville City of	Sacramento River	28%	34.7%	-6.7%	0	13.2%	49.2	122,946
Valencia Water Company	South Coast	24%	31.0%	-7.0%	0	26.9%	55.1	119,144
Sweetwater Springs Water District	North Coast	16%	23.0%	-7.0%	0	15.0%	55.2	7,783
California Water Service Company Selma	Tulare Lake	32%	39.0%	-7.0%	0	23.6%	60.0	25,058
San Francisco Public Utilities Commission	San Francisco Bay	8%	15.1%	-7.1%	0	15.2%	40.9	846,601
Petaluma City of	San Francisco Bay	16%	23.2%	-7.2%	0	9.4%	54.4	61,798
Palo Alto City of	San Francisco Bay	24%	31.2%	-7.2%	0	26.3%	51.9	64,403
Morro Bay City of	Central Coast	12%	19.2%	-7.2%	0	20.0%	52.2	10,284
Elk Grove Water Service	Sacramento River	28%	35.2%	-7.2%	0	19.5%	50.3	44,259

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance (by priority, missed target by %)**

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
Mid-Peninsula Water District	San Francisco Bay	20%	27.3%	-7.3%	0	17.2%	53.5	26,730
Windsor, Town of	North Coast	16%	23.3%	-7.3%	0	14.3%	47.4	27,486
Olivehurst Public Utility District	Sacramento River	36%	43.3%	-7.3%	0	7.5%	69.7	19,509
Contra Costa Water District	San Francisco Bay	28%	35.4%	-7.4%	0	10.2%	64.6	199,680
California Water Service Company East Los Angeles	South Coast	8%	15.5%	-7.5%	0	14.5%	39.0	158,805
Brentwood City of	San Joaquin River	32%	39.6%	-7.6%	0	15.4%	52.5	56,493
Millbrae City of	San Francisco Bay	16%	23.6%	-7.6%	0	-14.1%	54.5	21,532
Arroyo Grande City of	Central Coast	28%	35.7%	-7.7%	0	28.0%	61.2	17,121
Lakeside Water District	South Coast	20%	27.7%	-7.7%	0	25.4%	46.6	35,500
Crescenta Valley Water District	South Coast	20%	27.8%	-7.8%	0	16.8%	71.9	31,966
Carpinteria Valley Water District	Central Coast	20%	27.9%	-7.9%	0	-0.7%	64.0	14,616
Orchard Dale Water District	South Coast	12%	20.0%	-8.0%	0	10.4%	44.6	25,605
Padre Dam Municipal Water District	South Coast	20%	28.1%	-8.1%	0	15.9%	51.3	88,995
Escondido City of	South Coast	20%	28.4%	-8.4%	0	33.2%	55.4	134,053
East Bay Municipal Utilities District	San Francisco Bay	16%	24.5%	-8.5%	0	8.9%	53.4	1,400,000
San Jose City of	San Francisco Bay	20%	28.6%	-8.6%	0	10.9%	54.8	117,576
Brawley City of	Colorado River	32%	40.9%	-8.9%	0	40.5%	79.5	27,743
Seal Beach City of	South Coast	8%	16.9%	-8.9%	0	11.6%	40.2	25,561
California Water Service Company Salinas District	Central Coast	16%	24.9%	-8.9%	0	19.1%	45.6	121,670
Valley of the Moon Water District	San Francisco Bay	20%	29.0%	-9.0%	0	27.0%	49.0	23,478
Tuolumne Utilities District	San Joaquin River	24%	33.0%	-9.0%	0	14.4%	63.2	28,997
Lathrop, City of	San Joaquin River	20%	29.0%	-9.0%	0	23.3%	57.5	19,831
Eureka City of	North Coast	4%	13.0%	-9.0%	0	17.7%	56.2	27,052
Port Hueneme City of	South Coast	8%	17.1%	-9.1%	0	24.0%	47.6	21,555
San Luis Obispo City of	Central Coast	12%	21.2%	-9.2%	0	14.7%	42.8	45,541
Sweetwater Authority	South Coast	12%	21.6%	-9.6%	0	12.3%	47.7	191,500
California Water Service Company King City	Central Coast	12%	21.8%	-9.8%	0	8.4%	34.4	15,023
Mammoth Community Water District	South Lahontan	20%	29.9%	-9.9%	0	14.2%	47.0	16,739
Greenfield, City of	Central Coast	16%	26.0%	-10.0%	0	14.5%	48.5	17,898
Golden State Water Company Simi Valley	South Coast	24%	34.1%	-10.1%	0	31.8%	64.2	43,351
Santa Rosa City of	North Coast	16%	26.1%	-10.1%	0	26.6%	48.0	170,974
Rainbow Municipal Water District	South Coast	36%	46.2%	-10.2%	0 C	36.7%	81.3	19,495

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance** (by priority, missed target by %)

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
California-American Water Company Monterey District	Central Coast	8%	18.5%	-10.5%	0	19.4%	42.9	100,623
California Water Service Company Mid Peninsula	San Francisco Bay	16%	26.6%	-10.6%	0	13.3%	45.2	135,416
San Gabriel Valley Water Company	South Coast	16%	26.6%	-10.6%	0	11.0%	48.2	271,817
Lompoc City of	Central Coast	12%	22.7%	-10.7%	0	15.9%	51.1	41,541
Scotts Valley Water District	Central Coast	16%	26.9%	-10.9%	0	16.9%	48.2	10,509
Milpitas City of	San Francisco Bay	12%	23.3%	-11.3%	0	22.9%	51.8	70,817
Martinez City of	San Francisco Bay	20%	31.4%	-11.4%	0	6.1%	41.0	35,375
Lake Hemet Municipal Water District	South Coast	28%	39.4%	-11.4%	0	39.5%	70.8	52,914
Tahoe City Public Utilities District	North Lahontan	20%	31.7%	-11.7%	0	29.4%	37.3	10,738
McKinleyville Community Service District	North Coast	4%	15.8%	-11.8%	0	13.6%	48.6	16,900
San Buenaventura City of	South Coast	16%	27.8%	-11.8%	0	15.6%	59.7	113,478
California Water Service Company Antelope Valley	South Lahontan	36%	47.8%	-11.8%	0	49.6%	54.8	3,377
Goleta Water District	Central Coast	12%	24.2%	-12.2%	0	17.9%	35.0	86,946
San Jose Water Company	San Francisco Bay	20%	32.2%	-12.2%	0	15.6%	47.4	990,000
Golden State Water Company Bay Point	San Francisco Bay	12%	24.3%	-12.3%	0	8.9%	49.0	22,258
Sunnyvale City of	San Francisco Bay	16%	28.5%	-12.5%	0	12.3%	43.2	148,028
Great Oaks Water Company Incorporated	San Francisco Bay	20%	32.5%	-12.5%	0	19.0%	43.9	99,199
Alameda County Water District	San Francisco Bay	16%	28.7%	-12.7%	0	11.3%	53.9	346,000
California Water Service Company South San Francisco	San Francisco Bay	8%	20.8%	-12.8%	0	12.4%	37.2	61,733
Coastside County Water District	San Francisco Bay	8%	21.1%	-13.1%	0	6.3%	35.2	16,668
Calaveras County Water District	San Joaquin River	16%	29.4%	-13.4%	0	14.7%	43.7	31,750
San Lorenzo Valley Water District	Central Coast	12%	25.6%	-13.6%	0	23.7%	65.1	19,000
Livermore City of Division of Water Resources	San Francisco Bay	20%	33.7%	-13.7%	0	9.4%	55.9	27,588
Burlingame City of	San Francisco Bay	16%	29.7%	-13.7%	0	17.8%	51.5	30,282
Lake Arrowhead Community Services District	South Lahontan	16%	29.7%	-13.7%	0	17.6%	22.5	31,576
Hayward City of	San Francisco Bay	8%	22.0%	-14.0%	0	1.1%	35.7	152,889
California-American Water Company Sacramento District	Sacramento River	20%	34.7%	-14.7%	0	23.0%	59.1	201,418
Park Water Company	South Coast	8%	23.0%	-15.0%	0	36.6%	28.1	125,784
Mountain View City of	San Francisco Bay	16%	31.0%	-15.0%	0	29.6%	40.7	76,210
Pleasanton City of	San Francisco Bay	24%	39.4%	-15.4%	0	9.7%	59.4	73,067
Crestline Village Water District	South Lahontan	8%	23.6%	-15.6%	0	36.7%	40.7	7,596
Del Oro Water Company	Sacramento River	24%	39.7%	-15.7%	0	40.2%	51.0	9,615

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance** (by priority, missed target by %)

Data pulled 22 February 2016

401 suppliers reporting; non-filers on page 14

Supplier Name	Hydrologic Region	Cumulative Savings (June 2015 - January 2016)*				Monthly Savings (January 2016)		
		Conservation Standard	Cumulative Percent Saved (as compared to 2013)	Missed Conservation Standard by %	Compliance Priority**	Monthly Percent Saved (as compared to Jan-13)	Estimated Monthly R-GPCD	Total Population Served
California Water Service Company Redwood Valley	North Coast	16%	31.7%	-15.7%	0	28.0%	73.5	3,166
California Water Service Company Livermore	San Francisco Bay	24%	39.9%	-15.9%	0	14.3%	55.4	58,826
San Bruno City of	San Francisco Bay	8%	24.3%	-16.3%	0	17.7%	46.4	44,409
Bella Vista Water District	Sacramento River	36%	53.2%	-17.2%	0	56.3%	74.5	18,426
Benicia City of	San Francisco Bay	20%	37.4%	-17.4%	0	38.9%	43.8	28,086
North Coast County Water District	San Francisco Bay	8%	25.6%	-17.6%	0	12.7%	32.3	39,000
Redwood City City of	San Francisco Bay	8%	25.6%	-17.6%	0	14.4%	42.3	87,696
Westborough Water District	San Francisco Bay	8%	26.2%	-18.2%	0	28.8%	40.0	14,050
Marina Coast Water District	Central Coast	12%	30.4%	-18.4%	0	12.6%	58.5	32,375
East Palo Alto, City of	San Francisco Bay	8%	26.5%	-18.5%	0	34.0%	39.5	29,143
California-American Water Company San Diego District	South Coast	8%	26.8%	-18.8%	0	26.1%	44.3	95,358
Santa Cruz City of	Central Coast	8%	27.8%	-19.8%	0	17.2%	37.5	95,224
Santa Barbara City of	Central Coast	12%	33.5%	-21.5%	0	29.3%	58.9	93,426
Soquel Creek Water District	Central Coast	8%	29.7%	-21.7%	0	23.7%	39.3	40,401
Dublin San Ramon Services District	San Francisco Bay	12%	37.0%	-25.0%	0	9.7%	46.7	80,678
Menlo Park City of	San Francisco Bay	16%	42.2%	-26.2%	0	5.2%	42.9	16,066
Cambria Community Services District	Central Coast	8%	36.0%	-28.0%	0	32.9%	32.9	6,032

**January 2016 Non-filers**

The following suppliers did not submit January 2016 data by 22 February 2016:

Anderson, City of	Dinuba City of	Montecito Water District
Atwater City of	Fillmore City of	Pico Rivera City of
Calexico City of	Grover Beach City of	South Feather Water and Power Agency

**December 2015 Non-filers**

The following suppliers did not submit December 2015 data by 22 February 2016:

Anderson, City of	Calexico City of	Ukiah City of
Atwater City of	South Feather Water and Power Agency	

**November 2015 Non-filers**

The following suppliers did not submit November 2015 data by 22 February 2016:

Calexico City of

\* Used to assess supplier compliance with mandatory 25% statewide conservation.

\*\* See last page for compliance priority category definitions; A - Alternative Compliance Order; C - Conservation Order

**January 2016 Supplier Conservation Compliance Summary Table**  
*401 suppliers reporting; non-filers on page 13*

*Data pulled 22 February 2016*

Compliance Priority		# of Suppliers
1	Greater than 15 percentage points from meeting standard	8
2	Between five and 15 percentage points from meeting standard	88
3	Between one and five percentage points from meeting standard	71
0	Met or within one percentage point from meeting standard	234