

5/2/06 Item 7
SSORP
deadline: 4/24/06



VIA E-Mail: commentletters@waterboards.com

April 24, 2006

Ms. Tam Doduc, Chair and Members
State Water Resources Control Board
1001 I Street, 24th Floor
Sacramento, CA 95814

**RE: COMMENT LETTER – 5-02-06 BOARD HEARING FOR PROPOSED
STATEWIDE WASTE DISCHARE REQUIREMENTS**

Dear Chair Doduc and Board Members:

This letter is written to express The City of Diamond Bar's (City) continued concerns regarding the current March 24, 2006 draft of the proposed Statewide General Waste Discharge Requirements (WDR) for Wastewater Collection Agencies and the accompanying Monitoring and Reporting Program (MRB). The City is supportive of the goal of the State Water Resources Control Board (Board) to decrease sewer overflows statewide. However, the proposed WDR will impose unprecedented new sewer management, operational and capital improvement programs on our local sewer system.

The City is disappointed that the draft WDR has been changed to include an *outright prohibition* of local sewer overflows and that it does not differentiate between preventable and unpreventable overflows. We urge the Board to include a reasonable affirmative defense provision that would provide our residents with protection against the costs of fines and lawsuits based on sewer overflows that occur even after our collection system is managed, operated and maintained according to the new state standards.

The proposed WDR process will present funding and logistical issues for our community, especially considering that the regulations will become effective after the adoption of our FY2006-07 budget in July of this year. We do not accept the Board's estimate that the increase in local sewer fees will be limited to \$72.00 annually for our residents.

The Board should consider granting sufficient time for cities to address the very real issues of compliance, including reviewing operational and maintenance changes and the potential of accelerated capital improvement programming. Our city will require additional time to develop these revisions for our public outreach and information program, prior to considering new or increased sewer fees necessary to comply with these new state regulations.

It is important that the Board assist cities in obtaining grants in order to comply with the new programs, since the new regulations may constitute an unfunded mandate. As you know, Congress is considering the elimination of the State Revolving fund, which would

Page 2
WDR
April 24, 2006

severely limit the financial options for our community in applying for federal sewer system grants. The Board should be actively seeking sources of funding to assist communities in helping to pay for new planning and capital improvement costs of the new state regulations.

The City strongly urges the Board to consider granting sufficient time for the cities to become familiar with the new statewide electronic database reporting spills. We understand that this reporting system has not yet been tested, local personnel have not yet been trained and there has been no trouble-shooting, yet we will be held responsible to date certain compliance. We remain concerned that our field staff will be unable to make the required legal and technical judgment call that a sewer spill has reached Waters of the United States or caused a public nuisance, prior to the City having to report the spill on the new electronic database. These requirements should be eliminated from the electronic reporting template.

The City of Diamond Bar requests that the Board not adopt the draft WDR without addressing these issues. The proposed WDR will prove to be unfair without providing these basic protections to our residents and businesses. Should you or a member of your staff have any questions, please contact Mr. David G. Liu, Director of Public Works, at (909) 839-7040.

Sincerely,



Linda C. Lowry
City Manager

Cc: City Council
David G. Liu, Director of Public Works