

Appendix I: Drain Inlet Inspection and Cleaning

Tables¹

Table I-1: Drain Inlet Inspection and Cleaning..... 1

¹ Dashes (-) in this appendix's tables indicate that data is not available or not applicable.

This page was intentionally left blank.

Table I-1: Drain Inlet Inspection and Cleaning

District	County	Route	From Post Mile	To Post Mile	Directions	Total Number of Drain Inlets Inspected	Total Number of Drain Inlets Requiring Cleaning	Comments
1	DN	101	0.347	46.492	B	865	461	-
1	DN	169	0.542	3.521	B	24	0	-
1	DN	197A	0	7.08	B	140	81	-
1	DN	199	0.506	36.408	B	459	258	-
1	HUM	36	0	45.68	B	431	140	-
1	HUM	96	0	44.979	B	538	150	-
1	HUM	101	0	137.144	B	2,097	1,450	-
1	HUM	169	13.2	33.84	B	184	0	-
1	HUM	211	73.2	79.161	B	10	0	-
1	HUM	254	0	42.28	B	199	1	-
1	HUM	255	0	8.8	B	34	10	-
1	HUM	299	0	42.975	B	673	308	-
1	LAK	20	0	46.4	B	168	43	-
1	LAK	29	0	52.1	B	217	52	-
1	LAK	53	0	7.4	B	62	62	-
1	LAK	175	0	28	B	142	2	-
1	LAK	281	14	17	B	22	22	-
1	MEN	1	0	105.5	B	1,476	803	-
1	MEN	20	0	20.2	B	777	617	-
1	MEN	101B	0.103	106.8	B	423	123	-
1	MEN	128	0	50.9	B	384	4	-
1	MEN	162	8	28.76	B	40	40	-
1	MEN	253	0	17.17	B	226	4	-
1	MEN	271	0	22.7	B	101	0	-
District 1 Subtotal:						9,692	4,631	-
2	LAS	36	3.7	29.3	B	182	182	-
2	LAS	139A	32.5	66.6	B	210	2	-
2	LAS	299	0	25.6	B	283	55	-
2	LAS	395A	24	138.97	B	292	48	-
2	MOD	139	7.3	50.684	B	175	0	-
2	MOD	299	0	66.63	B	270	17	-
2	MOD	395	0.55	61.56	B	549	52	-
2	PLU	36	6.5	12.5	B	47	47	-
2	PLU	49	0	7.5	B	63	27	-
2	PLU	070A	0	95.96	B	478	367	-
2	PLU	089A	0	18.7	B	119	119	-
2	PLU	147	5.3	6.25	B	5	5	-
2	PLU	284	4	8	B	36	36	-
2	SHA	005A	0	67	B	393	378	-
2	SHA	36	0	11.9	B	51	5	-
2	SHA	44	0.58	33.95	B	337	337	-
2	SHA	89	10.8	43.3	B	2	2	-
2	SHA	151	6.2	6.5	B	1	0	-
2	SHA	273B	3.812	20.033	B	96	96	-

Table I-1: Drain Inlet Inspection and Cleaning

District	County	Route	From Post Mile	To Post Mile	Directions	Total Number of Drain Inlets Inspected	Total Number of Drain Inlets Requiring Cleaning	Comments
2	SHA	299A	0	99.3	B	300	260	-
2	SIS	3	0.408	43	B	54	54	-
2	SIS	005A	0	69.293	B	1,130	1,046	-
2	SIS	89	11.5	34.6	B	56	56	-
2	SIS	96	0	79	B	542	406	-
2	SIS	97	8.5	54	B	99	99	-
2	SIS	139	0	5.043	B	28	0	-
2	SIS	161	0.037	19.361	B	21	0	-
2	TEH	5	0	42.1	B	245	245	-
2	TEH	036A	7	64	B	70	70	-
2	TEH	089A	0.5	4	B	15	15	-
2	TEH	099A	0	24.9	B	64	64	-
2	TEH	172	1.25	8	B	51	51	-
2	TRI	3	0	85.068	B	5,621	5,621	-
2	TRI	36	0	41.132	B	162	130	-
2	TRI	299	0	72.025	B	1,044	667	-
District 2 Subtotal:						13,091	10,559	-
3	AUBURN		0	0	B	6	6	-
3	BUT	32	0	37.749	B	423	423	-
3	BUT	070A	6.1	48	B	366	365	-
3	BUT	99	2.09	43.35	B	236	236	-
3	BUT	149A	0	5.302	B	15	15	-
3	BUT	162	2.683	31.064	B	94	82	-
3	BUT	191	0	11.38	B	63	59	-
3	COL	5	4.33	31.6	B	27	27	-
3	COL	016A	1.11	1.11	B	1	1	-
3	COL	20	1.25	39.27	B	428	428	-
3	COL	45	0.004	33.6	B	115	115	-
3	ED	49	0	35.53	B	198	198	-
3	ED	50	0	78.42	B	1,290	1,117	-
3	ED	89	0	27.406	B	1,008	1,008	-
3	ED	193	0	26.9	B	14	14	-
3	ELKGROVE		0	0	B	18	18	-
3	GLE	5	7	28.8	B	64	64	-
3	GLE	032A	0	10.9	B	69	69	-
3	GLE	45	0	23.23	B	74	74	-
3	GLE	162	37.7	77.53	B	222	222	-
3	NEV/PLA	20	0	45.6	B	723	723	-
3	NEV	49	0	32.62	B	695	695	-
3	NEV	80	0.02	31.6	B	824	824	-
3	NEV	089A	0	8.702	B	215	215	-
3	NEV	174	0	10.1	B	391	391	-
3	NEV	267A	0	1.79	B	61	61	-
3	NORTHGATE		0	0	B	3	3	-

Table I-1: Drain Inlet Inspection and Cleaning

District	County	Route	From Post Mile	To Post Mile	Directions	Total Number of Drain Inlets Inspected	Total Number of Drain Inlets Requiring Cleaning	Comments
3	PLA/NEV	80	0	69.55	B	4,586	4,539	-
3	PLA	28	0.085	11.028	B	1,209	1,209	-
3	PLA	049A	0	11.373	B	699	699	-
3	PLA	065A	4.863	24.2	B	40	40	-
3	PLA	89	0	21.618	B	1,660	1,660	-
3	PLA	193A	1.35	10.1	B	20	19	-
3	PLA	267	0	9.898	B	781	781	-
3	RANCHOCORDOVA		0	0	B	7	7	-
3	SAC	5	0.18	34.652	B	1,862	1,852	-
3	SAC	12	0	5.8	B	27	27	-
3	SAC	016A	1.659	21	B	43	27	-
3	SAC	50	0	23.1	B	3,230	3,197	-
3	SAC	51	0	8.86	B	354	354	-
3	SAC	80	0	18	B	433	413	-
3	SAC	099A	0.13	24.3	B	364	364	-
3	SAC	104	0	17.5	B	15	15	-
3	SAC	160	1	45.726	B	158	158	-
3	SAC	244	0	1.077	B	13	13	-
3	SIE	49	0	63.348	B	199	132	-
3	SIE	80	0.4	1.11	B	6	6	-
3	SIE	89	0	29.58	B	145	105	-
3	SPECIALCREWS		0	0	B	7	7	-
3	SUT	20	2.5	17.05	B	14	14	-
3	SUT	99	10.24	42.38	B	248	248	-
3	SUT	113	0	16.38	B	99	99	-
3	WESTSACRAMENTO		0	0	B	7	7	-
3	YOL/COL	16	0	43.42	B	483	455	-
3	YOL	5	0.84	26.327	B	83	82	-
3	YOL	45	0	12.92	B	56	27	-
3	YOL	50	0.83	3.156	B	90	90	-
3	YOL	80	0.166	11.718	B	1,038	1,038	-
3	YOL	084B	9.79	9.94	B	2	0	-
3	YOL	113	0	22.076	B	214	179	-
3	YOL	128	0	9.808	B	153	133	-
3	YOL	505	0	21.85	B	101	101	-
3	YUB	20	0	21.6	B	77	77	-
3	YUB	70	0	23.5	B	110	110	-
District 3 Subtotal:						26,276	25,737	-
4	ALA	013A	4.3	13.7	B	19	19	-
4	ALA	024A	3.064	5.732	B	16	15	-
4	ALA	080A	3.642	7.107	B	20	20	-
4	ALA	084B	3	18.198	B	74	74	-
4	ALA	092A	0	6.7	B	123	56	-
4	ALA	238B	5.4	16.69	B	12	9	-

Table I-1: Drain Inlet Inspection and Cleaning

District	County	Route	From Post Mile	To Post Mile	Directions	Total Number of Drain Inlets Inspected	Total Number of Drain Inlets Requiring Cleaning	Comments
4	ALA	580B	0.074	46.092	B	792	56	-
4	ALA	680	0	21.797	B	397	232	-
4	ALA	880	1.018	35.5	B	217	107	-
4	ALA	980	0.038	0.038	B	2	2	-
4	CC	004A	0	48.2	B	677	613	-
4	CC	24	0	9	B	642	642	-
4	CC	80	0	14.139	B	133	119	-
4	CC	160	0	1.32	B	134	134	-
4	CC	242A	2.441	3.041	B	84	84	-
4	CC	580	0	6.548	B	65	53	-
4	CC	680	0	25	B	634	632	-
4	MRN	1	0	46	B	87	87	-
4	MRN	37	11.2	14.6	B	30	30	-
4	MRN	101	0	27	B	453	453	-
4	NAP	29	1	48.5	B	650	650	-
4	NAP	128	0	32	B	34	34	-
4	SANMATEO/HYWRD		0	0	B	7	7	-
4	SANMATEOPAINT		0	0	B	1	1	-
4	SCL	9	0	6.7	B	21	21	-
4	SCL	17	0.69	13.949	B	28	25	-
4	SCL	85	15.224	23.5	B	6	1	-
4	SCL	087A	0	7.1	B	11	11	-
4	SCL	101	0.028	37.655	B	52	51	-
4	SCL	130	3	6	B	22	22	-
4	SCL	152	1	12.565	B	33	33	-
4	SCL	280	0	13	B	37	37	-
4	SCL	680	0.2	8.3	B	5	5	-
4	SCL	880	0.1	5.9	B	6	6	-
4	SF	80	4	4.335	B	28	28	-
4	SF	101A	0	7.5	B	53	53	-
4	SF	280	0	7.5	B	75	75	-
4	SM/SCL	35	12.36	31.537	B	515	511	-
4	SM	1	0	48.558	B	499	478	-
4	SM	82	0	25	B	566	564	-
4	SM	84	0	28.289	B	23	23	-
4	SM	92	0	18	B	675	675	-
4	SM	101	0	20.218	B	841	841	-
4	SM	280	0	27.43	B	2,024	2,024	-
4	SM	380	4.703	6.76	B	398	398	-
4	SOL/NAP	80	0	44.705	B	687	687	-
4	SOL	12	2	26	B	223	223	-
4	SOL	29	0	0	B	5	5	-
4	SOL	037A	7.37	11.754	B	1	0	-
4	SOL	113	0	22.45	B	229	229	-

Table I-1: Drain Inlet Inspection and Cleaning

District	County	Route	From Post Mile	To Post Mile	Directions	Total Number of Drain Inlets Inspected	Total Number of Drain Inlets Requiring Cleaning	Comments
4	SOL	505	0	10.6	B	92	92	-
4	SOL	680A	0	13.126	B	231	230	-
4	SOL	780A	0	7.441	B	38	37	-
4	SON	001A	0	58	B	125	125	-
4	SON	12	9.23	32.86	B	15	15	-
4	SON	37	0	4.2	B	23	23	-
4	SON	101A	0	56.219	B	985	984	-
4	SON	116A	0	46.7	B	142	142	-
4	SON	121	0	7.7	B	16	16	-
4	SON	128	0	24.76	B	99	99	-
4	TELEGRAPH		0	0	B	1	1	-
4	TOMLANTOS		0	0	B	121	5	-
District 4 Subtotal:						14,254	12,924	-
5	MON	1	3.7	100.567	B	941	711	-
5	MON	25	0	11.75	B	12	12	-
5	MON	68	0	22	B	182	162	-
5	MON	101	0	101.242	B	1,351	1,281	-
5	MON	146A	2	10	B	12	12	-
5	MON	198	0	25.69	B	40	40	-
5	MON	218	0.922	1.956	B	30	30	-
5	SANTABARBARA		0	0	B	12	12	-
5	SB/SLO	166	0	24.1	B	156	156	-
5	SB/VEN	150A	0	2.197	B	7	0	-
5	SB	1	0	50.6	B	276	189	-
5	SB	33	0	8	B	10	10	-
5	SB	101	0	90.98	B	1,489	1,186	-
5	SB	135	0	17.79	B	92	92	-
5	SB	144	0	1.953	B	22	22	-
5	SB	154A	0	32	B	129	84	-
5	SB	192	0.1	21	B	256	144	-
5	SB	217	0.63	2.8	B	7	7	-
5	SB	225	4	4.63	B	37	34	-
5	SB	246	16.692	34.59	B	143	122	-
5	SBT	025A	0.01	60.08	B	186	112	-
5	SBT	101	0	7.53	B	43	43	-
5	SBT	129	2	2	B	9	9	-
5	SBT	156	0	18.252	B	88	78	-
5	SCR/SM	9	0.05	27.09	B	970	970	-
5	SCR	1	0	37.45	B	76	76	-
5	SCR	17	8.7	12.45	B	68	68	-
5	SCR	35	0.23	7.68	B	272	272	-
5	SCR	236	0	17.72	B	576	576	-
5	SLO	1	0	59.728	B	230	132	-
5	SLO	041A	9	50.4	B	236	115	-

Table I-1: Drain Inlet Inspection and Cleaning

District	County	Route	From Post Mile	To Post Mile	Directions	Total Number of Drain Inlets Inspected	Total Number of Drain Inlets Requiring Cleaning	Comments
5	SLO	46	11.146	60.8	B	213	193	-
5	SLO	58	0	57.15	B	162	76	-
5	SLO	101	0	69.32	B	1,368	987	-
5	SLO	229	0	9.16	B	124	62	-
District 5 Subtotal:						9,825	8,075	-
6	FRE/TUL	180A	23.92	137.94	B	3,239	2,946	-
6	FRE	5	5.5	52.7	B	146	116	-
6	FRE	033A	0	62.247	B	51	51	-
6	FRE	41	0	33.336	B	701	673	-
6	FRE	99	0	31.609	B	530	461	-
6	FRE	145	25.085	41.26	B	7	7	-
6	FRE	168A	0.993	65.93	B	221	167	-
6	FRE	198	0	27	B	101	101	-
6	FRE	245	0	8.972	B	397	146	-
6	FRE	269	0	24.7	B	32	32	-
6	FRESNONORTHREG		0	0	B	0	0	-
6	HUNTINGTONLAKE		0	0	B	1	1	-
6	KER/SLO	058B	88	90.5	B	10	10	-
6	KER/SLO	058C	53.258	77.252	B	59	59	-
6	KER	005A	0	82.5	B	104	104	-
6	KER	33	17	42.466	B	98	90	-
6	KER	41	0	4.978	B	32	32	-
6	KER	43	8.112	22.1	B	16	16	-
6	KER	46	0	50.4	B	91	89	-
6	KER	65	1	25	B	144	144	-
6	KER	99	7.552	57.58	B	526	526	-
6	KER	119	0	13	B	20	20	-
6	KER	155	30.313	70	B	530	530	-
6	KER	166	0.01	24.62	B	37	25	-
6	KER	178A	3.402	104	B	155	12	-
6	KER	178B	1.694	57	B	141	105	-
6	KER	184	0	9.12	B	56	56	-
6	KER	204	2.94	5.5	B	10	10	-
6	KER	223	17	22.2	B	106	106	-
6	KIN	5	16.5	26.724	B	134	134	-
6	KIN	41	0	48.2	B	178	166	-
6	KIN	43	18.1	27.2	B	17	17	-
6	KIN	198	0	28.325	B	386	386	-
6	MAD	41	0	45.736	B	462	301	-
6	MAD	49	0	9.2	B	36	14	-
6	MAD	99	0	29.35	B	81	81	-
6	MAD	145	0	25.31	B	34	34	-
6	MPA/MAD	41	0	4.9	B	162	147	-
6	TUL	063B	0	30.084	B	30	30	-

Table I-1: Drain Inlet Inspection and Cleaning

District	County	Route	From Post Mile	To Post Mile	Directions	Total Number of Drain Inlets Inspected	Total Number of Drain Inlets Requiring Cleaning	Comments
6	TUL	65	17.8	20.6	B	66	66	-
6	TUL	99	0	48.026	B	291	248	-
6	TUL	137	14	17.511	B	80	80	-
6	TUL	190	14.9	56.567	B	380	360	-
6	TUL	198	7.251	28.7	B	39	39	-
6	TUL	201	22.1	23.9	B	6	6	-
6	TUL	245	11	33.035	B	759	457	-
6	VISALIA		0	0	B	3	0	-
District 6 Subtotal:						10,704	9,200	-
7	EASTLOSANGELES		0	0	B	1	1	-
7	LA	1	0.06	62.5	B	497	375	-
7	LA	002A	30.323	82.265	B	213	168	-
7	LA	005A	14.9	88.566	B	123	120	-
7	LA	10	7.555	48.265	B	331	264	-
7	LA	014A	29.52	77	B	204	203	-
7	LA	23	0	8.9	B	69	4	-
7	LA	27	0	10.68	B	26	26	-
7	LA	039A	20.1	44.4	B	330	330	-
7	LA	47	1.14	1.478	B	5	5	-
7	LA	057A	0	11.572	B	167	132	-
7	LA	60	1.9	30.456	B	369	256	-
7	LA	71	0.335	4.697	B	30	29	-
7	LA	90	1.821	3.154	B	25	25	-
7	LA	091A	14.6	20.74	B	21	21	-
7	LA	101	0	35.9	B	39	34	-
7	LA	103	0	1.591	B	34	34	-
7	LA	105	0	9	B	122	62	-
7	LA	110	0.745	16.7	B	57	57	-
7	LA	118	0	14.2	B	211	74	-
7	LA	134A	5.92	13.3	B	38	38	-
7	LA	138B	2	65.907	B	12	12	-
7	LA	210A	0	35.466	B	166	166	-
7	LA	405	0.27	48.6	B	368	96	-
7	LA	605	0	22.9	B	610	610	-
7	LA	710A	6.48	27.4	B	164	101	-
7	SANFERNANDO		0	0	B	1	1	-
7	VEN	001A	0.221	15.6	B	118	0	-
7	VEN	23	3.853	24.035	B	104	104	-
7	VEN	33	0	54	B	23	23	-
7	VEN	34	6.2	17.663	B	36	6	-
7	VEN	101	0.163	43.6	B	98	98	-
7	VEN	118	0.516	31.496	B	160	160	-
7	VEN	126A	0	31.547	B	23	23	-
7	VEN	150	0	28.845	B	32	32	-

Table I-1: Drain Inlet Inspection and Cleaning

District	County	Route	From Post Mile	To Post Mile	Directions	Total Number of Drain Inlets Inspected	Total Number of Drain Inlets Requiring Cleaning	Comments
District 7 Subtotal:						4,827	3,690	-
8	RIV	10	0	156.4	B	2,142	865	-
8	RIV	15	0	46.6	B	676	65	-
8	RIV	60	0.5	30.495	B	458	300	-
8	RIV	62	0	9	B	16	16	-
8	RIV	074A	0	92.26	B	1,358	485	-
8	RIV	78	0	16.4	B	31	31	-
8	RIV	079A	0	40.449	B	562	256	-
8	RIV	086A	11.9	11.9	B	1	1	-
8	RIV	91	0	21.654	B	129	104	-
8	RIV	95	0.5	36.19	B	453	127	-
8	RIV	111A	47.2	62.507	B	81	3	-
8	RIV	215	8.7	43	B	401	216	-
8	RIV	243	0	29.7	B	574	227	-
8	RIV	371	56.5	77.1	B	332	215	-
8	SBD/RIV	62	0	142	B	1,477	1,390	-
8	SBD	2	0	6.358	B	210	169	-
8	SBD	010A	0	39.16	B	1,057	1,045	-
8	SBD	15	0	185.219	B	1,349	1,303	-
8	SBD	18	6.024	95.718	B	910	556	-
8	SBD	38	0.003	59.396	B	752	411	-
8	SBD	040A	0	149.213	B	478	478	-
8	SBD	58	0.101	30	B	31	31	-
8	SBD	60	0	9.069	B	112	95	-
8	SBD	71	0.139	0.266	B	7	7	-
8	SBD	083A	1.375	3.92	B	14	14	-
8	SBD	95	0	37	B	16	6	-
8	SBD	127A	32	32	B	10	10	-
8	SBD	138	0	37.848	B	208	208	-
8	SBD	142	0	3.865	B	32	32	-
8	SBD	173	0	23	B	170	167	-
8	SBD	178	0	14	B	7	7	-
8	SBD	189	0	5.56	B	76	76	-
8	SBD	210A	4.4	33.18	B	74	74	-
8	SBD	215	0.042	16	B	60	40	-
8	SBD	247	0	49.5	B	21	16	-
8	SBD	330	28.696	44.118	B	329	119	-
8	SBD	395	12	73.515	B	52	52	-
District 8 Subtotal:						14,665	9,216	-
9	BISHOP		0	0	B	1	1	-
9	INY	127	8.5	8.5	B	1	1	-
9	INY	136	0	17.7	B	28	0	-
9	INY	168	0	18	B	2	1	-
9	INY	190	9.85	41.67	B	65	5	-

Table I-1: Drain Inlet Inspection and Cleaning

District	County	Route	From Post Mile	To Post Mile	Directions	Total Number of Drain Inlets Inspected	Total Number of Drain Inlets Requiring Cleaning	Comments
9	INY	395	0	129.4	B	876	582	-
9	KER	014A	0	64.559	B	412	15	-
9	KER	058A	77.3	143.8	B	455	172	-
9	KER	178A	57.83	104.622	B	307	307	-
9	MNO	6	0	32.2	B	89	0	-
9	MNO	89	0	7.596	B	45	6	-
9	MNO	120	0	12.055	B	26	1	-
9	MNO	158	0	11.555	B	14	14	-
9	MNO	168	0	1.4	B	2	0	-
9	MNO	266	0	11.7	B	15	0	-
9	MNO	395	0	120.49	B	74	12	-
District 9 Subtotal:						2,412	1,117	-
10	ALP	4	0	31.677	B	178	123	-
10	ALP	88	0	24.423	B	69	19	-
10	ALP	89	5.5	23.97	B	116	98	-
10	ALP	207	0	1.3	B	4	4	-
10	AMA	16	0	9.37	B	14	14	-
10	AMA	26	0	4.644	B	52	32	-
10	AMA	049A	0	22.1	B	266	173	-
10	AMA	088B	0	71.5	B	783	451	-
10	AMA	104	0	10	B	78	38	-
10	AMA	124	0	10.334	B	43	43	-
10	CAL	004A	0	65	B	553	308	-
10	CAL	12	0	18.201	B	43	43	-
10	CAL	026A	0	38.306	B	459	403	-
10	CAL	49	0	30.865	B	304	304	-
10	LODI		0	0	B	5	5	-
10	MER	5	0	32	B	115	114	-
10	MER	033A	13.27	30.3	B	83	76	-
10	MER	059A	4	32.6	B	225	219	-
10	MER	099A	0	37.3	B	204	204	-
10	MER	140A	0	50	B	192	185	-
10	MER	152	0	32	B	74	74	-
10	MER	165	0	34.3	B	16	16	-
10	MPA	49	0.332	48.5	B	426	335	-
10	MPA	140	0	51.8	B	704	704	-
10	SJ	4	14.413	18.319	B	94	94	-
10	SJ	5	0	49.819	B	344	344	-
10	SJ	12	10.012	27.589	B	32	32	-
10	SJ	026B	7.615	20.302	B	10	10	-
10	SJ	088A	0.079	25.3	B	30	30	-
10	SJ	99	0	38.783	B	204	204	-
10	SJ	120A	0.493	21.1	B	118	117	-
10	SJ	205	0.053	13.398	B	190	190	-

Table I-1: Drain Inlet Inspection and Cleaning

District	County	Route	From Post Mile	To Post Mile	Directions	Total Number of Drain Inlets Inspected	Total Number of Drain Inlets Requiring Cleaning	Comments
10	SJ	580A	0	15.34	B	38	38	-
10	STA	5	0	28	B	422	422	-
10	STA	33	0	27	B	303	218	-
10	STA	99	0	24.75	B	1,466	1,466	-
10	STA	108A	22.438	38.2	B	35	34	-
10	STA	120A	0	17.797	B	84	80	-
10	STA	132	0	51.006	B	51	47	-
10	STA	219	0.236	4.8	B	32	32	-
10	STOCKTONLNDSCP		0	0	B	1	1	-
10	TUO/MPA	120A	6	56.5	B	1,266	803	-
10	TUO/MPA	132A	0	18.5	B	83	83	-
10	TUO	49	0	27.521	B	281	246	-
10	TUO	108A	0	66.97	B	2,498	1,248	-
District 10 Subtotal:						12,588	9,724	-
11	IMP	007A	0	6.82	B	120	59	-
11	IMP	008B	11.9	96.98	B	620	325	-
11	IMP	78	35	75	B	590	590	-
11	IMP	086A	0	67	B	529	256	-
11	IMP	098A	0	56.6	B	251	151	-
11	IMP	111A	0	22	B	422	201	-
11	IMP	115	10.846	22.456	B	116	58	-
11	SD	5	0.305	72.2	B	1,041	91	-
11	SD	008B	0.431	77.6	B	1,481	1,176	-
11	SD	015A	0.122	54.258	B	576	196	-
11	SD	015SB	11.89	30.856	B	3,460	1,268	-
11	SD	052A	0.25	17.271	B	288	193	-
11	SD	054A	0	6.303	B	274	57	-
11	SD	67	0	24.37	B	308	308	-
11	SD	75	9.072	22.201	B	67	1	-
11	SD	076A	0	52	B	661	61	-
11	SD	078A	0.004	70	B	282	259	-
11	SD	79	0	53	B	128	128	-
11	SD	094B	1.698	65.3	B	1,228	997	-
11	SD	125B	6.9	22.3	B	289	232	-
11	SD	163A	0.531	11.3	B	113	48	-
11	SD	188	0.11	1.85	B	31	3	-
11	SD	282	0.015	0.58	B	1	0	-
11	SD	805	0.149	28.8	B	1,251	345	-
11	SD	905B	2.9	11.2	B	468	51	-
District 11 Subtotal:						14,595	7,054	-
12	LA	405	0	0	B	10	10	-
12	ORA/LA	39	0	17.3	B	70	14	-
12	ORA	001A	0.129	33.7	B	745	319	-
12	ORA	5	0	44.382	B	3,378	1,208	-

Table I-1: Drain Inlet Inspection and Cleaning

District	County	Route	From Post Mile	To Post Mile	Directions	Total Number of Drain Inlets Inspected	Total Number of Drain Inlets Requiring Cleaning	Comments
12	ORA	22	0.007	13.006	B	341	195	-
12	ORA	55	0	17.876	B	601	239	-
12	ORA	057A	10.741	21.7	B	309	223	-
12	ORA	73	10	28	B	276	173	-
12	ORA	074A	0	16	B	42	29	-
12	ORA	090A	0.5	12.5	B	82	81	-
12	ORA	91	0.002	18.9	B	769	225	-
12	ORA	133A	0	13.179	B	168	66	-
12	ORA	142	3.1	6	B	187	187	-
12	ORA	241	14.565	39	B	436	79	-
12	ORA	261	0	6.2	B	259	69	-
12	ORA	405	0.23	23.43	B	344	167	-
12	SANJUANCAPIST		0	0	B	1	1	-
District 12 Subtotal:						8,018	3,285	-
TOTAL						140,947	105,212	

This page was intentionally left blank.