CyanoHABs Laboratory List Ambient Water Monitoring

The purpose of this laboratory list is to readily provide information about laboratories capable of analyzing water samples for cyanobacteria and the toxins cyanobacteria can produce. This list is not intended to describe any regulatory requirements or make any laboratory endorsements. The laboratories are listed in alphabetic order. Please note –laboratories should be contacted prior to submitting any samples. Many laboratories discussed flexibility in prices and the need to coordinate any sampling and analysis.



			Cyanoto	xin Analysis				
Laboratory	Matrix	Cyanotoxin	Method	MDL (μg/L) RL (μg/L)		Response Time	Sample Storage/ Shipping Condition	Shipping Preference
	DW, AW	microcystin, total	ELISA	contact lab	contact lab		<u>Go to</u>	Fedex
	DW, AW	microcystin	LC-MS	contact lab	contact lab		Beaglebioproduct.co	overnight.
Beagle Bioproducts Inc.	DW, AW	microcystin	LC-MSMS	contact lab	contact lab	2 day response	m for sampling kits &	Samples
Contact: (614) 682-6588	DW, AW	anatoxin-a	ELISA	contact lab	contact lab	time. 24 hours	shipping containers	collected
info@beaglebioproducts.c	DW, AW	cylindrospermopsin	ELISA	contact lab	contact lab	response time	for purchase.	over weekend
<u>om</u>	DW, AW	saxitoxins	ELISA	contact lab	contact lab	upon request and	Go to	should be
Location: Columbus, OH	DW, AW	anatoxin-a	LC-MS	contact lab	contact lab	additional fees.	beaglebioproducts.co m for sampling guide	frozen and
	DW, AW	cylindrospermopsin	LC-MS	contact lab	contact lab			shipped
	DW, AW	saxitoxins	LC-MS	contact lab	contact lab		and more details.	Monday.
	DW, AW	microcystin, total	ELISA	0.10	contact lab		Frozen or on wet ice	
	DW, AW	anatoxin-a	RBA	10	contact lab	Response time		N-
BEND GENETICS, LLC	DW, AW	cylindrospermopsin	ELISA	0.04	contact lab	next day from		
LABORATORY	DW, AW	saxitoxins	ELISA	0.015	contact lab	sample receipt		
Contact:(541) 600-GENE or customer service@bendge	DW, AW	domoic acid	ELISA	6	contact lab	(Mon. – Thurs. delivery), and		No preference
netics.com	Tissue (shellfish)	microcystin	ELISA	contact lab	contact lab	rush services		preference
Location: Corvallis, OR	Tissue (shellfish)	saxitoxins	ELISA	0.015	contact lab	(same day) can be		
	Tissue (shellfish)	domoic acid	ELISA	30	contact lab	arranged.		
	Tissue (shellfish)	okadaic acid	ELISA	100	contact lab			
CA Animal Health and Food Safety Lab (CAHFS), UC Davis Contact: (530) 752-7578	health. The lab ca and stomach cor	lyzes samples related to an analyze animal samp ntents) related to possik cyanotoxins from harmf	contact lab	contact lab	contact lab	contact lab	No preference	
Location: Davis, CA	exposures to t	blooms.	ui uigai					

			Cyanoto	xin Analysis				
Laboratory	Matrix	Cyanotoxin	Method	MDL (μg/L)	RL (μg/L)	Response Time	Sample Storage/ Shipping Condition	Shipping Preference
	AW	microcystin, total	ELISA	0.04	contact lab			
	AW	microcystin	LC-MSMS	0.059 - 0.294	contact lab		Water must be shipped on ice (frozen preferable). Tissue samples preferred frozen. 500 mL for water testing.	
CA Dept. of Fish & Wildlife,	AW	anatoxin-a	RBA, ELISA	0.1-5	contact lab			
Water Pollution Control	AW	anatoxin-a	LC-MSMS	0.5	contact lab	Turnaround time: LC-MSMS analysis		
Lab Contact: Mary Curry	AW	nodularin	LC-MSMS	0.059	contact lab	is 120 days, ELISA		No
(916) 358-4398 Location: Rancho Cordova.	AW	cylindrospermopsin	ELISA	0.04	contact lab	analysis is <96hrs per request		preference
CA CA	Tissue (no liver)	microcystin	LC-MSMS	1.0 conta	contact lab			
	Tissue (not liver)	domoic acid	LC-MSMS	1.0	contact lab			
	Tissue (not liver)	domoic acid	ELISA	5.0	contact lab			
	Tissue (not liver)	nodularin	LC-MSMS	0.059	contact lab			
	DW, AW	microcystin, total	ELISA	contact lab	0.16 - 0.3			Eurofins
Eurofins Eaton Analytical, Inc. – Monrovia, CA	DW, AW	microcystin (LA,LF,LR,LY,RR,YR)	EPA 544 & direct	contact lab	0.006 – 0.02		Store and Ship cold in	Courier Pickup;
Contact:	DW, AW	nodularin	LC-MSMS	contact lab	0.005 - 0.1	48 Hrs.	Dark. Ship Overnight	Drop off at
(800) 566-LABS (5227) or	DW, AW	anatoxin-a	EPA 545 & direct	contact lab	0.02 - 0.03	40 ПІЗ.	on ice. Contact lab for details.	Eurofins; FedEx or
<u>Us20_sales@eurofinsus.com</u>	DW, AW	cylindrospermopsin	LC-MSMS	contact lab	0.05 - 0.09			other Courier
	DW, AW	saxitoxin	LC-MSMS	contact lab	0.1			Courier

Cyanotoxin Analysis											
Laboratory	Matrix	Cyanotoxin	Method	MDL (μg/L)	RL (μg/L)	Response Time	Sample Storage/ Shipping Condition	Shipping Preference			
	DW, AW	microcystin (20+ congener scan)	LC-MSMS	0.1-1.0	contact lab						
	DW, AW	microcystin, total	ELISA	0.15	contact lab						
	DW, AW	microcystin	LC-MSMS	0.01-0.05	contact lab						
	DW, AW	cylindrospermopsin	ELISA	0.01	contact lab		For liquid 250 mL.				
GreenWater Laboratories	DW, AW	cylindrospermopsin	LC-MSMS	0.01	contact lab		Dry weight - 2 to 10				
Contact:	DW, AW	anatoxin-a	LC-MSMS	0.05	contact lab	5 business days	g. Samples must be	Any			
Info@greenwaterlab.com	DW, AW	saxitoxins suite	ELISA	0.02	contact lab	(shorter turnaround time	shipped overnight and kept cool.	overnight			
or (386) 328-0882	DW, AW	saxitoxins suite	LC-MSMS	0.02-0.5	contact lab	available)	Sampling kits are available upon request.	carrier			
Location: Palatka, FL	DW, AW	lyngbyatoxin-a	LC-MSMS	0.05	contact lab						
	DW, AW	nodularin	LC-MSMS	contact lab	contact lab						
	DW, AW BMAA (AEL & DAB)		LC-MSMS	5.0	contact lab						
		ests tissue and serum sa ins including lyngbyato others	contact lab	contact lab							
	DW, AW	microcystin, total & nodularin	ELISA	0.16	contact lab		Ship overnight on ice; keep sample in the dark. Water sample size 250 mL minimum.	Any overnight carrier			
King County Environmental	DW, AW	microcystin & nodularin	LC-MSMS	0.2	contact lab	Typically 48-72					
Laboratory	DW, AW	anatoxin-a	RBA	contact lab	contact lab	hours, depending					
Contact: (206) 477-7200 Location: 322 W Ewing St,	DW, AW	anatoxin-a	LC-MSMS	0.01	contact lab	on current sample load.					
Seattle, WA 98119-1507	DW, AW	saxitoxins	ELISA	0.16	contact lab	Contact lab					
,	DW, AW	cylindrospermopsin	ELISA	0.16	contact lab						
		ests sediment, tissue, a ples for various cyanoto		contact lab	contact lab						
	DW, AW	microcystin,	ELISA	contact lab	contact lab	ELISA & HPLC < 48					
LCCLL Amplication	DW, AW	anatoxin-a,	HPLC	contact lab	contact lab	Hours (Upon					
LSSU Analysis Environmental lab	DW, AW	cylindrospermopsin, nodularin, saxitoxins	LC-MSMS	contact lab	contact lab	receipt of sample). Liquid Samples &					
Contact: (906) 635-2076 Location: Sault Ste. Marie, MI	Note: Lab also te microcystin, a	contact lab	contact lab	LC-MSMS ~ 72 Hours. Samples that require digestion, may add 1 day extra.	Contact lab	Contact lab					

Cyanotoxin Analysis											
Laboratory	Matrix	Cyanotoxin	Method	MDL (μg/L)	RL (μg/L)	Response Time	Sample Storage/ Shipping Condition	Shipping Preference			
DV	DW, AW	microcystin	LC-MS	< 0.25	contact lab		250 mL sample size, amber glass bottles, store in cold and dark, ship cold.	Any overnight carrier			
UC Santa Cruz - Kudela Lab	DW, AW	anatoxin-a	LC-MS	< 0.26	contact lab	3 days upon receipt					
Contact: Raphael Kudela at kudela@ucsc.edu Location: Santa Cruz, CA	DW, AW	cylindrospermopsin, saxitoxins, lyngbyatoxin-a, yessotoxin	LC-MS	contact lab	contact lab						

	Molecular Analysis (Commercial Lab Services)											
Laboratory	Matrix	Metagenomics - 16S/18S Amplicon or Shotgun (Identification & enumeration of cyanobacteria or microbial community)	Additional Information	Molecular Diagnostics PCR/QPCR (Rapid enumeration of toxin and taste & odor producing cyanobacteria/bacteria)	Additional Information	Sample Bottles/Storing	Shipping Condition					
Bend Genetics, LLC Laboratory Contact:	DW	х	x	х		Water samples need to be stored cold (4°C) and dark, never frozen. <or></or>						
(541) 600-GENE or customer service@be ndgenetics.com Location: Corvallis, OR	AW	х	http://bendgenetic s.com/?page_id=22	х	http://bendgenetics.com/?page_id=	Samples can be concentrated onto glass fiber filters or membrane filters and stored frozen (similar to Chl-a sample prep).	Within 48 hours of collection if not frozen					
	Tissue (shellfish)	Х		х		Cold (4°C) and dark						
	Sediments	x		X		Cold (4°C) and dark						

Molecular Analysis (In-House Lab Use)

Commercial kits for molecular analysis are available at:

Diagnostic TECHNOLOGY, Pty Ltd

www.diagnostictechnology.com.au or www.phytoxigene.com

Contact: Mark Van Asten, Tel: +61 2 9986 2011, <u>mark.vanasten@diagnostictechnology.com.au</u>

	Cyanobacteria Measurements											
Laboratory	Identification (Genus/Species)	Cell Density	Enumeration	Pigments - Chlorophyll-a	Pigments - Phycocyanin	Response Time	Sample Storing/ Shipping	Shipping Preference				
Aquatic Services Contact: wayne.carmichael@wright.edu Location: Seaside, OR	Х		Х			Contact lab	None specified	No preference				
Beagle Bioproducts Inc. Contact: (614) 682-6588 info@beaglebioproducts.com Location: Columbus, OH	х			X 1	х	Contact lab	Samples for algae ID should not be frozen.	Overnight Fedex/UPS				
Bend Genetics, LLC Laboratory Contact: (541) 600-GENE or customer service@bendgenetics.com Location: Corvallis, OR	X ²					1.5 days	Store samples cold (4°C) and dark, never frozen. Must not be preserved (e.g., Lugols) if molecular analysis (by qPCR) is desired.	No preference				
CA Dept. of Fish & Wildlife, Water Pollution Control Lab Contact: Mary Curry (916) 358-4398 Location: Rancho Cordova, CA				х		Contact lab	None specified	No preference				
CSU San Marcos, CA Primary Algae Laboratory Contact: rsheath@csusm.edu (760) 750-8023 Location: San Marcos, CA	Х	х	х			Rush service available	Prefer 2 sets of samples: 1 fresh/live sample kept cool and 1 preserved by Lugol's. Ship cold ASAP	No preference				
EcoAnalysts, Inc. Contact: http://www.ecoanalysts.com/ Location: Moscow, ID	Х	х	х	х		1-5 business days	If preserved, preserved in Lugol's. No glass containers. If collected fresh, put on ice and overnight them Monday-Friday.	Fedex				

Cyanobacteria Measurements											
Laboratory	Identification (Genus/Species)	Cell Density	Enumeration	Pigments - Chlorophyll-a	Pigments - Phycocyanin	Response Time	Sample Storing/ Shipping	Shipping Preference			
Eurofins Eaton Analytical, Inc. – Monrovia, CA Contact: (800) 566-LABS (5227) or Us20_sales@eurofinsus.com	х		х			Contact lab	Store and Ship cold in Dark. Ship Overnight on ice. Contact lab for details.	Eurofins Courier Pickup; Drop off at lab; or other Courier			
GreenWater Laboratories Contact: Info@greenwaterlab.com or (386) 328-0882 Location: Palatka, Florida	х	X (bio- volume)	Х			Contact lab	None specified	No preference			
King County Env Laboratory Contact: (206) 477-7200 Location: Seattle, WA	X	Х	x	х		Contact lab	Ship on ice in the dark.	Overnight Fedex/UPS			
LSSU Analysis Environmental lab Contact: (906) 635-2076 Location: Sault Ste. Marie, MI	Х		Х	Х		Contact lab	None specified	Overnight Fedex/UPS			

¹Contact lab for information on handheld Fluorometers & Calibrators (http://beaglebioproducts.com/

This laboratory list is not an exhaustive review of available laboratories. If there is a laboratory that wishes to be considered for this list or if there are any corrections, please contact OIMA-Helpdesk@waterboards.ca.gov.

Definitions

- Analytical methods As of August 2015, there are no promulgated US EPA standardized methods for cyanobacteria toxin (cyanotoxins) analysis. For quality control considerations, please contact the laboratory to learn about their laboratory quality management system.
- AW Samples collected for ambient water analysis, this includes sampling for protection of recreation uses.
- DW Samples collected for drinking water analysis

- ELISA Enzyme Linked Immunosorbent Assay
- LC-MS Analytical methods liquid chromatography mass spectrometry
- LC-MS-MS Analytical methods liquid chromatography with multiple mass spectrometry
- MDL Method detection limit
- RBA Receptor binding assay
- RL Reporting limit

² Lab provides genus/species identification by microscopy or DNA analysis. Identification by microscopy includes a photograph of the sample.

³ Lab provides genus or gene enumeration by molecular methods (qPCR)