

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
1	E	EEL RIVER DELTA	111.110	<b>Sedimentation/Siltation</b>	<b>Range Land Silviculture Nonpoint Source</b>	Low	6350	Acres	0204	1206
				<b>Temperature</b>	<b>Nonpoint Source</b>	Low	6350	Acres	0204	1206
1	E	ESTERO AMERICANO	115.300	<b>Nutrients</b>		Medium	692	Acres	0497	0206
				<i>Water Quality Attainment strategy is attempting to increase voluntary measures for attainment of standards and objectives, as was done in the Estero de San Antonio / Stemple Creek TMDL Water Quality Attainment Strategy, adopted by the North Coast Regional Water Quality Control Board at the December 11, 1997 meeting.</i>						
				<b>Pasture Land Manure Lagoons</b>						
				<b>Sedimentation/Siltation</b>		Medium	692	Acres	0497	0206
				<i>Water Quality Attainment strategy is attempting to increase voluntary measures for attainment of standards and objectives, as was done in the Estero de San Antonio / Stemple Creek TMDL Water Quality Attainment Strategy, adopted by the North Coast Regional Water Quality Control Board at the December 11, 1997 meeting.</i>						
				<b>Riparian Grazing Hydromodification Removal of Riparian Vegetation Streambank Modification/Destabilization Erosion/Siltation Nonpoint Source</b>						
1	E	ESTERO DE SAN ANTONIO	115.400	<b>Nutrients</b>		Low	319	Acres	0496	0498
				<i>This water body/pollutant was relisted by USEPA.</i>						
				<b>Pasture Land Manure Lagoons</b>						
1	E	NAVARRO RIVER DELTA	113.500	<b>Sedimentation/Siltation</b>		Medium	20	Acres	0298	1200
				<b>Erosion/Siltation</b>						
1	L	LAKE PILLSBURY	111.630	<b>Mercury</b>		Low	2280	Acres	1209	1211
				<b>Natural Sources</b>						
1	R	ALBION RIVER	113.400	<b>Sedimentation/Siltation</b>		Medium	14	Miles	0299	1201
				<i>USEPA is preparing TMDL for Albion River.</i>						
				<b>Silviculture Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
1	R	AMERICANO CREEK	115.300	<b>Nutrients</b> <i>(See Estero Americano)</i>	<b>Pasture Land Riparian Grazing Upland Grazing Animal Operations Manure Lagoons Dairies</b>	Medium	7	Miles	0497	0206
1	R	BIG RIVER	113.300	<b>Sedimentation/Siltation</b>	<b>Silviculture Nonpoint Source</b>	Medium	40	Miles	0299	1201
1	R	EEL RIVER, MIDDLE FORK	111.700	<b>Sedimentation/Siltation</b> <i>USEPA will develop a TMDL for Eel River, Middle Fork.</i>	<b>Erosion/Siltation</b>	Low	64	Miles	0201	1203
				<b>Temperature</b> <i>USEPA will develop a TMDL for Eel River, Middle Fork.</i>	<b>Nonpoint Source</b>	Low	64	Miles	0201	1203
1	R	EEL RIVER, MIDDLE MAIN FORK	111.70	<b>Sedimentation/Siltation</b> <i>USEPA will develop a TMDL for Eel River, Middle Main Fork.</i>	<b>Range Land Silviculture Nonpoint Source</b>	Low	1075.38	Miles	0203	1205
				<b>Temperature</b> <i>USEPA will develop a TMDL for Eel River, Middle Main Fork.</i>	<b>Nonpoint Source</b>	Low	1075.38	Miles	0203	1205
1	R	EEL RIVER, NORTH FORK	111.500	<b>Sedimentation/Siltation</b> <i>USEPA will develop TMDL for Eel River, North Fork</i>	<b>Silviculture Logging Road Construction/Maintenance Erosion/Siltation Nonpoint Source</b>	Low	41	Miles	0200	1202
				<b>Temperature</b> <i>USEPA will develop TMDL for Eel River, North Fork.</i>	<b>Nonpoint Source</b>	Low	41	Miles	0200	1202

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
1	R	EEL RIVER, SOUTH FORK	111.300	<b>Sedimentation/Siltation</b>		<b>Low</b>	<b>85</b>	<b>Miles</b>	<b>0297</b>	<b>1299</b>
				<i>USEPA is developing TMDL for Eel River, South Fork. Sediment and temperature TMDLs will be developed for: (1) the area tributary to and including the South Fork of the Eel River above Garberville and (2) the area tributary to and including the South For of the Eel River below Garberville.</i>						
					<b>Range Land</b>					
					<b>Silviculture</b>					
					<b>Logging Road Construction/Maintenance</b>					
					<b>Resource Extraction</b>					
					<b>Hydromodification</b>					
					<b>Flow Regulation/Modification</b>					
					<b>Removal of Riparian Vegetation</b>					
					<b>Erosion/Siltation</b>					
					<b>Nonpoint Source</b>					
				<b>Temperature</b>		<b>Low</b>	<b>85</b>	<b>Miles</b>	<b>0297</b>	<b>1299</b>
				<i>USEPA is developing TMDL for Eel River, South Fork.</i>						
					<b>Hydromodification</b>					
					<b>Flow Regulation/Modification</b>					
					<b>Removal of Riparian Vegetation</b>					
					<b>Erosion/Siltation</b>					
					<b>Nonpoint Source</b>					
1	R	EEL RIVER, UPPER MAIN FORK	111.60	<b>Sedimentation/Siltation</b>		<b>Low</b>	<b>1154.24</b>	<b>Miles</b>	<b>0202</b>	<b>1204</b>
				<i>USEPA will develop a TMDL for Eel River, Upper Main Fork.</i>						
					<b>Range Land</b>					
					<b>Silviculture</b>					
					<b>Nonpoint Source</b>					
				<b>Temperature</b>		<b>Low</b>	<b>1154.24</b>	<b>Miles</b>	<b>0202</b>	<b>1204</b>
				<i>USEPA will develop a TMDL for Eel River, Upper Main Fork.</i>						
					<b>Nonpoint Source</b>					
1	R	ELK RIVER	110.000	<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>87</b>	<b>Miles</b>	<b>0207</b>	<b>2009</b>
				<i>Sedimentation, threat of sedimentation, impaired irrigation water quality, impaired domestic supply water quality, impaired spawning habitat, increased rate and depth of flooding due to sediment, property damage. Regional Water Board and California Department of Forestry staff are involved in ongoing efforts to attain adherence to Forest Practice Rules. It is possible that compliance will bring attainment prior to TMDL development.</i>						
					<b>Silviculture</b>					
					<b>Harvesting, Restoration, Residue Management</b>					
					<b>Logging Road Construction/Maintenance</b>					
					<b>Removal of Riparian Vegetation</b>					
					<b>Streambank Modification/Destabilization</b>					
					<b>Erosion/Siltation</b>					
					<b>Nonpoint Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE	
1	R	FRESHWATER CREEK	110.000	<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>72.67</b>	<b>Miles</b>	<b>0208</b>	<b>1210</b>	
				<p><i>Sedimentation, threat of sedimentation, impaired irrigation water quality, impaired domestic supply water quality, impaired spawning habitat, increased rate and depth of flooding due to sediment, property damage. Regional Water Board and California Department of Forestry staff are involved in ongoing efforts to attain adherence to Forest Practice Rules. It is possible that compliance will bring attainment prior to TMDL development.</i></p>							
				<p style="text-align: center;"><b>Silviculture</b>  <b>Harvesting, Restoration, Residue Management</b>  <b>Logging Road Construction/Maintenance</b>  <b>Erosion/Siltation</b>  <b>Nonpoint Source</b></p>							
1	R	GARCIA RIVER	113.700	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>39</b>	<b>Miles</b>	<b>0997</b>	<b>1297</b>	
				<p><i>The Regional Water Board is involved in extended public hearings to consider the adoption of a TMDL for sediment control on the Garcia River. In January, 1998, USEPA issued public notice for adoption and promulgation of a TMDL for sediment on the Garcia River.</i></p>							
				<p style="text-align: center;"><b>Riparian Grazing</b>  <b>Silviculture</b>  <b>Harvesting, Restoration, Residue Management</b>  <b>Logging Road Construction/Maintenance</b>  <b>Removal of Riparian Vegetation</b>  <b>Streambank Modification/Destabilization</b>  <b>Channel Erosion</b>  <b>Erosion/Siltation</b>  <b>Nonpoint Source</b></p>							
				<b>Temperature</b>		<b>High</b>	<b>39</b>	<b>Miles</b>	<b>0298</b>	<b>2000</b>	
				<p><i>Elevated temperatures impacting coldwater fisheries in these reaches and sub-areas: Planning Units 113.70010 (Pardaloe Creek), 113.70011, 12, 13, 14, 20, 21, and the entire mainstem Garcia River from Pardaloe Creek to the estuary, which includes that portion of 113.70022, 23, 24, 25, and 26. February 1998 - The Regional Water Board is working to adopt a TMDL for sediment on the Garcia River. It is possible that voluntary compliance with measures in this TMDL will improve conditions related to temperature prior to development of a TMDL for temperature.</i></p>							
				<p style="text-align: center;"><b>Habitat Modification</b>  <b>Removal of Riparian Vegetation</b>  <b>Streambank Modification/Destabilization</b>  <b>Nonpoint Source</b></p>							

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
1	R	GUALALA RIVER	113.800	<b>Sedimentation/Siltation</b>		Medium	35	Miles	0499	1201
					<b>Specialty Crop Production</b> <b>Silviculture</b> <b>Harvesting, Restoration, Residue Management</b> <b>Logging Road Construction/Maintenance</b> <b>Road Construction</b> <b>Land Development</b> <b>Disturbed Sites (Land Develop.)</b> <b>Erosion/Siltation</b> <b>Nonpoint Source</b>					
1	R	KLAMATH RIVER	105.000	<b>Nutrients</b>		Medium	190	Miles	0402	0404
					<i>Nutrient TMDLs will be developed for the area tributary to and including:</i> <i>Clear Lake Reservoir Area</i> <i>Lost River/Tule Lake to Oregon border</i> <i>Oregon border to iron Gate dam</i> <i>Iron Gate Dam to Scott River</i> <i>Scott River to Trinity River</i> <i>Trinity River to the Ocean</i>					
					<b>Municipal Point Sources</b> <b>Irrigated Crop Production</b> <b>Agricultural Return Flows</b> <b>Nonpoint Source</b>					
				<b>Org. enrichment/Low D.O.</b>		Medium	180	Miles	0202	1204
					<i>Dissolved oxygen levels do not meet Basin Plan Objective. Fisheries habitat is impaired due to low dissolved oxygen levels. Dissolved Oxygen TMDL will be developed for the mainstem of the Klamath River.</i>					
					<b>Municipal Point Sources</b> <b>Agricultural Return Flows</b> <b>Flow Regulation/Modification</b>					
				<b>Temperature</b>		Medium	190	Miles	0402	0404
					<i>Temperature TMDLs will be developed for the area tributary to and including:</i> <i>Clear Lake Reservoir Area</i> <i>Lost River/Tule Lake to Oregon border</i> <i>Oregon border to iron Gate dam</i> <i>Iron Gate Dam to Scott River</i> <i>Scott River to Trinity River</i> <i>Trinity River to the Ocean</i>					
					<b>Dam Construction/Operation</b> <b>Flow Regulation/Modification</b> <b>Water Diversions</b> <b>Habitat Modification</b> <b>Nonpoint Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
1	R	MAD RIVER	109.000							
				<b>Sedimentation/Siltation</b>		Low	90	Miles	0205	0207
				<i>USEPA will develop TMDL for the Mad River. Sediment TMDLs will be developed for the area tributary to and including: (1) the Mad River (North Fork), (2) the Mad River(Upper), and (3) the Mad River (Middle).</i>						
				<b>Silviculture</b>						
				<b>Resource Extraction</b>						
				<b>Nonpoint Source</b>						
				<b>Turbidity</b>		Low	90	Miles	0205	0207
				<i>Turbidity TMDLs will be developed for the area tributary to and including: (1) the Mad River (North Fork), (2) the Mad River(Upper), and (3) the Mad River (Middle).</i>						
				<b>Silviculture</b>						
				<b>Resource Extraction</b>						
				<b>Nonpoint Source</b>						
1	R	MATTOLE RIVER	112.300							
				<b>Sedimentation/Siltation</b>		Medium	56	Miles	0200	1202
				<b>Specialty Crop Production</b>						
				<b>Range Land</b>						
				<b>Riparian Grazing</b>						
				<b>Silviculture</b>						
				<b>Hydromodification</b>						
				<b>Habitat Modification</b>						
				<b>Removal of Riparian Vegetation</b>						
				<b>Streambank Modification/Destabilization</b>						
				<b>Erosion/Siltation</b>						
				<b>Nonpoint Source</b>						
				<b>Temperature</b>		Medium	56	Miles	0200	1202
				<b>Silviculture</b>						
				<b>Habitat Modification</b>						
				<b>Removal of Riparian Vegetation</b>						
				<b>Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE	
1	R	NAVARRO RIVER	113.500	<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>25</b>	<b>Miles</b>	<b>0298</b>	<b>1200</b>	
				<i>Sediment TMDLs will be developed for: (1) the area tributary to and including the Navarro River above Philo and (2) the area tributary to and including the Navarro River below Philo.</i>							
				<b>Agriculture</b>							
				<b>Nonirrigated Crop Production</b>							
				<b>Irrigated Crop Production</b>							
				<b>Specialty Crop Production</b>							
				<b>Range Land</b>							
				<b>Riparian Grazing</b>							
				<b>Upland Grazing</b>							
				<b>Agriculture-grazing</b>							
				<b>Silviculture</b>							
				<b>Harvesting, Restoration, Residue Management</b>							
				<b>Logging Road Construction/Maintenance</b>							
				<b>Silvicultural Point Sources</b>							
				<b>Construction/Land Development</b>							
				<b>Highway/Road/Bridge Construction</b>							
				<b>Road</b>							
				<b>Construction</b>							
				<b>Land Development</b>							
				<b>Disturbed Sites (Land Develop.)</b>							
				<b>Resource Extraction</b>							
				<b>Flow Regulation/Modification</b>							
				<b>Water Diversions</b>							
				<b>Habitat Modification</b>							
				<b>Removal of Riparian Vegetation</b>							
				<b>Streambank Modification/Destabilization</b>							
				<b>Drainage/Filling Of Wetlands</b>							
				<b>Channel Erosion</b>							
				<b>Erosion/Siltation</b>							
				<b>Nonpoint Source</b>							

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Temperature</b>		<b>Medium</b>	<b>25</b>	<b>Miles</b>	<b>0298</b>	<b>1200</b>
				<i>Temperature TMDLs will be developed for: (1) the area tributary to and including the Navarro River above Philo and (2) the area tributary to and including the Navarro River below Philo.</i>						
				<b>Agriculture</b>						
				<b>Agricultural Return Flows</b>						
				<b>Resource Extraction</b>						
				<b>Flow Regulation/Modification</b>						
				<b>Water Diversions</b>						
				<b>Agricultural Water Diversion</b>						
				<b>Habitat Modification</b>						
				<b>Removal of Riparian Vegetation</b>						
				<b>Streambank Modification/Destabilization</b>						
				<b>Drainage/Filling Of Wetlands</b>						
				<b>Nonpoint Source</b>						
<b>1</b>	<b>R</b>	<b>NOYO RIVER</b>	<b>113.200</b>	<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>35</b>	<b>Miles</b>	<b>0698</b>	<b>1299</b>
				<b>Silviculture</b>						
				<b>Nonpoint Source</b>						
<b>1</b>	<b>R</b>	<b>REDWOOD CREEK</b>	<b>107.000</b>	<b>Sedimentation/Siltation</b>		<b>Low</b>	<b>63</b>	<b>Miles</b>	<b>0497</b>	<b>1298</b>
				<i>Sediment TMDLs are being developed for: (1) the area tributary to and including the mainstem upstream of the Redwood National Park boundary and (2) for the area tributary to and including the mainstem within the Park boundary.</i>						
				<b>Range Land</b>						
				<b>Silviculture</b>						
				<b>Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE				
1	R	RUSSIAN RIVER	114.100	<b>Sedimentation/Siltation</b>		Medium	105	Miles	0209	1211				
				<p><i>[Entire watershed, mainly tributaries.]</i>  <i>Sedimentation, threat of sedimentation, siltation, turbidity, bank erosion impaired spawning and rearing habitat, increased rate and depth of flooding due to sediment, property damage, in Russian River and tributaries.</i>  <i>Aggradation in the main stem Russian River. Sonoma County Water Agency has begun a comprehensive Endangered Species Act habitat assessment. This project should arrive at assessment and control measures equivalent to TMDL allocation and attainment strategies.</i></p> <p><b>Specialty Crop Production</b>  <b>Riparian Grazing</b>  <b>Upland Grazing</b>  <b>Agriculture-storm runoff</b>  <b>Silviculture</b>  <b>Harvesting, Restoration, Residue Management</b>  <b>Logging Road Construction/Maintenance</b>  <b>Construction/Land Development</b>  <b>Highway/Road/Bridge Construction</b>  <b>Road Construction</b>  <b>Land Development</b>  <b>Disturbed Sites (Land Develop.)</b>  <b>Other Urban Runoff</b>  <b>Hydromodification</b>  <b>Channelization</b>  <b>Flow Regulation/Modification</b>  <b>Habitat Modification</b>  <b>Removal of Riparian Vegetation</b>  <b>Streambank Modification/Destabilization</b>  <b>Drainage/Filling Of Wetlands</b>  <b>Channel Erosion</b>  <b>Erosion/Siltation</b>  <b>Nonpoint Source</b></p>										
1	R	SCOTT RIVER	105.400	<b>Sedimentation/Siltation</b>		Low	68	Miles	0203	0405				
				<p><b>Irrigated Crop Production</b>  <b>Pasture Land</b>  <b>Silviculture</b>  <b>Resource Extraction</b>  <b>Mine Tailings</b>  <b>Nonpoint Source</b></p>										

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Temperature	Irrigated Crop Production Pasture Land Agricultural Return Flows Silviculture Water Diversions Habitat Modification Removal of Riparian Vegetation Streambank Modification/Destabilization Drainage/Filling Of Wetlands Nonpoint Source	Low	68	Miles	0203	0405
1	R	SHASTA RIVER	105.500	Org. enrichment/Low D.O.	Riparian Grazing Agricultural Return Flows Flow Regulation/Modification	Low	52	Miles	0203	0905
				Temperature	Agriculture-irrigation tailwater Water Diversions Agricultural Water Diversion Habitat Modification Removal of Riparian Vegetation Drainage/Filling Of Wetlands Nonpoint Source	Low	52	Miles	0203	0905
1	R	STEMPLE CREEK	115.400	Nutrients <i>This water body/pollutant was relisted by USEPA.</i>	Pasture Land Manure Lagoons Nonpoint Source	Low	17	Miles	0496	0498
1	R	TEN MILE RIVER	113.130	Sedimentation/Siltation <i>USEPA is developing TMDL for Ten Mile River.</i>	Silviculture Nonpoint Source	Low	10	Miles	0298	1200

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
1	R	TOMKI CREEK	111.620	<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>18</b>	<b>Miles</b>	<b>0202</b>	<b>1204</b>
<p><i>USEPA will develop TMDL's for Eel River Watershed in the Tomki Creek vicinity. Tomki Creek, tributary to the Eel River, has been listed under Clean Water Act Section 303(d) due to the effects of sedimentation. Restoration effort has targeted the riparian area. Tomki Creek is under consideration for removal from the 303(d) list.</i></p> <p style="text-align: center;"><b>Range Land Silviculture Erosion/Siltation Nonpoint Source</b></p>										
1	R	TRINITY RIVER	106.000	<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>170</b>	<b>Miles</b>	<b>0199</b>	<b>1201</b>
<p><i>USEPA will develop TMDL for Trinity River. Sediment TMDLs will be developed for the area tributary to and including: (1) the Trinity River (Upper), (2) the Trinity River (Middle), and (3) the Trinity River (Lower).</i></p> <p style="text-align: center;"><b>Range Land Silviculture Resource Extraction Mine Tailings Nonpoint Source</b></p>										
1	R	TRINITY RIVER, SOUTH FORK	106.200	<b>Sedimentation/Siltation</b>		<b>Low</b>	<b>80</b>	<b>Miles</b>	<b>0397</b>	<b>1298</b>
<p><i>USEPA will be developing TMDL for South Fork Trinity River. Sediment TMDLs will be developed for: (1) areas tributary to and including Hayfork/Corral Creeks and (2) areas tributary to and including the South Fork of the Trinity River except Hayfork/Corral Creeks</i></p> <p style="text-align: center;"><b>Riparian Grazing Silviculture Nonpoint Source</b></p>										
<p style="text-align: center;"><b>Temperature</b></p> <p><i>Elevated temperatures impact coldwater fisheries. USEPA will be developing TMDL for South Fork Trinity River.</i></p> <p style="text-align: center;"><b>Low</b>      <b>80</b>      <b>Miles</b>      <b>0206</b>      <b>1208</b></p> <p style="text-align: center;"><b>Riparian Grazing Water Diversions Habitat Modification Removal of Riparian Vegetation Streambank Modification/Destabilization</b></p>										
1	R	VAN DUZEN RIVER	111.200	<b>Sedimentation/Siltation</b>		<b>Low</b>	<b>63</b>	<b>Miles</b>	<b>0297</b>	<b>1299</b>
<p><i>USEPA is developing TMDL for Van Duzen River. Sediment TMDLs will be developed for: (1) areas tributary to and including Yager Creek, (2) areas tributary to and including the Van Duzen River above Bridgeville, and (3) areas tributary to and including the Van Duzen River below Bridgeville.</i></p> <p style="text-align: center;"><b>Range Land Silviculture Erosion/Siltation Nonpoint Source</b></p>										

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE		
2	B	CARQUINEZ STRAIT	207.100	<b>Chlordane</b>		Low	6560	Acres				
				<i>This listing was made by USEPA.</i>								
				<b>Nonpoint Source</b>								
				<b>Copper</b>		Medium	6560	Acres	2003	2008		
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.</i>								
				<b>Municipal Point Sources</b>								
				<b>Urban Runoff/Storm Sewers</b>								
				<b>Other</b>								
				<b>Atmospheric Deposition</b>								
				<b>DDT</b>		Low	6560	Acres				
				<i>This listing was made by USEPA.</i>								
				<b>Nonpoint Source</b>								
				<b>Diazinon</b>		Medium	6560	Acres	2000	2005		
				<i>Diazinon levels cause water column toxicity. Two patterns: pulses through riverine systems linked to agricultural application in late winter and pulse from residential land use areas linked to homeowner pesticide use in late spring, early summer. Chlorpyrifos may also be the cause of toxicity; more data needed, however.</i>								
				<b>Nonpoint Source</b>								
				<b>Dieldrin</b>		Low	6560	Acres				
				<i>This listing was made by USEPA.</i>								
				<b>Nonpoint Source</b>								
				<b>Dioxin compounds*</b>		High	6560	Acres				
				<i>* The specific compounds are: 2,3,7,8-TCDD, 1,2,3,7,8-PeCDD, 1,2,3,4,7,8-HxCDD, 1,2,3,6,7,8-HxCDD, 1,2,3,7,8,9-HxCDD, 1,2,3,4,6,7,8-HpCDD, and OCDD.</i>								
				<i>This listing was made by USEPA.</i>								
				<b>Atmospheric Deposition</b>								
				<b>Exotic Species</b>		High	6560	Acres	1998	2003		
				<i>Disrupt natural benthos; change pollutant availability in food chain; disrupt food availability to native species.</i>								
				<b>Ballast Water</b>								
				<b>Furan compounds*</b>		High	6560	Acres				
				<i>* The specific compounds are: 2,3,7,8-TCDF, 1,2,3,7,8-PcCDF, 2,3,4,7,8-PeCDF, 1,2,3,4,7,8-HxCDF, 1,2,3,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDF, 2,3,4,6,7,8-HxCDF, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, and OCDF.</i>								
				<i>This listing was made by USEPA.</i>								
				<b>Atmospheric Deposition</b>								

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Mercury</b>		<b>High</b>	<b>6560</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Current data indicate fish consumption and wildlife consumption impacted uses. Major source is historic: gold mining sediments and local mercury mining; most significant ongoing source is erosion and drainage from abandoned mines; moderate to low level inputs from point sources.</i>						
				<b>Industrial Point Sources</b>						
				<b>Municipal Point Sources</b>						
				<b>Resource Extraction</b>						
				<b>Atmospheric Deposition</b>						
				<b>Natural Sources</b>						
				<b>Nonpoint Source</b>						
				<b>Nickel</b>		<b>Low</b>	<b>6560</b>	<b>Acres</b>	<b>2006</b>	<b>2010</b>
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.</i>						
				<b>Municipal Point Sources</b>						
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Other</b>						
				<b>PCBs</b>		<b>Medium</b>	<b>6560</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				<i>This listing covers non dioxin-like PCBs.</i>						
				<i>Interim health advisory for fish; uncertainty regarding water column concentration data.</i>						
				<b>Unknown Nonpoint Source</b>						
				<b>PCBs (dioxin-like)*</b>		<b>High</b>	<b>6560</b>	<b>Acres</b>		
				<i>* The specific dioxin-like PCBs are 3,4,4',5-TCB (81), 3,3',3,3'-TCB (77), 3,3',4,4',5-PeCB (126), 3,3',4,4',4,4'-HxCB (169), 2,3,3',4,4'-PeCB (105), 2,3,4,4',5-PeCB (114), 2,3',4,4',5-PeCB (118), 2',3,4,4',5-PeCB (123), 2,3,3',4,4',5-HxCB (156), 2,3,3',4,4',5'-HxCB (157), 2,3',4,4',5,5'-HxCB (167), 2,3,3',4,4',5,5'-HpCB (189).</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Unknown Nonpoint Source</b>						
				<b>Selenium</b>		<b>Low</b>	<b>6560</b>	<b>Acres</b>	<b>2006</b>	<b>2010</b>
				<i>Affected use is one branch of the food chain; most sensitive indicator is hatchability in nesting diving birds, significant contributions from oil refineries (control program in place) and agriculture (carried downstream by rivers); exotic species may have made food chain more susceptible to accumulation of selenium; health consumption advisory in effect for scaup and scoter (diving ducks); low TMDL priority because Individual Control Strategy in place.</i>						
				<b>Industrial Point Sources</b>						
				<b>Agriculture</b>						
<b>2</b>	<b>B</b>	<b>RICHARDSON BAY</b>	<b>203.130</b>							
				<b>Chlordane</b>		<b>Low</b>	<b>2560</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>DDT</b>		<b>Low</b>	<b>2560</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Dieldrin</b>		<b>Low</b>	<b>2560</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Dioxin compounds*</b>		<b>High</b>	<b>2560</b>	<b>Acres</b>		
				* The specific compounds are: 2,3,7,8-TCDD, 1,2,3,7,8-PeCDD, 1,2,3,4,7,8-HxCDD, 1,2,3,6,7,8-HxCDD, 1,2,3,7,8,9-HxCDD, 1,2,3,4,6,7,8-HpCDD, and OCDD.						
				This listing was made by USEPA.						
				<b>Atmospheric Deposition</b>						
				<b>Exotic Species</b>		<b>High</b>	<b>2560</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				Disrupt natural benthos; change pollutant availability in food chain; endanger food availability to native species.						
				<b>Ballast Water</b>						
				<b>Furan compounds*</b>		<b>High</b>	<b>2560</b>	<b>Acres</b>		
				* The specific compounds are: 2,3,7,8-TCDF, 1,2,3,7,8-PcCDF, 2,3,4,7,8-PeCDF, 1,2,3,4,7,8-HxCDF, 1,2,3,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDF, 2,3,4,6,7,8-HxCDF, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, and OCDF.						
				This listing was made by USEPA.						
				<b>Atmospheric Deposition</b>						
				<b>High Coliform Count</b>		<b>Medium</b>	<b>200</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				Affected area, Waldo Point Harbor, is less than 10% of embayment; source has been positively identified as substandard sewage systems in some houseboat areas; extensive local control program in place with significant water quality improvements.						
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Septage Disposal</b>						
				<b>Boat Discharges/Vessel Wastes</b>						
				<b>Mercury</b>		<b>High</b>	<b>2560</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				Current data indicate fish consumption and wildlife consumption impacted uses: health consumption advisory in effect for multiple fish species including striped bass and shark. Major source is historic: gold mining sediments and local mercury mining; most significant ongoing source is erosion and drainage from abandoned mines; moderate to low level inputs from point sources.						
				<b>Municipal Point Sources</b>						
				<b>Resource Extraction</b>						
				<b>Atmospheric Deposition</b>						
				<b>Natural Sources</b>						
				<b>Nonpoint Source</b>						
				<b>PCBs</b>		<b>Medium</b>	<b>2560</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				This listing covers non dioxin-like PCBs. Interim health advisory for fish; uncertainty regarding water column concentration data.						
				<b>Unknown Nonpoint Source</b>						
				<b>PCBs (dioxin-like)*</b>		<b>High</b>	<b>2560</b>	<b>Acres</b>		
				* The specific dioxin-like PCBs are 3,4,4',5-TCB (81), 3,3',3,3'-TCB (77), 3,3',4,4',5-PeCB (126), 3,3',4,4',4,4'-HxCB (169), 2,3,3',4,4'-PeCB (105), 2,3,4,4',5-PeCB (114), 2,3',4,4',5-PeCB (118), 2',3,4,4',5-PeCB (123), 2,3,3',4,4',5-HxCB (156), 2,3,3',4,4',5'-HxCB (157), 2,3',4,4',5,5'-HxCB (167), 2,3,3',4,4',5,5'-HpCB (189).						
				This listing was made by USEPA.						
				<b>Unknown Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
2	B	SAN FRANCISCO BAY, CENTRAL	203.120	<b>Chlordane</b>		Low	67700	Acres		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Copper</b>		Medium	67700	Acres	2003	2008
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.</i>						
				<b>Municipal Point Sources</b>						
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Other</b>						
				<b>Atmospheric Deposition</b>						
				<b>DDT</b>		Low	67700	Acres		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Diazinon</b>		Medium	67700	Acres	2000	2005
				<i>Diazinon levels cause water column toxicity. Two patterns: pulses through riverine systems linked to agricultural application in late winter and pulse from residential land use areas linked to homeowner pesticide use in late spring, early summer. Chlorpyrifos may also be the cause of toxicity; more data needed, however.</i>						
				<b>Nonpoint Source</b>						
				<b>Dieldrin</b>		Low	67700	Acres		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Dioxin compounds*</b>		High	67700	Acres		
				<i>* The specific compounds are: 2,3,7,8-TCDD, 1,2,3,7,8-PeCDD, 1,2,3,4,7,8-HxCDD, 1,2,3,6,7,8-HxCDD, 1,2,3,7,8,9-HxCDD, 1,2,3,4,6,7,8-HpCDD, and OCDD.</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Atmospheric Deposition</b>						
				<b>Exotic Species</b>		High	67700	Acres	1998	2003
				<i>Disrupt natural benthos; change pollutant availability in food chain; endanger food availability to native species.</i>						
				<b>Ballast Water</b>						
				<b>Furan compounds*</b>		High	67700	Acres		
				<i>* The specific compounds are: 2,3,7,8-TCDF, 1,2,3,7,8-PcCDF, 2,3,4,7,8-PeCDF, 1,2,3,4,7,8-HxCDF, 1,2,3,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDF, 2,3,4,6,7,8-HxCDF, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, and OCDF.</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Atmospheric Deposition</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Mercury</b>		<b>High</b>	<b>67700</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Current data indicate fish consumption and wildlife consumption impacted uses: health consumption advisory in effect for multiple fish species including striped bass and shark. Major source is historic: gold mining sediments and local mercury mining; most significant ongoing source is erosion and drainage from abandoned mines; moderate to low level inputs from point sources.</i>						
					<b>Industrial Point Sources</b>					
					<b>Municipal Point Sources</b>					
					<b>Resource Extraction</b>					
					<b>Atmospheric Deposition</b>					
					<b>Natural Sources</b>					
					<b>Nonpoint Source</b>					
				<b>PCBs</b>		<b>Medium</b>	<b>67700</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				<i>This listing covers non dioxin-like PCBs. Interim health advisory for fish; uncertainty regarding water column concentration data.</i>						
					<b>Unknown Nonpoint Source</b>					
				<b>PCBs (dioxin-like)*</b>		<b>High</b>	<b>67700</b>	<b>Acres</b>		
				<i>* The specific dioxin-like PCBs are 3,4,4',5'-TCB (81), 3,3',3,3'-TCB (77), 3,3',4,4',5'-PeCB (126), 3,3',4,4',4,4'-HxCB (169), 2,3,3',4,4'-PeCB (105), 2,3,4,4',5'-PeCB (114), 2,3',4,4',5'-PeCB (118), 2',3,4,4',5'-PeCB (123), 2,3,3',4,4',5'-HxCB (156), 2,3,3',4,4',5'-HxCB (157), 2,3',4,4',5,5'-HxCB (167), 2,3,3',4,4',5,5'-HpCB (189)</i>						
				<i>This listing was made by USEPA.</i>						
					<b>Unknown Nonpoint Source</b>					
				<b>Selenium</b>		<b>Low</b>	<b>67700</b>	<b>Acres</b>	<b>2006</b>	<b>2010</b>
				<i>Affected use is one branch of the food chain; most sensitive indicator is hatchability in nesting diving birds, significant contributions from oil refineries (control program in place) and agriculture (carried downstream by rivers); exotic species may have made food chain more susceptible to accumulation of selenium; health consumption advisory in effect for scaup and scoter (diving ducks); low TMDL priority because Individual Control Strategy in place.</i>						
					<b>Industrial Point Sources</b>					
					<b>Agriculture</b>					
					<b>Natural Sources</b>					
					<b>Exotic Species</b>					
<b>2</b>	<b>B</b>	<b>SAN FRANCISCO BAY, LOWER</b>	<b>204.100</b>	<b>Chlordane</b>		<b>Low</b>	<b>79900</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
					<b>Nonpoint Source</b>					
				<b>Copper</b>		<b>Medium</b>	<b>79900</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.</i>						
					<b>Municipal Point Sources</b>					
					<b>Urban Runoff/Storm Sewers</b>					
					<b>Other</b>					
					<b>Atmospheric Deposition</b>					
				<b>DDT</b>		<b>Low</b>	<b>79900</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
					<b>Nonpoint Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Diazinon</b>		<b>Medium</b>	<b>79900</b>	<b>Acres</b>	<b>2000</b>	<b>2005</b>
				<i>Diazinon levels cause water column toxicity. Two patterns: pulses through riverine systems linked to agricultural application in late winter and pulse from residential land use areas linked to homeowner pesticide use in late spring, early summer. Chlorpyrifos may also be the cause of toxicity; more data needed, however.</i>						
				<b>Nonpoint Source</b>						
				<b>Dieldrin</b>		<b>Low</b>	<b>79900</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Dioxin compounds*</b>		<b>High</b>	<b>79900</b>	<b>Acres</b>		
				<i>* The specific compounds are: 2,3,7,8-TCDD, 1,2,3,7,8-PeCDD, 1,2,3,4,7,8-HxCDD, 1,2,3,6,7,8-HxCDD, 1,2,3,7,8,9-HxCDD, 1,2,3,4,6,7,8-HpCDD, and OCDD.</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Atmospheric Deposition</b>						
				<b>Exotic Species</b>		<b>High</b>	<b>79900</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Disrupt natural benthos; change pollutant availability in food chain; endanger food availability to native species.</i>						
				<b>Ballast Water</b>						
				<b>Furan compounds*</b>		<b>High</b>	<b>79900</b>	<b>Acres</b>		
				<i>* The specific compounds are: 2,3,7,8-TCDF, 1,2,3,7,8-PcCDF, 2,3,4,7,8-PeCDF, 1,2,3,4,7,8-HxCDF, 1,2,3,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDF, 2,3,4,6,7,8-HxCDF, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, and OCDF.</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Atmospheric Deposition</b>						
				<b>Mercury</b>		<b>High</b>	<b>79900</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Current data indicate fish consumption and wildlife consumption impacted uses: health consumption advisory in effect for multiple fish species including striped bass and shark. Major source is historic: gold mining sediments and local mercury mining; most significant ongoing source is erosion and drainage from abandoned mines; moderate to low level inputs from point sources; water objective exceedances. Elevated sediment levels, elevated tissue levels.</i>						
				<b>Industrial Point Sources</b>						
				<b>Municipal Point Sources</b>						
				<b>Resource Extraction</b>						
				<b>Atmospheric Deposition</b>						
				<b>Natural Sources</b>						
				<b>Nonpoint Source</b>						
				<b>Nickel</b>		<b>Medium</b>	<b>79900</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels of nickel.</i>						
				<b>Municipal Point Sources</b>						
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Other</b>						
				<b>Atmospheric Deposition</b>						
				<b>PCBs</b>		<b>Medium</b>	<b>79900</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				<i>This listing covers non dioxin-like PCBs.</i>						
				<i>Interim health advisory for fish: uncertainty regarding water column concentration data.</i>						
				<b>Unknown Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>PCBs (dioxin-like)*</b>		<b>High</b>	<b>79900</b>	<b>Acres</b>		
				<i>* The specific dioxin-like PCBs are 3,4,4',5-TCB (81), 3,3',3,3'-TCB (77), 3,3',4,4',5-PeCB (126), 3,3',4,4',4,4'-HxCB (169), 2,3,3',4,4'-PeCB (105), 2,3,4,4',5-PeCB (114), 2,3',4,4',5-PeCB (118), 2',3,4,4',5-PeCB (123), 2,3,3',4,4',5-HxCB (156), 2,3,3',4,4',5'-HxCB (157), 2,3',4,4',5,5'-HxCB (167), 2,3,3',4,4',5,5'-HpCB (189).</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Unknown Nonpoint Source</b>						
2	B	SAN FRANCISCO BAY, SOUTH	205.100							
				<b>Chlordane</b>		<b>Low</b>	<b>24500</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Copper</b>		<b>High</b>	<b>24500</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.</i>						
				<b>Municipal Point Sources</b>						
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Other</b>						
				<b>Atmospheric Deposition</b>						
				<b>DDT</b>		<b>Low</b>	<b>24500</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Diazinon</b>		<b>Medium</b>	<b>24500</b>	<b>Acres</b>	<b>2000</b>	<b>2005</b>
				<i>Diazinon levels cause water column toxicity. Two patterns: pulses through riverine systems linked to agricultural application in late winter and pulse from residential land use areas linked to homeowner pesticide use in late spring, early summer. Chlorpyrifos may also be the cause of toxicity; more data needed, however.</i>						
				<b>Nonpoint Source</b>						
				<b>Dieldrin</b>		<b>Low</b>	<b>24500</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Dioxin compounds*</b>		<b>High</b>	<b>24500</b>	<b>Acres</b>		
				<i>* The specific compounds are: 2,3,7,8-TCDD, 1,2,3,7,8-PeCDD, 1,2,3,4,7,8-HxCDD, 1,2,3,6,7,8-HxCDD, 1,2,3,7,8,9-HxCDD, 1,2,3,4,6,7,8-HpCDD, and OCDD.</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Atmospheric Deposition</b>						
				<b>Exotic Species</b>		<b>High</b>	<b>24500</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Disrupt natural benthos; change pollutant availability in food chain; endanger food availability to native species.</i>						
				<b>Ballast Water</b>						
				<b>Furan compounds*</b>		<b>High</b>	<b>24500</b>	<b>Acres</b>		
				<i>* The specific compounds are: 2,3,7,8-TCDF, 1,2,3,7,8-PcCDF, 2,3,4,7,8-PeCDF, 1,2,3,4,7,8-HxCDF, 1,2,3,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDF, 2',3,4,6,7,8-HxCDF, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, and OCDF.</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Atmospheric Deposition</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Mercury</b>		<b>High</b>	<b>24500</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Current data indicate fish consumption and wildlife consumption impacted uses: health consumption advisory in effect for multiple fish species including striped bass and shark. Major source is historic: gold mining sediments and local mercury mining; most significant ongoing source is erosion and drainage from abandoned mines; moderate to low level inputs from point sources; water objective exceedances. Elevated sediment levels, elevated tissue levels.</i>						
				<b>Industrial Point Sources</b> <b>Municipal Point Sources</b> <b>Resource Extraction</b> <b>Atmospheric Deposition</b> <b>Natural Sources</b> <b>Nonpoint Source</b>						
				<b>Nickel</b>		<b>High</b>	<b>24500</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.</i>						
				<b>Municipal Point Sources</b> <b>Urban Runoff/Storm Sewers</b> <b>Other</b>						
				<b>PCBs</b>		<b>Medium</b>	<b>24500</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				<i>This listing covers non dioxin-like PCBs. Interim health advisory for fish; uncertainty regarding water column concentration data.</i>						
				<b>Unknown Nonpoint Source</b>						
				<b>PCBs (dioxin-like)*</b>		<b>High</b>	<b>24500</b>	<b>Acres</b>		
				<i>* The specific dioxin-like PCBs are 3,4,4',5-TCB (81), 3,3',3,3'-TCB (77), 3,3',4,4',5-PeCB (126), 3,3',4,4',4,4'-HxCB (169), 2,3,3',4,4'-PeCB (105), 2,3,4,4',5-PeCB (114), 2,3',4,4',5-PeCB (118), 2',3,4,4',5-PeCB (123), 2,3,3',4,4',5-HxCB (156), 2,3,3',4,4',5'-HxCB (157), 2,3',4,4',5,5'-HxCB (167), 2,3,3',4,4',5,5'-HpCB (189).</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Unknown Nonpoint Source</b>						
				<b>Selenium</b>		<b>Low</b>	<b>24500</b>	<b>Acres</b>	<b>2006</b>	<b>2010</b>
				<i>A formal health advisory has been issued by OEHHA for benthic-feeding ducks in South San Francisco Bay. This health advisory clearly establishes that water contact recreation beneficial use (REC-1) is not fully supported and standards are not fully met.</i>						
				<b>Agriculture</b> <b>Domestic Use of Ground Water</b>						
<b>2</b>	<b>B</b>	<b>SAN PABLO BAY</b>	<b>206.100</b>	<b>Chlordane</b>		<b>Low</b>	<b>71300</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Copper</b>		<b>Medium</b>	<b>71300</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.</i>						
				<b>Municipal Point Sources</b> <b>Urban Runoff/Storm Sewers</b> <b>Atmospheric Deposition</b> <b>Other</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>DDT</b>		<b>Low</b>	<b>71300</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Diazinon</b>		<b>Medium</b>	<b>71300</b>	<b>Acres</b>	<b>2000</b>	<b>2005</b>
				<i>Diazinon levels cause water column toxicity. Two patterns: pulses through riverine systems linked to agricultural application in late winter and pulse from residential land use areas linked to homeowner pesticide use in late spring, early summer. Chlorpyrifos may also be the cause of toxicity; more data needed, however.</i>						
				<b>Nonpoint Source</b>						
				<b>Dieldrin</b>		<b>Low</b>	<b>71300</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Dioxin compounds*</b>		<b>High</b>	<b>71300</b>	<b>Acres</b>		
				<i>* The specific compounds are: 2,3,7,8-TCDD, 1,2,3,7,8-PeCDD, 1,2,3,4,7,8-HxCDD, 1,2,3,6,7,8-HxCDD, 1,2,3,7,8,9-HxCDD, 1,2,3,4,6,7,8-HpCDD, and OCDD.</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Atmospheric Deposition</b>						
				<b>Exotic Species</b>		<b>High</b>	<b>71300</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Disrupt natural benthos; change pollutant availability in food chain; disrupt food availability to native species.</i>						
				<b>Ballast Water</b>						
				<b>Furan compounds*</b>		<b>High</b>	<b>71300</b>	<b>Acres</b>		
				<i>* The specific compounds are: 2,3,7,8-TCDF, 1,2,3,7,8-PcCDF, 2,3,4,7,8-PeCDF, 1,2,3,4,7,8-HxCDF, 1,2,3,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDF, 2,3,4,6,7,8-HxCDF, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, and OCDF.</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Atmospheric Deposition</b>						
				<b>Mercury</b>		<b>High</b>	<b>71300</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Current data indicate fish consumption and wildlife consumption impacted uses: health consumption advisory in effect for multiple fish species including striped bass and shark. Major source is historic: gold mining sediments and local mercury mining; most significant ongoing source is erosion and drainage from abandoned mines; moderate to low level inputs from point sources.</i>						
				<b>Municipal Point Sources</b>						
				<b>Resource Extraction</b>						
				<b>Atmospheric Deposition</b>						
				<b>Natural Sources</b>						
				<b>Nonpoint Source</b>						
				<b>Nickel</b>		<b>Low</b>	<b>71300</b>	<b>Acres</b>	<b>2006</b>	<b>2010</b>
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.</i>						
				<b>Municipal Point Sources</b>						
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Other</b>						
				<b>PCBs</b>		<b>Medium</b>	<b>71300</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				<i>This listing covers non dioxin-like PCBs. Interim health advisory for fish; uncertainty regarding water column concentration data.</i>						
				<b>Unknown Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>PCBs (dioxin-like)*</b>		<b>High</b>	<b>71300</b>	<b>Acres</b>		
				<i>* The specific dioxin-like PCBs are 3,4,4',5-TCB (81), 3,3',3,3'-TCB (77), 3,3',4,4',5-PeCB (126), 3,3',4,4',4,4'-HxCB (169), 2,3,3',4,4'-PeCB (105), 2,3,4,4',5-PeCB (114), 2,3',4,4',5-PeCB (118), 2',3,4,4',5-PeCB (123), 2,3,3',4,4',5-HxCB (156), 2,3,3',4,4',5'-HxCB (157), 2,3',4,4',5,5'-HxCB (167), 2,3,3',4,4',5,5'-HpCB (189).</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Unknown Nonpoint Source</b>						
				<b>Selenium</b>		<b>Low</b>	<b>71300</b>	<b>Acres</b>	<b>2006</b>	<b>2010</b>
				<i>Affected use is one branch of the food chain; most sensitive indicator is hatchability in nesting diving birds, significant contributions from oil refineries (control program in place) and agriculture (carried downstream by rivers); exotic species may have made food chain more susceptible to accumulation of selenium; health consumption advisory in effect for scaup and scoter (diving ducks); low TMDL priority because Individual Control Strategy in place.</i>						
				<b>Industrial Point Sources</b>						
				<b>Agriculture</b>						
				<b>Natural Sources</b>						
				<b>Exotic Species</b>						
<b>2</b>	<b>B</b>	<b>SUISUN BAY</b>	<b>207.100</b>							
				<b>Chlordane</b>		<b>Low</b>	<b>25000</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Copper</b>		<b>Medium</b>	<b>25000</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.</i>						
				<b>Municipal Point Sources</b>						
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Other</b>						
				<b>Atmospheric Deposition</b>						
				<b>DDT</b>		<b>Low</b>	<b>25000</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Diazinon</b>		<b>Medium</b>	<b>25000</b>	<b>Acres</b>	<b>2000</b>	<b>2005</b>
				<i>Diazinon levels cause water column toxicity. Two patterns: pulses through riverine systems linked to agricultural application in late winter and pulse from residential land use areas linked to homeowner pesticide use in late spring, early summer. Chlorpyrifos may also be the cause of toxicity; more data needed, however.</i>						
				<b>Nonpoint Source</b>						
				<b>Dieldrin</b>		<b>Low</b>	<b>25000</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Dioxin compounds*</b>		<b>High</b>	<b>25000</b>	<b>Acres</b>		
				<i>* The specific compounds are: 2,3,7,8-TCDD, 1,2,3,7,8-PeCDD, 1,2,3,4,7,8-HxCDD, 1,2,3,6,7,8-HxCDD, 1,2,3,7,8,9-HxCDD, 1,2,3,4,6,7,8-HpCDD, and OCDD.</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Atmospheric Deposition</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Exotic Species</b>		<b>High</b>	<b>25000</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Disrupt natural benthos; change pollutant availability in food chain; disrupt food availability to native species.</i>						
				<b>Ballast Water</b>						
				<b>Furan compounds*</b>		<b>High</b>	<b>25000</b>	<b>Acres</b>		
				<i>* The specific compounds are: 2,3,7,8-TCDF, 1,2,3,7,8-PcCDF 2,3,4,7,8-PeCDF, 1,2,3,4,7,8-HxCDF, 1,2,3,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDF, 2',3,4,6,7,8-HxCDF, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, and OCDF.</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Atmospheric Deposition</b>						
				<b>Mercury</b>		<b>High</b>	<b>25000</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>Current data indicate fish consumption and wildlife consumption impacted uses. Major source is historic: gold mining sediments and local mercury mining; most significant ongoing source is erosion and drainage from abandoned mines; moderate to low level inputs from point sources.</i>						
				<b>Industrial Point Sources</b>						
				<b>Resource Extraction</b>						
				<b>Atmospheric Deposition</b>						
				<b>Natural Sources</b>						
				<b>Nonpoint Source</b>						
				<b>Nickel</b>		<b>Low</b>	<b>25000</b>	<b>Acres</b>	<b>2006</b>	<b>2010</b>
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.</i>						
				<b>Municipal Point Sources</b>						
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Other</b>						
				<b>PCBs</b>		<b>Medium</b>	<b>25000</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				<i>This listing covers non dioxin-like PCBs.</i>						
				<i>Interim health advisory for fish; uncertainty regarding water column concentration data.</i>						
				<b>Unknown Nonpoint Source</b>						
				<b>PCBs (dioxin-like)*</b>		<b>High</b>	<b>25000</b>	<b>Acres</b>		
				<i>* The specific dioxin-like PCBs are 3,4,4',5-TCB (81), 3,3',3,3'-TCB (77), 3,3',4,4',5-PeCB (126), 3,3',4,4',4,4'-HxCB (169), 2,3,3',4,4'-PeCB (105), 2,3,4,4',5-PeCB (114), 2,3',4,4',5-PeCB (118), 2',3,4,4',5-PeCB (123), 2,3,3',4,4',5-HxCB (156), 2,3,3',4,4',5-HxCB (157), 2,3',4,4',5,5'-HxCB (167), 2,3,3',4,4',5,5'-HpCB (189).</i>						
				<i>This listing was made by USEPA.</i>						
				<b>Unknown Nonpoint Source</b>						
				<b>Selenium</b>		<b>Low</b>	<b>25000</b>	<b>Acres</b>	<b>2006</b>	<b>2010</b>
				<i>Affected use is one branch of the food chain; most sensitive indicator is hatchability in nesting diving birds, significant contributions from oil refineries (control program in place) and agriculture (carried downstream by rivers); exotic species may have made food chain more susceptible to accumulation of selenium; health consumption advisory in effect for scaup and scoter (diving ducks); low TMDL priority because Individual Control Strategy in place.</i>						
				<b>Industrial Point Sources</b>						
				<b>Natural Sources</b>						
				<b>Exotic Species</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
2	B	TOMALES BAY	201.110	<b>Metals</b>		Medium	7820	Acres	2002	2007
				<i>TMDL will be developed as part of evolving watershed management effort. Tributary streams, Lagunitas Creek and Walker Creek, must be managed first. Additional monitoring and assessment needed.</i>						
				<b>Mine Tailings</b>						
				<b>Nutrients</b>		Medium	7820	Acres	2002	2007
				<i>TMDL will be developed as part of evolving watershed management effort. Tributary streams, Lagunitas Creek and Walker Creek, must be managed first. Additional monitoring and assessment needed.</i>						
				<b>Agriculture</b>						
				<b>Pathogens</b>		Medium	7820	Acres	2002	2007
				<i>TMDL will be developed as part of evolving watershed management effort. Tributary streams, Lagunitas Creek and Walker Creek, must be managed first. Additional monitoring and assessment needed.</i>						
				<b>Animal Operations</b>						
				<b>Septage Disposal</b>						
				<b>Sedimentation/Siltation</b>		Medium	7820	Acres	2002	2007
				<i>TMDL will be developed as part of evolving watershed management effort. Tributary streams, Lagunitas Creek and Walker Creek, must be managed first. Additional monitoring and assessment needed.</i>						
				<b>Agriculture</b>						
				<b>Upstream Impoundment</b>						
2	E	SACRAMENTO SAN JOAQUIN DELTA	207.100	<b>Chlordane</b>		Low	15000	Acres		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Copper</b>		Medium	15000	Acres	2003	2008
				<i>Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.</i>						
				<b>Municipal Point Sources</b>						
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Other</b>						
				<b>Atmospheric Deposition</b>						
				<b>DDT</b>		Low	15000	Acres		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Diazinon</b>		Medium	15000	Acres	2000	2005
				<i>Diazinon levels cause water column toxicity. Two patterns: pulses through riverine systems linked to agricultural application in late winter and pulse from residential land use areas linked to homeowner pesticide use in late spring, early summer. Chlorpyrifos may also be the cause of toxicity; more data needed, however.</i>						
				<b>Nonpoint Source</b>						
				<b>Dieldrin</b>		Low	15000	Acres		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Dioxin compounds*</b>		<b>High</b>	<b>15000</b>	<b>Acres</b>		
				* The specific compounds are: 2,3,7,8-TCDD, 1,2,3,7,8-PeCDD, 1,2,3,4,7,8-HxCDD, 1,2,3,6,7,8-HxCDD, 1,2,3,7,8,9-HxCDD, 1,2,3,4,6,7,8-HpCDD, and OCDD.						
				This listing was made by USEPA.						
				<b>Atmospheric Deposition</b>						
				<b>Exotic Species</b>		<b>High</b>	<b>15000</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				Disrupt natural benthos; change pollutant availability in food chain; endanger food availability to native species.						
				<b>Ballast Water</b>						
				<b>Furan compounds*</b>		<b>High</b>	<b>15000</b>	<b>Acres</b>		
				* The specific compounds are: 2,3,7,8-TCDF, 1,2,3,7,8-PcCDF, 2,3,4,7,8-PeCDF, 1,2,3,4,7,8-HxCDF, 1,2,3,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDF, 2,3,4,6,7,8-HxCDF, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, and OCDF.						
				This listing was made by USEPA.						
				<b>Atmospheric Deposition</b>						
				<b>Mercury</b>		<b>High</b>	<b>15000</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				Current data indicate fish consumption and wildlife consumption impacted uses. Major source is historic: gold mining sediments and local mercury mining; most significant ongoing source is erosion and drainage from abandoned mines; moderate to low level inputs from point sources.						
				<b>Industrial Point Sources</b>						
				<b>Municipal Point Sources</b>						
				<b>Resource Extraction</b>						
				<b>Atmospheric Deposition</b>						
				<b>Nonpoint Source</b>						
				<b>Nickel</b>		<b>Low</b>	<b>15000</b>	<b>Acres</b>	<b>2006</b>	<b>2010</b>
				Exceedance of California Toxic Rules dissolved criteria and National Toxic Rules total criteria; elevated water and sediment tissue levels.						
				<b>Municipal Point Sources</b>						
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Other</b>						
				<b>PCBs</b>		<b>Medium</b>	<b>15000</b>	<b>Acres</b>	<b>2003</b>	<b>2008</b>
				This listing covers non dioxin-like PCBs.						
				Interim health advisory for fish; uncertainty regarding water column concentration data.						
				<b>Unknown Nonpoint Source</b>						
				<b>PCBs (dioxin-like)*</b>		<b>High</b>	<b>15000</b>	<b>Acres</b>		
				* The specific dioxin-like PCBs are 3,4,4',5-TCB (81), 3,3',3,3'-TCB (77), 3,3',4,4',5-PeCB (126), 3,3',4,4',4,4'-HxCB (169), 2,3,3',4,4'-PeCB (105), 2,3,4,4',5-PeCB (114), 2,3',4,4',5-PeCB (118), 2',3,4,4',5-PeCB (123), 2,3,3',4,4',5-HxCB (156), 2,3,3',4,4',5'-HxCB (157), 2,3',4,4',5,5'-HxCB (167), 2,3,3',4,4',5,5'-HpCB (189).						
				This listing was made by USEPA.						
				<b>Unknown Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Selenium</b>		<b>Low</b>	<b>15000</b>	<b>Acres</b>	<b>2006</b>	<b>2010</b>
				<i>Affected use is one branch of the food chain; most sensitive indicator is hatchability in nesting diving birds, significant contributions from oil refineries (control program in place) and agriculture (carried downstream by rivers); exotic species may have made food chain more susceptible to accumulation of selenium; health consumption advisory in effect for scaup and scoter (diving ducks); low TMDL priority because Individual Control Strategy in place.</i>						
				<b>Industrial Point Sources</b>						
				<b>Agriculture</b>						
				<b>Natural Sources</b>						
				<b>Exotic Species</b>						
<b>2</b>	<b>L</b>	<b>CALERO RESERVOIR</b>	<b>205.400</b>	<b>Mercury</b>		<b>High</b>	<b>350</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>TMDL will be developed as part of the Santa Clara Basin Watershed Management Initiative. Additional monitoring and assessment is needed.</i>						
				<b>Surface Mining</b>						
				<b>Mine Tailings</b>						
<b>2</b>	<b>L</b>	<b>GUADALUPE RESERVOIR</b>	<b>205.400</b>	<b>Mercury</b>		<b>High</b>	<b>80</b>	<b>Acres</b>	<b>1998</b>	<b>2003</b>
				<i>TMDL will be developed as part of the Santa Clara Basin Watershed Management Initiative. Additional monitoring and assessment is needed.</i>						
				<b>Surface Mining</b>						
				<b>Mine Tailings</b>						
<b>2</b>	<b>L</b>	<b>LAKE HERMAN</b>	<b>207.210</b>	<b>Mercury</b>		<b>Low</b>	<b>110</b>	<b>Acres</b>	<b>2005</b>	<b>2010</b>
				<i>Additional monitoring and assessment needed. Problem due to historical mining.</i>						
				<b>Surface Mining</b>						
<b>2</b>	<b>L</b>	<b>MERRITT LAKE</b>	<b>204.200</b>	<b>Floating Material</b>		<b>Low</b>	<b>160</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
				<b>Org. enrichment/Low D.O.</b>		<b>Low</b>	<b>160</b>	<b>Acres</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Nonpoint Source</b>						
<b>2</b>	<b>R</b>	<b>ALAMEDA CREEK</b>	<b>204.300</b>	<b>Diazinon</b>		<b>Low</b>	<b>50.77</b>	<b>Miles</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Urban Runoff/Storm Sewers</b>						
<b>2</b>	<b>R</b>	<b>ALAMITOS CREEK</b>	<b>205.400</b>	<b>Mercury</b>		<b>High</b>	<b>21</b>	<b>Miles</b>	<b>1998</b>	<b>2003</b>
				<i>TMDL will be developed as part of the Santa Clara Basin Watershed Management Initiative. Additional monitoring and assessment is needed.</i>						
				<b>Mine Tailings</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
2	R	ARROYO CORTE MADERA DEL PRESIDIO	203.200	Diazinon <i>This listing was made by USEPA.</i>	Urban Runoff/Storm Sewers	Low	3.2	Miles		
2	R	ARROYO DE LA LAGUNA	204.300	Diazinon <i>This listing was made by USEPA.</i>	Urban Runoff/Storm Sewers	Low	7.4	Miles		
2	R	ARROYO DEL VALLE	204.300	Diazinon <i>This listing was made by USEPA.</i>	Urban Runoff/Storm Sewers	Low	48.7	Miles		
2	R	ARROYO HONDO	204.300	Diazinon <i>This listing was made by USEPA.</i>	Urban Runoff/Storm Sewers	Low	9.23	Miles		
2	R	BUTANO CREEK	202.400	Sedimentation/Siltation <i>Impairment to steelhead habitat.</i>	Nonpoint Source	Medium	1	Miles	2000	2005
2	R	CALABAZAS CREEK	206.401	Diazinon <i>This listing was made by USEPA.</i>	Urban Runoff/Storm Sewers	Low	4.7	Miles		
2	R	CORTE MADERA CREEK	203.200	Diazinon <i>This listing was made by USEPA.</i>	Urban Runoff/Storm Sewers	Low	4.12	Miles		
2	R	COYOTE CREEK (MARIN CO)	203.200	Diazinon <i>This listing was made by USEPA.</i>	Urban Runoff/Storm Sewers	Low	2.62	Miles		
2	R	COYOTE CREEK (SANTA CLARA CO.)	205.300	Diazinon <i>This listing was made by USEPA.</i>	Urban Runoff/Storm Sewers	Low	68.63	Miles		
2	R	GALLINAS CREEK	206.200	Diazinon <i>This listing was made by USEPA.</i>	Urban Runoff/Storm Sewers	Low	2.4	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
2	R	GUADALUPE CREEK	205.400	<b>Mercury</b>		<b>High</b>	<b>6</b>	<b>Miles</b>	<b>1998</b>	<b>2003</b>
				<i>TMDL will be developed as part of the Santa Clara Basin Watershed Management Initiative. Additional monitoring and assessment is needed.</i>						
				<b>Mine Tailings</b>						
2	R	GUADALUPE RIVER	205.400	<b>Diazinon</b>		<b>Low</b>	<b>18.21</b>	<b>Miles</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Urban Runoff/Storm Sewers</b>						
2	R	LAGUNITAS CREEK	201.130	<b>Mercury</b>		<b>High</b>	<b>30</b>	<b>Miles</b>	<b>1998</b>	<b>2003</b>
				<i>TMDL will be developed as part of the Santa Clara Basin Watershed Management Initiative. Additional monitoring and assessment is needed.</i>						
				<b>Mine Tailings</b>						
2	R	LAGUNITAS CREEK	201.130	<b>Nutrients</b>		<b>Medium</b>	<b>22</b>	<b>Miles</b>	<b>2002</b>	<b>2007</b>
				<i>Tributary to Tomales Bay. TMDLs will be developed as part of evolving watershed management effort. Additional monitoring and assessment needed.</i>						
				<b>Agriculture</b>						
				<b>Urban Runoff/Storm Sewers</b>						
2	R	LAGUNITAS CREEK	201.130	<b>Pathogens</b>		<b>Medium</b>	<b>22</b>	<b>Miles</b>	<b>2002</b>	<b>2007</b>
				<i>Tributary to Tomales Bay. TMDLs will be developed as part of evolving watershed management effort. Additional monitoring and assessment needed.</i>						
				<b>Agriculture</b>						
				<b>Urban Runoff/Storm Sewers</b>						
2	R	LAGUNITAS CREEK	201.130	<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>22</b>	<b>Miles</b>	<b>2002</b>	<b>2007</b>
				<i>Tributary to Tomales Bay. TMDLs will be developed as part of evolving watershed management effort. Additional monitoring and assessment needed.</i>						
				<b>Agriculture</b>						
				<b>Urban Runoff/Storm Sewers</b>						
2	R	LAUREL CREEK	207.230	<b>Diazinon</b>		<b>Low</b>	<b>3.02</b>	<b>Miles</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Urban Runoff/Storm Sewers</b>						
2	R	LEDGEWOOD CREEK	207.230	<b>Diazinon</b>		<b>Low</b>	<b>12.44</b>	<b>Miles</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Urban Runoff/Storm Sewers</b>						
2	R	LOS GATOS CREEK (REG 2)	205.400	<b>Diazinon</b>		<b>Low</b>	<b>25.72</b>	<b>Miles</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Urban Runoff/Storm Sewers</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
2	R	MATADERO CREEK	205.500	<b>Diazinon</b> <i>This listing was made by USEPA.</i>	<b>Urban Runoff/Storm Sewers</b>	Low	7.34	Miles		
2	R	MILLER CREEK	206.200	<b>Diazinon</b> <i>This listing was made by USEPA.</i>	<b>Urban Runoff/Storm Sewers</b>	Low	9.03	Miles		
2	R	MT. DIABLO CREEK	207.310	<b>Diazinon</b> <i>This listing was made by USEPA.</i>	<b>Urban Runoff/Storm Sewers</b>	Low	12.63	Miles		
2	R	NAPA RIVER	206.500	<b>Nutrients</b> <i>TMDL will be developed as part of ongoing watershed management effort. Additional monitoring and assessment needed.</i>	<b>Agriculture</b>	Medium	55	Miles	2000	2005
				<b>Pathogens</b> <i>TMDL will be developed as part of ongoing watershed management effort. Additional monitoring and assessment needed.</i>	<b>Agriculture</b> <b>Urban Runoff/Storm Sewers</b>	Medium	55	Miles	2000	2005
				<b>Sedimentation/Siltation</b> <i>TMDL will be developed as part of ongoing watershed management effort. Additional monitoring and assessment needed.</i>	<b>Agriculture</b> <b>Construction/Land Development</b> <b>Urban Runoff/Storm Sewers</b>	High	55	Miles	1998	2003
2	R	NOVATO CREEK	206.200	<b>Diazinon</b> <i>This listing was made by USEPA.</i>	<b>Urban Runoff/Storm Sewers</b>	Low	18.74	Miles		
2	R	PERMANENTE CREEK	205.500	<b>Diazinon</b> <i>This listing was made by USEPA.</i>	<b>Urban Runoff/Storm Sewers</b>	Low	13.1	Miles		
2	R	PESCADERO CREEK (REG 2)	202.400	<b>Sedimentation/Siltation</b> <i>Impairment to steelhead habitat.</i>	<b>Nonpoint Source</b>	Medium	21	Miles	2000	2005

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
2	R	PETALUMA RIVER	206.300	<b>Nutrients</b> <i>TMDL will be developed as part of ongoing watershed management effort. Additional monitoring and assessment needed.</i>	<b>Agriculture</b> <b>Construction/Land Development</b> <b>Urban Runoff/Storm Sewers</b>	<b>Medium</b>	<b>25</b>	<b>Miles</b>	<b>2000</b>	<b>2005</b>
				<b>Pathogens</b> <i>TMDL will be developed as part of ongoing watershed management effort. Additional monitoring and assessment needed.</i>	<b>Agriculture</b> <b>Construction/Land Development</b> <b>Urban Runoff/Storm Sewers</b>	<b>Medium</b>	<b>25</b>	<b>Miles</b>	<b>2000</b>	<b>2005</b>
				<b>Sedimentation/Siltation</b> <i>TMDL will be developed as part of ongoing watershed management effort. Additional monitoring and assessment needed.</i>	<b>Agriculture</b> <b>Construction/Land Development</b> <b>Urban Runoff/Storm Sewers</b>	<b>Medium</b>	<b>25</b>	<b>Miles</b>	<b>2000</b>	<b>2005</b>
2	R	PINE CREEK	207.310	<b>Diazinon</b> <i>This listing was made by USEPA.</i>	<b>Urban Runoff/Storm Sewers</b>	<b>Low</b>	<b>12.56</b>	<b>Miles</b>		
2	R	PINOLE CREEK	206.600	<b>Diazinon</b> <i>This listing was made by USEPA.</i>	<b>Urban Runoff/Storm Sewers</b>	<b>Low</b>	<b>9.17</b>	<b>Miles</b>		
2	R	RODEO CREEK	201.300	<b>Diazinon</b> <i>This listing was made by USEPA.</i>	<b>Urban Runoff/Storm Sewers</b>	<b>Low</b>	<b>7.96</b>	<b>Miles</b>		
2	R	SAN ANTONIO CREEK (REG 2)	206.300	<b>Diazinon</b> <i>This listing was made by USEPA.</i>	<b>Urban Runoff/Storm Sewers</b>	<b>Low</b>	<b>17.77</b>	<b>Miles</b>		
2	R	SAN FELIPE CREEK	205.300	<b>Diazinon</b> <i>This listing was made by USEPA.</i>	<b>Urban Runoff/Storm Sewers</b>	<b>Low</b>	<b>15.47</b>	<b>Miles</b>		
2	R	SAN FRANCISQUITO CREEK	205.500	<b>Diazinon</b> <i>This listing was made by USEPA.</i>	<b>Urban Runoff/Storm Sewers</b>	<b>Low</b>	<b>12.05</b>	<b>Miles</b>		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Sedimentation/Siltation</b> <i>Impairment to steelhead habitat.</i>		Medium	18	Miles	2000	2005
				<b>Nonpoint Source</b>						
2	R	SAN GREGORIO CREEK	202.300							
				<b>Sedimentation/Siltation</b> <i>Impairment to steelhead habitat.</i>		Medium	16	Miles	2000	2005
				<b>Nonpoint Source</b>						
2	R	SAN LEANDRO CREEK	204.200							
				<b>Diazinon</b> <i>This listing was made by USEPA.</i>		Low	14.77	Miles		
				<b>Urban Runoff/Storm Sewers</b>						
2	R	SAN LORENZO CREEK (R2)	204.200							
				<b>Diazinon</b> <i>This listing was made by USEPA.</i>		Low	11.7	Miles		
				<b>Urban Runoff/Storm Sewers</b>						
2	R	SAN MATEO CREEK	204.400							
				<b>Diazinon</b> <i>This listing was made by USEPA.</i>		Low	11.05	Miles		
				<b>Urban Runoff/Storm Sewers</b>						
2	R	SAN PABLO CREEK	206.600							
				<b>Diazinon</b> <i>This listing was made by USEPA.</i>		Low	16.14	Miles		
				<b>Urban Runoff/Storm Sewers</b>						
2	R	SAN RAFAEL CREEK	203.200							
				<b>Diazinon</b> <i>This listing was made by USEPA.</i>		Low	2.8	Miles		
				<b>Urban Runoff/Storm Sewers</b>						
2	R	SARATOGA CREEK	205.500							
				<b>Diazinon</b> <i>This listing was made by USEPA.</i>		Low	17.86	Miles		
				<b>Urban Runoff/Storm Sewers</b>						
2	R	SONOMA CREEK	206.400							
				<b>Nutrients</b> <i>TMDL will be developed as part of ongoing watershed management effort. Additional monitoring and assessment needed.</i>		Medium	23	Miles	2000	2005
				<b>Agriculture Construction/Land Development Urban Runoff/Storm Sewers</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Pathogens</b>		<b>Medium</b>	<b>23</b>	<b>Miles</b>	<b>2000</b>	<b>2005</b>
				<i>TMDL will be developed as part of ongoing watershed management effort. Additional monitoring and assessment needed.</i>						
				<b>Agriculture</b>						
				<b>Construction/Land Development</b>						
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>23</b>	<b>Miles</b>	<b>2000</b>	<b>2005</b>
				<i>TMDL will be developed as part of ongoing watershed management effort. Additional monitoring and assessment needed.</i>						
				<b>Agriculture</b>						
				<b>Construction/Land Development</b>						
				<b>Urban Runoff/Storm Sewers</b>						
<b>2</b>	<b>R</b>	<b>STEVENS CREEK</b>	<b>205.500</b>							
				<b>Diazinon</b>		<b>Low</b>	<b>22.26</b>	<b>Miles</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Urban Runoff/Storm Sewers</b>						
<b>2</b>	<b>R</b>	<b>SUISUN SLOUGH</b>	<b>207.23</b>							
				<b>Diazinon</b>		<b>Low</b>	<b>10</b>	<b>Miles</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Urban Runoff/Storm Sewers</b>						
<b>2</b>	<b>R</b>	<b>WALKER CREEK</b>	<b>201.120</b>							
				<b>Metals</b>		<b>Medium</b>	<b>25</b>	<b>Miles</b>	<b>2002</b>	<b>2007</b>
				<i>Tributary to Tomales Bay. TMDLs will be developed as part of evolving watershed management effort. Additional monitoring and assessment needed.</i>						
				<b>Surface Mining</b>						
				<b>Mine Tailings</b>						
				<b>Nutrients</b>		<b>Medium</b>	<b>25</b>	<b>Miles</b>	<b>2002</b>	<b>2007</b>
				<i>Tributary to Tomales Bay. TMDLs will be developed as part of evolving watershed management effort. Additional monitoring and assessment needed.</i>						
				<b>Agriculture</b>						
				<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>25</b>	<b>Miles</b>	<b>2002</b>	<b>2007</b>
				<i>Tributary to Tomales Bay. TMDLs will be developed as part of evolving watershed management effort. Additional monitoring and assessment needed.</i>						
				<b>Agriculture</b>						
<b>2</b>	<b>R</b>	<b>WALNUT CREEK</b>	<b>207.320</b>							
				<b>Diazinon</b>		<b>Low</b>	<b>9.03</b>	<b>Miles</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Urban Runoff/Storm Sewers</b>						
<b>2</b>	<b>R</b>	<b>WILDCAT CREEK</b>	<b>206.600</b>							
				<b>Diazinon</b>		<b>Low</b>	<b>12.07</b>	<b>Miles</b>		
				<i>This listing was made by USEPA.</i>						
				<b>Urban Runoff/Storm Sewers</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
2	T	SUISUN MARSH WETLANDS	207.230	<b>Metals</b> <i>Additional monitoring and assessment needed.</i>		Medium	57000	Acres	2003	2008
					<b>Agriculture</b> <b>Urban Runoff/Storm Sewers</b> <b>Flow Regulation/Modification</b>					
				<b>Nutrients</b> <i>Additional monitoring and assessment needed.</i>		Medium	57000	Acres	2003	2008
					<b>Agriculture</b> <b>Urban Runoff/Storm Sewers</b> <b>Flow Regulation/Modification</b>					
				<b>Org. enrichment/Low D.O.</b> <i>Additional monitoring and assessment needed.</i>		Medium	57000	Acres	2003	2008
					<b>Agriculture</b> <b>Urban Runoff/Storm Sewers</b> <b>Flow Regulation/Modification</b>					
				<b>Salinity</b> <i>Additional monitoring and assessment needed.</i>		Medium	57000	Acres	2003	2008
					<b>Agriculture</b> <b>Urban Runoff/Storm Sewers</b> <b>Flow Regulation/Modification</b>					
3	B	MONTEREY HARBOR	309.500	<b>Metals</b>		Medium	74	Acres	0198	0403
					<b>Railroad Slag Pile</b>					
				<b>Unknown Toxicity</b>		Low	74	Acres	0198	0411
					<b>Source Unknown</b>					
3	B	MORRO BAY	310.220	<b>Metals</b>		High	100	Acres	0696	0400
					<b>Surface Mining</b> <b>Nonpoint Source</b> <b>Boat Discharges/Vessel Wastes</b>					
				<b>Pathogens</b>		High	50	Acres	0696	0400
					<b>Upland Grazing</b> <b>Urban Runoff/Storm Sewers</b> <b>Septage Disposal</b> <b>Natural Sources</b> <b>Nonpoint Source</b>					
				<b>Sedimentation/Siltation</b>		High	100	Acres	0696	0699
					<b>Agriculture</b> <b>Irrigated Crop Production</b> <b>Construction/Land Development</b> <b>Resource Extraction</b> <b>Channelization</b> <b>Channel Erosion</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
3	B	MOSS LANDING HARBOR	306.000	Pathogens	Agriculture Nonpoint Source	Low	40	Acres	0405	0409
				Pesticides	Boat Discharges/Vessel Wastes	Low	160	Acres	0405	0409
				Sedimentation/Siltation	Agriculture Irrigated Crop Production Specialty Crop Production	Low	160	Acres	0405	0409
3	C	MONTEREY BAY SOUTH	309.500	Metals	Agriculture Irrigated Crop Production Agriculture-storm runoff Hydromodification Dredging (Hydromod.) Channel Erosion Erosion/Siltation Nonpoint Source	Low	10	Miles	0198	0411
				Pesticides	Surface Mining	Low	10	Miles	0198	0411
					Agriculture					
3	C	PACIFIC OCEAN AT POINT RINCON	315.340	Pathogens	Urban Runoff/Storm Sewers Nonpoint Source	Medium	5	Miles	0406	0411
3	E	CARPINTERIA MARSH (EL ESTERO MARSH)	315.340	Nutrients	Agriculture	Low	80	Acres	0406	0411
				Org. enrichment/Low D.O.	Agriculture	Low	80	Acres	0406	0411
				Priority Organics	Urban Runoff/Storm Sewers	Low	80	Acres	0406	0411
				Sedimentation/Siltation	Agriculture Construction/Land Development Storm sewers	Low	80	Acres	0406	0411
3	E	ELKHORN SLOUGH	306.000	Pathogens	Natural Sources Nonpoint Source	Low	500	Acres	0405	0409

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Pesticides</b>		<b>Low</b>	<b>500</b>	<b>Acres</b>	<b>0405</b>	<b>0409</b>
				<i>Industrial discharge from PG&amp;E may transfer pollutants from Old Salinas river and Moss Landing Harbor to the slough.</i>						
					<b>Agriculture</b>					
					<b>Irrigated Crop Production</b>					
					<b>Agriculture-storm runoff</b>					
					<b>Agricultural Return Flows</b>					
					<b>Contaminated Sediments</b>					
					<b>Erosion/Siltation</b>					
					<b>Nonpoint Source</b>					
				<b>Sedimentation/Siltation</b>		<b>Low</b>	<b>50</b>	<b>Acres</b>	<b>0405</b>	<b>0409</b>
					<b>Agriculture</b>					
					<b>Irrigated Crop Production</b>					
					<b>Agriculture-storm runoff</b>					
					<b>Channel Erosion</b>					
					<b>Nonpoint Source</b>					
<b>3</b>	<b>E</b>	<b>GOLETA SLOUGH/ESTUARY</b>	<b>315.310</b>							
				<b>Metals</b>		<b>Low</b>	<b>200</b>	<b>Acres</b>	<b>0406</b>	<b>0411</b>
					<b>Industrial Point Sources</b>					
				<b>Pathogens</b>		<b>Low</b>	<b>200</b>	<b>Acres</b>	<b>0406</b>	<b>0411</b>
					<b>Urban Runoff/Storm Sewers</b>					
				<b>Priority Organics</b>		<b>Low</b>	<b>200</b>	<b>Acres</b>	<b>0406</b>	<b>0411</b>
					<b>Nonpoint Source</b>					
				<b>Sedimentation/Siltation</b>		<b>Low</b>	<b>200</b>	<b>Acres</b>	<b>0406</b>	<b>0411</b>
					<b>Construction/Land Development</b>					
<b>3</b>	<b>E</b>	<b>OLD SALINAS RIVER ESTUARY</b>	<b>309.100</b>							
				<b>Nutrients</b>		<b>Medium</b>	<b>50</b>	<b>Acres</b>	<b>0198</b>	<b>0403</b>
					<b>Agriculture</b>					
					<b>Irrigated Crop Production</b>					
					<b>Agricultural Return Flows</b>					
					<b>Nonpoint Source</b>					
				<b>Pesticides</b>		<b>Medium</b>	<b>50</b>	<b>Acres</b>	<b>0198</b>	<b>0403</b>
					<b>Agriculture</b>					
					<b>Irrigated Crop Production</b>					
					<b>Agriculture-storm runoff</b>					
					<b>Agriculture-irrigation tailwater</b>					
					<b>Agricultural Return Flows</b>					
					<b>Nonpoint Source</b>					
<b>3</b>	<b>E</b>	<b>SALINAS RIVER LAGOON (NORTH)</b>	<b>309.100</b>							
				<b>Nutrients</b>		<b>Medium</b>	<b>75</b>	<b>Acres</b>	<b>0198</b>	<b>0403</b>
					<b>Nonpoint Source</b>					
				<b>Pesticides</b>		<b>Medium</b>	<b>75</b>	<b>Acres</b>	<b>0198</b>	<b>0403</b>
					<b>Agriculture</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Sedimentation/Siltation		Medium	75	Acres	0198	0401
					Nonpoint Source					
3	E	SAN LORENZO RIVER ESTUARY	304.120	Pathogens		Medium	20	Acres	0499	0401
					Urban Runoff/Storm Sewers Natural Sources					
				Sedimentation/Siltation		High	20	Acres	0198	0400
					Hydromodification					
3	E	WATSONVILLE SLOUGH	305.100	Metals		Medium	300	Acres	0199	0403
					Agriculture Urban Runoff/Storm Sewers					
				Oil and grease		Medium	300	Acres	0199	0403
					Urban Runoff/Storm Sewers Nonpoint Source					
				Pathogens		Medium	300	Acres	0199	0403
					Urban Runoff/Storm Sewers Source Unknown Nonpoint Source					
				Pesticides		Medium	300	Acres	0199	0403
					Agriculture Irrigated Crop Production Agriculture-storm runoff Agricultural Return Flows Nonpoint Source					
				Sedimentation/Siltation		Medium	300	Acres	0198	0401
					Agriculture Irrigated Crop Production Agriculture-storm runoff Nonpoint Source					
3	L	HERNANDEZ RESERVOIR	305.500	Mercury		Medium	619	Acres	0198	0403
					Subsurface Mining					
3	L	NACIMIENTO RESERVOIR	309.820	Metals		High	5370	Acres	0997	0400
					Subsurface Mining Natural Sources					
3	R	APTOS CREEK	304.130	Pathogens		Low	4	Miles	0405	0411
					Urban Runoff/Storm Sewers					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Sedimentation/Siltation	Disturbed Sites (Land Develop.) Channel Erosion	Medium	4	Miles	0101	0401
3	R	ARROYO BURRO CREEK	315.320	Pathogens	Urban Runoff/Storm Sewers Nonpoint Source	Medium	6	Miles	0406	0411
3	R	BLANCO DRAIN	309.100	Pesticides	Agriculture Irrigated Crop Production Agriculture-storm runoff Agriculture-irrigation tailwater Agricultural Return Flows Nonpoint Source	Medium	8	Miles	0198	0405
3	R	CARBONERA CREEK	304.120	Nutrients	Nonpoint Source	High	10	Miles	0493	0400
				Pathogens	Urban Runoff/Storm Sewers Nonpoint Source	Medium	10	Miles	0499	0401
				Sedimentation/Siltation	Construction/Land Development Nonpoint Source	High	10	Miles	0198	0400
3	R	CARPINTERIA CREEK	315.340	Pathogens	Agriculture Septage Disposal Nonpoint Source	Low	6	Miles	0406	0411
3	R	CHORRO CREEK	310.220	Metals	Resource Extraction Mine Tailings	High	11	Miles	0696	0400
				Nutrients	Municipal Point Sources Agriculture Irrigated Crop Production Agriculture-storm runoff	High	11	Miles	0696	0400

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Sedimentation/Siltation		High	11	Miles	0696	0699
					Agriculture Irrigated Crop Production Range Land Upland Grazing Agriculture-storm runoff Construction/Land Development Road Construction Resource Extraction Hydromodification Channelization Streambank Modification/Destabilization Channel Erosion Natural Sources Golf course activities Erosion/Siltation Nonpoint Source					
3	R	CLEAR CREEK (R3)	304.120	Mercury		Medium	2	Miles	0198	0403
					Resource Extraction					
3	R	LAS TABLAS CREEK	309.810	Metals		High	13	Miles	0997	0400
					Surface Mining					
3	R	LAS TABLAS CREEK, NORTH FORK	309.810	Metals		High	5	Miles	0997	0400
					Surface Mining					
3	R	LAS TABLAS CREEK, SOUTH FORK	309.810	Metals		High	4	Miles	0997	0400
					Surface Mining					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
3	R	LLAGAS CREEK	305.300	Nutrients	Municipal Point Sources Agriculture Irrigated Crop Production Pasture Land Agriculture-storm runoff Agriculture-irrigation tailwater Agricultural Return Flows Urban Runoff/Storm Sewers Habitat Modification Nonpoint Source Point Source	High	22	Miles	0198	0401
				Sedimentation/Siltation	Agriculture Hydromodification Habitat Modification	Medium	22	Miles	0198	0401
3	R	LOMPICO CREEK	304.120	Nutrients	Septage Disposal	High	5	Miles	0493	0400
				Pathogens	Septage Disposal Natural Sources Nonpoint Source	Medium	5	Miles	0499	0401
				Sedimentation/Siltation	Construction/Land Development Natural Sources	High	5	Miles	0198	0400
3	R	LOS OSOS CREEK	310.220	Nutrients	Agriculture Irrigated Crop Production Agriculture-storm runoff Agricultural Return Flows	High	10	Miles	0696	0400
				Priority Organics	Urban Runoff/Storm Sewers	High	10	Miles	0696	0400

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Sedimentation/Siltation</b>		<b>High</b>	<b>10</b>	<b>Miles</b>	<b>0696</b>	<b>0699</b>
					<b>Agriculture</b>					
					<b>Irrigated Crop Production</b>					
					<b>Range Land</b>					
					<b>Upland Grazing</b>					
					<b>Agriculture-storm runoff</b>					
					<b>Hydromodification</b>					
					<b>Channelization</b>					
					<b>Dredging (Hydromod.)</b>					
					<b>Habitat Modification</b>					
					<b>Removal of Riparian Vegetation</b>					
					<b>Streambank Modification/Destabilization</b>					
					<b>Channel Erosion</b>					
					<b>Natural Sources</b>					
					<b>Erosion/Siltation</b>					
					<b>Nonpoint Source</b>					
<b>3</b>	<b>R</b>	<b>MISSION CREEK</b>	<b>315.320</b>	<b>Pathogens</b>	<b>Urban Runoff/Storm Sewers</b>	<b>Low</b>	<b>9</b>	<b>Miles</b>	<b>0406</b>	<b>0411</b>
					<b>Septage Disposal</b>					
				<b>Unknown Toxicity</b>		<b>Low</b>	<b>9</b>	<b>Miles</b>	<b>0406</b>	<b>0411</b>
					<b>Urban Runoff/Storm Sewers</b>					
<b>3</b>	<b>R</b>	<b>PAJARO RIVER</b>	<b>305.000</b>	<b>Nutrients</b>		<b>High</b>	<b>49</b>	<b>Miles</b>	<b>0198</b>	<b>0401</b>
					<b>Agriculture</b>					
					<b>Irrigated Crop Production</b>					
					<b>Agriculture-storm runoff</b>					
					<b>Agriculture-subsurface drainage</b>					
					<b>Agriculture-irrigation tailwater</b>					
					<b>Agricultural Return Flows</b>					
					<b>Urban Runoff/Storm Sewers</b>					
					<b>Wastewater - land disposal</b>					
					<b>Channelization</b>					
					<b>Removal of Riparian Vegetation</b>					
					<b>Nonpoint Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>49</b>	<b>Miles</b>	<b>0198</b>	<b>0401</b>
					Agriculture Irrigated Crop Production Range Land Agriculture-storm runoff Resource Extraction Surface Mining Hydromodification Channelization Habitat Modification Removal of Riparian Vegetation Streambank Modification/Destabilization Channel Erosion					
<b>3</b>	<b>R</b>	<b>RIDER GULCH CREEK</b>	<b>305.100</b>	<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>2</b>	<b>Miles</b>	<b>0198</b>	<b>0401</b>
					Agriculture Silviculture Construction/Land Development					
<b>3</b>	<b>R</b>	<b>SALINAS RECLAMATION CANAL</b>	<b>309.200</b>	<b>Pesticides</b>		<b>Medium</b>	<b>20</b>	<b>Miles</b>	<b>0198</b>	<b>0405</b>
					Minor Industrial Point Source Agriculture Irrigated Crop Production Agriculture-storm runoff Agriculture-irrigation tailwater Agricultural Return Flows Nonpoint Source					
				<b>Priority Organics</b>		<b>Medium</b>	<b>20</b>	<b>Miles</b>	<b>0198</b>	<b>0405</b>
					Minor Industrial Point Source Agriculture Irrigated Crop Production Agriculture-storm runoff Agriculture-irrigation tailwater Agricultural Return Flows Urban Runoff/Storm Sewers Source Unknown Nonpoint Source					
<b>3</b>	<b>R</b>	<b>SALINAS RIVER</b>	<b>309.100</b>	<b>Nutrients</b>		<b>Medium</b>	<b>50</b>	<b>Miles</b>	<b>0198</b>	<b>0403</b>
					Agriculture					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Pesticides	Agriculture Irrigated Crop Production Agriculture-storm runoff Agriculture-irrigation tailwater Agricultural Return Flows Nonpoint Source	Medium	50	Miles	0198	0403
				Salinity/TDS/Chlorides	Agriculture	Medium	50	Miles	0198	0403
				Sedimentation/Siltation	Agriculture Irrigated Crop Production Range Land Agriculture-storm runoff Road Construction Land Development Channel Erosion Nonpoint Source	Medium	90	Miles	0198	0401
3	R	SAN ANTONIO CREEK (SANTA BARBARA COUNTY)	315.310							
				Sedimentation/Siltation	Agriculture Nonpoint Source	Low	6	Miles	0406	0411
3	R	SAN BENITO RIVER	305.500							
				Sedimentation/Siltation	Agriculture Resource Extraction Nonpoint Source	Medium	86	Miles	0198	0401
3	R	SAN LORENZO RIVER	304.120							
				Nutrients	Septage Disposal Nonpoint Source	High	25	Miles	0493	0400
				Pathogens	Urban Runoff/Storm Sewers Septage Disposal	High	25	Miles	1999	2001
				Sedimentation/Siltation	Silviculture Construction/Land Development Land Development Urban Runoff/Storm Sewers	High	25	Miles	1298	0400

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
3	R	SAN LUIS OBISPO CRK.(BELOW W.MARSH ST.)	310.240	Nutrients	Municipal Point Sources Agriculture Irrigated Crop Production Agriculture-storm runoff	High	9	Miles	0493	0400
				Pathogens	Urban Runoff/Storm Sewers	High	9	Miles	0493	0400
				Priority Organics	Industrial Point Sources	Medium	9	Miles	0498	0401
3	R	SANTA YNEZ RIVER	314.000	Nutrients	Nonpoint Source	Low	70	Miles	0403	0407
				Salinity/TDS/Chlorides	Agriculture	Low	70	Miles	0403	0407
				Sedimentation/Siltation	Agriculture Urban Runoff/Storm Sewers Resource Extraction	Low	70	Miles	0403	0407
3	R	SHINGLE MILL CREEK	304.120	Nutrients	Septage Disposal	High	2	Miles	0198	0401
				Sedimentation/Siltation	Construction/Land Development Nonpoint Source	High	2	Miles	0198	0401
3	R	VALENCIA CREEK	304.130	Pathogens	Agriculture Septage Disposal	Low	7	Miles	0406	0411
				Sedimentation/Siltation	Agriculture Construction/Land Development	Medium	7	Miles	0401	0405
3	R	WADDELL CREEK, EAST BRANCH	304.110	Nutrients	Municipal Point Sources	Medium	3	Miles	0401	0405
3	W	ESPINOSA SLOUGH	309.100	Nutrients	Agriculture Storm sewers	Medium	320	Acres	0198	0403
				Pesticides	Agriculture Urban Runoff/Storm Sewers	Medium	320	Acres	0198	0403

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Priority Organics	Nonpoint Source	Medium	320	Acres	0198	0403
3	W	MORO COJO SLOUGH	309.100	Pesticides	Agriculture Irrigated Crop Production Agriculture-storm runoff Agricultural Return Flows Nonpoint Source	Low	345	Acres	0198	0411
				Sedimentation/Siltation	Agriculture Irrigated Crop Production Agriculture-storm runoff Construction/Land Development Nonpoint Source	Low	345	Acres	0198	0411
3	W	SALINAS RIVER REFUGE LAGOON (SOUTH)	309.100	Nutrients	Agriculture	Medium	163	Acres	0198	0401
				Pesticides	Agriculture	Medium	163	Acres	0198	0403
				Salinity/TDS/Chlorides	Agriculture	Medium	163	Acres	0198	0403
3	W	SCHWAN LAKE	304.120	Nutrients	Nonpoint Source	Low	32	Acres	0406	0411
				Pathogens	Urban Runoff/Storm Sewers Natural Sources	Low	32	Acres	0406	0411
3	W	SOQUEL LAGOON	304.130	Nutrients	Septage Disposal Nonpoint Source	Low	2	Acres	0403	0407
				Pathogens	Urban Runoff/Storm Sewers Natural Sources Nonpoint Source	Low	2	Acres	0403	0407
				Sedimentation/Siltation	Construction/Land Development	Medium	2	Acres	0401	0405

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
3	W	TEMLADERO SLOUGH	309.100	Nutrients	Agriculture Irrigated Crop Production Agriculture-storm runoff Agricultural Return Flows Nonpoint Source	Medium	150	Acres	0198	0403
				Pesticides	Agriculture Irrigated Crop Production Agriculture-storm runoff Agricultural Return Flows Nonpoint Source	Medium	150	Acres	0198	0403
4	B	CHANNEL ISLANDS HARBOR	403.11	Lead	Elevated levels of lead in sediment. Nonpoint Source	Low	220	Acres		
				Zinc	Elevated levels of zinc in sediment. Nonpoint Source	Low	220	Acres		
4	B	LA FISH HARBOR	405.12	DDT	Nonpoint/Point Source	High	50	Acres		
				PAHs	Nonpoint/Point Source	High	50	Acres		
				PCBs	Nonpoint/Point Source	High	50	Acres		
				Tributyltin	Nonpoint/Point Source	Low	0	Acres		
4	B	LA HARBOR CONSOLIDATED SLIP	405.12	Benthic Comm. Effects	Nonpoint Source	High	37.13	Acres		
				Chlordane	Elevated levels of chlordane in tissue and sediment. Nonpoint Source	Medium	37.13	Acres		
				Chromium	Elevated levels of chromium in sediment. Nonpoint Source	Medium	37.13	Acres		
				DDT	Elevated levels of DDT in tissue and sediment. Fish Consumption Advisory for DDT. Nonpoint Source	High	37.13	Acres		
				Lead	Elevated levels of lead in sediment. Nonpoint Source	Low	37.13	Acres		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>PAHs</b> <i>Elevated levels of PAHs in sediment.</i>	<b>Nonpoint Source</b>	<b>High</b>	<b>37.13</b>	<b>Acres</b>		
				<b>PCBs</b> <i>Elevated levels of PCBs in tissue and sediment. Fish Consumption Advisory for PCBs.</i>	<b>Nonpoint Source</b>	<b>High</b>	<b>37.13</b>	<b>Acres</b>		
				<b>Sediment Toxicity</b>	<b>Nonpoint Source</b>	<b>High</b>	<b>37.13</b>	<b>Acres</b>		
				<b>Tributyltin</b> <i>Elevated levels of tributyltin in tissue.</i>	<b>Nonpoint Source</b>	<b>Low</b>	<b>37.13</b>	<b>Acres</b>		
				<b>Zinc</b> <i>Elevated levels of zinc in tissue and sediment.</i>	<b>Nonpoint Source</b>	<b>Medium</b>	<b>37.13</b>	<b>Acres</b>		
<b>4</b>	<b>B</b>	<b>LA HARBOR INNER BREAKWATER</b>	<b>405.12</b>	<b>DDT</b>	<b>Nonpoint/Point Source</b>	<b>High</b>	<b>1.5</b>	<b>Miles</b>		
				<b>PAHs</b>	<b>Nonpoint/Point Source</b>	<b>High</b>	<b>1.5</b>	<b>Miles</b>		
				<b>PCBs</b>	<b>Nonpoint/Point Source</b>	<b>High</b>	<b>1.5</b>	<b>Miles</b>		
				<b>Tributyltin</b>	<b>Nonpoint/Point Source</b>	<b>Low</b>	<b>1.5</b>	<b>Miles</b>		
<b>4</b>	<b>B</b>	<b>LA HARBOR MAIN CHANNEL</b>	<b>405.12</b>	<b>Beach Closures</b>	<b>Nonpoint/Point Source</b>	<b>Low</b>	<b>3785</b>	<b>Acres</b>		
				<b>Copper</b> <i>Elevated levels of copper in tissue and sediment.</i>	<b>Nonpoint/Point Source</b>	<b>Low</b>	<b>3785</b>	<b>Acres</b>		
				<b>DDT</b> <i>Elevated levels of DDT in tissue and sediment. Fish Consumption Advisory for DDT.</i>	<b>Nonpoint/Point Source</b>	<b>High</b>	<b>3785</b>	<b>Acres</b>		
				<b>PAHs</b> <i>Elevated levels of PAHs in tissue and sediment.</i>	<b>Nonpoint/Point Source</b>	<b>High</b>	<b>3785</b>	<b>Acres</b>		
				<b>PCBs</b> <i>Elevated levels of PCBs in tissue and sediment. Fish Consumption Advisory for PCBs.</i>	<b>Nonpoint/Point Source</b>	<b>High</b>	<b>3785</b>	<b>Acres</b>		
				<b>Sediment Toxicity</b>	<b>Nonpoint/Point Source</b>	<b>Low</b>	<b>3785</b>	<b>Acres</b>		
				<b>Tributyltin</b> <i>Elevated levels of tributyltin in sediment.</i>	<b>Nonpoint/Point Source</b>	<b>Low</b>	<b>3785</b>	<b>Acres</b>		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Zinc</b>		<b>Low</b>	<b>3785</b>	<b>Acres</b>		
				<i>Elevated levels of zinc in tissue and sediment.</i>						
				<b>Nonpoint/Point Source</b>						
<b>4</b>	<b>B</b>	<b>LA HARBOR SOUTHWEST SLIP</b>	<b>405.12</b>							
				<b>DDT</b>		<b>High</b>	<b>30</b>	<b>Acres</b>		
				<i>Fish Consumption Advisory for DDT.</i>						
				<b>Nonpoint Source</b>						
				<b>PCBs</b>		<b>High</b>	<b>30</b>	<b>Acres</b>		
				<i>Fish Consumption Advisory for PCBs.</i>						
				<b>Nonpoint Source</b>						
				<b>Sediment Toxicity</b>		<b>Medium</b>	<b>30</b>	<b>Acres</b>		
				<b>Nonpoint Source</b>						
<b>4</b>	<b>B</b>	<b>LONG BEACH HARBOR MAIN CHANNEL, SE,W BASIN, PIER J, BREAKWTR</b>	<b>405.12</b>							
				<b>Benthic Comm. Effects</b>		<b>Medium</b>	<b>3594</b>	<b>Acres</b>		
				<b>Nonpoint Source</b>						
				<b>DDT</b>		<b>High</b>	<b>3594</b>	<b>Acres</b>		
				<i>Elevated levels of DDT in tissue. Fish Consumption Advisory for DDT.</i>						
				<b>Nonpoint Source</b>						
				<b>PAHs</b>		<b>High</b>	<b>3594</b>	<b>Acres</b>		
				<i>Elevated levels of PAHs in sediment.</i>						
				<b>Nonpoint Source</b>						
				<b>PCBs</b>		<b>High</b>	<b>3594</b>	<b>Acres</b>		
				<i>Elevated levels of PCBs in tissue. Fish Consumption Advisory for PCBs.</i>						
				<b>Nonpoint Source</b>						
				<b>Sediment Toxicity</b>		<b>Medium</b>	<b>3594</b>	<b>Acres</b>		
				<b>Nonpoint Source</b>						
<b>4</b>	<b>B</b>	<b>MARINA DEL REY HARBOR-BACK BASINS</b>	<b>405.13</b>							
				<b>Benthic Comm. Effects</b>		<b>Low</b>	<b>413</b>	<b>Acres</b>		
				<b>Nonpoint Source</b>						
				<b>Chlordane</b>		<b>High</b>	<b>413</b>	<b>Acres</b>		
				<i>Elevated levels of chlordane in tissue and sediment.</i>						
				<b>Nonpoint Source</b>						
				<b>Copper</b>		<b>Medium</b>	<b>413</b>	<b>Acres</b>		
				<i>Elevated levels of copper in tissue and sediment.</i>						
				<b>Nonpoint Source</b>						
				<b>DDT</b>		<b>High</b>	<b>413</b>	<b>Acres</b>		
				<i>Elevated levels of DDT in tissue and sediment. Shellfish Harvesting Advisory for DDT.</i>						
				<b>Nonpoint Source</b>						
				<b>Dieldrin</b>		<b>Low</b>	<b>413</b>	<b>Acres</b>		
				<i>Elevated levels of dieldrin in tissue.</i>						
				<b>Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Fish Consumption Adviso</b>		<b>High</b>	<b>413</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
				<b>High Coliform Count</b>		<b>High</b>	<b>413</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
				<b>Lead</b>	<i>Elevated levels of lead in tissue and sediment.</i>	<b>Low</b>	<b>413</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
				<b>PCBs</b>	<i>Elevated levels of PCBs in tissue. Shellfish Harvesting Advisory for PCBs.</i>	<b>High</b>	<b>413</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
				<b>Sediment Toxicity</b>		<b>Medium</b>	<b>413</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
				<b>Tributyltin</b>	<i>Elevated levels of tributyltin in tissue.</i>	<b>Low</b>	<b>413</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
				<b>Zinc</b>	<i>Elevated levels of zinc in tissue and sediment.</i>	<b>Medium</b>	<b>413</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>B</b>	<b>PORT HUENEME HARBOR (BACK BASINS)</b>	<b>403.11</b>							
				<b>DDT</b>	<i>Elevated levels of DDT in tissue.</i>	<b>High</b>	<b>50</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
				<b>PAHs</b>	<i>Elevated levels of PAHs in sediment.</i>	<b>High</b>	<b>59</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
				<b>PCBs</b>	<i>Elevated levels of PCBs in tissue.</i>	<b>High</b>	<b>50</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
				<b>Tributyltin</b>	<i>Elevated levels of tributyltin in tissue.</i>	<b>Low</b>	<b>50</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
				<b>Zinc</b>	<i>Elevated levels of zinc in tissue.</i>	<b>Low</b>	<b>50</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>B</b>	<b>SAN PEDRO BAY NEARS/OFF SHORE ZONES- CABRILLO PIER AREA</b>	<b>405.12</b>							
				<b>Chromium</b>	<i>Elevated levels of chromium in sediment.</i>	<b>Low</b>	<b>10700</b>	<b>Acres</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Copper</b>	<i>Elevated levels of copper in sediment.</i>	<b>Low</b>	<b>10700</b>	<b>Acres</b>		
					<b>Nonpoint/Point Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>DDT</b>		<b>High</b>	<b>10700</b>	<b>Acres</b>		
				<i>Elevated levels of DDT in tissue and sediment. Fish Consumption Advisory for DDT.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>PAHs</b>		<b>High</b>	<b>10700</b>	<b>Acres</b>		
				<i>Elevated levels of PAHs in sediment.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>PCBs</b>		<b>High</b>	<b>10700</b>	<b>Acres</b>		
				<i>Fish Consumption Advisory for PCBs.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>Sediment Toxicity</b>		<b>Medium</b>	<b>10700</b>	<b>Acres</b>		
				<b>Nonpoint/Point Source</b>						
				<b>Zinc</b>		<b>Low</b>	<b>10700</b>	<b>Acres</b>		
				<i>Elevated levels of zinc in sediment.</i>						
				<b>Nonpoint/Point Source</b>						
<b>4</b>	<b>B</b>	<b>SANTA MONICA BAY OFFSHORE AND NEARSHORE</b>	<b>413.00</b>							
				<b>Cadmium</b>		<b>Low</b>	<b>16640</b>	<b>Acres</b>		
				<i>Elevated levels of cadmium in sediment.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>Chlordane</b>		<b>Low</b>	<b>16640</b>	<b>Acres</b>		
				<i>Elevated levels of chlordane in sediment.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>Copper</b>		<b>Low</b>	<b>16640</b>	<b>Acres</b>		
				<i>Elevated levels of copper in sediment.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>DDT</b>		<b>High</b>	<b>16640</b>	<b>Acres</b>		
				<i>Elevated levels of DDT in tissue and sediment.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>Debris</b>		<b>Low</b>	<b>16640</b>	<b>Acres</b>		
				<b>Nonpoint/Point Source</b>						
				<b>Fish Consumption Adviso</b>		<b>High</b>	<b>16640</b>	<b>Acres</b>		
				<b>Nonpoint/Point Source</b>						
				<b>Lead</b>		<b>Low</b>	<b>16640</b>	<b>Acres</b>		
				<i>Elevated levels of lead in tissue and sediment.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>Mercury</b>		<b>Medium</b>	<b>16640</b>	<b>Acres</b>		
				<i>Elevated levels of mercury in sediment.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>Nickel</b>		<b>Low</b>	<b>16640</b>	<b>Acres</b>		
				<i>Elevated levels of nickel in sediment.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>PAHs</b>		<b>High</b>	<b>16640</b>	<b>Acres</b>		
				<i>Elevated levels of PAHs in sediment.</i>						
				<b>Nonpoint/Point Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>PCBs</b> <i>Elevated levels of PCBs in tissue and sediment.</i>		<b>High</b>	<b>16640</b>	<b>Acres</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Sediment Toxicity</b>		<b>Medium</b>	<b>16640</b>	<b>Acres</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Silver</b> <i>Elevated levels of silver in tissue.</i>		<b>Low</b>	<b>16640</b>	<b>Acres</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Zinc</b> <i>Elevated levels of zinc in sediment.</i>		<b>Low</b>	<b>16640</b>	<b>Acres</b>		
					<b>Nonpoint/Point Source</b>					
<b>4</b>	<b>B</b>	<b>VENTURA HARBOR: VENTURA KEYES</b>	<b>403.11</b>							
				<b>High Coliform Count</b>		<b>High</b>	<b>40</b>	<b>Acres</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>C</b>	<b>ABALONE COVE BEACH</b>	<b>405.11</b>							
				<b>Beach Closures</b>		<b>Medium</b>	<b>0.94</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>DDT</b> <i>Elevated levels of DDT in sediment.</i>		<b>High</b>	<b>0.94</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>PCBs</b> <i>Fish Consumption Advisory for PCBs.</i>		<b>High</b>	<b>0.94</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>C</b>	<b>AMARILLO BEACH</b>	<b>404.21</b>							
				<b>DDT</b> <i>Fish Consumption Advisory for DDT.</i>		<b>High</b>	<b>0.3</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>PCBs</b> <i>Fish Consumption Advisory for PCBs.</i>		<b>High</b>	<b>0.3</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>C</b>	<b>BIG ROCK BEACH</b>	<b>404.16</b>							
				<b>Beach Closures</b>		<b>Medium</b>	<b>1.09</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>DDT</b> <i>Fish Consumption Advisory for DDT.</i>		<b>High</b>	<b>1.09</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>High Coliform Count</b>		<b>High</b>	<b>1.09</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>PCBs</b> <i>Fish Consumption Advisory for PCBs.</i>		<b>High</b>	<b>1.09</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	C	BLUFF COVE BEACH	405.11	Beach Closures	Nonpoint Source	Medium	0.61	Miles		
				DDT	Nonpoint Source	High	0.61	Miles		
				<i>Fish Consumption Advisory for DDT.</i>						
				PCBs	Nonpoint Source	High	0.61	Miles		
				<i>Fish Consumption Advisory for PCBs.</i>						
4	C	CABRILLO BEACH (INNER) LA HARBOR AREA	405.12	Beach Closures (Coliform)	Nonpoint Source	Low	0.79	Miles		
				DDT	Nonpoint Source	High	0.79	Miles		
				<i>Fish Consumption Advisory for DDT.</i>						
				PCBs	Nonpoint Source	High	0.79	Miles		
				<i>Fish Consumption Advisory for PCBs.</i>						
4	C	CABRILLO BEACH OUTER	405.12	Beach Closures	Nonpoint Source	Medium	0.51	Miles		
				DDT	Nonpoint Source	High	0.51	Miles		
				<i>Fish Consumption Advisory for DDT.</i>						
				High Coliform Count	Nonpoint Source	High	0.51	Miles		
				PCBs	Nonpoint Source	High	0.51	Miles		
				<i>Fish Consumption Advisory for PCBs.</i>						
4	C	CARBON BEACH	404.16	Beach Closures	Nonpoint Source	Medium	1.48	Miles		
				DDT	Nonpoint Source	High	1.48	Miles		
				<i>Fish Consumption Advisory for DDT.</i>						
				PCBs	Nonpoint Source	High	1.48	Miles		
				<i>Fish Consumption Advisory for PCBs.</i>						
4	C	CASTLEROCK BEACH	405.13	Beach Closures	Nonpoint Source	Medium	0.81	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				DDT		High	0.81	Miles		
				<i>Fish Consumption Advisory for DDT.</i>						
					<b>Nonpoint Source</b>					
				PCBs		High	0.81	Miles		
				<i>Fish Consumption Advisory for PCBs.</i>						
					<b>Nonpoint Source</b>					
4	C	DAN BLOCKER MEMORIAL (CORAL) BEACH	404.31							
				High Coliform Count		High	1.04	Miles		
					<b>Nonpoint Source</b>					
4	C	DOCKWEILER BEACH	405.12							
				Beach Closures		Medium	5.4	Miles		
					<b>Nonpoint Source</b>					
				High Coliform Count		High	5.4	Miles		
					<b>Nonpoint Source</b>					
4	C	ESCONDIDO BEACH	404.34							
				Beach Closures		Medium	2.05	Miles		
					<b>Nonpoint Source</b>					
				DDT		High	2.05	Miles		
				<i>Fish Consumption Advisory for DDT.</i>						
					<b>Nonpoint Source</b>					
				PCBs		High	2.05	Miles		
				<i>Fish Consumption Advisory for PCBs.</i>						
					<b>Nonpoint Source</b>					
4	C	FLAT ROCK POINT BEACH AREA	405.11							
				Beach Closures		Medium	0.3	Miles		
					<b>Nonpoint Source</b>					
				DDT		High	0.3	Miles		
				<i>Fish Consumption Advisory for DDT.</i>						
					<b>Nonpoint Source</b>					
				PCBs		High	0.3	Miles		
				<i>Fish Consumption Advisory for PCBs.</i>						
					<b>Nonpoint Source</b>					
4	C	HERMOSA BEACH	405.12							
				Beach Closures		Medium	1.88	Miles		
					<b>Nonpoint Source</b>					
4	C	INSPIRATION POINT BEACH	405.11							
				Beach Closures		Medium	0.3	Miles		
					<b>Nonpoint Source</b>					
				DDT		High	0.3	Miles		
				<i>Fish Consumption Advisory for DDT.</i>						
					<b>Nonpoint Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>PCBs</b> <i>Fish Consumption Advisory for PCBs.</i>		<b>High</b>	<b>0.3</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
<b>4</b>	<b>C</b>	<b>LA COSTA BEACH</b>	<b>404.16</b>	<b>Beach Closures</b>		<b>Medium</b>	<b>0.74</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
				<b>DDT</b> <i>Fish Consumption Advisory for DDT.</i>		<b>High</b>	<b>0.74</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
				<b>PCBs</b> <i>Fish Consumption Advisory for PCBs.</i>		<b>High</b>	<b>0.74</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
<b>4</b>	<b>C</b>	<b>LAS FLORES BEACH</b>	<b>404.15</b>	<b>DDT</b> <i>Fish Consumption Advisory for DDT.</i>		<b>High</b>	<b>0.76</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
				<b>High Coliform Count</b>		<b>High</b>	<b>0.76</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
				<b>PCBs</b> <i>Fish Consumption Advisory for PCBs.</i>		<b>High</b>	<b>0.76</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
<b>4</b>	<b>C</b>	<b>LAS TUNAS BEACH</b>	<b>404.12</b>	<b>Beach Closures</b>		<b>Medium</b>	<b>1.25</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
				<b>DDT</b> <i>Fish Consumption Advisory for DDT.</i>		<b>High</b>	<b>1.25</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
				<b>PCBs</b> <i>Fish Consumption Advisory for PCBs.</i>		<b>High</b>	<b>1.25</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
<b>4</b>	<b>C</b>	<b>LEO CARILLO BEACH (SOUTH OF COUNTY LINE)</b>	<b>404.44</b>	<b>Beach Closures</b>		<b>Medium</b>	<b>1.15</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
				<b>High Coliform Count</b>		<b>High</b>	<b>1.15</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
<b>4</b>	<b>C</b>	<b>LONG POINT BEACH</b>	<b>405.11</b>	<b>DDT</b> <i>Fish Consumption Advisory for DDT.</i>		<b>High</b>	<b>0.45</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
				<b>High Coliform Count</b>		<b>High</b>	<b>0.45</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>PCBs</b> <i>Fish Consumption Advisory for PCBs.</i>		<b>High</b>	<b>0.45</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>C</b>	<b>LUNADA BAY BEACH</b>	<b>405.11</b>							
				<b>Beach Closures</b>		<b>Medium</b>	<b>0.35</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>C</b>	<b>MALAGA COVE BEACH</b>	<b>405.11</b>							
				<b>Beach Closures</b>		<b>Medium</b>	<b>1.13</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>DDT</b> <i>Fish Consumption Advisory for DDT.</i>		<b>High</b>	<b>1.13</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>PCBs</b> <i>Fish Consumption Advisory for PCBs.</i>		<b>High</b>	<b>1.13</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>C</b>	<b>MALIBU BEACH</b>	<b>404.21</b>							
				<b>Beach Closures</b>		<b>Medium</b>	<b>0.53</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>DDT</b> <i>Fish Consumption Advisory for DDT.</i>		<b>High</b>	<b>0.53</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>C</b>	<b>MALIBU LAGOON BEACH (SURFRIDER)</b>	<b>404.21</b>							
				<b>Beach Closures</b>		<b>Medium</b>	<b>0.66</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>DDT</b> <i>Fish Consumption Advisory for DDT.</i>		<b>High</b>	<b>0.66</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>High Coliform Count</b>		<b>High</b>	<b>0.66</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>PCBs</b> <i>Fish Consumption Advisory for PCBs.</i>		<b>High</b>	<b>0.66</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>C</b>	<b>MANDALAY BEACH</b>	<b>403.11</b>							
				<b>Beach Closures</b>		<b>Low</b>	<b>1.55</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>C</b>	<b>MANHATTAN BEACH</b>	<b>405.12</b>							
				<b>Beach Closures</b>		<b>Medium</b>	<b>2.08</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					
<b>4</b>	<b>C</b>	<b>MARINA DEL REY HARBOR BEACH</b>	<b>405.13</b>							
				<b>Beach Closures</b>		<b>Medium</b>	<b>0.65</b>	<b>Miles</b>		
					<b>Nonpoint Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				High Coliform Count	Nonpoint Source	High	0.65	Miles		
4	C	MCGRATH BEACH	403.11	Beach Closures	Nonpoint Source	Low	1.35	Miles		
				High Coliform Count	Nonpoint Source	Medium	1.35	Miles		
4	C	NICHOLAS CANYON BEACH	404.43	Beach Closures	Nonpoint Source	Medium	1.94	Miles		
				DDT <i>Fish Consumption Advisory for DDT.</i>	Nonpoint Source	High	1.94	Miles		
				PCBs <i>Fish Consumption Advisory for PCBs.</i>	Nonpoint Source	High	1.94	Miles		
4	C	PALO VERDE SHORELINE PARK BEACH	413.057	Pathogens	Source Unknown	Low	0.12	Miles		
				Pesticides	Source Unknown	Low	0.12	Miles		
4	C	PARADISE COVE BEACH	404.35	Beach Closures	Nonpoint Source	Medium	1.33	Miles		
				DDT <i>Fish Consumption Advisory for DDT.</i>	Nonpoint Source	High	1.33	Miles		
				High Coliform Count	Nonpoint Source	High	1.33	Miles		
				PCBs <i>Fish Consumption Advisory for PCBs.</i>	Nonpoint Source	High	1.33	Miles		
4	C	POINT DUME BEACH	404.36	Beach Closures	Nonpoint Source	Medium	0.95	Miles		
				DDT <i>Fish Consumption Advisory for DDT.</i>	Nonpoint Source	High	0.95	Miles		
				PCBs <i>Fish Consumption Advisory for PCBs.</i>	Nonpoint Source	High	0.95	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	C	POINT FERMIN PARK BEACH	405.11	<b>Beach Closures</b>		<b>Medium</b>	1.5	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>DDT</b>		<b>High</b>	1.5	<b>Miles</b>		
				<i>Fish Consumption Advisory for DDT.</i>						
4	C	POINT VICENTE BEACH	405.11	<b>Beach Closures</b>		<b>Medium</b>	2.13	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>DDT</b>		<b>High</b>	2.2	<b>Miles</b>		
				<i>Fish Consumption Advisory for DDT.</i>						
4	C	PORTUGESE BEND BEACH	405.11	<b>Beach Closures</b>		<b>Medium</b>	2.2	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>DDT</b>		<b>High</b>	2.2	<b>Miles</b>		
				<i>Fish Consumption Advisory for DDT.</i>						
4	C	PUERCO BEACH	404.31	<b>Beach Closures</b>		<b>Medium</b>	1.68	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>DDT</b>		<b>High</b>	1.68	<b>Miles</b>		
				<i>Fish Consumption Advisory for DDT.</i>						
4	C	REDONDO BEACH	405.12	<b>Beach Closures</b>		<b>Medium</b>	1.37	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>DDT</b>		<b>High</b>	1.37	<b>Miles</b>		
				<i>Fish Consumption Advisory for DDT.</i>						
4	C	REDONDO BEACH	405.12	<b>High Coliform Count</b>		<b>High</b>	1.37	<b>Miles</b>		
					<b>Nonpoint Source</b>					
				<b>PCBs</b>		<b>High</b>	1.37	<b>Miles</b>		
				<i>Fish Consumption Advisory for PCBs.</i>						
		<b>Nonpoint Source</b>								

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	C	RESORT POINT BEACH	405.11	Beach Closures	Nonpoint Source	Medium	0.49	Miles		
4	C	ROBERT H MEYER MEMORIAL BEACH	404.42	Beach Closures	Nonpoint Source	Medium	1.23	Miles		
				DDT	Nonpoint Source	High	1.23	Miles		
				<i>Fish Consumption Advisory for DDT.</i>						
				PCBs	Nonpoint Source	High	1.23	Miles		
				<i>Fish Consumption Advisory for PCBs.</i>						
4	C	ROCKY POINT BEACH	405.11	Beach Closures	Nonpoint Source	Medium	0.52	Miles		
4	C	ROYAL PALMS BEACH	405.11	Beach Closures	Nonpoint Source	Medium	1.06	Miles		
				DDT	Nonpoint Source	High	1.06	Miles		
				<i>Fish Consumption Advisory for DDT.</i>						
				PCBs	Nonpoint Source	High	1.06	Miles		
				<i>Fish Consumption Advisory for PCBs.</i>						
4	C	SANTA CLARA RIVER ESTUARY BEACH/SURFERS KNOLL	403.11	High Coliform Count	Nonpoint Source	Low	0.56	Miles		
4	C	SANTA MONICA BEACH	405.13	Beach Closures	Nonpoint Source	Medium	2.95	Miles		
				High Coliform Count	Nonpoint Source	High	2.95	Miles		
4	C	SEA LEVEL BEACH	404.41	Beach Closures	Nonpoint Source	Medium	0.67	Miles		
				DDT	Nonpoint Source	High	0.67	Miles		
				<i>Fish Consumption Advisory for DDT.</i>						
				PCBs	Nonpoint Source	High	0.67	Miles		
				<i>Fish Consumption Advisory for PCBs.</i>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE	
4	C	TOPANGA BEACH	404.11	Beach Closures	Nonpoint Source	Medium	1.01	Miles			
				DDT	Nonpoint Source	High	1.01	Miles			
				<i>Fish Consumption Advisory for DDT.</i>							
				High Coliform Count	Nonpoint Source	High	1.01	Miles			
				PCBs	Nonpoint Source	High	1.01	Miles			
		<i>Fish Consumption Advisory for PCBs.</i>									
4	C	TORRANCE BEACH	405.12	Beach Closures	Nonpoint Source	Medium	0.58	Miles			
				High Coliform Count	Nonpoint Source	High	0.58	Miles			
4	C	TRANCAS BEACH (BROAD BEACH)	404.37	Beach Closures	Nonpoint Source	Medium	2.02	Miles			
				DDT	Nonpoint Source	High	2.02	Miles			
				<i>Fish Consumption Advisory for DDT.</i>							
				High Coliform Count	Nonpoint Source	High	2.02	Miles			
				PCBs	Nonpoint Source	High	2.02	Miles			
		<i>Fish Consumption Advisory for PCBs.</i>									
4	C	VENICE BEACH	405.13	Beach Closures	Nonpoint Source	Medium	1.5	Miles			
				High Coliform Count	Nonpoint Source	High	1.5	Miles			
4	C	WHITES POINT BEACH	405.11	Beach Closures	Nonpoint Source	Medium	0.7	Miles			
				DDT	Nonpoint Source	High	0.7	Miles			
				<i>Fish Consumption Advisory for DDT.</i>							
				PCBs	Nonpoint Source	High	0.7	Miles			
						<i>Fish Consumption Advisory for PCBs.</i>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE	
4	C	WILL ROGERS BEACH	405.13	Beach Closures	Nonpoint Source	Medium	2.2	Miles			
				High Coliform Count	Nonpoint Source	High	2.2	Miles			
				<hr/>							
4	C	ZUMA (WESTWARD BEACH)	404.36	Beach Closures	Nonpoint Source	Medium	1.65	Miles			
				DDT	Nonpoint Source	High	1.65	Miles			
				<i>Fish Consumption Advisory for DDT.</i>							
				PCBs	Nonpoint Source	High	1.65	Miles			
		<i>Fish Consumption Advisory for PCBs.</i>									
<hr/>											
4	E	MALIBU LAGOON	404.21	Benthic Comm. Effects	Nonpoint/Point Source	Medium	32.5	Acres			
				Enteric Viruses	Nonpoint/Point Source	High	32.5	Acres			
				Eutrophic	Nonpoint/Point Source	Medium	32.5	Acres	0193	1202	
				High Coliform Count	Nonpoint/Point Source	High	32.5	Acres			
				Shellfish Harvesting Adv.	Nonpoint/Point Source	Medium	32.5	Acres			
				Swimming Restrictions	Nonpoint/Point Source	High	32.5	Acres			
				<hr/>							
4	E	MUGU LAGOON	403.11	Chlordane	Nonpoint Source	High	2000	Acres	1298		
				<i>Elevated levels of chlordane in tissue.</i>							
				Copper	Nonpoint/Point Source	Medium	2000	Acres			
				Dacthal	Nonpoint Source	High	2000	Acres	1298		
				<i>Elevated levels of dacthal in tissue.</i>							
				DDT	Nonpoint Source	High	2000	Acres	1298		
				<i>Elevated levels of DDT in tissue and sediment. Effects on bird reproductivity from DDT.</i>							
Endosulfan	Nonpoint Source	High	2000	Acres	1298						
<i>Elevated levels of endosulfan in tissue.</i>											
Mercury	Nonpoint/Point Source	High	2000	Acres							

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Nickel		Medium	2000	Acres		
					Nonpoint/Point Source					
				Nitrogen		Low	2000	Acres	1298	
					Nonpoint/Point Source					
				PCBs		High	2000	Acres		
				<i>Elevated levels of PCBs in tissue.</i>						
					Nonpoint/Point Source					
				Sediment Toxicity		High	2000	Acres		
					Nonpoint/Point Source					
				Sedimentation/Siltation		High	2000	Acres		
					Nonpoint/Point Source					
				Zinc		Medium	2000	Acres		
					Nonpoint/Point Source					
4	L	CRYSTAL LAKE	405.43							
				Org. enrichment/Low D.O.		Low	5.8	Acres		
					Nonpoint Source					
4	L	ECHO PARK LAKE	405.15							
				Algae		Low	23	Acres		
					Nonpoint Source					
				Ammonia		Low	23	Acres	0194	1299
					Nonpoint Source					
				Copper		Low	23	Acres		
					Nonpoint Source					
				Eutrophic		Low	23	Acres		
					Nonpoint Source					
				Lead		Low	23	Acres		
					Nonpoint Source					
				Odors		Low	23	Acres		
					Nonpoint Source					
				PCBs		Medium	23	Acres		
				<i>Elevated levels of PCBs in tissue.</i>						
					Nonpoint Source					
				pH		Medium	23	Acres		
					Nonpoint Source					
				Trash		High	23	Acres		
					Nonpoint Source					
4	L	EL DORADO LAKES	405.15							
				Algae		Low	220	Acres		
					Nonpoint Source					
				Ammonia		Low	220	Acres	0194	1299
					Nonpoint Source					
				Copper		Low	220	Acres		
					Nonpoint Source					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Eutrophic	Nonpoint Source	Low	220	Acres		
				Lead	Nonpoint Source	Low	220	Acres		
				Mercury	Nonpoint Source	Medium	220	Acres		
				<i>Elevated levels of mercury in tissue.</i>						
				pH	Nonpoint Source	Medium	220	Acres		
					Nonpoint Source					
4	L	ELIZABETH LAKE	403.51	Eutrophic	Nonpoint Source	Low	194	Acres		
				Org. enrichment/Low D.O.	Nonpoint Source	Medium	194	Acres		
				pH	Nonpoint Source	Medium	194	Acres		
				Trash	Nonpoint Source	Low	194	Acres		
					Nonpoint Source					
4	L	LAKE CALABASAS	405.21	Ammonia	Nonpoint Source	Low	28	Acres		
				Copper	Nonpoint Source	Medium	28	Acres		
				<i>Elevated levels of copper in tissue.</i>						
				DDT	Nonpoint Source	High	28	Acres		
				<i>Elevated levels of DDT in tissue.</i>						
				Eutrophic	Nonpoint Source	Medium	28	Acres		
				Odors	Nonpoint Source	Low	28	Acres		
				Org. enrichment/Low D.O.	Nonpoint Source	Medium	28	Acres		
				pH	Nonpoint Source	Medium	28	Acres		
				Zinc	Nonpoint Source	Low	28	Acres		
				<i>Elevated levels of zinc in tissue.</i>						
					Nonpoint Source					
4	L	LAKE HUGHES	403.51	Algae	Nonpoint Source	Low	34	Acres		
				Eutrophic	Nonpoint Source	Medium	34	Acres		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Fish Kills		Medium	34	Acres		
					Nonpoint Source					
				Odors		Low	34	Acres		
					Nonpoint Source					
				Trash		Low	34	Acres		
					Nonpoint Source					
4	L	LAKE LINDERO	404.23							
				Algae		Medium	13.56	Acres		
					Nonpoint Source					
				Chloride		Low	13.56	Acres		
					Nonpoint Source					
				Eutrophic		Medium	13.56	Acres	0193	1202
					Nonpoint Source					
				Odors		Low	13.56	Acres		
					Nonpoint Source					
				Selenium		Low	13.56	Acres		
				<i>Elevated levels of selenium in tissue.</i>						
					Nonpoint Source					
				Specific conductivity		Low	13.56	Acres		
					Nonpoint Source					
				Trash		Low	13.56	Acres		
					Nonpoint Source					
4	L	LAKE SHERWOOD	404.26							
				Algae		Medium	213	Acres		
					Nonpoint Source					
				Ammonia		Low	213	Acres		
					Nonpoint Source					
				Eutrophic		Medium	213	Acres	0193	1202
					Nonpoint Source					
				Mercury		Medium	213	Acres		
				<i>Elevated levels of mercury in tissue.</i>						
					Nonpoint Source					
				Org. enrichment/Low D.O.		Medium	213	Acres		
					Nonpoint Source					
4	L	LEGG LAKE	405.41							
				Ammonia		Low	70	Acres		
					Nonpoint Source					
				Copper		Low	70	Acres		
					Nonpoint Source					
				Lead		Low	70	Acres		
					Nonpoint Source					
				Odors		Low	70	Acres		
					Nonpoint Source					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				pH		Medium	70	Acres		
					Nonpoint Source					
				Trash		High	70	Acres		
					Nonpoint Source					
4	L	LINCOLN PARK LAKE	405.15							
				Ammonia		Low	7	Acres	0194	1299
					Nonpoint Source					
				Eutrophic		Medium	7	Acres		
					Nonpoint Source					
				Lead		Low	7	Acres		
					Nonpoint Source					
				Odors		Low	7	Acres		
					Nonpoint Source					
				Org. enrichment/Low D.O.		Medium	7	Acres		
					Nonpoint Source					
				Trash		High	7	Acres		
					Nonpoint Source					
4	L	MACHADO LAKE (HARBOR PARK LAKE)	405.12							
				Algae		Low	45.2	Acres		
					Nonpoint Source					
				Ammonia		Low	45.2	Acres		
					Nonpoint Source					
				ChemA		High	45.2	Acres		
				<i>Elevated levels of chemA pesticides in tissue.</i>						
					Nonpoint Source					
				Chlordane		High	45.2	Acres		
				<i>Elevated levels of chlordane in tissue. Fish Consumption Advisory for chlordane.</i>						
					Nonpoint Source					
				DDT		High	45.2	Acres		
				<i>Elevated levels of DDT in tissue. Fish Consumption Advisory for DDT.</i>						
					Nonpoint Source					
				Dieldrin		High	45.2	Acres		
				<i>Elevated levels of dieldrin in tissue.</i>						
					Nonpoint Source					
				Eutrophic		Low	45.2	Acres		
					Nonpoint Source					
				Odors		Low	45.2	Acres		
					Nonpoint Source					
				PCBs		High	45.2	Acres		
				<i>Elevated levels of PCBs in tissue.</i>						
					Nonpoint Source					
				Trash		Low	45.2	Acres		
					Nonpoint Source					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE		
4	L	MALIBOU LAKE	404.24	Algae	Nonpoint Source	Medium	69	Acres				
				Chlordane		Low	69	Acres				
4	L	MATILIJIA RESERVOIR	402.20	Fish barriers	Dam Construction/Operation	Low	198	Acres				
4	L	MCGRATH LAKE (ESTUARY)	403.11	Chlordane	Nonpoint Source	High	1.35	Acres				
				DDT	Nonpoint Source	High	1.35	Acres				
				Pesticides	Nonpoint Source	High	1.35	Acres				
Sediment Toxicity	Nonpoint Source	Medium	1.35	Acres								
4	L	MUNZ LAKE	403.51	Eutrophic	Nonpoint Source	Low	15	Acres				
				Trash		Low	15	Acres				
4	L	PECK ROAD PARK LAKE	405.41	Chlordane	Nonpoint Source	Medium	166	Acres				
				DDT	Nonpoint Source	Medium	166	Acres				

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Lead	Nonpoint Source	Low	166	Acres		
				Odors	Nonpoint Source	Low	166	Acres		
				Org. enrichment/Low D.O.	Nonpoint Source	Medium	166	Acres		
				Trash	Nonpoint Source	High	166	Acres		
4	L	PUDDINGSTONE RESERVOIR	405.52	Chlordane <i>Elevated levels of chlordane in tissue.</i>	Nonpoint Source	Medium	382	Acres		
				DDT <i>Elevated levels of DDT in tissue.</i>	Nonpoint Source	Medium	382	Acres		
				Mercury <i>Elevated levels of mercury in tissue.</i>	Nonpoint Source	Medium	382	Acres		
				Org. enrichment/Low D.O.	Nonpoint Source	Medium	382	Acres		
				PCBs <i>Elevated levels of PCBs in tissue.</i>	Nonpoint Source	Medium	382	Acres		
4	L	SANTA FE DAM PARK LAKE	405.41	Copper	Nonpoint Source	Low	70	Acres		
				Lead	Nonpoint Source	Low	70	Acres		
				pH	Nonpoint Source	Low	70	Acres		
4	L	WESTLAKE LAKE	404.25	Algae	Nonpoint Source	Medium	186	Acres		
				Ammonia	Nonpoint Source	Low	186	Acres		
				Chlordane <i>Elevated levels of chlordane in tissue.</i>	Nonpoint Source	Low	186	Acres		
				Copper <i>Elevated levels of copper in tissue.</i>	Nonpoint Source	Medium	186	Acres		
				Eutrophic	Nonpoint Source	Medium	186	Acres	0193	1202

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Lead		Low	186	Acres		
					Nonpoint Source					
				Org. enrichment/Low D.O.		Medium	186	Acres		
					Nonpoint Source					
4	R	ALISO CANYON WASH	405.21							
				Selenium		Low	10.13	Miles		
					Nonpoint Source					
4	R	ARROYO LAS POSAS REACH 1 (LEWIS SOMIS RD TO FOX BARRANCA)	403.12							
				Ammonia		High	1.99	Miles	1298	
					Nonpoint/Point Source					
				Chloride		Medium	1.99	Miles	0197	1200
					Nonpoint/Point Source					
				DDT		High	1.99	Miles	1298	
				<i>Elevated levels of DDT in sediment.</i>						
					Nonpoint Source					
				Nitrate and Nitrite		Medium	1.99	Miles	1298	
					Nonpoint/Point Source					
				Sulfates		Medium	1.99	Miles		
					Nonpoint/Point Source					
				Total Dissolved Solids		Medium	1.99	Miles	1298	
					Nonpoint/Point Source					
4	R	ARROYO LAS POSAS REACH 2 (FOX BARRANCA TO MOORPARK FWY (23))	403.62							
				Ammonia		High	9.62	Miles	1298	
					Nonpoint/Point Source					
				Chloride		Medium	9.62	Miles	0197	1200
					Nonpoint/Point Source					
				DDT		High	9.62	Miles	1298	
				<i>Elevated levels of DDT in sediment.</i>						
					Nonpoint Source					
				Nitrate and Nitrite		Medium	9.62	Miles	1298	
					Nonpoint/Point Source					
				Sulfates		Medium	9.62	Miles		
					Nonpoint/Point Source					
				Total Dissolved Solids		Medium	9.62	Miles		
					Nonpoint/Point Source					
4	R	ARROYO SECO REACH 1 (LA RIVER TO WEST HOLLY AVE)	405.15							
				Algae		Low	7.02	Miles		
					Nonpoint Source					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				High Coliform Count		Medium	7.02	Miles		
					Nonpoint Source					
				Trash		High	7.02	Miles		
					Nonpoint Source					
4	R	ARROYO SECO REACH 2 (WEST HOLLY AVE. TO DEVILS GATE DAM)	405.31							
				Algae		Low	2.53	Miles		
					Nonpoint Source					
				High Coliform Count		Medium	2.53	Miles		
					Nonpoint Source					
				Trash		High	2.53	Miles		
					Nonpoint Source					
4	R	ARROYO SIMI REACH 1 (MOORPARK FRWY (23) TO BREA CYN)	403.62							
				Ammonia		High	7.58	Miles	1298	
					Nonpoint/Point Source					
				Boron		Medium	7.58	Miles		
					Nonpoint Source					
				Chloride		Medium	7.58	Miles	0197	1200
					Nonpoint Source					
				Chromium		Low	7.58	Miles		
				<i>Elevated levels of chromium in tissue.</i>						
					Nonpoint/Point Source					
				Nickel		Low	7.58	Miles		
				<i>Elevated levels of nickel in tissue.</i>						
					Nonpoint/Point Source					
				Selenium		Low	7.58	Miles		
				<i>Elevated levels of selenium in tissue.</i>						
					Nonpoint/Point Source					
				Silver		Low	7.58	Miles		
				<i>Elevated levels of silver in tissue.</i>						
					Nonpoint/Point Source					
				Sulfates		Medium	7.58	Miles		
					Nonpoint Source					
				Total Dissolved Solids		Medium	7.58	Miles		
					Nonpoint Source					
				Zinc		Low	7.58	Miles		
				<i>Elevated levels of zinc in tissue.</i>						
					Nonpoint/Point Source					
4	R	ARROYO SIMI REACH 2 (ABOVE BREA CANYON)	403.67							
				Boron		Medium	11.12	Miles		
					Nonpoint Source					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Sulfates		Medium	11.12	Miles		
					Nonpoint Source					
				Total Dissolved Solids		Medium	11.12	Miles		
					Nonpoint Source					
4	R	ASHLAND AVENUE DRAIN	405.13							
				High Coliform Count		High	0.57	Miles		
					Nonpoint Source					
				Org. enrichment/Low D.O.		Low	0.57	Miles		
					Nonpoint Source					
				Toxicity		Low	0.57	Miles		
					Nonpoint Source					
4	R	BALLONA CREEK	405.13							
				<b>Arsenic</b>		Medium	4.3	Miles		
				<i>Elevated levels of arsenic in tissue.</i>						
					Nonpoint/Point Source					
				<b>Cadmium</b>		Medium	4.3	Miles		
				<i>Elevated levels of cadmium in sediment.</i>						
					Nonpoint/Point Source					
				<b>ChemA</b>		High	4.3	Miles		
				<i>Elevated levels of chemA pesticides in tissue.</i>						
					Nonpoint/Point Source					
				<b>Chlordane</b>		High	4.3	Miles		
				<i>Elevated levels of chlordane in tissue.</i>						
					Nonpoint/Point Source					
				<b>Copper</b>		Medium	4.3	Miles		
				<i>Elevated levels of copper in tissue and sediment.</i>						
					Nonpoint/Point Source					
				<b>DDT</b>		High	4.3	Miles		
				<i>Elevated levels of DDT in tissue.</i>						
					Nonpoint/Point Source					
				<b>Dieldrin</b>		High	4.3	Miles		
				<i>Elevated levels of dieldrin in tissue.</i>						
					Nonpoint/Point Source					
				<b>Enteric Viruses</b>		High	4.3	Miles		
					Nonpoint/Point Source					
				<b>High Coliform Count</b>		High	4.3	Miles		
					Nonpoint/Point Source					
				<b>Lead</b>		Low	4.3	Miles		
				<i>Elevated levels of lead in tissue and sediment.</i>						
					Nonpoint/Point Source					
				<b>PCBs</b>		High	4.3	Miles		
				<i>Elevated levels of PCBs in tissue.</i>						
					Nonpoint/Point Source					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Sediment Toxicity</b>		<b>Medium</b>	<b>4.3</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Silver</b>		<b>Low</b>	<b>4.3</b>	<b>Miles</b>		
				<i>Elevated levels of silver in tissue and sediment.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>Toxicity</b>		<b>Medium</b>	<b>4.3</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Trash</b>		<b>High</b>	<b>4.3</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Tributyltin</b>		<b>Low</b>	<b>4.3</b>	<b>Miles</b>		
				<i>Elevated levels of tributyltin in sediment.</i>						
					<b>Nonpoint/Point Source</b>					
<b>4</b>	<b>R</b>	<b>BALLONA CREEK ESTUARY</b>	<b>405.13</b>							
				<b>Arochlor</b>		<b>High</b>	<b>2.5</b>	<b>Miles</b>		
				<i>Elevated levels of arochlor in sediment.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>Chlordane</b>		<b>High</b>	<b>2.5</b>	<b>Miles</b>		
				<i>Elevated levels of chlordane in tissue and sediment.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>DDT</b>		<b>High</b>	<b>2.5</b>	<b>Miles</b>		
				<i>Elevated levels of DDT in sediment.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>High Coliform Count</b>		<b>High</b>	<b>2.5</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Lead</b>		<b>Low</b>	<b>2.5</b>	<b>Miles</b>		
				<i>Elevated levels of lead in sediment.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>PAHs</b>		<b>High</b>	<b>2.5</b>	<b>Miles</b>		
				<i>Elevated levels of PAHs in sediment.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>PCBs</b>		<b>High</b>	<b>2.5</b>	<b>Miles</b>		
				<i>Elevated levels of PCBs in tissue and sediment.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>Sediment Toxicity</b>		<b>Medium</b>	<b>2.5</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Shellfish Harvesting Adv.</b>		<b>Medium</b>	<b>2.5</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Zinc</b>		<b>Low</b>	<b>2.5</b>	<b>Miles</b>		
				<i>Elevated levels of zinc in sediment.</i>						
					<b>Nonpoint/Point Source</b>					
<b>4</b>	<b>R</b>	<b>BEARDSLEY CHANNEL (ABOVE CENTRAL AVENUE)</b>	<b>403.61</b>							
				<b>Algae</b>		<b>Low</b>	<b>6.16</b>	<b>Miles</b>	<b>1298</b>	
					<b>Nonpoint Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>ChemA</b>		<b>High</b>	<b>6.16</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated levels of chemA pesticides in tissue.</i>						
				<b>Nonpoint Source</b>						
				<b>Chlordane</b>		<b>High</b>	<b>6.16</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated levels of chlordane in tissue and sediment.</i>						
				<b>Nonpoint Source</b>						
				<b>Chlorpyrifos</b>		<b>High</b>	<b>6.16</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated levels of chlorpyrifos in tissue.</i>						
				<b>Nonpoint Source</b>						
				<b>Dacthal</b>		<b>High</b>	<b>6.16</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated levels of dacthal in sediment.</i>						
				<b>Nonpoint Source</b>						
				<b>DDT</b>		<b>High</b>	<b>6.16</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated levels of DDT in tissue and sediment.</i>						
				<b>Nonpoint Source</b>						
				<b>Dieldrin</b>		<b>High</b>	<b>6.16</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated levels of dieldrin in tissue.</i>						
				<b>Nonpoint Source</b>						
				<b>Endosulfan</b>		<b>High</b>	<b>6.16</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated levels of endosulfan in tissue and sediment.</i>						
				<b>Nonpoint Source</b>						
				<b>Nitrogen</b>		<b>Medium</b>	<b>6.16</b>	<b>Miles</b>	<b>1298</b>	
				<b>Nonpoint Source</b>						
				<b>PCBs</b>		<b>High</b>	<b>6.16</b>	<b>Miles</b>		
				<i>Elevated levels of PCBs in tissue.</i>						
				<b>Nonpoint Source</b>						
				<b>Toxaphene</b>		<b>High</b>	<b>6.16</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated levels of toxaphene in tissue and sediment.</i>						
				<b>Nonpoint Source</b>						
				<b>Toxicity</b>		<b>High</b>	<b>6.16</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
				<b>Trash</b>		<b>Low</b>	<b>6.16</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
<b>4</b>	<b>R</b>	<b>BELL CREEK</b>	<b>405.21</b>							
				<b>High Coliform Count</b>		<b>Low</b>	<b>9.81</b>	<b>Miles</b>		
				<b>Nonpoint/Point Source</b>						
<b>4</b>	<b>R</b>	<b>BROWN BARRANCA / LONG CANYON</b>	<b>403.11</b>							
				<b>Nitrate and Nitrite</b>		<b>Medium</b>	<b>3.79</b>	<b>Miles</b>		
				<b>Nonpoint Source</b>						
<b>4</b>	<b>R</b>	<b>BURBANK WESTERN CHANNEL</b>	<b>405.21</b>							
				<b>Algae</b>		<b>Low</b>	<b>6.35</b>	<b>Miles</b>		
				<b>Nonpoint/Point Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Ammonia		High	6.35	Miles	0194	1299
					Nonpoint/Point Source					
				Cadmium		Low	6.35	Miles		
					Nonpoint/Point Source					
				Odors		Low	6.35	Miles		
					Nonpoint/Point Source					
				Scum/Foam-unnatural		Low	6.35	Miles		
					Nonpoint/Point Source					
				Trash		High	6.35	Miles		
					Nonpoint/Point Source					
4	R	CALLEGUAS CREEK REACH 1 (ESTUARY TO 0.5MI S OF BROOME RD)	403.11							
				Ammonia		High	2.2	Miles	1298	
					Nonpoint/Point Source					
				ChemA		High	2.2	Miles	1298	
				<i>Elevated levels of chemA in tissue.</i>						
					Nonpoint Source					
				Chlordane		High	2.2	Miles	1298	
				<i>Elevated levels of chlordane in tissue.</i>						
					Nonpoint Source					
				DDT		High	2.2	Miles	1298	
				<i>Elevated levels of DDT in tissue and sediment.</i>						
					Nonpoint Source					
				Endosulfan		High	2.2	Miles	1298	
				<i>Elevated levels of endosulfan in tissue.</i>						
					Nonpoint Source					
				Nitrogen		Medium	2.2	Miles	1298	
					Nonpoint/Point Source					
				PCBs		High	2.2	Miles		
				<i>Elevated levels of PCBs in tissue.</i>						
					Nonpoint/Point Source					
				Sediment Toxicity		Medium	2.2	Miles		
					Nonpoint/Point Source					
				Toxaphene		High	2.2	Miles	1298	
				<i>Elevated levels of toxaphene in tissue and sediment.</i>						
					Nonpoint Source					
				Toxicity		High	2.2	Miles		
					Nonpoint/Point Source					
4	R	CALLEGUAS CREEK REACH 2 (0.5 MI S OF BROOME RD TO POTRERO RD)	403.12							
				Ammonia		High	2.3	Miles	1298	
					Nonpoint/Point Source					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>ChemA</b>		<b>High</b>	<b>2.3</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated levels of chemA pesticides in tissue.</i>						
					<b>Nonpoint Source</b>					
				<b>Chlordane</b>		<b>High</b>	<b>2.3</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated level of chlordane in tissue.</i>						
					<b>Nonpoint Source</b>					
				<b>Dacthal</b>		<b>High</b>	<b>2.3</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated level of dacthal in tissue.</i>						
					<b>Nonpoint Source</b>					
				<b>DDT</b>		<b>High</b>	<b>2.3</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated level of DDT in tissue and sediment.</i>						
					<b>Nonpoint Source</b>					
				<b>Endosulfan</b>		<b>High</b>	<b>2.3</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated level of endosulfan in tissue.</i>						
					<b>Nonpoint Source</b>					
				<b>Nitrogen</b>		<b>Medium</b>	<b>2.3</b>	<b>Miles</b>	<b>1298</b>	
					<b>Nonpoint/Point Source</b>					
				<b>PCBs</b>		<b>High</b>	<b>2.3</b>	<b>Miles</b>		
				<i>Elevated level of PCBs in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>Sediment Toxicity</b>		<b>Medium</b>	<b>2.3</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Toxaphene</b>		<b>High</b>	<b>2.3</b>	<b>Miles</b>	<b>1298</b>	
				<i>Elevated level of toxaphene in tissue and sediment.</i>						
					<b>Nonpoint Source</b>					
				<b>Toxicity</b>		<b>High</b>	<b>2.3</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
<b>4</b>	<b>R</b>	<b>CALLEGUAS CREEK REACH 3 (POTRERO TO SOMIS RD)</b>	<b>403.12</b>							
				<b>Chloride</b>		<b>Medium</b>	<b>7.7</b>	<b>Miles</b>	<b>0197</b>	<b>1200</b>
					<b>Nonpoint/Point Source</b>					
				<b>Nitrate and Nitrite</b>		<b>Medium</b>	<b>7.7</b>	<b>Miles</b>	<b>1298</b>	
					<b>Nonpoint/Point Source</b>					
				<b>Total Dissolved Solids</b>		<b>Medium</b>	<b>7.7</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
<b>4</b>	<b>R</b>	<b>COMPTON CREEK</b>	<b>405.15</b>							
				<b>Copper</b>		<b>Low</b>	<b>8.52</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>High Coliform Count</b>		<b>Medium</b>	<b>8.52</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Lead</b>		<b>Low</b>	<b>8.52</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>pH</b>		<b>Medium</b>	<b>8.52</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	R	CONEJO CREEK / ARROYO CONEJO NORTH FORK	403.64	Ammonia	Nonpoint/Point Source	High	6.51	Miles	1298	
				Chlordane	Nonpoint Source	Medium	6.51	Miles	1298	
				<i>Elevated levels of chlordane in tissue.</i>						
				DDT	Nonpoint Source	Medium	6.51	Miles	1298	
				<i>Elevated levels of DDT in tissue.</i>						
				Sulfates	Nonpoint/Point Source	Medium	6.51	Miles		
				Total Dissolved Solids	Nonpoint/Point Source	Medium	6.51	Miles		
4	R	CONEJO CREEK REACH 1 (CONFL CALL TO SANTA ROSA RD)	403.12	Algae	Nonpoint/Point Source	Low	5.8	Miles	1298	
				Ammonia	Nonpoint/Point Source	High	5.8	Miles	1298	
				Cadmium	Nonpoint/Point Source	Medium	5.8	Miles		
				<i>Elevated levels of cadmium in tissue.</i>						
				ChemA	Nonpoint Source	High	5.8	Miles	1298	
				<i>Elevated levels of chemA pesticides in tissue.</i>						
				Chromium	Nonpoint/Point Source	Medium	5.8	Miles		
				<i>Elevated levels of chromium in tissue.</i>						
				Dacthal	Nonpoint Source	High	5.8	Miles	1298	
				<i>Elevated levels of dacthal in tissue.</i>						
				DDT	Nonpoint Source	High	5.8	Miles	1298	
				<i>Elevated levels of DDT in tissue.</i>						
				Endosulfan	Nonpoint Source	High	5.8	Miles	1298	
				<i>Elevated levels of endosulfan in tissue.</i>						
				Nickel	Nonpoint/Point Source	Medium	5.8	Miles		
				<i>Elevated levels of nickel in tissue.</i>						
				Org. enrichment/Low D.O.	Nonpoint/Point Source	Medium	5.8	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Silver</b> <i>Elevated levels of silver in tissue.</i>	<b>Nonpoint/Point Source</b>	Medium	5.8	Miles		
				<b>Sulfates</b>	<b>Nonpoint/Point Source</b>	Medium	5.8	Miles		
				<b>Total Dissolved Solids</b>	<b>Nonpoint/Point Source</b>	Medium	5.8	Miles		
				<b>Toxaphene</b> <i>Elevated levels of toxaphene in tissue and sediment.</i>	<b>Nonpoint Source</b>	High	5.8	Miles	1298	
				<b>Toxicity</b>	<b>Nonpoint/Point Source</b>	High	5.8	Miles		
4	R	CONEJO CREEK REACH 2 (SANTA ROSA RD TO THO. OAKS CITY LIMIT)	403.63							
				<b>Algae</b>	<b>Nonpoint/Point Source</b>	Low	2.67	Miles	1298	
				<b>Ammonia</b>	<b>Nonpoint/Point Source</b>	High	2.67	Miles	1298	
				<b>Cadmium</b> <i>Elevated levels of cadmium in tissue.</i>	<b>Nonpoint/Point Source</b>	Medium	2.67	Miles		
				<b>ChemA</b> <i>Elevated levels of chemA pesticides in tissue.</i>	<b>Nonpoint Source</b>	High	2.67	Miles	1298	
				<b>Chloride</b>	<b>Nonpoint/Point Source</b>	Medium	2.67	Miles	0197	1200
				<b>Chromium</b> <i>Elevated levels of chromium in tissue.</i>	<b>Nonpoint/Point Source</b>	Medium	2.67	Miles		
				<b>Dacthal</b> <i>Elevated levels of dacthal in tissue.</i>	<b>Nonpoint Source</b>	High	2.67	Miles	1298	
				<b>DDT</b> <i>Elevated levels of DDT in tissue.</i>	<b>Nonpoint Source</b>	High	2.67	Miles	1298	
				<b>Endosulfan</b> <i>Elevated levels of endosulfan in tissue.</i>	<b>Nonpoint Source</b>	High	2.67	Miles	1298	
				<b>Nickel</b> <i>Elevated levels of nickel in tissue.</i>	<b>Nonpoint/Point Source</b>	Medium	2.67	Miles		
				<b>Org. enrichment/Low D.O.</b>	<b>Nonpoint/Point Source</b>	Medium	2.67	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Silver</b> <i>Elevated levels of silver in tissue.</i>		Medium	2.67	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>Sulfates</b>		Medium	2.67	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>Total Dissolved Solids</b>		Medium	2.67	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>Toxaphene</b> <i>Elevated levels of toxaphene in tissue and sediment.</i>		High	2.67	Miles	1298	
					<b>Nonpoint Source</b>					
				<b>Toxicity</b>		High	2.67	Miles		
					<b>Nonpoint/Point Source</b>					
4	R	CONEJO CREEK REACH 3 (THOUSAND OAKS CITY LIMIT TO LYNN RD.)	403.64							
				<b>Algae</b>		Low	5.6	Miles	1298	
					<b>Nonpoint/Point Source</b>					
				<b>Ammonia</b>		High	5.6	Miles	1298	
					<b>Nonpoint/Point Source</b>					
				<b>Cadmium</b> <i>Elevated levels of cadmium in tissue.</i>		Medium	5.6	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>ChemA</b> <i>Elevated levels of chemA pesticides in tissue.</i>		High	5.6	Miles	1298	
					<b>Nonpoint Source</b>					
				<b>Chromium</b> <i>Elevated levels of chromium in tissue.</i>		Medium	5.6	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>Dacthal</b> <i>Elevated levels of dacthal in tissue.</i>		High	5.6	Miles	1298	
					<b>Nonpoint Source</b>					
				<b>DDT</b> <i>Elevated levels of DDT in tissue.</i>		High	5.6	Miles	1298	
					<b>Nonpoint Source</b>					
				<b>Endosulfan</b> <i>Elevated levels of endosulfan in tissue.</i>		High	5.6	Miles	1298	
					<b>Nonpoint Source</b>					
				<b>Nickel</b> <i>Elevated levels of nickel in tissue.</i>		Medium	5.6	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>Org. enrichment/Low D.O.</b>		Medium	5.6	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>Silver</b> <i>Elevated levels of silver in tissue.</i>		Medium	5.6	Miles		
					<b>Nonpoint/Point Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Sulfates	Nonpoint/Point Source	Medium	5.6	Miles		
				Total Dissolved Solids	Nonpoint/Point Source	Medium	5.6	Miles		
				Toxaphene	Nonpoint Source	High	5.6	Miles	1298	
				<i>Elevated levels of toxaphene in tissue and sediment.</i>						
				Toxicity	Nonpoint/Point Source	High	5.6	Miles		
4	R	CONEJO CREEK REACH 4 (ABOVE LYNN RD.)	403.68							
				Algae	Nonpoint/Point Source	Low	4.98	Miles		
				Ammonia	Nonpoint/Point Source	High	4.98	Miles	1298	
				ChemA	Nonpoint Source	High	4.98	Miles	1298	
				<i>Elevated levels of chemA pesticides in tissue.</i>						
				Chloride	Nonpoint/Point Source	Medium	4.98	Miles	0197	1200
				Dacthal	Nonpoint Source	High	4.98	Miles	1298	
				<i>Elevated levels of dacthal in tissue.</i>						
				DDT	Nonpoint Source	High	4.98	Miles	1298	
				<i>Elevated levels of DDT in tissue.</i>						
				Endosulfan	Nonpoint Source	High	4.98	Miles	1298	
				<i>Elevated levels of endosulfan in tissue.</i>						
				Org. enrichment/Low D.O.	Nonpoint/Point Source	Medium	4.98	Miles		
				Sulfates	Nonpoint/Point Source	Medium	4.98	Miles		
				Total Dissolved Solids	Nonpoint/Point Source	Medium	4.98	Miles		
				Toxaphene	Nonpoint Source	High	4.98	Miles	1298	
				<i>Elevated levels of toxaphene in tissue and sediment.</i>						
				Toxicity	Nonpoint/Point Source	High	4.98	Miles		
4	R	COYOTE CREEK	405.15							
				Abnormal Fish Histology	Nonpoint/Point Source	Medium	13.45	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Algae</b>		<b>Medium</b>	<b>13.45</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Ammonia</b>		<b>High</b>	<b>13.45</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>High Coliform Count</b>		<b>Medium</b>	<b>13.45</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Silver</b>		<b>Medium</b>	<b>13.45</b>	<b>Miles</b>		
				<i>Elevated levels of silver in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
<b>4</b>	<b>R</b>	<b>DOMINGUEZ CHANNEL (ABOVE VERMONT)</b>	<b>405.12</b>							
				<b>Aldrin</b>		<b>Medium</b>	<b>9</b>	<b>Miles</b>		
				<i>Elevated levels of aldrin in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>Ammonia</b>		<b>Low</b>	<b>9</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>ChemA</b>		<b>High</b>	<b>9</b>	<b>Miles</b>		
				<i>Elevated levels of chemA pesticides in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>Chlordane</b>		<b>High</b>	<b>9</b>	<b>Miles</b>		
				<i>Elevated levels of chlordane in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>Chromium</b>		<b>Medium</b>	<b>9</b>	<b>Miles</b>		
				<i>Elevated levels of chromium in sediment.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>Copper</b>		<b>Low</b>	<b>9</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>DDT</b>		<b>High</b>	<b>9</b>	<b>Miles</b>		
				<i>Elevated levels of DDT in tissue and sediment.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>Dieldrin</b>		<b>Medium</b>	<b>9</b>	<b>Miles</b>		
				<i>Elevated levels of dieldrin in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>High Coliform Count</b>		<b>Low</b>	<b>9</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Lead</b>		<b>Low</b>	<b>9</b>	<b>Miles</b>		
				<i>Elevated levels of lead in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>PAHs</b>		<b>High</b>	<b>9</b>	<b>Miles</b>		
				<i>Elevated levels of PAHs in sediment.</i>						
					<b>Nonpoint/Point Source</b>					
				<b>PCBs</b>		<b>High</b>	<b>9</b>	<b>Miles</b>		
				<i>Elevated levels of PCBs in tissue.</i>						
					<b>Nonpoint/Point Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Zinc</b> <i>Elevated levels of zinc in sediment.</i>		<b>High</b>	<b>9</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
<b>4</b>	<b>R</b>	<b>DOMINGUEZ CHANNEL ESTUARY (TO VERMONT)</b>	<b>405.12</b>							
				<b>Aldrin</b> <i>Elevated levels of aldrin in tissue.</i>		<b>Medium</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Ammonia</b>		<b>Low</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Benthic Comm. Effects</b>		<b>High</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>ChemA</b> <i>Elevated levels of chemA pesticides in tissue.</i>		<b>High</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Chlordane</b> <i>Elevated levels of chlordane in tissue.</i>		<b>High</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Chromium</b> <i>Elevated levels of chromium in sediment.</i>		<b>Medium</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Copper</b>		<b>Low</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>DDT</b> <i>Elevated levels of DDT in tissue and sediment.</i>		<b>High</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Dieldrin</b> <i>Elevated levels of dieldrin in tissue.</i>		<b>Medium</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>High Coliform Count</b>		<b>Low</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Lead</b> <i>Elevated levels of lead in tissue.</i>		<b>Low</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>PAHs</b> <i>Elevated levels of PAHs in sediment.</i>		<b>High</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>PCBs</b> <i>Elevated levels of PCBs in tissue.</i>		<b>High</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					
				<b>Zinc</b> <i>Elevated levels of zinc in sediment.</i>		<b>High</b>	<b>8.4</b>	<b>Miles</b>		
					<b>Nonpoint/Point Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	R	DUCK POND AGRICULTURAL DRAIN/MUGU DRAIN/OXNARD DR #2	403.11	<b>ChemA</b> <i>Elevated levels of chemA pesticides in tissue.</i>	<b>Nonpoint Source</b>	High	13.5	Miles	1298	
				<b>Chlordane</b> <i>Elevated levels of chlordane in tissue.</i>	<b>Nonpoint Source</b>	High	13.5	Miles	1298	
				<b>DDT</b> <i>Elevated levels of DDT in tissue and sediment.</i>	<b>Nonpoint Source</b>	High	13.5	Miles	1298	
				<b>Nitrogen</b>	<b>Nonpoint Source</b>	Medium	13.5	Miles	1298	
				<b>Sediment Toxicity</b>	<b>Nonpoint Source</b>	Medium	13.5	Miles		
				<b>Toxaphene</b> <i>Elevated levels of toxaphene in tissue.</i>	<b>Nonpoint Source</b>	High	13.5	Miles	1298	
				<b>Toxicity</b>	<b>Nonpoint Source</b>	High	13.5	Miles		
4	R	FOX BARRANCA	403.62	<b>Boron</b>	<b>Nonpoint Source</b>	Medium	3.03	Miles		
				<b>Nitrate and Nitrite</b>	<b>Nonpoint Source</b>	Medium	3.03	Miles	1298	
				<b>Sulfates</b>	<b>Nonpoint Source</b>	Medium	3.03	Miles		
				<b>Total Dissolved Solids</b>	<b>Nonpoint Source</b>	Medium	3.03	Miles		
4	R	LAS VIRGENES CREEK	404.22	<b>High Coliform Count</b>	<b>Nonpoint Source</b>	High	11.47	Miles		
				<b>Nutrients (Algae)</b>	<b>Nonpoint Source</b>	Medium	11.47	Miles	0193	1202
				<b>Org. enrichment/Low D.O.</b>	<b>Nonpoint Source</b>	Medium	11.47	Miles		
				<b>Scum/Foam-unnatural</b>	<b>Nonpoint Source</b>	Low	11.47	Miles		
				<b>Selenium</b>	<b>Nonpoint Source</b>	Low	11.47	Miles		
				<b>Trash</b>	<b>Nonpoint Source</b>	Low	11.47	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	R	LINDERO CREEK REACH 1	404.23	Algae	Nonpoint Source	Medium	2.2	Miles		
				High Coliform Count	Nonpoint Source	High	2.2	Miles		
				Scum/Foam-unnatural	Nonpoint Source	Low	2.2	Miles		
				Selenium	Nonpoint Source	Low	2.2	Miles		
				Trash	Nonpoint Source	Low	2.2	Miles		
4	R	LINDERO CREEK REACH 2 (ABOVE LAKE)	404.23	Algae	Nonpoint Source	Medium	4.8	Miles		
				High Coliform Count	Nonpoint Source	High	4.8	Miles		
				Scum/Foam-unnatural	Nonpoint Source	Low	4.8	Miles		
				Selenium	Nonpoint Source	Low	4.8	Miles		
				Trash	Nonpoint Source	Low	4.8	Miles		
4	R	LOS ANGELES RIVER REACH 1 (ESTUARY TO CARSON STREET)	405.12	Ammonia	Nonpoint/Point Source	High	2.01	Miles	0194	1299
				High Coliform Count	Nonpoint/Point Source	Medium	2.01	Miles		
				Lead	Nonpoint/Point Source	Low	2.01	Miles		
				Nutrients (Algae)	Nonpoint/Point Source	Medium	2.01	Miles	0194	1299
				pH	Nonpoint/Point Source	Medium	2.01	Miles		
				Scum/Foam-unnatural	Nonpoint/Point Source	Low	2.01	Miles		
				Trash	Nonpoint/Point Source	High	2.01	Miles		
4	R	LOS ANGELES RIVER REACH 2 (CARSON TO FIGUEROA STREET)	405.15	Ammonia	Nonpoint/Point Source	High	19.37	Miles	0194	1299

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				High Coliform Count		Medium	19.37	Miles		
				Lead	Nonpoint/Point Source	Low	19.37	Miles		
				Nutrients (Algae)	Nonpoint/Point Source	Medium	19.37	Miles	0194	1299
				Odors	Nonpoint/Point Source	Low	19.37	Miles		
				Oil	Nonpoint/Point Source	Medium	19.37	Miles		
				Scum/Foam-unnatural	Nonpoint/Point Source	Low	19.37	Miles		
				Trash	Nonpoint/Point Source	High	19.37	Miles		
4	R	LOS ANGELES RIVER REACH 3 (FIGUEROA ST TO RIVERSIDE DR.)	405.21	Ammonia		High	7.24	Miles	0194	1299
				Nutrients (Algae)	Nonpoint/Point Source	Medium	7.24	Miles	0194	1299
				Odors	Nonpoint/Point Source	Low	7.24	Miles		
				Scum/Foam-unnatural	Nonpoint/Point Source	Low	7.24	Miles		
				Trash	Nonpoint/Point Source	High	7.24	Miles		
4	R	LOS ANGELES RIVER REACH 4 (SEPUVEDA DR. TO SEPULVEDA DAM)	405.21	Ammonia		High	11.84	Miles	0194	1299
				High Coliform Count	Nonpoint/Point Source	Medium	11.84	Miles		
				Lead	Nonpoint/Point Source	Low	11.84	Miles		
				Nutrients (Algae)	Nonpoint/Point Source	Medium	11.84	Miles	0194	1299
				Odors	Nonpoint/Point Source	Low	11.84	Miles		
				Scum/Foam-unnatural	Nonpoint/Point Source	Low	11.84	Miles		
				Trash	Nonpoint/Point Source	High	11.84	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	R	LOS ANGELES RIVER REACH 5 (AT SEPULVEDA BASIN)	405.21	Ammonia	Nonpoint/Point Source	High	1.93	Miles	0194	1299
				ChemA		Medium	1.93	Miles		
				Chlorpyrifos	Nonpoint/Point Source	Medium	1.93	Miles		
				<i>Elevated levels of chlorpyrifos in tissue.</i>						
				Nutrients (Algae)	Medium	1.93	Miles	0194	1299	
				Odors	Nonpoint/Point Source	Low	1.93	Miles		
				Oil		Low	1.93	Miles		
				Scum/Foam-unnatural	Low	1.93	Miles			
				Trash	High	1.93	Miles			
4	R	LOS ANGELES RIVER REACH 6 (ABOVE SEPULVEDA FLD CNTRL BASIN)	405.21	Dichloroethylene/1,1-DCE	Nonpoint Source	Low	6.17	Miles		
				High Coliform Count		Low	6.17	Miles		
				Tetrachloroethylene/PCE	Nonpoint Source	Low	6.17	Miles		
				Trichloroethylene/TCE		Low	6.17	Miles		
				4	R	MALIBU CREEK	404.21	Fish barriers	Dam Construction/Operation	Low
High Coliform Count	High	9.5	Miles							
Nutrients (Algae)	Medium	9.5	Miles					0193	1202	
Scum/Foam-unnatural	Nonpoint/Point Source	Low	9.5					Miles		
Trash		Low	9.5					Miles		
		Nonpoint Source								

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	R	MATILIJA CREEK REACH 1 (JCT. WITH N. FORK TO RESERVOIR)	402.20	Fish barriers	Dam Construction/Operation	Low	1.6	Miles		
4	R	MATILIJA CREEK REACH 2 (ABOVE RESERVOIR)	402.20	Fish barriers	Dam Construction/Operation	Low	16.8	Miles		
4	R	MEDEA CREEK REACH 1 (LAKE TO CONFL. WITH LINDERO)	404.23	Algae	Nonpoint Source	Medium	3.01	Miles		
				High Coliform Count	Nonpoint Source	High	3.01	Miles		
				Selenium	Nonpoint Source	Low	3.01	Miles		
				Trash	Nonpoint Source	Low	3.01	Miles		
4	R	MEDEA CREEK REACH 2 (ABV COFL. WITH LINDERO)	404.24	Algae	Nonpoint Source	Medium	5.44	Miles		
				High Coliform Count	Nonpoint Source	High	5.44	Miles		
				Selenium	Nonpoint Source	Low	5.44	Miles		
				Trash	Nonpoint Source	Low	5.44	Miles		
4	R	MINT CANYON CREEK REACH 1 (CONFL TO ROWLER CYN)	403.51	Nitrate and Nitrite	Nonpoint Source	Medium	8.16	Miles		
4	R	MONROVIA CANYON CREEK	405.33	Lead	Nonpoint Source	Low	2.09	Miles		
4	R	PALO COMADO CREEK	404.23	High Coliform Count	Nonpoint Source	High	7.78	Miles		
4	R	PICO KENTER DRAIN	405.13	Ammonia	Nonpoint Source	Low	4.77	Miles		
				Copper	Nonpoint Source	Medium	4.77	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Enteric Viruses		High	4.77	Miles		
					Nonpoint Source					
				High Coliform Count		High	4.77	Miles		
					Nonpoint Source					
				Lead		Low	4.77	Miles		
					Nonpoint Source					
				PAHs		High	4.77	Miles		
					Nonpoint Source					
				Toxicity		Medium	4.77	Miles		
					Nonpoint Source					
				Trash		Low	4.77	Miles		
					Nonpoint Source					
4	R	REVOLON SLOUGH MAIN BRANCH (MUGU LAGOON TO CENTRAL AVENUE)	403.11							
				Algae		Low	8.9	Miles	1298	
					Nonpoint Source					
				ChemA		High	8.9	Miles	1298	
				<i>Elevated levels of chemA pesticides in tissue.</i>						
					Nonpoint Source					
				Chlordane		High	8.9	Miles	1298	
				<i>Elevated levels of chlordane in tissue and sediment.</i>						
					Nonpoint Source					
				Chlorpyrifos		High	8.9	Miles	1298	
				<i>Elevated levels of chlorpyrifos in tissue.</i>						
					Nonpoint Source					
				Dacthal		High	8.9	Miles	1298	
				<i>Elevated levels of dacthal in sediment.</i>						
					Nonpoint Source					
				DDT		High	8.9	Miles	1298	
				<i>Elevated levels of DDT in tissue and sediment.</i>						
					Nonpoint Source					
				Dieldrin		High	8.9	Miles	1298	
				<i>Elevated levels of dieldrin in tissue.</i>						
					Nonpoint Source					
				Endosulfan		High	8.9	Miles	1298	
				<i>Elevated levels of endosulfan in tissue and sediment.</i>						
					Nonpoint Source					
				Nitrogen		Medium	8.9	Miles	1298	
					Nonpoint Source					
				PCBs		High	8.9	Miles		
				<i>Elevated levels of PCBs in tissue.</i>						
					Nonpoint Source					
				Selenium		Low	8.9	Miles		
					Nonpoint Source					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Toxaphene</b> <i>Elevated levels of toxaphene in tissue and sediment.</i>		High	8.9	Miles	1298	
					<b>Nonpoint Source</b>					
				<b>Toxicity</b>		High	8.9	Miles		
					<b>Nonpoint Source</b>					
				<b>Trash</b>		Low	8.9	Miles		
					<b>Nonpoint Source</b>					
4	R	RIO DE SANTA CLARA/OXNARD DRAIN #3	403.11							
				<b>ChemA</b> <i>Elevated levels of chemA pesticides in tissue.</i>		High	2.48	Miles	1298	
					<b>Nonpoint Source</b>					
				<b>Chlordane</b> <i>Elevated levels of chlordane in tissue.</i>		High	2.48	Miles	1298	
					<b>Nonpoint Source</b>					
				<b>DDT</b> <i>Elevated levels of DDT in tissue.</i>		High	2.48	Miles	1298	
					<b>Nonpoint Source</b>					
				<b>Nitrogen</b>		Low	2.48	Miles	1298	
					<b>Nonpoint Source</b>					
				<b>PCBs</b> <i>Elevated levels of PCBs in tissue.</i>		High	2.48	Miles		
					<b>Nonpoint Source</b>					
				<b>Sediment Toxicity</b>		High	2.48	Miles		
					<b>Nonpoint Source</b>					
				<b>Toxaphene</b> <i>Elevated levels of toxaphene in tissue.</i>		High	2.48	Miles	1298	
					<b>Nonpoint Source</b>					
4	R	RIO HONDO REACH 1 (CONFL. LA RIVER TO SNT ANA FWY)	405.15							
				<b>Ammonia</b>		Low	4.19	Miles	0194	1299
					<b>Nonpoint/Point Source</b>					
				<b>Copper</b>		Low	4.19	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>High Coliform Count</b>		Low	4.19	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>Lead</b>		Low	4.19	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>pH</b>		Low	4.19	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>Trash</b>		High	4.19	Miles		
					<b>Nonpoint/Point Source</b>					
				<b>Zinc</b>		Low	4.19	Miles		
					<b>Nonpoint/Point Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	R	RIO HONDO REACH 2 (AT SPREADING GROUNDS)	405.15	Ammonia	Nonpoint/Point Source	Medium	2.71	Miles	0194	1299
				High Coliform Count	Nonpoint/Point Source	Low	2.71	Miles		
4	R	SAN GABRIEL RIVER EAST FORK	405.43	Trash	Nonpoint Source	High	12	Miles		
4	R	SAN GABRIEL RIVER ESTUARY	405.15	Abnormal Fish Histology	Nonpoint/Point Source	Medium	2.95	Miles		
				Arsenic	Nonpoint/Point Source	Low	2.95	Miles		
				<i>Elevated levels of arsenic in tissue.</i>						
					Nonpoint/Point Source					
4	R	SAN GABRIEL RIVER REACH 1 (ESTUARY TO FIRESTONE)	405.15	Abnormal Fish Histology	Nonpoint/Point Source	Medium	8.73	Miles		
				Algae	Nonpoint/Point Source	Medium	8.73	Miles		
				Ammonia	Nonpoint/Point Source	High	8.73	Miles		
				High Coliform Count	Nonpoint/Point Source	Low	8.73	Miles		
				Toxicity	Nonpoint/Point Source	Medium	8.73	Miles		
4	R	SAN GABRIEL RIVER REACH 2 (FIRESTONE TO WHITTIER NARROWS DAM)	405.15	Ammonia	Nonpoint/Point Source	High	9.99	Miles		
				High Coliform Count	Nonpoint/Point Source	Low	9.99	Miles		
				Lead	Nonpoint/Point Source	Low	9.99	Miles		
4	R	SAN GABRIEL RIVER REACH 3 (WHITTIER NARROWS TO RAMONA)	405.41	Toxicity	Nonpoint/Point Source	Medium	3.52	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	R	SAN JOSE CREEK REACH 1 (SG CONFL. TO TEMPLE STREET)	405.41	Algae	Nonpoint/Point Source	Medium	13.12	Miles		
	Ammonia			High		13.12	Miles			
	High Coliform Count			Low		13.12	Miles			
				Nonpoint/Point Source						
4	R	SAN JOSE CREEK REACH 2 (TEMPLE TO I-10 AT WHITE AVE.)	405.51	Algae	Nonpoint/Point Source	Medium	4.93	Miles		
	Ammonia			High		4.93	Miles			
	High Coliform Count			Low		4.93	Miles			
				Nonpoint/Point Source						
4	R	SANTA CLARA RIVER ESTUARY	403.11	ChemA	Nonpoint Source	Medium	2.07	Miles		
	High Coliform Count			Low		2.07	Miles			
	Toxaphene			Medium		2.07	Miles			
				Nonpoint Source						
4	R	SANTA CLARA RIVER REACH 3 (DAM TO ABV SP CRK/BLW TIMBER CYN)	403.21	Ammonia	Nonpoint/Point Source	Medium	13.24	Miles		
	Chloride			Medium		13.24	Miles	1297		
				Nonpoint/Point Source						
4	R	SANTA CLARA RIVER REACH 7 (BLUE CUT TO WEST PIER HWY 99)	403.51	Ammonia	Nonpoint/Point Source	Medium	9.21	Miles		
	Chloride			Medium		9.21	Miles	1297		
				Nonpoint/Point Source						
	High Coliform Count			Low		9.21	Miles			
	Nitrate and Nitrite			Medium		9.21	Miles			
		Nonpoint/Point Source								

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE	
4	R	SANTA CLARA RIVER REACH 8-W PIER HY 99 TO BOUQUET CYN RD BRG	403.51	Ammonia	Nonpoint/Point Source	Medium	3.42	Miles			
				Chloride	Nonpoint/Point Source	Medium	3.42	Miles	1297		
						<i>Chloride was relisted by USEPA.</i>					
				High Coliform Count	Nonpoint/Point Source	Low	3.42	Miles			
				Nitrate and Nitrite	Nonpoint/Point Source	Medium	3.42	Miles			
				Org. enrichment/Low D.O.	Nonpoint/Point Source	Medium	3.42	Miles			
4	R	SANTA CLARA RIVER REACH 9 (BOUQUET CYN RD.TO ABV LANG GAGNG)	403.51	High Coliform Count	Nonpoint/Point Source	Low	12.69	Miles			
4	R	SANTA MONICA CANYON	405.13	High Coliform Count	Nonpoint Source	High	2.9	Miles			
				Lead	Nonpoint Source	Low	2.9	Miles			
4	R	SEPULVEDA CANYON	405.13	Ammonia	Nonpoint Source	Low	6.8	Miles			
				High Coliform Count	Nonpoint Source	High	6.8	Miles			
				Lead	Nonpoint Source	Low	6.8	Miles			
4	R	STOKES CREEK	404.22	High Coliform Count	Nonpoint Source	High	5.33	Miles			
4	R	TAPO CANYON REACH 1	403.67	Boron	Nonpoint/Point Source	Medium	5.23	Miles			
				Chloride	Nonpoint/Point Source	Medium	5.23	Miles	0197	1200	
				Sulfates	Nonpoint/Point Source	Medium	5.23	Miles			
				Total Dissolved Solids	Nonpoint/Point Source	Medium	5.23	Miles			

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	R	TOPANGA CANYON CREEK	404.11	Lead	Nonpoint Source	Low	8.6	Miles		
4	R	TORRANCE CARSON CHANNEL	405.12	Copper	Nonpoint Source	Low	12.6	Miles		
				High Coliform Count	Nonpoint Source	Medium	12.6	Miles		
				Lead	Nonpoint Source	Low	12.6	Miles		
4	R	TORREY CANYON CREEK	403.41	Nitrate and Nitrite	Nonpoint Source	Medium	1.7	Miles		
4	R	TRIUNFO CANYON CREEK REACH 1	404.24	Lead	Nonpoint Source	Low	4.06	Miles		
				Mercury	Nonpoint Source	Low	4.06	Miles		
4	R	TRIUNFO CANYON CREEK REACH 2	404.25	Lead	Nonpoint Source	Low	1.98	Miles		
				Mercury	Nonpoint Source	Low	1.98	Miles		
4	R	TUJUNGA WASH (LA RIVER TO HANSEN DAM)	405.21	Ammonia	Nonpoint Source	Medium	9.68	Miles	0194	1299
				Copper	Nonpoint Source	Medium	9.68	Miles		
				High Coliform Count	Nonpoint Source	Low	9.68	Miles		
				Odors	Nonpoint Source	Low	9.68	Miles		
				Scum/Foam-unnatural	Nonpoint Source	Low	9.68	Miles		
				Trash	Nonpoint Source	High	9.68	Miles		
4	R	VENTURA RIVER ESTUARY	402.10	Algae	Nonpoint/Point Source	Low	0.35	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				DDT		Medium	0.35	Miles		
				<i>Elevated levels of DDT in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				Eutrophic		Low	0.35	Miles		
					<b>Nonpoint/Point Source</b>					
				Trash		Low	0.35	Miles		
					<b>Nonpoint/Point Source</b>					
4	R	VENTURA RIVER REACH 1 (ESTUARY TO MAIN STREET)	402.10							
				Algae		Low	0.18	Miles		
					<b>Nonpoint/Point Source</b>					
				Copper		Low	0.18	Miles		
				<i>Elevated levels of copper in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				Silver		Medium	0.18	Miles		
				<i>Elevated levels of silver in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				Zinc		Low	0.18	Miles		
				<i>Elevated levels of zinc in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
4	R	VENTURA RIVER REACH 2 (MAIN ST. TO WELDON CANYON)	402.10							
				Algae		Low	4.64	Miles		
					<b>Nonpoint/Point Source</b>					
				Copper		Low	4.64	Miles		
				<i>Elevated levels of copper in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				Selenium		Low	4.64	Miles		
				<i>Elevated levels of selenium in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				Silver		Medium	4.64	Miles		
				<i>Elevated levels of silver in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
				Zinc		Low	4.64	Miles		
				<i>Elevated levels of zinc in tissue.</i>						
					<b>Nonpoint/Point Source</b>					
4	R	VENTURA RIVER REACH 3 (WELDON CANYON TO CONFL. W/ COYOTE CR)	402.10							
				Pumping		Low	0.78	Miles		
					<b>Nonpoint Source</b>					
				Water Diversion		Low	0.78	Miles		
					<b>Nonpoint Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE	
4	R	VENTURA RIVER REACH 4 (COYOTE CREEK TO CAMINO CIELO RD.)	402.20	Pumping	Nonpoint Source	Low	14.94	Miles			
				Water Diversion		Low	14.94	Miles			
4	R	VERDUGO WASH REACH 1 (LA RIVER TO VERDUGO RD.)	405.21	Algae	Nonpoint Source	Low	3.41	Miles			
						High Coliform Count	Low	3.41	Miles		
						Trash	High	3.41	Miles		
4	R	VERDUGO WASH REACH 2 (ABOVE VERDUGO ROAD)	405.24	Algae	Nonpoint Source	Low	5.55	Miles			
						High Coliform Count	Low	5.55	Miles		
						Trash	High	5.55	Miles		
4	R	WALNUT CREEK WASH (DRAINS FROM PUDDINGSTONE RESERVOIR)	405.41	pH	Nonpoint/Point Source	High	13.9	Miles			
						Toxicity	Medium	13.9	Miles		
4	R	WHEELER CANYON / TODD BARRANCA	403.21	Nitrate and Nitrite	Nonpoint Source	Medium	4.17	Miles			
4	R	WILMINGTON DRAIN	405.12	Ammonia	Nonpoint Source	Medium	4.9	Miles			
						Copper	Low	4.9	Miles		
						High Coliform Count	Low	4.9	Miles		
						Lead	Low	4.9	Miles		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
4	T	BALLONA CREEK WETLANDS	405.13	<b>Arsenic</b> <i>Elevated levels of arsenic in tissue.</i>	<b>Nonpoint Source</b>	Medium	86	Acres		
				<b>Exotic Vegetation</b>	<b>Nonpoint Source</b>	Low	86	Acres		
				<b>Habitat alterations</b>	<b>Nonpoint Source</b>	Low	86	Acres		
				<b>Hydromodification</b>	<b>Nonpoint Source</b>	Low	86	Acres		
				<b>Reduced Tidal Flushing</b>	<b>Nonpoint Source</b>	Low	86	Acres		
				<b>Trash</b>	<b>Nonpoint Source</b>	High	86	Acres		
4	T	COLORADO LAGOON	405.12	<b>Chlordane</b> <i>Elevated levels of chlordane in tissue and sediment.</i>	<b>Nonpoint Source</b>	High	13.6	Acres		
				<b>DDT</b> <i>Elevated levels of DDT in tissue.</i>	<b>Nonpoint Source</b>	High	13.6	Acres		
				<b>Dieldrin</b> <i>Elevated levels of dieldrin in tissue.</i>	<b>Nonpoint Source</b>	Medium	13.6	Acres		
				<b>Lead</b> <i>Elevated levels of lead in tissue and sediment.</i>	<b>Nonpoint Source</b>	Medium	13.6	Acres		
				<b>PAHs</b> <i>Elevated levels of PAHs in sediment.</i>	<b>Nonpoint Source</b>	High	13.6	Acres		
				<b>PCBs</b> <i>Elevated levels of PCBs in tissue.</i>	<b>Nonpoint Source</b>	High	13.6	Acres		
				<b>Sediment Toxicity</b>	<b>Nonpoint Source</b>	Medium	13.6	Acres		
				<b>Zinc</b> <i>Elevated levels of zinc in sediment.</i>	<b>Nonpoint Source</b>	Medium	13.6	Acres		
4	T	LOS CERRITOS CHANNEL	405.15	<b>Ammonia</b>	<b>Nonpoint Source</b>	Low	16	Acres		
				<b>Copper</b>	<b>Nonpoint Source</b>	Low	16	Acres		

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				High Coliform Count		Low	16	Acres		
				Lead	Nonpoint Source	Low	16	Acres		
				Zinc	Nonpoint Source	Medium	16	Acres		
5	E	DELTA WATERWAYS	544.000	Chlorpyrifos	Agriculture	High	480000	Acres	0198	1205
				DDT	Urban Runoff/Storm Sewers	Low	480000	Acres	0104	1211
				Diazinon	Agriculture	High	480000	Acres	0198	1205
				Electrical Conductivity	Agriculture	Medium	16000	Acres	0101	1211
				Group A Pesticides	Urban Runoff/Storm Sewers	Low	480000	Acres	0104	1211
				Mercury	Agriculture	High	480000	Acres	0198	1205
				<i>Resource extraction sources are abandoned mines.</i>						
				Org. enrichment/Low D.O.	Resource Extraction	High	75	Acres	0101	1211
				Unknown Toxicity	Municipal Point Sources					
					Urban Runoff/Storm Sewers	Medium	480000	Acres	0101	1211
5	L	BERRYESSA LAKE	512.210	Mercury	Source Unknown	High	20700	Acres	0198	1205
5	L	CLEAR LAKE	513.520	Mercury	Resource Extraction	High	43000	Acres	0198	1205
				Nutrients	Resource Extraction	Low	43000	Acres	0104	1211
					Source Unknown					
5	L	DAVIS CREEK RES	513.320	Mercury	Resource Extraction	Medium	290	Acres	0198	1211
5	L	KESWICK RES	524.400	Cadmium	Resource Extraction	Medium	200	Acres	0198	1211
				Copper	Resource Extraction	Medium	200	Acres	0198	1211

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Zinc		Medium	200	Acres	0198	1211
					Resource Extraction					
5	L	MARSH CREEK RES	543.000	Mercury		Medium	375	Acres	0198	1211
					Resource Extraction					
5	L	SHASTA LAKE	506.100	Cadmium		Low	20	Acres	0104	1211
					Resource Extraction					
				Copper		Low	20	Acres	0104	1211
					Resource Extraction					
				Zinc		Low	20	Acres	0104	1211
					Resource Extraction					
5	L	WHISKEYTOWN RES	524.610	High Coliform Count		Low	100	Acres	0104	1211
					Septage Disposal					
5	R	AMERICAN RIVER, LOWER	519.210	Group A Pesticides		Low	23	Miles	0104	1211
					Urban Runoff/Storm Sewers					
				Mercury		Medium	23	Miles	0101	1211
					<i>Resource extraction sources are abandoned mines.</i>					
					Resource Extraction					
				Unknown Toxicity		Low	23	Miles	0104	1211
					Source Unknown					
5	R	ARCADE CREEK	519.210	Chlorpyrifos		Medium	10	Miles	0198	1211
					Urban Runoff/Storm Sewers					
				Diazinon		Medium	10	Miles	0198	1211
					<i>The agricultural source of diazinon for these waterbodies is from aerial deposition.</i>					
					Agriculture					
					Urban Runoff/Storm Sewers					
5	R	CACHE CREEK	511.300	Mercury		High	35	Miles	0196	1205
					<i>Resource extraction sources are abandoned mines.</i>					
					Resource Extraction					
				Unknown Toxicity		Medium	35	Miles	0101	1211
					Source Unknown					
5	R	CHICKEN RANCH SLOUGH	519.210	Chlorpyrifos		Medium	5	Miles	0198	1211
					Urban Runoff/Storm Sewers					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Diazinon</b>		<b>Medium</b>	<b>5</b>	<b>Miles</b>	<b>0198</b>	<b>1211</b>
				<i>The agricultural source of diazinon for these waterbodies is from aerial deposition.</i>						
				<b>Agriculture</b>						
				<b>Urban Runoff/Storm Sewers</b>						
<b>5</b>	<b>R</b>	<b>COLUSA DRAIN</b>	<b>520.210</b>							
				<b>Carbofuran/Furadan</b>		<b>Medium</b>	<b>70</b>	<b>Miles</b>	<b>0101</b>	<b>1211</b>
				<b>Agriculture</b>						
				<b>Group A Pesticides</b>		<b>Medium</b>	<b>70</b>	<b>Miles</b>	<b>0101</b>	<b>1211</b>
				<b>Agriculture</b>						
				<b>Malathion</b>		<b>Medium</b>	<b>70</b>	<b>Miles</b>	<b>0101</b>	<b>1211</b>
				<b>Agriculture</b>						
				<b>Methyl Parathion</b>		<b>Medium</b>	<b>70</b>	<b>Miles</b>	<b>0101</b>	<b>1211</b>
				<b>Agriculture</b>						
				<b>Unknown Toxicity</b>		<b>Medium</b>	<b>70</b>	<b>Miles</b>	<b>0101</b>	<b>1211</b>
				<b>Agriculture</b>						
<b>5</b>	<b>R</b>	<b>DOLLY CREEK</b>	<b>518.540</b>							
				<b>Copper</b>		<b>Medium</b>	<b>1</b>	<b>Miles</b>	<b>0101</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
				<b>Zinc</b>		<b>Medium</b>	<b>1</b>	<b>Miles</b>	<b>0101</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
<b>5</b>	<b>R</b>	<b>DUNN CREEK</b>	<b>543.000</b>							
				<b>Mercury</b>		<b>Low</b>	<b>9</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
				<b>Metals</b>		<b>Low</b>	<b>9</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
<b>5</b>	<b>R</b>	<b>ELDER CREEK</b>	<b>519.120</b>							
				<b>Chlorpyrifos</b>		<b>Medium</b>	<b>10</b>	<b>Miles</b>	<b>0198</b>	<b>1211</b>
				<b>Urban Runoff/Storm Sewers</b>						
				<b>Diazinon</b>		<b>Medium</b>	<b>10</b>	<b>Miles</b>	<b>0198</b>	<b>1211</b>
				<i>The agricultural source of diazinon for these waterbodies is from aerial deposition.</i>						
				<b>Agriculture</b>						
				<b>Urban Runoff/Storm Sewers</b>						
<b>5</b>	<b>R</b>	<b>ELK GROVE CREEK</b>	<b>519.110</b>							
				<b>Diazinon</b>		<b>Medium</b>	<b>5</b>	<b>Miles</b>	<b>0198</b>	<b>1211</b>
				<i>The agricultural source of diazinon for these waterbodies is from aerial deposition.</i>						
				<b>Agriculture</b>						
				<b>Urban Runoff/Storm Sewers</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
5	R	FALL RIVER (PIT)	526.400	Sedimentation/Siltation	Agriculture-grazing Silviculture Highway/Road/Bridge Construction	Medium	25	Miles	0104	1211
5	R	FEATHER RIVER, LOWER	519.220	Diazinon	Agriculture Urban Runoff/Storm Sewers	High	60	Miles	0198	1205
				Group A Pesticides	Agriculture	Low	60	Miles	0104	1211
				Mercury	<i>Resource extraction sources are abandoned mines.</i> Resource Extraction	Medium	60	Miles	0101	1211
				Unknown Toxicity	Source Unknown	Medium	60	Miles	0101	1211
5	R	FIVE MILE SLOUGH	544.000	Chlorpyrifos	Urban Runoff/Storm Sewers	Medium	1	Miles	0198	1211
				Diazinon	<i>The agricultural source of diazinon for these waterbodies is from aerial deposition.</i> Agriculture Urban Runoff/Storm Sewers	Medium	1	Miles	0198	1211
5	R	FRENCH RAVINE	516.320	Bacteria	Land Disposal	Low	1	Miles	0104	1211
5	R	HARDING DRAIN (TURLOCK IRR DIST LATERAL #5)	535.500	Ammonia	Municipal Point Sources Agriculture	Low	7	Miles	0104	1211
				Chlorpyrifos	Agriculture	Medium	7	Miles	0198	1211
				Diazinon	Agriculture	Medium	7	Miles	0198	1211
				Unknown Toxicity	Agriculture	Medium	7	Miles	0198	1211
5	R	HARLEY GULCH	513.510	Mercury	<i>Resource extraction sources are abandoned mines.</i> Resource Extraction	Medium	8	Miles	0101	1211

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
5	R	HORSE CREEK	526.200	<b>Cadmium</b>	<i>Resource extraction sources are abandoned mines.</i>	Low	2	Miles	0104	1211
					<b>Resource Extraction</b>					
				<b>Copper</b>	<i>Resource extraction sources are abandoned mines.</i>	Low	2	Miles	0104	1211
					<b>Resource Extraction</b>					
				<b>Lead</b>	<i>Resource extraction sources are abandoned mines.</i>	Low	2	Miles	0104	1211
					<b>Resource Extraction</b>					
				<b>Zinc</b>	<i>Resource extraction sources are abandoned mines.</i>	Low	2	Miles	0104	1211
					<b>Resource Extraction</b>					
5	R	HUMBUG CREEK	517.320	<b>Copper</b>	<i>Resource extraction sources are abandoned mines.</i>	Low	9	Miles	0104	1211
					<b>Resource Extraction</b>					
				<b>Mercury</b>	<i>Resource extraction sources are abandoned mines.</i>	Low	9	Miles	0104	1211
					<b>Resource Extraction</b>					
				<b>Sedimentation/Siltation</b>		Low	9	Miles	0104	1211
					<b>Resource Extraction</b>					
				<b>Zinc</b>	<i>Resource extraction sources are abandoned mines.</i>	Low	9	Miles	0104	1211
					<b>Resource Extraction</b>					
5	R	JAMES CREEK	512.240	<b>Mercury</b>	<i>Resource extraction sources are abandoned mines.</i>	Low	6	Miles	0104	1211
					<b>Resource Extraction</b>					
				<b>Nickel</b>	<i>Resource extraction sources are abandoned mines.</i>	Low	6	Miles	0104	1211
					<b>Resource Extraction</b>					
5	R	KANAKA CREEK	517.420	<b>Arsenic</b>	<i>Resource extraction sources are abandoned mines.</i>	Low	1	Miles	0104	1211
					<b>Resource Extraction</b>					
5	R	KINGS RIVER (LOWER)	551.900	<b>Electrical Conductivity</b>	<b>Agriculture</b>	Low	30	Miles	0104	1211
				<b>Molybdenum</b>	<b>Agriculture</b>	Low	30	Miles	0104	1211
				<b>Toxaphene</b>	<b>Agriculture</b>	Low	30	Miles	0104	1211

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
5	R	LITTLE BACKBONE CREEK	506.200	Acid Mine Drainage	Resource Extraction	Medium	1	Miles	0104	1211
				Cadmium		Medium	1	Miles	0104	1211
				<i>Resource extraction sources are abandoned mines.</i>						
				Copper		Medium	1	Miles	0104	1211
		<i>Resource extraction sources are abandoned mines.</i>		Resource Extraction						
				Zinc	Resource Extraction	Medium	1	Miles	0104	1211
		<i>Resource extraction sources are abandoned mines.</i>								
<hr style="border: 1px solid yellow;"/>										
5	R	LITTLE COW CREEK	507.330	Cadmium	Resource Extraction	Low	1	Miles	0104	1211
				<i>Resource extraction sources are abandoned mines.</i>						
				Copper		Low	1	Miles	0104	1211
		<i>Resource extraction sources are abandoned mines.</i>		Resource Extraction						
				Zinc	Resource Extraction	Low	1	Miles	0104	1211
		<i>Resource extraction sources are abandoned mines.</i>								
<hr style="border: 1px solid yellow;"/>										
5	R	LITTLE GRIZZLY CREEK	518.540	Copper	Mine Tailings	Medium	10	Miles	0101	1202
				Zinc		Medium	10	Miles	0101	1202
<hr style="border: 1px solid yellow;"/>										
5	R	LONE TREE CREEK	531.400	Ammonia	Dairies	Low	15	Miles	0104	1211
				Biological Oxygen Deman		Low	15	Miles	0104	1211
				<i>Resource extraction sources are abandoned mines.</i>						
				Electrical Conductivity		Low	15	Miles	0104	1211
		<i>Resource extraction sources are abandoned mines.</i>		Resource Extraction						
<hr style="border: 1px solid yellow;"/>										
5	R	MARSH CREEK	543.000	Mercury	Resource Extraction	Low	24	Miles	0104	1211
				<i>Resource extraction sources are abandoned mines.</i>						
				Metals	Resource Extraction	Low	24	Miles	0104	1211
		<i>Resource extraction sources are abandoned mines.</i>								
<hr style="border: 1px solid yellow;"/>										

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
5	R	MERCED RIVER, LOWER	535.000	Chlorpyrifos	Agriculture	High	60	Miles	0198	1205
				Diazinon		High	60	Miles	0198	1205
				Group A Pesticides		Low	60	Miles	0104	1211
5	R	MOKELUMNE RIVER, LOWER	531.200	Copper	Resource Extraction <i>Resource extraction sources are abandoned mines.</i>	Low	28	Miles	0104	1211
				Zinc		Low	28	Miles	0104	1211
5	R	MORRISON CREEK	519.120	Diazinon	Agriculture Urban Runoff/Storm Sewers <i>The agricultural source of diazinon for these waterbodies is from aerial deposition.</i>	Medium	20	Miles	0198	1211
5	R	MOSHER SLOUGH	544.000	Chlorpyrifos	Urban Runoff/Storm Sewers	Medium	2	Miles	0198	1211
				Diazinon		Medium	2	Miles	0198	1211
5	R	MUD SLOUGH	541.200	Boron	Agriculture	Low	16	Miles	0101	1211
				Electrical Conductivity		Low	16	Miles	0101	1211
				Pesticides		Low	16	Miles	0101	1211
				Selenium		High	16	Miles	0592	1200
				Unknown Toxicity		Low	16	Miles	0101	1211
5	R	NATOMAS EAST MAIN DRAIN	519.220	Diazinon	Agriculture Urban Runoff/Storm Sewers <i>The agricultural source of diazinon for these waterbodies is from aerial deposition.</i>	Medium	5	Miles	0198	1211

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				PCBs	Industrial Point Sources Urban Runoff/Storm Sewers	Low	12	Miles	0104	1211
5	R	ORESTIMBA CREEK	541.100	Chlorpyrifos	Agriculture	Medium	10	Miles	0198	1211
				Diazinon	Agriculture	Medium	10	Miles	0198	1211
				Unknown Toxicity	Agriculture	Medium	3	Miles	0101	1211
5	R	PANOCHÉ CREEK	542.400	Mercury	<i>Resource extraction sources are abandoned mines.</i> Resource Extraction	Low	25	Miles	0104	1211
				Sedimentation/Siltation	Agriculture Agriculture-grazing Road Construction	Low	40	Miles	0104	1211
				Selenium	Agriculture Agriculture-grazing Road Construction	Low	40	Miles	0104	1211
5	R	PIT RIVER	506.000	Nutrients	Agriculture Agriculture-grazing	Low	100	Miles	0104	1211
				Org. enrichment/Low D.O.	Agriculture Agriculture-grazing	Low	100	Miles	0104	1211
				Temperature	Agriculture Agriculture-grazing	Low	100	Miles	0104	1211
5	R	SACRAMENTO RIVER (RED BLUFF TO DELTA)	500.000	Diazinon	Agriculture	High	30	Miles	0198	1205
				Mercury	<i>Resource extraction sources are abandoned mines.</i> Resource Extraction	High	30	Miles	0198	1205
				Unknown Toxicity	Source Unknown	Medium	185	Miles	0101	1211

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE	
5	R	SACRAMENTO RIVER (SHASTA DAM TO RED BLUFF)	508.100	Cadmium		High	40	Miles	0196	1201	
					<i>Resource extraction sources are abandoned mines.</i>						
					Resource Extraction						
				Copper		High	40	Miles	0196	1201	
				<i>Resource extraction sources are abandoned mines.</i>							
				Resource Extraction							
				Unknown Toxicity		Medium	50	Miles	0101	1211	
					Source Unknown						
				Zinc		High	40	Miles	0196	1201	
				<i>Resource extraction sources are abandoned mines.</i>							
				Resource Extraction							
5	R	SACRAMENTO SLOUGH	520.100	Diazinon		Medium	1	Miles	0198	1211	
					Agriculture						
					Urban Runoff/Storm Sewers						
				Mercury		Medium	1	Miles	0198	1211	
					Source Unknown						
5	R	SALT SLOUGH	541.200	Boron		Low	15	Miles	0198	1211	
					Agriculture						
				Chlorpyrifos		Low	15	Miles	0198	1211	
					Agriculture						
				Diazinon		Low	15	Miles	0198	1211	
					Agriculture						
				Electrical Conductivity		Low	15	Miles	0198	1211	
	Agriculture										
				Selenium		High	15	Miles	0592	1298	
					Agriculture						
				Unknown Toxicity		Low	15	Miles	0198	1211	
					Agriculture						
5	R	SAN CARLOS CREEK	542.200	Mercury		Low	1	Miles	0104	1211	
					<i>Resource extraction sources are abandoned mines.</i>						
					Resource Extraction						
5	R	SAN JOAQUIN RIVER	544.000	Boron		High	130	Miles	0697	1299	
					Agriculture						
				Chlorpyrifos		High	130	Miles	0198	1205	
					Agriculture						
				DDT		Low	130	Miles	0104	1211	
					Agriculture						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Diazinon		High	130	Miles	0198	1205
					Agriculture					
				Electrical Conductivity		High	130	Miles	0697	1299
					Agriculture					
				Group A Pesticides		Low	130	Miles	0104	1211
					Agriculture					
				Selenium		High	50	Miles	0592	1200
					Agriculture					
				Unknown Toxicity		Medium	130	Miles	0198	1211
					Source Unknown					
5	R	SPRING CREEK	524.400							
				Acid Mine Drainage		High	5	Miles	0198	1211
					<i>Resource extraction sources are abandoned mines.</i>					
					Resource Extraction					
				Cadmium		High	5	Miles	0198	1211
					<i>Resource extraction sources are abandoned mines.</i>					
					Resource Extraction					
				Copper		High	5	Miles	0198	1211
					<i>Resource extraction sources are abandoned mines.</i>					
					Resource Extraction					
				Zinc		High	5	Miles	0198	1211
					<i>Resource extraction sources are abandoned mines.</i>					
					Resource Extraction					
5	R	STANISLAUS RIVER (LOWER)	535.300							
				Diazinon		High	48	Miles	0198	1205
					Agriculture					
				Group A Pesticides		Low	48	Miles	0104	1211
					Agriculture					
				Unknown Toxicity		Medium	48	Miles	0101	1211
					Source Unknown					
5	R	STOCKTON DEEP WATER CHANNEL	544.000							
				Dioxin		Medium	2	Miles		
					<i>This listing was made by USEPA.</i>					
					Point Source					
				Furans		Medium	2	Miles		
					<i>This listing was made by USEPA.</i>					
					Point Source					
				PCBs		Medium	2	Miles		
					<i>This listing was made by USEPA.</i>					
					Point Source					
5	R	STRONG RANCH SLOUGH	519.210							
				Chlorpyrifos		Medium	5	Miles	0198	1211
					Urban Runoff/Storm Sewers					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Diazinon</b>		<b>Medium</b>	<b>5</b>	<b>Miles</b>	<b>0198</b>	<b>1211</b>
				<i>The agricultural source of diazinon for these waterbodies is from aerial deposition.</i>						
				<b>Agriculture</b>						
				<b>Urban Runoff/Storm Sewers</b>						
<b>5</b>	<b>R</b>	<b>SULFUR CREEK</b>	<b>513.510</b>							
				<b>Mercury</b>		<b>High</b>	<b>7</b>	<b>Miles</b>	<b>0198</b>	<b>1205</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
<b>5</b>	<b>R</b>	<b>TEMPLE CREEK</b>	<b>531.400</b>							
				<b>Ammonia</b>		<b>Low</b>	<b>10</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
					<b>Dairies</b>					
				<b>Electrical Conductivity</b>		<b>Low</b>	<b>10</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
					<b>Dairies</b>					
<b>5</b>	<b>R</b>	<b>TOWN CREEK</b>	<b>526.200</b>							
				<b>Cadmium</b>		<b>Low</b>	<b>1</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
				<b>Copper</b>		<b>Low</b>	<b>1</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
				<b>Lead</b>		<b>Low</b>	<b>1</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
				<b>Zinc</b>		<b>Low</b>	<b>1</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
<b>5</b>	<b>R</b>	<b>TUOLUMNE RIVER (LOWER)</b>	<b>535.500</b>							
				<b>Diazinon</b>		<b>High</b>	<b>32</b>	<b>Miles</b>	<b>0198</b>	<b>1205</b>
					<b>Agriculture</b>					
				<b>Group A Pesticides</b>		<b>Low</b>	<b>32</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
					<b>Agriculture</b>					
				<b>Unknown Toxicity</b>		<b>Medium</b>	<b>32</b>	<b>Miles</b>	<b>0101</b>	<b>1211</b>
					<b>Source Unknown</b>					
<b>5</b>	<b>R</b>	<b>WEST SQUAW CREEK</b>	<b>505.100</b>							
				<b>Cadmium</b>		<b>Medium</b>	<b>2</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
				<b>Copper</b>		<b>Medium</b>	<b>2</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
				<b>Lead</b>		<b>Medium</b>	<b>2</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Zinc</b>		<b>Medium</b>	<b>2</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
<b>5</b>	<b>R</b>	<b>WILLOW CREEK (WHISKEYTOWN)</b>	<b>524.630</b>							
				<b>Acid Mine Drainage</b>		<b>Low</b>	<b>3</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
				<b>Copper</b>		<b>Low</b>	<b>3</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
				<b>Zinc</b>		<b>Low</b>	<b>3</b>	<b>Miles</b>	<b>0104</b>	<b>1211</b>
				<i>Resource extraction sources are abandoned mines.</i>						
				<b>Resource Extraction</b>						
<b>5</b>	<b>W</b>	<b>GRASSLANDS MARSHES</b>	<b>541.200</b>							
				<b>Electrical Conductivity</b>		<b>Medium</b>	<b>8224</b>	<b>Acres</b>	<b>0101</b>	<b>1211</b>
					<b>Agriculture</b>					
				<b>Selenium</b>		<b>High</b>	<b>8224</b>	<b>Acres</b>	<b>0592</b>	<b>1298</b>
					<b>Agriculture</b>					
<b>6</b>	<b>L</b>	<b>BRIDGEPORT RES</b>	<b>630.300</b>							
				<b>Nutrients</b>		<b>High</b>	<b>3000</b>	<b>Acres</b>		
				<i>Livestock grazing in wetlands upgradient of reservoir. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>						
				<b>Agriculture</b>						
				<b>Sedimentation/Siltation</b>		<b>High</b>	<b>3000</b>	<b>Acres</b>		
				<i>Watershed disturbance including livestock grazing. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>						
				<b>Source Unknown</b>						
<b>6</b>	<b>L</b>	<b>CROWLEY LAKE</b>	<b>603.100</b>							
				<b>Arsenic</b>		<b>High</b>	<b>5280</b>	<b>Acres</b>		
				<i>To be addressed as part of Watershed Management Initiative (WMI) for upper watershed, beginning with Years 3-5 of WMI program, if resources permit.</i>						
				<b>Natural Sources</b>						
				<b>Nutrients</b>		<b>High</b>	<b>5280</b>	<b>Acres</b>		
				<b>Source Unknown</b>						
<b>6</b>	<b>L</b>	<b>DONNER LAKE</b>	<b>635.200</b>							
				<b>Priority Organics</b>		<b>Low</b>	<b>960</b>	<b>Acres</b>		
				<i>PCBs in fish and sediment exceed Maximum Tissue Residue Level criteria; unknown nonpoint sources. Phase I Truckee River sediment TMDL projected for completion in 1999. Additional monitoring/study necessary to determine sources/cleanup potential for priority organics. TMDLs for organics to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>						
				<b>Source Unknown</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
6	L	EAGLE LAKE (2)	637.300	<b>Org. enrichment/Low D.O.</b> <i>Nutrients from wastewater disposal to land, livestock grazing, other watershed disturbance. Problems being addressed through sewerage of septic system development and RWQCB's ongoing nonpoint source program. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>		<b>High</b>	<b>25000</b>	<b>Acres</b>		
					<b>Range Land</b> <b>Land Development</b> <b>Septage Disposal</b> <b>Nonpoint Source</b>					
6	L	GRANT LAKE	601.000	<b>Arsenic</b> <i>Targeted for "easy" (already funded) TMDL documentation that arsenic from natural sources.</i>		<b>High</b>	<b>1095</b>	<b>Acres</b>	<b>0198</b>	<b>0199</b>
					<b>Natural Sources</b>					
6	L	HAIWEE RES	603.300	<b>Copper</b> <i>Copper problems related to algicide use to prevent taste/odor problems in drinking water supplies. Further biological monitoring being required. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>		<b>Low</b>	<b>1800</b>	<b>Acres</b>		
					<b>Habitat Modification</b> <b>Nonpoint Source</b>					
6	L	HORSESHOE LAKE (2)	628.000	<b>Sedimentation/Siltation</b> <i>Further monitoring may permit delisting. TMDLs, if needed to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>		<b>Low</b>	<b>1</b>	<b>Acres</b>		
					<b>Construction/Land Development</b>					
6	L	INDIAN CREEK RES	632.200	<b>Nutrients</b> <i>Reservoir formerly received tertiary-treated domestic wastewater from South Tahoe Public Utility District; unreliability of treatment process led to eutrophication. District is now restoring reservoir through flushing with fresh water.</i>		<b>High</b>	<b>160</b>	<b>Acres</b>	<b>0198</b>	<b>0199</b>
					<b>Wastewater</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
6	L	LAKE TAHOE	634.000	<b>Nutrients</b>		<b>High</b>	<b>120000</b>	<b>Acres</b>		
				<p><i>Watershed disturbance, urban stormwater, atmospheric deposition. Lake is targeted for sediment and nutrient TMDLs but ability to complete them depends on availability of reliable watershed model. Model calibration, and additional watershed assessment, were funded as a result of 1997 presidential forum; TMDLs for entire watershed to be coordinated with Tahoe Regional Planning Agency's 2001 evaluation of attainment of environmental threshold standards.</i></p>						
				<p><b>Silviculture</b></p> <p><b>Construction/Land Development</b></p> <p><b>Urban Runoff/Storm Sewers</b></p> <p><b>Other Urban Runoff</b></p> <p><b>Wastewater</b></p> <p><b>Hydromodification</b></p> <p><b>Drainage/Filling Of Wetlands</b></p> <p><b>Marinas</b></p> <p><b>Atmospheric Deposition</b></p> <p><b>Highway Maintenance And Runoff</b></p> <p><b>Nonpoint Source</b></p>						
				<b>Sedimentation/Siltation</b>		<b>High</b>	<b>120000</b>	<b>Acres</b>		
				<p><i>Watershed disturbance including logging, construction, urban and highway runoff. Development of TMDLs depends on availability of reliable watershed model. Funding for final calibration of U.C. Davis Tahoe Research group model, and for additional watershed assessment, was provided as a result of 1997 presidential forum. TMDLs to be coordinated with Tahoe Regional Planning Agency's 2001 evaluation of attainment of environmental threshold standards.</i></p>						
				<b>Source Unknown</b>						
6	L	PLEASANT VALLEY RES	603.200	<b>Org. enrichment/Low D.O.</b>		<b>High</b>	<b>115</b>	<b>Acres</b>		
				<p><i>Problems related to watershed disturbance/reservoir management to be addressed together with problems in Crowley Lake as part of the Watershed Management Initiative; TMDLs to be addressed during years 3-5 of the next 13 years of the TMDL development process, if resources permit.</i></p>						
				<p><b>Flow Regulation/Modification</b></p> <p><b>Nonpoint Source</b></p>						
6	L	STAMPEDE RES	636.000	<b>Pesticides</b>		<b>Low</b>	<b>3444</b>	<b>Acres</b>		
				<p><i>Sources unknown; no significant agriculture or residential development in watershed; feasibility of reducing loading probably low. Recalculation of Maximum Tissue Residue Level criteria makes delisting possible in next cycle. TMDLs, if needed, will be addressed during years 6-13 of the next 13 years of the TMDL development process.</i></p>						
				<b>Source Unknown</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
6	L	TINEMAHA RES	603.200	<b>Arsenic</b> <i>TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>		Low	180	Acres		
					<b>Natural Sources</b> <b>Upstream Impoundment</b> <b>Nonpoint Source</b>					
				<b>Metals</b> <i>Watershed disturbance, upstream geothermal sources of arsenic. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>		Low	180	Acres		
					<b>Source Unknown</b>					
6	L	TOPAZ LAKE	631.100	<b>Sedimentation/Siltation</b> <i>Agriculture, river channel damage during January 1997 flood. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>		High	2300	Acres		
					<b>Agriculture</b> <b>Nonpoint Source</b>					
6	L	TWIN LAKES	603.100	<b>Nutrients</b> <i>Watershed disturbance, urban runoff; to be addressed during years 6-13 of the next 13 years of the TMDL development process, if resources permit.</i>		Low	3	Acres		
					<b>Land Development</b> <b>Other Urban Runoff</b> <b>Nonpoint Source</b>					
6	R	AMARGOSA RIVER	609.000	<b>Salinity/TDS/Chlorides</b> <i>Internally drained river with natural high salinity; targeted for "easy" (already funded) TMDL using 1998 Section 104/106 grant funds</i>		Medium	198	Miles	0198	0199
					<b>Natural Sources</b>					
6	R	ASPEN CREEK	632.100	<b>Metals</b> <i>Acid drainage from Leviathan Mine; Lahontan RWQCB mine workplan to be documented as Phase I TMDL using 1998 Section 104/106 grant funds.</i>		High	4	Miles	0198	0199
					<b>Acid Mine Drainage</b> <b>Natural Sources</b> <b>Nonpoint Source</b>					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE	
6	R	AURORA CANYON CREEK	630.300	<b>Habitat alterations</b>		<b>Low</b>	<b>13</b>	<b>Miles</b>			
				<i>Livestock grazing. Listed on basis of limited data; further monitoring may permit delisting. TMDLs, if needed, to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>							
				<b>Range Land</b>							
6	R	BEAR CREEK (R6)	635.200	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>4</b>	<b>Miles</b>	<b>1195</b>	<b>0199</b>	
				<i>Creek affected by hydrologic modification for ski resort/snow making pond-affected by sediment from pond dam break. Phase I sediment TMDL for Truckee River and tributaries projected to be completed for Basin Plan amendments in 1999, using 1998 Section 104/106 grant funds; Phase II work has received Section 205(j) funding and will begin in 1998.</i>							
				<b>Hydromodification</b>							
				<b>Nonpoint Source</b>							
6	R	BLACKWOOD CREEK	634.200	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>8</b>	<b>Miles</b>	<b>0198</b>	<b>0199</b>	
				<i>Creek affected by past gravel quarry operations and other watershed disturbance. Existing USFS restoration program to be documented as phase I "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i>							
				<b>Silviculture</b>							
				<b>Construction/Land Development</b>							
				<b>Resource Extraction</b>							
				<b>Hydromodification</b>							
				<b>Nonpoint Source</b>							
6	R	BODIE CREEK	630.200	<b>Metals</b>		<b>High</b>	<b>6</b>	<b>Miles</b>			
				<i>Affected by drainage from inactive mines, mine tailings in creek. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>							
				<b>Resource Extraction</b>							
				<b>Mine Tailings</b>							
				<b>Nonpoint Source</b>							
6	R	BRONCO CREEK	635.200	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>1</b>	<b>Miles</b>	<b>1195</b>	<b>0199</b>	
				<i>Watershed disturbance in naturally highly erosive watershed; targeted for sediment TMDL as part of larger Truckee River watershed effort. Phase I TMDL to be completed in 1999 using 1998 Section 104/106 grant funds; Phase II, using Section 205j funds, to begin in 1998.</i>							
				<b>Natural Sources</b>							
				<b>Nonpoint Source</b>							
6	R	BRYANT CREEK	632.100	<b>Metals</b>		<b>High</b>	<b>10</b>	<b>Miles</b>	<b>0198</b>	<b>0199</b>	
				<i>Affected by acid mine drainage from Leviathan Mine. Problem being addressed by RWQCB through Leviathan Mine workplan; workplan will be documented as Phase I "easy" (already funded) TMDL in 1998 using Section 104/106 grant funds.</i>							
				<b>Acid Mine Drainage</b>							
				<b>Nonpoint Source</b>							

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
6	R	CARSON RIVER, E FK	632.100	<b>Nutrients</b>		<b>High</b>	<b>1</b>	<b>Miles</b>		
<p><i>Probably livestock grazing. River was listed due to data collected by State of NV near state line in 1980s, probably reflecting drought conditions. NV has since delisted the river for these pollutants. Further monitoring may support delisting in CA. TMDLs, if needed, to be addressed during years 3-5 of the next 13 years of the TMDL development process, resources permitting.</i></p> <p style="text-align: center;"><b>Range Land</b> <b>Nonpoint Source</b></p>										
6	R	CLARK CANYON CREEK	630.300	<b>Habitat alterations</b>		<b>Medium</b>	<b>5</b>	<b>Miles</b>		
<p><i>Livestock grazing. Listed on basis of very limited information. CRMP has been implemented since 1980s; further monitoring may support delisting. TMDLs, if needed, to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i></p> <p style="text-align: center;"><b>Range Land</b></p>										
6	R	CLEARWATER CREEK	630.400	<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>7</b>	<b>Miles</b>		
<p><i>Livestock grazing. Listed on basis of limited data; additional monitoring may support delisting. TMDLs, if needed, to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i></p> <p style="text-align: center;"><b>Range Land</b></p>										
6	R	COTTONWOOD CREEK (1)	603.300	<b>Water/Flow Variability</b>		<b>High</b>	<b>7</b>	<b>Miles</b>		
<p><i>Lower reach of creek affected by diversions for LADWP system; TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i></p> <p style="text-align: center;"><b>Flow Regulation/Modification</b></p>										
6	R	EAST WALKER RIVER	630.000	<b>Metals</b>		<b>Medium</b>	<b>8</b>	<b>Miles</b>		
<p><i>Inactive mines and other watershed disturbance; highway runoff. Listed initially due to elevated fish tissue levels; needs further monitoring for metals impacts and may be considered for delisting for metals in next cycle. TMDLs, if needed, will be addressed during years 6-13 of the next 13 years of the TMDL development process.</i></p> <p style="text-align: center;"><b>Range Land</b> <b>Other Urban Runoff</b> <b>Resource Extraction</b> <b>Natural Sources</b> <b>Nonpoint Source</b></p>										
<p style="text-align: center;"><b>Sedimentation/Siltation</b></p> <p><i>River affected by turbid releases from Bridgeport Reservoir; major sediment discharge resulted litigation by State Department of Fish and Game. Further monitoring of beneficial use recovery may support delisting. TMDLs, if needed, to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i></p> <p style="text-align: center;"><b>High</b>      <b>8</b>      <b>Miles</b></p> <p style="text-align: center;"><b>Hydromodification</b></p>										

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
6	R	GOODALE CREEK	603.300	<b>Sedimentation/Siltation</b>		<b>Low</b>	<b>9</b>	<b>Miles</b>		
				<i>Potential for delisting following further monitoring. TMDLs, if needed, to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>						
				<b>Range Land</b>						
6	R	GRAY CREEK (R6)	635.000	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>4</b>	<b>Miles</b>	<b>1195</b>	<b>0199</b>
				<i>Disturbance of naturally highly erosive watershed; Phase I of the TMDL in progress, to be completed as Basin Plan amendment using 1998 Section 104/106 grant funds. Section 205(j) funding has been obtained for monitoring to begin in 1998 for use in Phase II of the TMDL.</i>						
				<b>Natural Sources</b>						
				<b>Nonpoint Source</b>						
6	R	GREEN CREEK	630.400	<b>Habitat alterations</b>		<b>Medium</b>	<b>1</b>	<b>Miles</b>		
				<i>Creek affected by hydroelectric dam construction, livestock grazing. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process.</i>						
				<b>Range Land</b>						
				<b>Hydromodification</b>						
6	R	GREEN VALLEY LAKE CREEK	628.200	<b>Priority Organics</b>		<b>Low</b>	<b>5</b>	<b>Miles</b>		
				<i>Priority organics (source unknown) were detected in stream in 1980's; no monitoring since. Stream needs reevaluation to determine need for listing. TMDLs, if needed, to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>						
				<b>Source Unknown</b>						
6	R	HEAVENLY VALLEY CREEK	634.100	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>4</b>	<b>Miles</b>	<b>0198</b>	<b>0199</b>
				<i>Creek affected by ski resort construction and maintenance activities. Recently adopted resort master plan will phase future development based on accomplishment of watershed restoration projects. Master Plan currently scheduled to be documented as Phase I "easy" (already funded) TMDL using 1998 Section 104/106 grant funds. (Needs further discussion with USFS staff; recent monitoring data indicate possible need for additional sediment modeling.)</i>						
				<b>Construction/Land Development</b>						
				<b>Land Development</b>						
				<b>Hydromodification</b>						
				<b>Habitat Modification</b>						
				<b>Recreational Activities</b>						
				<b>Nonpoint Source</b>						
6	R	HOT CREEK (1)	631.400	<b>Metals</b>		<b>Medium</b>	<b>5</b>	<b>Miles</b>	<b>0198</b>	<b>0199</b>
				<i>Natural geothermal drainage; targeted for "easy" (already funded) TMDL using 1998 Section 104/106 grant funds</i>						
				<b>Natural Sources</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
6	R	HOT CREEK (2)	603.100	<b>Metals</b>	<b>High</b>	<b>10</b>	<b>Miles</b>		<b>0198</b>	<b>0199</b>
<i>Natural geothermal springs. Targeted for "easy" (already funded) TMDL using Section 104/106 grant funds.</i>										
<b>Natural Sources</b>										
6	R	HOT SPRINGS CANYON CREEK	630.300	<b>Sedimentation/Siltation</b>	<b>Medium</b>	<b>1</b>	<b>Miles</b>			
<i>Listed on basis of limited data; further monitoring may support delisting. TMDLs, if needed, to be addressed during years 6-13 of the next 13 years of the TMDL development process.</i>										
<b>Range Land</b>										
6	R	INDIAN CREEK (1)	632.200	<b>Habitat alterations</b>	<b>High</b>	<b>7</b>	<b>Miles</b>			
<i>Watershed disturbance from livestock grazing. TMDLs to be addressed as part of Carson River WMI implementation.</i>										
<b>Pasture Land</b>										
6	R	LASSEN CREEK	637.000	<b>Flow alterations</b>	<b>Medium</b>	<b>6</b>	<b>Miles</b>			
<i>Agricultural diversions. TMDL to be addressed during years 6-13 of the next 13 years of the TMDL development process, as resources permit.</i>										
<b>Flow Regulation/Modification</b>										
6	R	LEE VINING CREEK	601.000	<b>Flow alterations</b>	<b>High</b>	<b>11</b>	<b>Miles</b>			
<i>Affected by diversions by Los Angeles Dept. of Water and Power. Court ordered restoration project is underway; will probably be documented as Phase I "easy" (already funded) TMDL during years 3-5 of the 13 years of TMDL implementation, resources permitting.</i>										
<b>Flow Regulation/Modification</b>										
6	R	LEVIATHAN CREEK	632.100	<b>Metals</b>	<b>High</b>	<b>2</b>	<b>Miles</b>		<b>0198</b>	<b>0199</b>
<i>Lower reach of creek affected by acid drainage from Leviathan Mine; reach has been diverted around tailings as part of ongoing pollution abatement project. Lahontan RWQCB workplan to be documented as Phase I "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i>										
<b>Acid Mine Drainage</b>										
6	R	LITTLE HOT CREEK	603.100	<b>Arsenic</b>	<b>Medium</b>	<b>1</b>	<b>Miles</b>		<b>0198</b>	<b>1299</b>
<i>Natural (geothermal?) sources: targeted for "easy" (already funded) TMDL using 1998 Section 104-106 grant funds.</i>										
<b>Natural Sources</b>										
6	R	MAMMOTH CREEK	603.100	<b>Metals</b>	<b>High</b>	<b>22</b>	<b>Miles</b>			
<i>Mammoth Creek is the headwaters of Hot Creek (2); However, it is affected by urban runoff from the Town of Mammoth Lakes as well as natural sources of metals. Urban runoff problems at Mammoth are being addressed through the RWQCB's ongoing regulation and enforcement problems and the WMI.</i>										
<b>Natural Sources</b>										
<b>Nonpoint Source</b>										

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE		
6	R	MILL CREEK (1)	601.000	<b>Flow alterations</b>		<b>High</b>	<b>7</b>	<b>Miles</b>				
				<i>Creek affected by water diversions. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>								
				<b>Water Diversions</b>								
6	R	MILL CREEK (3)	641.300	<b>Sedimentation/Siltation</b>		<b>Medium</b>	<b>6</b>	<b>Miles</b>				
				<i>Livestock grazing. TMDL to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>								
				<b>Range Land</b>								
6	R	MOJAVE RIVER	628.200	<b>Priority Organics</b>		<b>High</b>	<b>10</b>	<b>Miles</b>				
				<i>River was 303(d) listed in 1980's due to subsurface "Barstow slug" of toxic pollutants from various urban/industrial sources; later monitoring shows main "slug" has dissipated but some areas of pollution remain. River is currently a WMI priority watershed with emphasis on revision of TDS/salinity objectives. TMDLs for "mini-slug" pollutants to be addressed, if necessary, during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>								
				<b>Land Disposal Hazardous Waste</b>								
6	R	MONITOR CREEK	632.100	<b>Metals</b>		<b>High</b>	<b>4</b>	<b>Miles</b>				
				<i>Drainage from inactive mines; other watershed disturbance. Problems to be addressed as part of Carson River WMI effort during years 3-5 of the next 13 years of TMDL development.</i>								
				<b>Resource Extraction Natural Sources Nonpoint Source</b>								
6	R	OWENS RIVER	603.300	<b>Arsenic</b>		<b>High</b>	<b>120</b>	<b>Miles</b>				
				<i>Arsenic from natural geothermal sources; amounts affected by reservoir management. TMDLs for Long HA (603.10) to be addressed during years 3-5 of the next 13 years of the TMDL development process, as part of WMI, if resources permit. TMDLs for Upper and Middle Owens HAs (603.20 and 603.30) to be addressed during years 6-13 if resources permit.</i>								
				<b>Natural Sources</b>								
				<b>Habitat alterations</b>		<b>High</b>	<b>120</b>	<b>Miles</b>				
				<i>TMDLs for Long HA (630.10) to be addressed in years 3-5 of the next 13 years of the TMDL development process as part of the WMI, resources permitting. TMDLs for Upper and Middle Owens HA's to be addressed during years 6-13 of the next 13 years of TMDL development, resources permitting.</i>								
				<b>Flow Regulation/Modification</b>								
6	R	PINE CREEK (2)	637.300	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>24</b>	<b>Miles</b>	<b>0198</b>	<b>0199</b>		
				<i>Livestock grazing; other watershed disturbance. Watershed/fisheries restoration by existing CRMP group to be documented as "easy"(already funded) TMDL, or as basis for delisting, using 1998 Section 104/106 grant funds.</i>								
				<b>Range Land Nonpoint Source</b>								

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
6	R	ROUGH CREEK	630.000	<b>Habitat alterations</b>		<b>Medium</b>	<b>8</b>	<b>Miles</b>		
<p style="text-align: center;"><i>Livestock grazing impacts. Additional monitoring may provide grounds for delisting. TMDLs, if needed, to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i></p> <p style="text-align: center;"><b>Range Land</b></p>										
6	R	SKEDADDLE CREEK	637.100	<b>High Coliform Count</b>		<b>Low</b>	<b>5</b>	<b>Miles</b>		
<p style="text-align: center;"><i>Livestock grazing on BLM land led to reports of high coliform levels several years ago; current status unknown. Further monitoring may support delisting. TMDLs, if needed, will be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i></p> <p style="text-align: center;"><b>Range Land</b></p>										
6	R	SNOW CREEK	634.200	<b>Habitat alterations</b>		<b>High</b>	<b>1</b>	<b>Miles</b>		
<p style="text-align: center;"><b>Land Development</b> <b>Drainage/Filling Of Wetlands</b> <b>Nonpoint Source</b></p>										
6	R	SQUAW CREEK	635.200	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>8</b>	<b>Miles</b>	<b>1195</b>	<b>0199</b>
<p style="text-align: center;"><i>Watershed heavily disturbed by ski resort construction and construction of other facilities for 1960 Winter Olympics; part of creek was channelized. Lower creek has very high bedload sediment transport. Severe watershed damage occurred from January 1997 flooding. Phase I sediment TMDL to be completed using 1998 Section 104/106 grant funds; Phase II to begin in 1998 using Section 205(j) funds.</i></p> <p style="text-align: center;"><b>Construction/Land Development</b> <b>Other Urban Runoff</b> <b>Hydromodification</b> <b>Drainage/Filling Of Wetlands</b> <b>Highway Maintenance And Runoff</b> <b>Natural Sources</b> <b>Recreational Activities</b> <b>Nonpoint Source</b></p>										
6	R	SUSAN RIVER	637.200	<b>Unknown Toxicity</b>		<b>High</b>	<b>59</b>	<b>Miles</b>		
<p style="text-align: center;"><i>River affected by natural and man-made geothermal discharges and by agricultural drainage. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i></p> <p style="text-align: center;"><b>Agriculture</b> <b>Other Urban Runoff</b> <b>Highway Maintenance And Runoff</b> <b>Natural Sources</b> <b>Source Unknown</b> <b>Nonpoint Source</b></p>										

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
6	R	TRUCKEE RIVER	635.200	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>106</b>	<b>Miles</b>	<b>1195</b>	<b>0199</b>
				<i>Watershed disturbance including ski resorts, silvicultural activities, urban development, reservoir construction and management; highly erosive subwatersheds. Phase I sediment TMDL to be completed using 1998 Section 104/106 grant funds; Phase II work, using Section 205(j) funds to begin in 1998.</i>						
				<b>Source Unknown</b>						
6	R	TUTTLE CREEK	603.300	<b>Habitat alterations</b>		<b>Low</b>	<b>10</b>	<b>Miles</b>		
				<i>Livestock grazing problems. Potential for delisting following further monitoring. TMDLs, if needed, to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>						
				<b>Range Land</b>						
6	R	WARD CREEK	634.200	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>7</b>	<b>Miles</b>		
				<i>Watershed disturbance. TMDLs to be developed as part of those for Lake Tahoe during years 6-13 of the next 13 years of the TMDL development process, as resources permit.</i>						
				<b>Land Development Nonpoint Source</b>						
6	R	WEST WALKER RIVER	631.000	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>1</b>	<b>Miles</b>		
				<i>Agriculture, flooding, highway construction. (Watershed severely impacted by January 1997 flood; 8 miles of highway washed out and reconstructed under emergency regulations with no CEQA analysis.) TMDLs to be addressed through WMI process (once priority watersheds are rotated), probably during years 6-13 of the next 13 years of the TMDL development process, as resources permit.</i>						
				<b>Agriculture Nonpoint Source</b>						
6	R	WOLF CREEK (1)	632.100	<b>Sedimentation/Siltation</b>		<b>High</b>	<b>14</b>	<b>Miles</b>		
				<i>Livestock grazing. Problems to be addressed as part of Carson River WMI effort during years 3-5 of the next 13 years of the TMDL development process, resources permitting.</i>						
				<b>Range Land</b>						
6	S	ALKALI LAKE, LOWER	641.000	<b>Salinity/TDS/Chlorides</b>		<b>Medium</b>	<b>10855</b>	<b>Acres</b>	<b>0198</b>	<b>0199</b>
				<i>Natural internally drained lake; affected by agricultural diversions from tributaries. Natural impairment to be documented as "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i>						
				<b>Flow Regulation/Modification Natural Sources Nonpoint Source</b>						
6	S	ALKALI LAKE, MIDDLE	641.000	<b>Salinity/TDS/Chlorides</b>		<b>Medium</b>	<b>39475</b>	<b>Acres</b>	<b>0198</b>	<b>0199</b>
				<i>Natural internally drained lake affected by agricultural diversions from tributaries. Natural impairment to be documented as "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i>						
				<b>Flow Regulation/Modification Natural Sources Nonpoint Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
6	S	ALKALI LAKE, UPPER	641.000	<b>Salinity/TDS/Chlorides</b>		Medium	24250	Acres	0198	0199
<p><i>Natural internally drained lake affected by agricultural diversions from tributaries. Natural impairment to be documented as "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i></p> <p style="text-align: center;"><b>Flow Regulation/Modification</b></p> <p style="text-align: center;"><b>Natural Sources</b></p> <p style="text-align: center;"><b>Nonpoint Source</b></p>										
6	S	DEEP SPRINGS LAKE	605.000	<b>Salinity/TDS/Chlorides</b>		Medium	1400	Acres	0198	0199
<p><i>Natural internally drained lake; "natural impairment" to be documented as "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i></p> <p style="text-align: center;"><b>Nonpoint Source</b></p> <p style="text-align: center;"><b>Nonpoint Source</b></p>										
6	S	HONEY LAKE	637.200	<b>Arsenic</b>		Medium	55327	Acres		
<p><i>Arsenic is from ultimately from natural sources, but amounts are affected by agricultural/geothermal drainage. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, probably in connection with TMDLs for Susan River system.</i></p> <p style="text-align: center;"><b>Flow Regulation/Modification</b></p> <p style="text-align: center;"><b>Natural Sources</b></p> <p style="text-align: center;"><b>Nonpoint Source</b></p>										
				<b>Salinity/TDS/Chlorides</b>		Medium	55327	Acres		
<p><i>Natural internally directed lake affected by agricultural and geothermal drainage. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, as resources permit (probably in connection with TMDLs for the Susan River.)</i></p> <p style="text-align: center;"><b>Agriculture</b></p> <p style="text-align: center;"><b>Natural Sources</b></p> <p style="text-align: center;"><b>Nonpoint Source</b></p>										
6	S	HONEY LAKE WILDFOWL MGMT. PONDS	637.200	<b>Flow alterations</b>		Medium	500	Acres		
<p><i>Ponds were affected by 1980s drought. Further monitoring may support delisting for this parameter. TMDLs, if needed, to be addressed during years 6-13 of the next 13 years of the TMDL development process.</i></p> <p style="text-align: center;"><b>Agricultural Water Diversion</b></p>										
				<b>Metals</b>		Medium	500	Acres		
<p><i>Ponds were affected by 1980s drought; further monitoring may support delisting for this parameter. TMDLs, if needed, to be addressed during years 6-10 of the next 13 years of the TMDL development process, as resources permit.</i></p> <p style="text-align: center;"><b>Agriculture</b></p> <p style="text-align: center;"><b>Geothermal Development</b></p> <p style="text-align: center;"><b>Natural Sources</b></p>										

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				<b>Salinity/TDS/Chlorides</b>		<b>Medium</b>	<b>500</b>	<b>Acres</b>		
				<i>Ponds affected by agricultural, geothermal drainage. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>						
				<b>Agriculture</b>						
				<b>Geothermal Development</b>						
				<b>Natural Sources</b>						
				<b>Trace Elements</b>		<b>Medium</b>	<b>500</b>	<b>Acres</b>		
				<i>Geothermal and agricultural drainage. Further monitoring might support delisting. TMDLs, if needed, to be addressed during years 6-13 of the next 13 years of the TMDL development process, resources permitting.</i>						
				<b>Geothermal Development</b>						
				<b>Natural Sources</b>						
6	S	LITTLE ALKALI LAKE	603.100	<b>Arsenic</b>		<b>Medium</b>	<b>1</b>	<b>Acres</b>	0198	0199
				<i>Naturally impaired (by geologic/geothermal sources); natural impairment to be documented as "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i>						
				<b>Natural Sources</b>						
6	S	MONO LAKE	601.000	<b>Salinity/TDS/Chlorides</b>		<b>High</b>	<b>35000</b>	<b>Acres</b>	0198	0199
				<i>Naturally saline, internally drained lake with increased TDS due to diversions of tributaries by Los Angeles Dept. of Water and Power. Natural high levels of toxic elements to be addressed through "easy" (already funded) TMDL using Section 104/106 grant funds.</i>						
				<b>Flow Regulation/Modification</b>						
				<b>Natural Sources</b>						
				<b>Source Unknown</b>						
6	S	OWENS LAKE	603.300	<b>Salinity/TDS/Chlorides</b>		<b>Low</b>	<b>20000</b>	<b>Acres</b>		
				<i>Natural internally drained saline lake with lake level decreased, salinity increased due to diversions of tributaries by Los Angeles Department of Water and Power. Pending project by Great Basin Unified Air Pollution Control District may restore some beneficial uses to part of lakebed. TMDLs to be addressed during years 6-13 of the next 13 years of the TMDL development process, as resources permit. [20,000 acre area figure reflects past Corps of Engineers delineation of brine pool; natural lake bed is much larger.]</i>						
				<b>Flow Regulation/Modification</b>						
				<b>Natural Sources</b>						
6	S	SEARLES LAKE	621.000	<b>Salinity/TDS/Chlorides</b>		<b>Medium</b>	<b>26100</b>	<b>Acres</b>	0198	0199
				<i>Naturally saline, internally drained desert playa lake. Natural impairment to be documented as "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i>						
				<b>Source Unknown</b>						
6	W	AMEDEE HOT SPRINGS	637.200	<b>Metals</b>		<b>Medium</b>	<b>1</b>	<b>Acres</b>	0198	0199
				<i>Natural geothermal springs developed for energy production; natural impairment to be documented as "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i>						
				<b>Natural Sources</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
6	W	BIG SPRINGS	603.100	<b>Arsenic</b>		<b>Medium</b>	<b>1</b>	<b>Acres</b>	<b>0198</b>	<b>0199</b>
				<i>Natural geothermal source of arsenic at headwaters of Owens River. Natural impairment to be documented as "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i>						
				<b>Natural Sources</b>						
6	W	CINDER CONE SPRINGS	635.000	<b>Nutrients</b>		<b>Medium</b>	<b>1</b>	<b>Acres</b>		
				<i>Springs tributary to Truckee River, affected by subsurface drainage from former wastewater disposal area (disposal discontinued 1978).</i>						
				<b>Source Unknown</b>						
				<b>Salinity/TDS/Chlorides</b>		<b>Medium</b>	<b>1</b>	<b>Acres</b>		
				<i>Subsurface drainage from former wastewater disposal area. Has not been monitored routinely in recent years; further monitoring may support delisting. TMDLs, if needed, to be addressed during years 3-5 of the next 13 years of the TMDL development process, as resources permit.</i>						
				<b>Wastewater</b>						
6	W	FALES HOT SPRINGS	631.000	<b>Metals</b>		<b>Medium</b>	<b>1</b>	<b>Acres</b>	<b>0198</b>	<b>0199</b>
				<i>Natural geothermal springs; natural impairment to be documented as "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i>						
				<b>Natural Sources</b>						
6	W	HONEY LAKE AREA WETLANDS	637.200	<b>Metals</b>		<b>Medium</b>	<b>12000</b>	<b>Acres</b>		
				<i>Geothermal drainage; effects of saline Honey Lake water. To be addressed during years 6-13 of the next 13 years of the TMDL development process, probably as part of TMDLs for Honey Lake and Susan River.</i>						
				<b>Agriculture</b>						
				<b>Geothermal Development</b>						
				<b>Natural Sources</b>						
				<b>Nonpoint Source</b>						
6	W	KEOUGH HOT SPRINGS	603.000	<b>Metals</b>		<b>Medium</b>	<b>1</b>	<b>Acres</b>	<b>0198</b>	<b>0199</b>
				<i>Natural geothermal springs developed for recreation. Natural impairment to be documented as "easy" (already funding) TMDL using 1998 Section 104/106 grant funds.</i>						
				<b>Natural Sources</b>						
6	W	TOP SPRING	637.200	<b>Radiation</b>		<b>Medium</b>	<b>1</b>	<b>Acres</b>	<b>0198</b>	<b>0199</b>
				<i>Natural source (spring was developed as domestic water source for USFS ranger station and abandoned after testing showed MCL exceedance.) Natural impairment to be documented as "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i>						
				<b>Natural Sources</b>						
6	W	WENDEL HOT SPRINGS	637.200	<b>Metals</b>		<b>Medium</b>	<b>1</b>	<b>Acres</b>	<b>0198</b>	<b>0199</b>
				<i>Natural geothermal spring developed for energy. Metals source to be documented as natural for "easy" (already funded) TMDL using 1998 Section 104/106 grant funds.</i>						
				<b>Natural Sources</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
7	R	ALAMO RIVER	723.100	<b>Pesticides</b> <i>Pesticides may be contained in agricultural return flows. Elevated fish tissue levels. Toxic bioassay results.</i>	<b>Agricultural Return Flows</b>	<b>High</b>	<b>52</b>	<b>Miles</b>	<b>2002</b>	<b>2011</b>
				<b>Sedimentation/Siltation</b> <i>Agricultural return flows.</i>	<b>Agricultural Return Flows</b>	<b>High</b>	<b>52</b>	<b>Miles</b>	<b>1998</b>	<b>2000</b>
				<b>Selenium</b> <i>Selenium originates from Upper Basin Portion of Colorado River. Elevated fish tissue levels.</i>	<b>Agricultural Return Flows</b>	<b>High</b>	<b>52</b>	<b>Miles</b>	<b>2000</b>	<b>2010</b>
7	R	COACHELLA VALLEY STORM CHANNEL	719.470	<b>Bacteria</b> <i>Bacteria objectives violated, threat of toxic bioassay results.</i>	<b>Source Unknown</b>	<b>Low</b>	<b>20</b>	<b>Miles</b>	<b>2004</b>	<b>2009</b>
7	R	IMPERIAL VALLEY DRAINS	723.100	<b>Pesticides</b> <i>Elevated fish tissue levels and toxic bioassay results.</i>	<b>Agricultural Return Flows</b>	<b>High</b>	<b>1305</b>	<b>Miles</b>	<b>2005</b>	<b>2011</b>
				<b>Sedimentation/Siltation</b> <i>Agricultural return flows.</i>	<b>Agricultural Return Flows</b>	<b>High</b>	<b>1305</b>	<b>Miles</b>	<b>2000</b>	<b>2010</b>
				<b>Selenium</b> <i>Selenium originates from Upper Basin Portion of Colorado River. Elevated fish tissue levels.</i>	<b>Agricultural Return Flows</b>	<b>High</b>	<b>1305</b>	<b>Miles</b>	<b>2000</b>	<b>2010</b>
7	R	NEW RIVER (R7)	723.100	<b>Bacteria</b> <i>Regional Board proposes to establish TMDL in cooperation with U.S.EPA/Mexico.</i>	<b>Agricultural Return Flows</b>	<b>High</b>	<b>60</b>	<b>Miles</b>	<b>1998</b>	<b>2005</b>
				<b>Nutrients</b> <i>Regional Board proposes to establish TMDL in cooperation with U.S.EPA/Mexico.</i>	<b>Agricultural Return Flows</b>	<b>High</b>	<b>60</b>	<b>Miles</b>	<b>2002</b>	<b>2010</b>
				<b>Pesticides</b> <i>Agricultural Drainage from Imperial Valley and Mexicali Valley.</i>	<b>Agricultural Return Flows</b>	<b>High</b>	<b>60</b>	<b>Miles</b>	<b>2002</b>	<b>2013</b>
				<b>Sedimentation/Siltation</b> <i>Agricultural Drainage from Imperial Valley and Mexicali Valley.</i>	<b>Agricultural Return Flows</b>	<b>High</b>	<b>60</b>	<b>Miles</b>	<b>1998</b>	<b>2002</b>
				<b>Volatile Organics/VOCs</b> <i>Agricultural Drainage from Imperial Valley and Mexicali Valley.</i>	<b>Agricultural Return Flows</b>	<b>High</b>	<b>60</b>	<b>Miles</b>	<b>2007</b>	<b>2013</b>
7	R	PALO VERDE OUTFALL DRAIN	715.400	<b>Bacteria</b> <i>Agricultural Drainage from Imperial Valley and Mexicali Valley.</i>	<b>Source Unknown</b>	<b>Medium</b>	<b>16</b>	<b>Miles</b>	<b>2005</b>	<b>2011</b>

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
7	S	SALTON SEA	728.000	Nutrients	Agricultural Return Flows	Medium	220000	Acres	2002	2010
				Salinity	Agricultural Return Flows	Medium	220000	Acres	1998	2001
				Selenium	Agricultural Return Flows	Medium	220000	Acres	2000	2007
				<i>Selenium originates from Upper Basin Portion of Colorado River.</i>						
				<b>Agricultural Return Flows</b>						
8	B	ANAHEIM BAY	801.110	Metals	Urban Runoff/Storm Sewers Unknown Nonpoint Source	Medium	180	Acres	0108	0111
				Pesticides	Unknown Nonpoint Source	Medium	180	Acres	0108	0111
8	B	HUNTINGTON HARBOUR	801.110	Metals	Urban Runoff/Storm Sewers Boatyards	Medium	150	Acres	0108	0111
				Pathogens	Urban Runoff/Storm Sewers	Medium	150	Acres	0108	0111
				Pesticides	Unknown Nonpoint Source	Medium	150	Acres	0108	0111
8	B	NEWPORT BAY, LOWER	801.110	Metals	Urban Runoff/Storm Sewers Contaminated Sediments Boatyards	High	700	Acres	0196	0107
				Nutrients	Agriculture Urban Runoff/Storm Sewers	High	700	Acres	0196	0198
				Pathogens	Urban Runoff/Storm Sewers	High	700	Acres	0697	0100
				Pesticides	Agriculture Contaminated Sediments	High	700	Acres	0199	0102
				Priority Organics	Contaminated Sediments Unknown Nonpoint Source	High	700	Acres	0199	0102
8	E	UPPER NEWPORT BAY ECOLOGICAL RESERVE	801.110	Metals	Urban Runoff/Storm Sewers	High	752	Acres	0199	0102

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Nutrients	Agriculture Urban Runoff/Storm Sewers Groundwater Loadings	High	752	Acres	0196	0198
				Pathogens	Urban Runoff/Storm Sewers	High	752	Acres	0697	0100
				Pesticides	Agriculture Unknown Nonpoint Source	High	752	Acres	0199	0102
				Sedimentation/Siltation	Agriculture Construction/Land Development Channel Erosion Erosion/Siltation	High	752	Acres	0196	0198
8	L	BIG BEAR LAKE	801.710	Copper	Resource Extraction	Medium	2970	Acres	0102	0105
				Mercury	Resource Extraction	Medium	2970	Acres	0102	0105
				Metals	Resource Extraction	Medium	2970	Acres	0102	0105
				Noxious aquatic plants	Construction/Land Development Unknown point source	Medium	2970	Acres	0102	0105
				Nutrients	Construction/Land Development Snow Skiing Activities	Medium	2970	Acres	0102	0105
				Sedimentation/Siltation	Construction/Land Development Snow Skiing Activities Unknown Nonpoint Source	Medium	2970	Acres	0102	0105
8	L	CANYON LAKE (RAILROAD CANYON RESERVOIR)	802.120	Nutrients	Nonpoint Source	Medium	600	Acres	0102	0104
				Pathogens	Nonpoint Source	Medium	600	Acres	0102	0104
8	L	ELSINORE, LAKE	802.310	Nutrients	Unknown Nonpoint Source	Medium	3300	Acres	0102	0104
				Org. enrichment/Low D.O.	Unknown Nonpoint Source	Medium	3300	Acres	0102	0104
				Sedimentation/Siltation	Urban Runoff/Storm Sewers	Medium	3300	Acres	0102	0104

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Unknown Toxicity	Unknown Nonpoint Source	Medium	3300	Acres	0102	0104
8	L	FULMOR, LAKE	802.210	Pathogens	Unknown Nonpoint Source	Low	9	Acres	0108	0111
8	L	PRADO PARK LAKE	801.210	Nutrients	Nonpoint Source	Low	60	Acres	0108	0111
				Pathogens	Nonpoint Source	Low	60	Acres	0108	0111
8	R	CHINO CREEK, REACH 1	801.210	Nutrients	Agriculture Dairies	Medium	2	Miles	0100	0105
				Pathogens	Dairies Urban Runoff/Storm Sewers	Medium	2	Miles	0100	0105
8	R	CHINO CREEK, REACH 2	801.210	High Coliform Count	Unknown Nonpoint Source	Low	10	Miles	0108	0111
8	R	CUCAMONGA CREEK, VALLEY REACH	801.210	High Coliform Count	Unknown Nonpoint Source	Low	13	Miles	0108	0111
8	R	GROUT CREEK	801.720	Metals	Unknown Nonpoint Source	Medium	2	Miles	0102	0105
				Nutrients	Unknown Nonpoint Source	Medium	2	Miles	0102	0105
8	R	KNICKERBOCKER CREEK	801.710	Metals	Unknown Nonpoint Source	Medium	2	Miles	0103	0105
				Pathogens	Unknown Nonpoint Source	Medium	2	Miles	0103	0105
8	R	LYTLE CREEK	801.400	Pathogens	Unknown Nonpoint Source	Low	18	Miles	0108	0111
8	R	MILL CREEK (PRADO AREA)	801.250	Nutrients	Agriculture Dairies	Medium	4	Miles	0100	0105

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.



# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Pathogens	Dairies	Medium	4	Miles	0100	0105
				Suspended solids	Dairies	Medium	4	Miles	0100	0105
8	R	MILL CREEK, REACH 1	801.580	Pathogens	Unknown Nonpoint Source	Low	5	Miles	0108	0111
8	R	MILL CREEK, REACH 2	801.580	Pathogens	Unknown Nonpoint Source	Low	8	Miles	0108	0111
8	R	MOUNTAIN HOME CREEK	801.580	Pathogens	Unknown Nonpoint Source	Low	4	Miles	0108	0111
8	R	MOUNTAIN HOME CREEK, EAST FORK	801.700	Pathogens	Unknown Nonpoint Source	Low	1	Miles	0108	0111
8	R	RATHBONE (RATHBUN) CREEK	801.720	Nutrients	Snow Skiing Activities Unknown Nonpoint Source	Medium	2	Miles	0102	0105
				Sedimentation/Siltation	Snow Skiing Activities Unknown Nonpoint Source	Medium	2	Miles	0102	0105
8	R	SAN DIEGO CREEK, REACH 1	801.110	Metals	Unknown Nonpoint Source	High	6	Miles	0199	0102
				Nutrients	Agriculture Urban Runoff/Storm Sewers Groundwater Loadings	High	6	Miles	0196	0198
				Pesticides	Unknown Nonpoint Source	High	6	Miles	0199	0102
				Sedimentation/Siltation	Agriculture Construction/Land Development Channel Erosion Erosion/Siltation	High	6	Miles	0196	0198
8	R	SAN DIEGO CREEK, REACH 2	801.110	Metals	Urban Runoff/Storm Sewers	High	6	Miles	0199	0102

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
				Nutrients	Agriculture Urban Runoff/Storm Sewers Groundwater Loadings	High	6	Miles	0196	0198
				Sedimentation/Siltation	Agriculture Construction/Land Development Channel Erosion Erosion/Siltation	High	6	Miles	0196	0198
				Unknown Toxicity	Unknown Nonpoint Source	High	6	Miles	0199	0102
8	R	SANTA ANA RIVER, REACH 3	801.200	Nutrients		Medium	3	Miles	0100	0111
				Pathogens	Dairies	Medium	3	Miles	0100	0111
				Salinity/TDS/Chlorides	Dairies	Medium	3	Miles	0100	0111
					Dairies					
8	R	SANTA ANA RIVER, REACH 4	801.270	Pathogens		Low	12	Miles	0108	0111
					Nonpoint Source					
8	R	SANTIAGO CREEK, REACH 4	801.120	Salinity/TDS/Chlorides		Low	2	Miles	0108	0111
					Source Unknown					
8	R	SILVERADO CREEK	801.120	Pathogens		Low	2	Miles	0108	0111
					Unknown Nonpoint Source					
				Salinity/TDS/Chlorides		Low	2	Miles	0108	0111
					Unknown Nonpoint Source					
8	R	SUMMIT CREEK	801.710	Nutrients		Medium	2	Miles	0102	0105
					Construction/Land Development					
9	B	MISSION BAY	906.400	Eutrophic		Medium	1	Acres	0705	0708
					Nonpoint/Point Source					
				High Coliform Count		Low	1540	Acres	0799	0709
					Nonpoint/Point Source					
				Lead		Medium	1	Acres	0705	0708
					Nonpoint/Point Source					

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
9	B	SAN DIEGO BAY	900.00	<b>Benthic Comm. Effects</b>		<b>High</b>	<b>172</b>	<b>Acres</b>	<b>0198</b>	<b>0703</b>
				<i>The listing covers the following areas: Near Sub Base 16 acres, Near Grape Street 7 acres, Downtown Piers 10 acres, Near Coronado Bridge 30 acres, Near Chollas Creek 14 acres, San Diego Naval Station 76 acres, Seventh Street Channel 9 acres, North of 24th Street Marine Terminal 10 acres.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>Copper</b>		<b>High</b>	<b>50</b>	<b>Acres</b>	<b>0198</b>	<b>0703</b>
				<i>This listing is for dissolved copper in the Shelter Island yacht Basin in San Diego Bay.</i>						
				<b>Nonpoint/Point Source</b>						
				<b>Sediment Toxicity</b>		<b>High</b>	<b>172</b>	<b>Acres</b>	<b>0198</b>	<b>0703</b>
				<i>The listing covers the following areas: Near Sub Base 16 acres, Near Grape Street 7 acres, Downtown Piers 10 acres, Near Coronado Bridge 30 acres, Near Chollas Creek 14 acres, San Diego Naval Station 76 acres, Seventh Street Channel 9 acres, North of 24th Street Marine Terminal 10 acres.</i>						
				<b>Nonpoint/Point Source</b>						
9	C	PACIFIC OCEAN, ALISO HSA 901.13	901.13	High Coliform Count		Medium	0.01	Miles	0797	0701
				<b>Nonpoint/Point Source</b>						
9	C	PACIFIC OCEAN, BUENA VISTA HA 904.20	904.20	High Coliform Count		Low	0.02	Miles	0799	0709
				<b>Nonpoint/Point Source</b>						
9	C	PACIFIC OCEAN, CORONADO HA 910.10	910.10	High Coliform Count		Low	0.04	Miles	0799	0709
				<b>Nonpoint/Point Source</b>						
9	C	PACIFIC OCEAN, DANA POINT HSA 901.14	901.14	High Coliform Count		Low	0.06	Miles	0700	0710
				<b>Nonpoint/Point Source</b>						
9	C	PACIFIC OCEAN, ESCONDIDO CREEK HA 904.60	904.60	High Coliform Count		Low	0.02	Miles	0799	0709
				<b>Nonpoint/Point Source</b>						
9	C	PACIFIC OCEAN, LAGUNA BEACH HSA 901.12	901.12	High Coliform Count		Low	0.15	Miles	0700	0710
				<b>Nonpoint/Point Source</b>						
9	C	PACIFIC OCEAN, LOMA ALTA HSA 904.10	904.10	High Coliform Count		Low	1	Miles	0799	0709
				<b>Nonpoint/Point Source</b>						

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
9	C	PACIFIC OCEAN, LOWER SAN JUAN HSA	901.270	High Coliform Count	Nonpoint/Point Source	Low	0.02	Miles	0700	0710
9	C	PACIFIC OCEAN, SAN CLEMENTE HA 901.30	901.30	High Coliform Count	Nonpoint/Point Source	Low	0.15	Miles	0700	0710
9	C	PACIFIC OCEAN, SAN DIEGO HU 907.00	907.00	High Coliform Count	Nonpoint/Point Source	Low	0.5	Miles	0799	0709
9	C	PACIFIC OCEAN, SAN DIEGUITO HU 905.00	905.00	High Coliform Count	Nonpoint/Point Source	Low	0.02	Miles	0799	0709
9	C	PACIFIC OCEAN, SAN LUIS REY HU 903.00	903.00	High Coliform Count	Nonpoint/Point Source	Low	0.01	Miles	0799	0709
9	C	PACIFIC OCEAN, SAN MARCOS HA 904.50	904.50	High Coliform Count	Nonpoint/Point Source	Low	0.01	Miles	0799	0709
9	C	PACIFIC OCEAN, SCRIPPS HA 906.30	906.30	High Coliform Count	Nonpoint/Point Source	Low	0.13	Miles	0799	0709
9	C	PACIFIC OCEAN, TIJUANA HU 911.00	911.00	High Coliform Count	Nonpoint/Point Source	Low	3.2	Miles	0798	0711
9	C	SAN DIEGO BAY, LINDBERGH HSA 908.21	908.21	High Coliform Count	Nonpoint/Point Source	Low	0.2	Miles	0799	0709
9	C	SAN DIEGO BAY, TELEGRAPH HSA 909.11	909.11	High Coliform Count	Nonpoint/Point Source	Low	0.01	Miles	0799	0709

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
9	E	AGUA HEDIONDA LAGOON	904.310	High Coliform Count	Nonpoint/Point Source	Low	5	Acres	0799	0709
				Sedimentation/Siltation		Medium	5	Acres	0704	0707
9	E	ALISO CREEK MOUTH OF ORANGE	901.130	High Coliform Count	Nonpoint/Point Source	Medium	0.3	Acres	0797	0701
9	E	BUENA VISTA LAGOON	904.210	High Coliform Count	Nonpoint/Point Source	Low	350	Acres	0799	0709
				Nutrients		Low	150	Acres	0704	0707
				Sedimentation/Siltation		Medium	350	Acres	0704	0707
9	E	FAMOSA SLOUGH & CHANNEL	906.400	Eutrophic	Nonpoint Source	Medium	28	Acres	0705	0708
9	E	LOMA ALTA SLOUGH	904.100	Eutrophic	Nonpoint Source	Low	8	Acres	0799	0709
				High Coliform Count		Low	8	Acres	0799	0709
9	E	LOS PENASQUITOS LAGOON	906.100	Sedimentation/Siltation	Nonpoint/Point Source	Medium	385	Acres	0705	0708
9	E	SAN ELIJO LAGOON	904.610	Eutrophic	Nonpoint/Point Source	Low	330	Acres	0799	0709
				High Coliform Count		Low	150	Acres	0799	0709
				Sedimentation/Siltation		Medium	150	Acres	0704	0707
9	E	SAN JUAN CREEK (MOUTH)	901.200	High Coliform Count	Nonpoint/Point Source	Low	2	Acres	0700	0710
9	E	SANTA MARGARITA LAGOON	902.110	Eutrophic	Nonpoint/Point Source	High	1	Acres	0796	0705

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
9	E	TIJUANA RIVER ESTUARY	911.110	Eutrophic	Nonpoint/Point Source	Low	1	Acres	0798	0711
				High Coliform Count	Nonpoint/Point Source	Low	150	Acres	0798	0711
				Lead	Nonpoint/Point Source	Low	1	Acres	0798	0711
				Nickel	Nonpoint/Point Source	Low	1	Acres	0798	0711
				Pesticides	Nonpoint/Point Source	Low	1	Acres	0798	0711
				Thallium	Nonpoint/Point Source	Low	1	Acres	0798	0711
				Trash	Nonpoint/Point Source	Low	1	Acres	0798	0711
9	L	GUAJOME LAKE	903.110	Eutrophic	Nonpoint/Point Source	Medium	25	Acres	0708	0711
9	R	ALISO CREEK	901.130	High Coliform Count	Nonpoint/Point Source	Medium	1	Miles	0797	0701
9	R	CHOLLAS CREEK	908.220	Cadmium	Nonpoint/Point Source	High	1	Miles	0198	0703
				<i>Elevated levels in Stormwater.</i>						
				Copper	Nonpoint/Point Source	High	1	Miles	0198	0703
				<i>Elevated levels in Stormwater.</i>						
				High Coliform Count	Nonpoint/Point Source	Low	1	Miles	0799	0709
				Lead	Nonpoint/Point Source	High	1	Miles	0198	0703
				<i>Elevated levels in Stormwater.</i>						
				Toxicity	Nonpoint/Point Source	High	1	Miles	0198	0703
				<i>Toxicity in Stormwater.</i>						
				Zinc	Nonpoint/Point Source	High	1	Miles	0198	0703
				<i>Elevated levels in Stormwater.</i>						
9	R	RAINBOW CREEK	902.200	Eutrophic	Nonpoint/Point Source	High	5	Miles	0798	0700

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE	
9	R	SAN JUAN CREEK LOWER	901.270	High Coliform Count		Low	1	Miles	0700	0710	
					Nonpoint/Point Source						
9	R	TECOLOTE CREEK	906.500	Cadmium		Medium	6	Miles	0705	0708	
				<i>Elevated levels in Stormwater.</i>							
					Nonpoint/Point Source						
				Copper		Medium	6	Miles	0705	0708	
				<i>Elevated levels in Stormwater.</i>							
					Nonpoint/Point Source						
				High Coliform Count		Low	6	Miles	0799	0709	
					Nonpoint/Point Source						
9	R	TIJUANA RIVER	911.110	Lead		Medium	6	Miles	0705	0708	
				<i>Elevated levels in Stormwater.</i>							
					Nonpoint/Point Source						
				Toxicity		Medium	6	Miles	0705	0708	
				<i>Elevated levels in Stormwater.</i>							
					Nonpoint/Point Source						
9	R	TIJUANA RIVER	911.110	Zinc		Medium	6	Miles	0705	0708	
				<i>Elevated levels in Stormwater.</i>							
					Nonpoint/Point Source						
				Eutrophic		Low	7	Miles	0798	0711	
					Nonpoint/Point Source						
				High Coliform Count		Low	7	Miles	0798	0711	
					Nonpoint/Point Source						
				Org. enrichment/Low D.O.		Low	7	Miles	0798	0711	
					Nonpoint/Point Source						
Pesticides		Low	7	Miles	0798	0711					
	Nonpoint/Point Source										
9	R	TIJUANA RIVER	911.110	Solids		Low	7	Miles	0798	0711	
					Nonpoint/Point Source						
				Synthetic Organics		Low	7	Miles	0798	0711	
					Nonpoint/Point Source						
				Trace Elements		Low	7	Miles	0798	0711	
					Nonpoint/Point Source						
				Trash		Low	7	Miles	0798	0711	
	Nonpoint/Point Source										

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.

# 1998 CALIFORNIA 303(d) LIST AND TMDL PRIORITY SCHEDULE

Approved by USEPA: 12-May-99

REGION	TYPE	NAME	HYDRO UNIT	POLLUTANT/STRESSOR*	SOURCE	PRIORITY	SIZE AFFECTED	UNIT	START DATE	END DATE
--------	------	------	------------	---------------------	--------	----------	---------------	------	------------	----------

## ABBREVIATIONS

### REGIONAL WATER QUALITY CONTROL BOARDS

- 1 North Coast
- 2 San Francisco Bay
- 3 Central Coast
- 4 Los Angeles
- 5 Central Valley
- 6 Lahontan
- 7 Colorado River Basin
- 8 Santa Ana
- 9 San Diego

### WATER BODY TYPE

- |                        |                         |                          |
|------------------------|-------------------------|--------------------------|
| B = BAYS AND HARBORS   | L = LAKES / RESERVOIRS  | S = SALINE LAKES         |
| C = COASTAL SHORELINES | O = OCEAN AND OPEN BAYS | T = WETLANDS, TIDAL      |
| E = ESTUARIES          | R = RIVERS / STREAMS    | W = WETLANDS, FRESHWATER |
| G = GROUND WATER       |                         |                          |

### HYDRO UNIT

"Hydro Unit" is the State Water Resources Control Board hydrological subunit area.

### START AND END DATES

Start and End Dates are shown as the year or as month/year.

### GROUP A PESTICIDES

Aldrin, dieldrin, chlordane, endrin, heptachlor, heptachlor epoxide, hexachlorocyclohexane (including lindane), endosulfan, and toxaphene

\* Comments presented under each pollutant/stressor are not required under Clean Water Act Section 303(d). In a few cases, they provide necessary information.