



58



SOURCE: OWL CREEK  
AND REDCREST  
USGS 7.5 MINUTE  
QUADRANGLES



QUADRANGLE  
LOCATION


THE PACIFIC LUMBER COMPANY  
HELY CREEK WOODWASTE DISPOSAL SITE  
HUMBOLDT COUNTY, CALIFORNIA

SITE LOCATION MAP



SHN 095048


FIGURE 1



- EXP**
- MW-
  - P-1
  - △ S-1
  - ▴ TP- (7/87)

TOPOGRAPHY

(0.015)



**NORTH COAST  
LABORATORIES LTD**

December 27, 2002

Pacific Lumber-M  
P.O. Box 37  
Scotia, CA 95565-0037

Order No.: 0212432  
Invoice No.: 30371  
PO No.: M-38250  
ELAP No. 1247-Expires July 2004

Attn: John Prevost

RE: 095048.500, Hely Creek

**SAMPLE IDENTIFICATION**


Fraction	Client Sample Description
01A	S-1
01B	S-1
01C	S-1
02A	S-2
02B	S-2
02C	S-2


ND = Not Detected at the Reporting Limit


Limit = Reporting Limit

All solid results are expressed on a wet-weight basis unless otherwise noted.

**REPORT CERTIFIED BY**

  
Laboratory Supervisor(s)

  
QA Unit

  
Jesse G. Chaney, Jr.  
Laboratory Director

Date: 27-Dec-02  
WorkOrder: 0212432

# ANALYTICAL REPORT

Client Sample ID: S-1  
Lab ID: 0212432-01A

Received: 12/16/02

Collected: 12/16/02 14:50

Test Name: Chemical Oxygen Demand

Reference: EPA 410.4

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Chemical Oxygen Demand	80	25	mg/L	5.0		12/26/02

Client Sample ID: S-1  
Lab ID: 0212432-01B

Received: 12/16/02

Collected: 12/16/02 14:50

Test Name: Settleable Solids

Reference: EPA 160.5

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Settleable Solids	1.0	0.10	mL/L/hour	1.0		12/17/02

Client Sample ID: S-1  
Lab ID: 0212432-01C

Received: 12/16/02

Collected: 12/16/02 14:50

Test Name: Conductivity

Reference: Std. Meth. 18th Ed. 2510

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Conductivity	100	1.0	µmhos/cm	1.0		12/16/02

Test Name: pH

Reference: Std. Meth. 18th Ed. 4500 H+ B

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
pH	7.3	N/A	pH Units	1.0		12/16/02

Test Name: Turbidity

Reference: EPA 180.1

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Turbidity	410	0.25	NTU	5.0		12/16/02

Client Sample ID: S-2  
Lab ID: 0212432-02A

Received: 12/16/02

Collected: 12/16/02 15:10

Test Name: Chemical Oxygen Demand

Reference: EPA 410.4

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Chemical Oxygen Demand	110	25	mg/L	5.0		12/26/02

Date: 27-Dec-02  
WorkOrder: 0212432

# ANALYTICAL REPORT

Client Sample ID: S-2  
Lab ID: 0212432-02B

Received: 12/16/02

Collected: 12/16/02 15:10

Test Name: Settleable Solids

Reference: EPA 160.5

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Settleable Solids	0.90	0.10	mL/L/hour	1.0		12/17/02

Client Sample ID: S-2  
Lab ID: 0212432-02C

Received: 12/16/02

Collected: 12/16/02 15:10

Test Name: Conductivity

Reference: Std. Meth. 18th Ed. 2510

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Conductivity	100	1.0	µmhos/cm	1.0		12/16/02

Test Name: pH


Reference: Std. Meth. 18th Ed. 4500 H+ B

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
pH	7.3	N/A	pH Units	1.0		12/16/02

Test Name: Turbidity

Reference: EPA 180.1

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Turbidity	520	0.25	NTU	5.0		12/16/02



**NORTH COAST  
LABORATORIES LTD.**

April 04, 2003

Pacific Lumber-M  
P.O. Box 37  
Scotia, CA 95565-0037

Order No.: 0303529  
Invoice No.: 32816  
PO No.: M-47625  
ELAP No. 1247-Expires July 2004

Attn: John Prevost

RE: 095048.500 Hely Creek

**SAMPLE IDENTIFICATION**

Fraction	Client Sample Description
01A	S-2
01B	S-2
01C	S-2
02A	S-1
02B	S-1
02C	S-1

ND = Not Detected at the Reporting Limit  
Limit = Reporting Limit  
All solid results are expressed on a wet-weight basis unless otherwise noted.

**REPORT CERTIFIED BY**

\_\_\_\_\_  
Laboratory Supervisor(s)

\_\_\_\_\_  
QA Unit

\_\_\_\_\_  
Jesse G. Chaney, Jr.  
Laboratory Director

Date: 04-Apr-03  
WorkOrder: 0303529

# ANALYTICAL REPORT

Client Sample ID: S-2  
Lab ID: 0303529-01A

Received: 3/20/03

Collected: 3/20/03 10:30

Test Name: Chemical Oxygen Demand

Reference: EPA 410.4

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Chemical Oxygen Demand	18	5.0	mg/L	1.0	4/3/03	4/3/03

Client Sample ID: S-2  
Lab ID: 0303529-01B

Received: 3/20/03

Collected: 3/20/03 10:30

Test Name: Conductivity

Reference: Std. Meth. 18th Ed. 2510

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Conductivity	180	1.0	µmhos/cm	1.0		3/27/03

Test Name: pH

Reference: Std. Meth. 18th Ed. 4500 H+ B

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
pH	7.7	N/A	pH Units	1.0		3/20/03

Test Name: Turbidity

Reference: EPA 180.1

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Turbidity	23	0.050	NTU	1.0		3/20/03

Client Sample ID: S-2  
Lab ID: 0303529-01C

Received: 3/20/03

Collected: 3/20/03 10:30

Test Name: Settleable Solids

Reference: EPA 160.5

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Settleable Solids	ND	0.10	mL/L/hour	1.0		3/20/03

Client Sample ID: S-1  
Lab ID: 0303529-02A

Received: 3/20/03

Collected: 3/20/03 10:50

Test Name: Chemical Oxygen Demand

Reference: EPA 410.4

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Chemical Oxygen Demand	16	5.0	mg/L	1.0	4/3/03	4/3/03

Date: 04-Apr-03  
WorkOrder: 0303529

# ANALYTICAL REPORT

Client Sample ID: S-1  
Lab ID: 0303529-02B

Received: 3/20/03

Collected: 3/20/03 10:50

Test Name: Conductivity

Reference: Std. Meth. 18th Ed. 2510

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Conductivity	160	1.0	µmhos/cm	1.0		3/27/03

Test Name: pH

Reference: Std. Meth. 18th Ed. 4500 H+ B

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
pH	7.8	N/A	pH Units	1.0		3/20/03

Test Name: Turbidity

Reference: EPA 180.1

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Turbidity	24	0.050	NTU	1.0		3/20/03

Client Sample ID: S-1  
Lab ID: 0303529-02C

Received: 3/20/03

Collected: 3/20/03 10:50

Test Name: Settleable Solids

Reference: EPA 160.5

<u>Parameter</u>	<u>Result</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Settleable Solids	ND	0.10	mL/L/hour	1.0		3/20/03



**SUMMARY OF SURFACE WATER ANALYTICAL RESULTS**

S-1 Sample Collection Date:	05/23/91	02/14/92	12/11/92	01/14/93	12/10/93	01/25/95	12/01/95	03/05/96	12/13/96	3/31/97	12/8/97	3/31/98	12/3/98	3/9/99	1/4/00	3/10/00	1/3/01	3/5/01
<b>General Water Quality Parameters:</b>																		
Chemical Oxygen Demand	8.3	25	66	31	<5.0	47	52	56	29	18	75	36	25	27	12	21	8.6	40
Hardness Calculation Waste (mgCaCO3/L)	100	83	74	63	100	--	--	--	--	--	--	--	--	--	--	--	--	--
Alkalinity (mgCaCO3/L)	96	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Bicarbonate (mgCaCO3/L)	95	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Carbonate (mgCaCO3/L)	1.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chloride	9.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Conductivity (umhos/cm)	230	130	150	140	240	--	--	--	--	--	150	140	130	130	300	150	380	130
Hydroxide (mgCaCO3/L)	<1.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Sulfate	6.0	6.3	13	12	6.8	--	--	--	--	--	--	--	--	--	--	--	--	--
Total Dissolved Solids	210	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
pH (pH units)	8.0	7.5	7.5	7.2	7.8	7.4	8	7.5	7.5	7.9	7.7	7.6	7.3	7.4	8.0	7.8	7.9	7.5
Settleable Solids (mL/L/hr)	--	0.80	0.30	<0.10	<0.10	<0.10	<0.10	0.2	<0.10	<0.10	0.50	0.20	<0.10	<0.10	<0.10	0.20	<0.10	0.30
Turbidity (NTU)	--	78	57	35	9.0	86	28	110	52	14	100	160	34	33	9.5	15	3.3	60
Fluoride	0.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nitrogen-Nitrate	0.32	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Tannin and Lignin	0.38	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Metals:</b>																		
Antimony	Δ0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Arsenic	Δ0.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Barium	Δ0.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Beryllium	Δ0.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cadmium	Δ0.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Calcium	19	15	13	11	20	9.4	--	--	--	--	--	--	--	--	--	--	--	--
Chromium	Δ0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cobalt	Δ0.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Copper	Δ0.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Iron	0.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Lead	Δ0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Magnesium	13	11	10	8.6	13	--	--	--	--	--	--	--	--	--	--	--	--	--
Manganese	Δ0.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Mercury	Δ0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	Δ0.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nickel	Δ0.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Potassium	1.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Selenium	Δ0.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Silver	Δ0.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Sodium	11	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Thallium	Δ0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Vanadium	Δ0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Zinc	Δ0.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Units = mg/L, unless noted

-- = Not Tested

**SUMMARY OF SURFACE WATER ANALYTICAL RESULTS**

S-1 Sample Collection Date:	05/23/91
<b>EPA 81/82:</b>	
Dichlorodifluoromethane	<1.0
Chloromethane	<1.0
Vinyl Chloride	<1.0
Bromomethane	<1.0
Chloroethane	<1.0
Trichlorofluoromethane	<1.0
1,1-dichloroethene	<1.0
Methylene Chloride	<1.0
trans-1,2-dichloroethene	<1.0
1,1-dichloroethane	<1.0
Chloroform	<1.0
1,1,1-trichloroethane	<1.0
Carbon Tetrachloride	<1.0
1,2-dichloroethane	<1.0
Trichloroethene	<1.0
1,2-dichloropropane	<1.0
Bromodichloromethane	<1.0
2-Chloroethylvinylether	<1.0
trans-1,3-dichloropropane	<1.0
cis-1,3-dichloropropane	<1.0
1,1,2-trichloroethane	<1.0
Tetrachloroethene	<1.0
Dibromochloromethane	<1.0
Chlorobenzene	<1.0
Bromoform	<1.0
1,1,2,2-tetrachloroethane	<1.0
Benzene	<1.0
Toluene	<1.0
Ethyl Benzene	<1.0
o,m,p Xylene	<0.5
1,3-dichlorobenzene	<1.0
1,2-dichlorobenzene	<1.0
1,4-dichlorobenzene	<1.0
<b>EPA 877:</b>	
Phenol	<5
2-Chlorophenol	<5
2-Nitrophenol	<5
2,4-Dimethylphenol	<5
2,4-Dichlorophenol	<5
4-Chloro-3-methylphenol	<5
2,4,6-Trichlorophenol	<5
2,4-Dinitrophenol	<20
4-Nitrophenol	<20
2-methyl-4,6-dinitrophenol	<20
Pentachlorophenol	<20
2,4,5-Trichlorophenol	<20
2-Methylphenol	<20
4-Methylphenol	<20

Units = ug/L

-- = Not Tested

**SUMMARY OF SURFACE WATER ANALYTICAL RESULTS**

S-2 Sample Collection Date:	05/23/91	02/14/92	12/11/92	01/14/93	12/10/93	01/25/95	12/01/95	03/05/96	12/13/96	3/31/97	12/8/97	3/31/98	12/3/98	3/9/99	1/4/00	3/10/00	1/3/01	3/5/01	
<b>General Water Quality Parameters:</b>																			
Chemical Oxygen Demand	<5.0	19	65	22	<5.0	27	52	58	29	16	39	41	33	27	<5.0	19	32	40	
Hardness Calculation Waste (mgCaCO3/L)	110	83	71	63	110	--	--	--	--	--	--	--	--	--	--	--	--	--	
Alkalinity (mgCaCO3/L)	98	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Bicarbonate (mgCaCO3/L)	98	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Carbonate (mgCaCO3/L)	<1.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Chloride	9.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Conductivity (umhos/cm)	230	130	160	140	240	--	--	--	--	--	150	140	130	140	310	150	380	130	
Hydroxide (mgCaCO3/L)	<1.0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Sulfate	5.7	6.3	12	10	7.3	--	--	--	--	--	--	--	--	--	--	--	--	--	
Total Dissolved Solids	200	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
pH (pH units)	7.7	7.6	7.5	7.3	7.8	7.5	8.1	7.4	7.3	7.8	7.7	7.3	7.3	7.3	7.9	7.7	7.9	7.5	
Settleable Solids (mL/L/hr)	--	0.70	0.30	<0.10	<0.10	<0.10	<0.10	0.2	<0.10	<0.10	0.50	0.25	0.10	<0.10	<0.10	<0.10	<0.10	0.20	
Turbidity (NTU)	--	82	60	34	9.0	94	28	120	48	13	100	130	1200	36	9.8	14	2.4	52	
Fluoride	<0.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Nitrogen-Nitrate	0.13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Tannin and Lignin	0.42	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
<b>Metals:</b>																			
Antimony	<0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Arsenic	<0.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Barium	<0.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Beryllium	<0.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Cadmium	<0.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Calcium	19	15	12	11	20	9.7	--	--	--	--	--	--	--	--	--	--	--	--	
Chromium	<0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Cobalt	<0.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Copper	<0.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Iron	1.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Lead	<0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Magnesium	14	11	10	8.6	14	--	--	--	--	--	--	--	--	--	--	--	--	--	
Manganese	0.062	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Mercury	<0.002	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Molybdenum	<0.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Nickel	<0.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Potassium	1.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Selenium	<0.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Silver	<0.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Sodium	11	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Thallium	<0.02	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Vanadium	<0.2	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Zinc	<0.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Units = mg/L, unless noted

-- = Not Tested

**SUMMARY OF SURFACE WATER ANALYTICAL RESULTS**

S-2 Sample Collection Date:	05/23/91
<b>EPA 601/602:</b>	
Dichlorodifluoromethane	<1.0
Chloromethane	<1.0
Vinyl Chloride	<1.0
Bromomethane	<1.0
Chloroethane	<1.0
Trichlorofluoromethane	<1.0
1,1-dichloroethene	<1.0
Methylene Chloride	<1.0
trans-1,2-dichloroethene	<1.0
1,1-dichloroethane	<1.0
Chloroform	<1.0
1,1,1-trichloroethane	<1.0
Carbon Tetrachloride	<1.0
1,2-dichloroethane	<1.0
Trichloroethene	<1.0
1,2-dichloropropane	<1.0
Bromodichloromethane	<1.0
2-Chloroethylvinylether	<1.0
trans-1,3-dichloropropene	<1.0
cis-1,3-dichloropropene	<1.0
1,1,2-trichloroethane	<1.0
Tetrachloroethene	<1.0
Dibromochloromethane	<1.0
Chlorobenzene	<1.0
Bromoform	<1.0
1,1,2,2-tetrachloroethane	<1.0
Benzene	<1.0
Toluene	<1.0
Ethyl Benzene	<1.0
o,m,p Xylene	<0.5
1,3-dichlorobenzene	<1.0
1,2-dichlorobenzene	<1.0
1,4-dichlorobenzene	<1.0
<b>EPA 8270:</b>	
Phenol	△5
2-Chlorophenol	△5
2-Nitrophenol	△5
2,4-Dimethylphenol	△5
2,4-Dichlorophenol	△5
4-Chloro-3-methylphenol	△5
2,4,6-Trichlorophenol	△5
2,4-Dinitrophenol	△20
4-Nitrophenol	△20
2-methyl-4,6-dinitrophenol	△20
Pentachlorophenol	△20
2,4,5-Trichlorophenol	△20
2-Methylphenol	△20
4-Methylphenol	△20

Units = ug/L

-- = Not Tested