

1

Water Year - 1997

JUL 15 2008

Stream Temperatures, Klamath River Basin

Thompson Creek under 18N02 bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

<input type="checkbox"/> EO	<input type="checkbox"/> WMgmt	<input type="checkbox"/> Admin
<input type="checkbox"/> AEO	<input type="checkbox"/> Timber	<input type="checkbox"/> Legal
<input type="checkbox"/> Reg/NPS	<input type="checkbox"/> Cleanups	<input type="checkbox"/> Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											16.3	15.1
2											16.2	
3											16.2	
4											16.4	
5											16.9	
6											17.6	
7											17.8	
8											17.5	
9											16.9	
10											16.5	
11											16.6	
12											16.4	
13											16.4	
14											16.4	
15											16.5	
16											15.8	
17											15.6	
18											15.7	
19											16.2	
20											16.1	
21											16.4	
22											16.2	
23											15.7	
24											15.8	
25											15.5	
26											14.5	
27											15.2	
28											15.2	
29											15.2	
30											15.0	
31											14.7	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	16.1	15.1
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.8	15.1
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	15.1

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
21.2 7-Aug	12.3 31-Aug	20.5 7-Aug	Hobo-Temp	S/N 19896	
		20.5 8-Aug			

Notes:

Water Year - 2001

Stream Temperatures, Klamath River Basin

Thompson Creek under 18N02 bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1								8.8	14.2	14.4	16.2	16.4
2								8.7	12.8	15.4	16.1	16.2
3								9.2	11.8	16.4	15.7	15.4
4								9.9	11.7	17.3	16.3	15.3
5								10.2	11.8	17.6	15.9	14.6
6								10.3	12.3	16.7	16.5	13.7
7								11.1	13.4	16.3	17.4	14.1
8								11.7	14.1	16.3	18.0	14.4
9								11.8	13.5	16.6	17.9	14.3
10								11.8	12.4	17.2	17.8	14.7
11								12.2	12.6	15.9	17.2	14.2
12								12.8	13.1	16.1	17.2	14.0
13								11.9	12.7	16.8	17.0	14.9
14								10.5	13.4	16.9	16.7	15.3
15								10.5	14.0	16.3	17.0	16.2
16								11.1	14.0	15.8	16.9	15.5
17								11.2	13.9	15.4	17.0	14.8
18								12.0	13.9	15.5	16.4	14.4
19								12.6	14.2	16.2	15.9	14.1
20								13.0	15.1	16.0	15.8	13.8
21								13.8	15.7	15.8	15.8	13.1
22								14.2	15.8	16.0	15.7	13.2
23								14.5	14.7	16.6	15.9	13.8
24								14.3	13.4	16.9	15.4	13.8
25								14.6	12.9	17.2	15.7	13.9
26								15.2	12.9	16.7	16.2	13.4
27								13.7	13.4	16.7	16.2	13.3
28							9.4	12.5	14.3	16.5	16.1	12.4
29							8.5	12.4	14.5	15.8	16.7	12.2
30							9.3	13.5	14.8	15.9	17.0	12.8
31								14.8		15.8	16.8	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		9.1	12.1	13.6	16.3	14.3
Max	0.0	0.0	0.0	0.0	0.0	0.0		9.4	15.2	15.8	17.6	16.4
Min	0.0	0.0	0.0	0.0	0.0	0.0		8.5	8.7	11.7	14.4	12.2

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
21.0 8-Aug	6.7 2-May	20.3 10-Aug	Optic Stowaway	S/N 418570	

Notes:

Water Year - 2002

Stream Temperatures, Klamath River Basin

Thompson Creek under 18N02 bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.1							8.1	12.3	14.8	16.1	14.9
2	13.4							8.7	11.7	14.9	15.7	15.6
3	13.3							8.5	11.5	14.8	15.0	15.7
4	13.0							8.6	12.2	14.3	14.0	13.7
5	12.5							8.9	13.0	14.4	13.4	12.5
6	12.3							8.4	12.7	14.4	13.3	12.6
7	11.9							7.7	11.7	14.5	13.5	12.4
8	12.3							7.5	10.4	14.0	13.9	12.3
9	10.8							7.9	10.5	14.7	14.8	12.8
10	10.4							7.7	11.2	15.8	15.3	13.3
11	12.0							8.3	12.2	16.6	15.9	13.8
12								9.3	12.9	16.7	16.0	14.0
13								9.7	13.3	17.1	16.4	14.1
14								9.3	13.1	16.6	16.6	13.2
15								9.4	13.3	16.5	16.5	13.5
16								9.5	12.6	16.5	16.1	13.4
17								10.3	11.9	16.3	15.6	13.6
18								9.7	12.9	16.2	15.2	13.5
19								9.0	12.7	16.2	15.0	13.7
20								8.6	12.9	16.1	14.5	13.8
21								8.3	13.6	16.9	14.3	13.7
22								8.3	14.0	16.7	14.4	13.6
23								9.0	13.4	16.6	14.8	13.7
24								9.9	14.1	16.3	15.1	13.6
25								10.5	14.8	15.8	14.9	13.1
26							8.4	11.1	15.4	16.2	15.0	12.6
27							7.3	10.4	15.2	16.3	14.9	12.7
28							7.3	11.0	14.7	15.7	15.7	12.5
29							7.6	11.9	15.0	16.3	16.0	11.9
30							6.5	12.1	14.4	16.6	15.8	10.7
31								12.0		16.5	14.7	
Mean	12.3	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	7.4	9.3	13.0	15.8	15.1	13.4
Max	13.4	0.0	0.0	0.0	0.0	0.0	8.4	12.1	15.4	17.1	16.6	15.7
Min	10.4	0.0	0.0	0.0	0.0	0.0	6.5	7.5	10.4	14.0	13.3	10.7

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
19.6 13-Jul	5.5 8-May	19.0	13-Jul	Optic Stowaway	S/N 418570	
		19.0	14-Jul	Optic Stowaway	S/N 418571	002
		19.0	16-Jul			

Notes:

Water Year - 2003

Stream Temperatures, Klamath River Basin

Thompson Creek under 18N02 bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	10.4								11.1	13.2	16.8	15.3
2	10.1								11.5	13.1	15.8	15.4
3	10.3								12.0	13.0	15.7	14.8
4	11.0								12.3	13.4	16.0	14.8
5									12.5	13.8	16.0	15.6
6									12.8	14.1	15.7	15.2
7									13.3	14.3	14.9	14.2
8									13.4	13.5	15.1	12.8
9									12.8	13.9	15.2	13.0
10									12.5	14.0	14.8	12.6
11									12.4	14.2	14.2	13.3
12									12.2	14.2	14.1	13.6
13									11.8	14.1	14.4	13.1
14									11.6	14.4	14.8	12.8
15									12.1	14.8	14.4	13.2
16									12.7	14.5	14.2	12.1
17									13.5	14.9	14.5	11.5
18									13.4	15.3	15.3	11.6
19									12.8	15.7	15.9	12.2
20									12.1	15.8	15.8	12.5
21									11.9	16.0	15.5	12.7
22								10.3	11.6	16.6	15.5	12.9
23								10.5	11.3	16.9	15.1	13.0
24								10.1	11.4	16.8	15.2	13.1
25								10.0	12.3	16.8	15.2	13.1
26								10.1	13.2	16.1	14.8	12.9
27								10.2	13.8	16.1	15.0	13.4
28								10.7	14.2	16.1	15.3	13.2
29								11.3	14.3	16.5	14.9	12.9
30								11.5	13.6	16.8	15.1	12.4
31								11.1		16.9	15.3	
Mean	10.5	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	10.6	12.5	15.0	15.2	13.3
Max	11.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	14.3	16.9	16.8	15.6
Min	10.1	0.0	0.0	0.0	0.0	0.0	0.0	10.0	11.1	13.0	14.1	11.5

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
19.1 30-Jul	8.4 2-Oct	18.7	27-Jul	Optic Stowaway	S/N 418571	002
		18.7	28-Jul	Optic Stowaway	s/n 624366	003

Notes:

Water Year - 2004

Stream Temperatures, Klamath River Basin

Thompson Creek under 18N02 bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.6	6.4							11.1	14.6	16.4	14.8
2	12.4	6.9							11.6	14.5	16.0	13.9
3	12.6	6.9							12.1	14.9	15.6	13.6
4	12.9	6.6							12.0	14.9	15.3	13.7
5	12.6	6.9							11.8	14.8	14.7	13.7
6	12.6	7.2							10.9	14.9	14.2	14.0
7	12.7	7.8							10.3	15.1	14.5	13.9
8	11.4	8.2							9.8	14.4	15.0	13.9
9	11.3								10.4	14.3	15.5	13.8
10	9.9								11.3	13.7	15.6	13.9
11	9.5								10.9	14.0	16.1	14.3
12	10.3								11.2	14.7	16.4	14.4
13	9.4								12.0	14.5	16.5	13.5
14	9.8								11.8	14.6	16.2	12.8
15	9.5								12.2	14.1	15.9	12.9
16	10.4								12.8	14.6	15.4	13.0
17	10.4								12.9	15.0	15.4	12.5
18	10.2								13.2	14.4	15.9	11.6
19	10.8								13.0	15.1	16.2	11.3
20	11.7								13.3	15.0	16.4	11.4
21	11.6								13.5	15.5	16.2	10.8
22	11.3								13.9	16.0	15.5	11.4
23	10.7								14.1	16.1	14.4	12.0
24	9.7								13.9	16.1	14.6	12.4
25	10.0								13.4	16.4	14.2	12.5
26	10.1								13.5	16.3	14.0	11.7
27	10.2								13.7	16.0	14.0	11.9
28	10.4							9.9	14.2	16.1	14.7	12.3
29	10.0							9.4	14.6	16.2	15.2	12.6
30	8.4							10.1	14.6	16.2	15.5	11.6
31	7.5							10.3		16.3	15.4	
Mean	10.7	7.1	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	9.9	12.5	15.1	15.4	12.9
Max	12.9	8.2	0.0	0.0	0.0	0.0	0.0	10.3	14.6	16.4	16.5	14.8
Min	7.5	6.4	0.0	0.0	0.0	0.0	0.0	9.4	9.8	13.7	14.0	10.8

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
18.6 25-Jul	5.3 1-Nov	18.5	25-Jul	Optic Stowaway	s/n 624365	001
18.6 26-Jul		18.5	26-Jul	Optic Stowaway	s/n 624366	003
18.6 13-Aug		18.5	27-Jul			
		18.5	28-Jul			

Notes:

Water Year - 2005

Stream Temperatures, Klamath River Basin

Thompson Creek under 18N02 bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	11.8								10.6	13.8	15.5	14.3
2	12.2								10.3	13.6	15.4	14.4
3	12.5								10.4	13.3	15.6	13.3
4	12.5								10.6	13.6	15.8	13.4
5	12.3								9.7	13.9	16.1	13.1
6	12.1								8.8	14.1	16.3	13.4
7	12.5								8.6	13.8	16.2	13.8
8	12.0								9.2	13.5	15.8	14.0
9	11.7								10.3	13.7	15.7	13.7
10	10.5								10.7	13.4	15.0	12.2
11	10.6								10.8	13.6	14.7	11.9
12	10.8								10.6	13.6	14.6	11.9
13	11.5								11.0	14.2	14.8	12.0
14	11.4								11.6	14.4	15.3	12.3
15	11.3								11.2	15.1	15.4	12.4
16	11.3								10.6	15.4	15.5	12.1
17	11.2								9.8	15.4	15.3	12.5
18	10.2								9.5	15.2	15.2	11.8
19									10.2	15.1	15.3	11.9
20									11.1	15.1	15.4	12.3
21									11.5	15.1	15.5	12.6
22									11.9	15.6	15.4	12.3
23									11.8	15.4	15.2	11.9
24									12.5	15.3	14.5	10.8
25									12.5	14.6	14.9	10.7
26									12.6	14.9	14.7	10.7
27									12.9	15.3	14.4	11.5
28									12.8	15.4	14.2	11.3
29									13.0	15.5	13.8	11.5
30									13.6	15.8	13.3	11.8
31										15.8	13.9	
Mean	11.6	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	11.0	14.6	15.1	12.4
Max	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	15.8	16.3	14.4
Min	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	13.3	13.3	10.7

Instantaneous Peaks

Maximum		Minimum		Average 7 day max temp.		Instrument	Serial No.	Setting
18.2	6-Aug	7.7	7-Jun	17.9	5-Aug	Hobo-Temp	S/N 624366	017
				17.9	6-Aug	Optic Stowaway	s/n 624365	001

Notes:

Water Year - 2006

Stream Temperatures, Klamath River Basin

Thompson Creek under 18N02 bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.1	8.5	4.5	7.0	6.6	6.4	6.4	7.7	9.9	14.6	14.2	13.7
2	10.1	8.6	4.8	6.8	6.9	5.8	6.7	7.8	10.2	14.5	14.3	13.9
3	10.1	8.1	4.9	6.9	7.1	5.8	6.8	8.0	10.3	14.5	14.4	13.9
4	9.6	8.3	4.6	6.7	6.8	5.8	6.6	8.2	11.1	14.6	14.7	13.8
5	9.7	8.4	4.3	6.7	6.2	5.6	6.9	8.4	10.9	14.5	15.1	14.0
6	10.3	8.2	4.5	6.9	6.3	5.6	7.0	8.2	11.2	14.3	15.1	14.2
7	10.4	6.9	4.9	7.1	6.4	5.7	7.1	8.4	11.4	13.9	14.8	14.2
8	10.3	6.7	5.3	6.7	6.5	5.6	7.3	8.2	11.3	14.0	14.5	14.3
9	10.4	6.9	4.8	6.7	6.7	5.0	7.0	8.0	11.0	14.5	14.8	14.0
10	10.2	7.3	4.6	7.2	6.7	4.7	6.9	8.4	11.1	14.8	14.9	13.8
11	11.1	7.6	4.4	7.1	6.7	4.6	7.1	8.9	11.4	14.8	14.9	13.8
12	10.4	7.6	4.3	6.7	6.7	4.8	7.1	8.8	11.3	14.4	14.5	14.0
13	10.5	8.0	4.1	6.8	6.5	5.0	7.7	8.7	11.0	14.3	14.6	14.2
14	10.6	8.3	3.7	6.9	6.0	4.5	7.3	9.0	10.6	14.4	14.9	14.0
15	10.5	7.2	3.3	6.6	5.2	5.3	6.6	9.4	10.9	14.5	15.0	13.0
16	10.3	6.7	3.0	6.3	4.7	5.0	5.9	9.5	11.6	14.8	14.5	12.0
17	10.5	6.5	3.0	6.7	5.0	5.4	6.2	9.9	11.7	15.2	13.9	11.9
18	10.9	6.4	3.6	6.2	4.8	5.7	6.5	9.7	11.8	15.1	13.9	12.2
19	11.2	6.2	4.7	6.3	4.5	5.6	7.0	9.3	11.7	15.0	14.2	12.4
20	10.4	6.0	6.0	6.2	4.5	5.8	7.6	9.2	11.7	15.2	14.6	12.0
21	10.0	6.1	6.5	6.3	5.0	6.1	7.7	9.1	11.8	15.6	14.6	12.4
22	10.0	6.2	6.9	6.3	5.4	6.4	7.6	9.2	11.9	15.2	14.4	12.2
23	10.1	6.1	7.4	6.2	5.7	6.6	7.7	8.8	12.4	16.0	14.3	11.8
24	10.1	6.2	7.3	6.2	5.6	6.7	7.8	8.6	13.0	16.4	14.1	11.7
25	10.1	7.3	7.6	6.1	5.9	6.4	7.6	8.6	13.6	16.5	14.1	11.6
26	10.2	6.4	7.2	6.1	6.3	6.3	7.9	8.3	14.1	16.6	14.4	11.6
27	9.2	6.0	7.0	5.9	6.2	6.3	8.1	7.6	14.2	16.7	14.4	11.8
28	9.8	4.5	7.4	6.0	6.3	6.6	8.2	8.0	14.3	16.7	14.6	11.9
29	9.6	4.9	7.1	6.4		6.5	8.1	8.3	14.2	16.1	14.7	12.0
30	8.7	4.9	7.2	6.7		6.6	7.7	9.2	14.7	15.0	14.3	12.0
31	8.9		7.5	6.4		6.6		9.6		14.5	13.7	
Mean	10.2	6.9	5.4	6.6	6.0	5.8	7.2	8.7	11.9	15.1	14.5	12.9
Max	12.1	8.6	7.6	7.2	7.1	6.7	8.2	9.9	14.7	16.7	15.1	14.3
Min	8.7	4.5	3.0	5.9	4.5	4.5	5.9	7.6	9.9	13.9	13.7	11.6

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
17.2 27-Jul	2.3 17-Dec	17.0	26-Jul	Hobo-Temp	S/N 624366	017
17.2 28-Jul				Hobo-Temp	S/N 914227	002
17.2 29-Jul						

Notes:

Water Year - 2007

Stream Temperatures, Klamath River Basin

Thompson Creek under 18N02 bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	11.9											
2	11.8											
3	11.8											
4	11.9											
5	11.6											
6	11.5											
7	11.2											
8	10.8											
9	10.9											
10	10.8											
11	10.3											
12	10.2											
13	10.3											
14	10.4											
15	10.5											
16	10.4											
17	10.1											
18	9.7											
19	9.6											
20	10.0											
21	9.8											
22	9.6											
23	9.4											
24	9.4											
25	8.9											
26	8.3											
27	8.4											
28	7.9											
29	7.9											
30	7.6											
31												
Mean	10.1	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

6.7 30-Oct

12.1 1-Oct

Hobo-Temp

S/N 914227

002

12.1 2-Oct

Notes:

JUL 15 2008

2

Water Year - 2004

Stream Temperatures, Klamath River Basin
 Thompson Creek above 18N02 bridge Karuk
 Siskiyou County, CA
 Collecting Agency: Karuk Tribe

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups ☐
☐ Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											16.4	14.7
2											16.0	13.9
3											15.6	13.6
4											15.3	13.7
5											14.7	13.7
6											14.2	14.0
7											14.6	13.9
8											15.0	13.9
9											15.5	13.8
10										13.6	15.6	13.8
11										14.1	16.2	14.3
12										14.7	16.4	14.4
13										14.5	16.5	13.4
14										14.6	16.2	12.8
15										14.2	15.8	12.9
16										14.6	15.4	13.0
17										15.0	15.5	12.5
18										14.4	15.9	11.6
19										15.1	16.2	11.3
20										15.0	16.3	11.4
21										15.5	16.2	10.8
22										16.0	15.4	11.4
23										16.1	14.4	12.0
24										16.1	14.6	12.4
25										16.4	14.2	12.5
26										16.3	14.0	11.7
27										16.0	14.0	11.8
28										16.2	14.7	12.2
29										16.2	15.2	12.6
30										16.2	15.5	11.5
31										16.3	15.3	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	15.3	15.4	12.9
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.4	16.5	14.7
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	14.0	10.8

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
18.7 25-Jul	9.1 21-Sep	18.5 25-Jul	Optic Stowaway	s/n 739031	001
18.7 26-Jul		18.5 26-Jul			
18.7 13-Aug		18.5 27-Jul			
		18.5 28-Jul			
		18.5 29-Jul			

Notes:

Water Year - 2005

Stream Temperatures, Klamath River Basin
 Thompson Creek above 18N02 bridge Karuk
 Siskiyou County, CA
 Collecting Agency: Karuk Tribe

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	11.8											
2	12.1											
3	12.5											
4	12.5											
5	12.3											
6	12.1											
7	12.5											
8	12.0											
9	11.6											
10	10.5											
11	10.5											
12	10.8											
13	11.5											
14	11.4											
15	11.3											
16	11.3											
17	11.2											
18	10.2											
19	9.8											
20	9.5											
21	9.0											
22	9.0											
23	9.4											
24	8.4											
25	7.8											
26	7.6											
27												
28												
29												
30												
31												
Mean	10.7	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
	7.1	25-Oct	13.6	4-Oct	Optic Stowaway	s/n 739031
	7.1	26-Oct	13.6	5-Oct		001

Notes:

3

Water Year - 2006

Stream Temperatures, Klamath River Basin
 Grider Creek grider creek/karuk
 Siskiyou County, CA
 Collecting Agency: Karuk Tribe

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1							6.1	8.2	11.0	15.9	15.2	14.2
2							6.7	8.1	11.6	16.0	15.4	14.5
3							6.8	8.5	11.8	15.9	15.5	14.5
4							6.7	8.8	12.3	16.0	16.1	14.6
5							6.9	9.1	12.1	15.7	16.4	14.8
6							7.4	8.8	12.1	15.5	16.2	15.0
7							7.2	9.2	12.2	15.0	15.4	14.8
8							7.3	8.6	12.0	15.6	15.9	14.9
9							7.1	8.5	11.8	16.4	16.1	14.2
10							6.9	9.3	12.0	16.6	16.3	14.1
11							7.1	9.7	12.2	16.0	16.2	14.3
12							7.4	9.5	11.7	15.5	15.5	14.5
13							8.3	9.6	11.6	15.9	15.7	14.5
14							7.6	9.9	11.0	16.1	16.1	13.5
15							6.0	10.6	12.1	16.6	16.1	12.3
16							5.3	10.9	12.9	16.9	15.2	11.7
17							6.0	11.1	12.8	17.1	14.5	11.9
18							6.5	10.7	12.9	16.4	14.9	12.6
19							7.4	9.9	12.4	16.6	15.4	12.4
20							8.2	9.9	12.7	17.2	15.7	11.8
21							8.0	9.6	12.8	16.8	15.5	12.8
22							8.1	9.9	13.1	17.7	15.3	11.6
23						6.6	8.2	9.6	13.9	18.5	15.0	11.4
24						6.8	8.4	9.3	14.7	18.4	14.9	11.3
25						6.2	8.1	9.1	15.5	18.3	15.0	11.4
26						6.0	8.6	8.4	15.9	18.6	15.1	11.6
27						6.1	9.0	7.7	15.7	18.7	15.3	11.9
28						6.4	9.3	8.4	15.7	18.4	15.5	12.0
29						6.5	9.1	9.1	16.2	16.7	15.2	12.0
30						6.2	8.4	10.0	15.8	15.3	14.3	12.0
31						6.4		10.4		15.3	13.9	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	6.4	7.5	9.4	13.0	16.6	15.4	13.1
Max	0.0	0.0	0.0	0.0	0.0	6.8	9.3	11.1	16.2	18.7	16.4	15.0
Min	0.0	0.0	0.0	0.0	0.0	6.0	5.3	7.7	11.0	15.0	13.9	11.3

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
21.3 26-Jul	4.5 16-Apr	21.0 25-Jul	Optic Stowaway	s/n 955809	

Notes:

Water Year - 2007

Stream Temperatures, Klamath River Basin
Grider Creek grider creek/karuk
Siskiyou County, CA
Collecting Agency: Karuk Tribe

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.0											
2	11.8											
3	12.2											
4	11.8											
5	11.5											
6	11.4											
7	10.5											
8	10.2											
9	10.5											
10	10.0											
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
Mean	11.2	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
	8.8	8-Oct	13.2	1-Oct	Optic Stowaway	s/n 955809

Notes:

JUL 15 2008

Water Year - 1994

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups
☐ Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1									12.0	15.2	16.1	
2									12.2	15.3	15.5	
3									11.3	14.4		
4									11.8	14.4		
5									11.7	14.2		
6									10.3	13.9		
7									10.0	15.1		
8									10.8	16.0		
9									12.2	16.6		
10									13.3	15.9		
11									14.1	15.6		
12								12.2	13.8	15.2		
13								10.6	13.4	15.3		
14								10.3	11.5	15.7		
15								9.2	11.2	15.8		
16								8.3	11.5	16.5		
17								8.1	11.8	17.0		
18								8.7	11.8	16.8		
19								9.3	12.4	17.0		
20								9.8	13.3	17.3		
21								9.7	13.7	18.0		
22								9.7	14.0	17.3		
23								11.1	13.2	17.3		
24								12.0	13.0	17.1		
25								12.6	12.9	15.9		
26								12.3	12.6	16.3		
27								11.6	13.4	16.6		
28								11.5	14.6	16.8		
29								12.0	14.7	17.0		
30								11.7	15.0	17.1		
31								12.3		16.9		
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	10.7	12.6	16.1	15.8	#DIV/0!
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.6	15.0	18.0	16.1	0.0
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	10.0	13.9	15.5	0.0

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
19.6 21-Jul	6.9 17-May	19.0	20-Jul	Hobo-Temp	S/N 4791	
	6.9 18-May	19.0	21-Jul			

Notes:

Water Year - 1995

Stream Temperatures, Klamath River Basin
 Grider Creek 50 feet upstream of 46N66 Bridge
 Siskiyou County, CA
 Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												13.0
2												12.9
3												12.7
4												12.3
5												12.0
6												12.3
7												12.6
8												12.3
9												12.6
10												12.7
11												12.9
12												13.1
13												13.6
14												13.9
15												13.7
16												13.5
17												13.1
18												12.8
19												12.8
20												13.0
21												13.0
22												12.8
23												12.8
24												13.2
25											13.6	13.0
26											12.0	12.3
27											12.1	12.6
28											12.4	12.0
29											12.7	11.2
30											12.5	11.0
31											12.7	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	12.6	12.7
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	13.9
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	11.0

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
14.8 13-Sep	9.9 1-Oct	14.5	13-Sep	Hobo-Temp	S/N 4791	
14.8 14-Sep		14.5	14-Sep			
14.8 15-Sep		14.5	15-Sep			
		14.5	16-Sep			

Notes:

Water Year - 1996

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	10.7	7.7										
2	10.6	7.1										
3	10.9	6.3										
4	9.6	5.8										
5	9.1	7.3										
6	9.3	7.5										
7	9.2	8.4										
8	9.3	9.1										
9	9.6	9.4										
10	10.2	8.2										
11	10.6	8.7										
12	9.1	9.9										
13	8.5	10.2										
14	8.9	9.3										
15	9.4											
16	10.2											
17	9.5											
18	10.3											
19	9.1											
20	9.3											
21	9.3											
22	7.5											
23	7.1											
24	7.2											
25	7.6											
26	9.3											
27	8.7											
28	8.7											
29	8.8											
30	8.9											
31	9.3											
Mean	9.2	8.2	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	10.9	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	7.1	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

4.9 4-Nov

11.7 1-Oct

Hobo-Temp

S/N 4791

Notes:

Water Year - 1997

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											17.8	16.9
2											17.9	15.7
3											18.0	
4											18.2	
5											18.9	
6											19.6	
7											19.7	
8											19.5	
9											18.7	
10											18.2	
11											18.6	
12											18.3	
13											18.3	
14											18.3	
15											18.4	
16											17.7	
17											17.4	
18											17.4	
19											17.9	
20											17.4	
21											18.1	
22											17.9	
23											17.4	
24											17.3	
25											17.1	
26											16.2	
27											16.8	
28											16.9	
29											17.0	
30											16.8	
31										20.2	16.6	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	20.2	17.9	16.3
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.2	19.7	16.9
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.2	16.2	15.7

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
25.0 7-Aug	13.6 31-Aug	24.1	6-Aug	Hobo-Temp	S/N 19895	
		24.1	7-Aug			
		24.1	8-Aug			

Notes:

Water Year - 1998

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										13.3	16.8	16.5
2										14.0	16.8	
3										14.0	17.3	
4										13.8	17.9	
5										14.2	17.7	
6										14.8	17.3	
7										15.4	16.8	
8										15.5	16.7	
9										15.6	17.3	
10									11.4	15.3	17.6	
11									9.9	14.1	17.5	
12									10.9	14.5	17.7	
13									11.1	14.9	18.2	
14									10.8	15.2	18.2	
15									11.2	15.1	17.9	
16									10.2	15.7	16.5	
17									10.8	16.7	15.9	
18									11.5	16.5	15.6	
19									11.0	16.2	15.8	
20									11.6	16.8	15.9	
21									12.4	17.3	15.9	
22									12.5	17.6	16.1	
23									12.5	18.2	15.6	
24									11.4	18.1	15.3	
25									11.2	18.0	15.8	
26									10.7	18.4	15.9	
27									11.3	18.0	15.9	
28									12.7	18.0	15.9	
29									13.3	17.2	15.8	
30									13.6	16.8	16.1	
31										16.9	16.3	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	11.5	16.0	16.6	16.5
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	18.4	18.2	16.5
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9	13.3	15.3	16.5

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
21.9 13-Aug	8.1 16-Jun	21.3 25-Jul	Hobo-Temp	S/N 156382	
		21.3 12-Aug			

Notes:

Water Year - 1999

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										13.7	15.6	12.7
2										13.0	16.1	13.2
3										11.3	16.6	13.2
4										11.4	16.9	13.2
5										12.7	16.7	14.1
6										13.4	15.0	14.0
7										12.9	14.0	13.6
8										13.3	15.0	14.2
9										14.5	16.0	14.5
10										15.3	16.0	14.5
11										16.1	15.8	14.4
12										16.9	15.8	14.2
13										17.2	15.6	14.4
14										16.2	14.4	14.4
15										14.8	14.4	14.2
16										14.7	15.2	14.4
17										14.2	15.6	14.1
18										14.7	15.5	14.2
19										15.5	15.3	14.4
20										15.1	15.7	14.6
21										14.7	15.9	14.7
22										15.2	16.3	14.5
23									15.0	15.4	16.7	14.6
24									12.6	15.4	16.5	14.3
25									11.7	15.6	16.5	13.8
26									11.7	16.2	16.7	12.4
27									11.8	16.0	16.2	11.3
28									13.0	16.0	16.6	11.1
29									14.0	15.7	16.4	11.5
30									14.5	15.5	14.7	12.0
31										15.5	12.9	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	13.0	14.8	15.7	13.7
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.0	17.2	16.9	14.7
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	11.3	12.9	11.1

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
20.7 13-Jul	8.7 4-Jul	19.7 23-Aug	Optic Stowaway	S/N 154917	

Notes:

Water Year - 2000

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.4	8.2								16.3	18.7	14.6
2	12.1	7.7								15.6	18.7	13.4
3	11.8	8.6								14.8	18.2	13.0
4	11.7	9.9								13.5	17.8	13.0
5	11.8									13.6	18.2	12.8
6	12.0									14.2	18.0	13.0
7	11.0									13.9	18.2	13.6
8	11.5									14.2	19.0	13.9
9	11.9									15.4	18.8	13.5
10	11.7									15.6	17.3	13.6
11	12.0									16.3	16.8	14.7
12	11.3									16.7	16.7	15.3
13	11.1									16.5	16.5	15.6
14	11.0									16.4	16.1	15.5
15	9.6									16.7	16.0	15.5
16	9.0									16.2	16.1	15.3
17	9.1									17.3	16.2	15.0
18	8.8									16.5	15.8	15.2
19	9.1									16.4	15.6	15.6
20	9.2									17.0	15.5	15.5
21	9.3									17.4	15.5	14.9
22	9.3									17.1	16.2	14.0
23	9.3									17.2	16.4	12.8
24	9.4									17.5	16.2	12.0
25	9.4									16.9	16.1	12.2
26	10.5									16.6	16.1	12.5
27	9.8									16.6	16.2	12.6
28	9.4									17.4	16.3	13.3
29	8.5									18.1	16.3	13.4
30	8.4									18.7	16.2	13.5
31	9.0									19.1	15.8	
Mean	10.3	8.6	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	16.3	16.8	14.0
Max	12.4	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.1	19.0	15.6
Min	8.4	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	15.5	12.0

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
22.8 31-Jul	6.7 2-Nov	22.3 1-Aug	Optic Stowaway	S/N 154917	003
			Optic Stowaway	S/N 154917	

Notes:

Water Year - 2001

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.7							9.3	15.6	15.9	17.7	17.5
2	13.3							8.6	14.1	16.9	17.6	17.3
3	12.5							9.2	12.9	18.1	17.2	16.7
4	11.9							10.2	12.4	19.0	18.0	16.6
5	11.8							10.4	12.8	19.2	17.8	15.9
6	11.8							10.4	13.5	18.6	18.1	14.7
7	12.0							11.5	14.6	17.9	18.8	14.9
8	12.0							12.2	15.4	18.0	19.3	15.2
9	11.8							12.2	15.0	18.1	19.3	15.2
10	11.5							11.9	13.7	18.7	19.4	15.6
11	11.4							12.5	13.6	17.6	18.7	15.0
12	10.8							13.2	14.3	17.8	18.8	15.1
13								12.2	13.8	18.4	18.4	15.9
14								11.0	14.5	18.2	18.3	16.1
15								10.6	15.3	17.7	18.4	16.7
16								11.3	15.5	17.3	18.5	16.3
17								11.6	15.4	16.9	18.4	15.8
18								12.4	15.3	17.1	17.8	15.4
19								13.0	15.6	17.8	17.2	15.0
20								13.4	16.5	17.5	17.1	14.7
21								14.3	17.2	17.4	17.2	14.2
22								14.9	17.3	17.6	17.1	14.1
23								15.4	16.4	18.0	16.8	14.6
24								15.3	15.0	18.4	16.6	14.7
25								15.5	14.4	18.7	16.9	14.6
26								16.4	14.1	18.3	17.3	13.9
27								14.8	14.3	18.3	17.3	13.7
28							9.5	13.4	15.5	18.0	17.2	13.1
29							8.3	13.3	16.0	17.4	17.6	12.8
30							9.7	14.4	16.1	17.5	18.0	13.2
31								15.7		17.2	17.9	
Mean	12.0	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	9.2	12.6	14.9	17.9	17.9	15.2
Max	13.7	0.0	0.0	0.0	0.0	0.0	9.7	16.4	17.3	19.2	19.4	17.5
Min	10.8	0.0	0.0	0.0	0.0	0.0	8.3	8.6	12.4	15.9	16.6	12.8

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
22.8 8-Aug	6.1 2-May	22.1 8-Aug	22.1 9-Aug	Optic Stowaway	S/N 154917	003
				Optic Stowaway	S/N 418573	

Notes:

Water Year - 2002

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.6							7.8	12.6	16.3	18.1	15.9
2	13.8							8.5	12.0	16.4	17.4	16.5
3	13.6							8.7	11.7	16.4	16.7	16.6
4	13.4							8.7	12.2	15.7	15.5	14.6
5	13.0							9.1	13.2	15.6	15.0	13.5
6	12.9							8.9	13.2	15.9	14.7	13.2
7	12.5							7.9	12.2	16.1	14.7	13.1
8	12.8							7.5	10.9	15.6	15.1	13.0
9	11.4							7.9	10.5	15.9	16.0	13.5
10	10.9							7.9	11.1	17.2	16.7	14.1
11	12.1							8.1	12.2	18.1	17.5	14.6
12								9.4	13.1	18.6	17.7	14.7
13								10.3	13.9	19.0	17.9	14.9
14								9.6	13.8	18.4	18.2	14.4
15								9.7	13.9	18.4	18.0	14.5
16								9.7	13.6	18.2	17.6	14.3
17								10.6	12.8	17.9	17.1	14.6
18								10.2	13.3	17.8	16.5	14.4
19								9.3	13.3	17.9	16.3	14.1
20								8.6	13.6	18.0	15.7	14.3
21								8.4	14.5	18.6	15.5	14.3
22								8.5	15.0	18.8	15.5	14.1
23								9.0	15.0	18.3	16.0	14.2
24								10.1	15.3	18.0	16.4	14.1
25								11.0	16.2	17.6	16.2	13.6
26								8.5	11.6	17.1	17.8	13.1
27								7.5	11.1	17.0	17.9	13.0
28								7.4	11.5	16.6	17.4	12.7
29								7.6	12.4	16.8	17.9	12.5
30								5.8	12.3	16.1	18.3	11.3
31								12.2		18.3	16.0	
Mean	12.7	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	7.4	9.6	13.8	17.5	16.5	14.1
Max	13.8	0.0	0.0	0.0	0.0	0.0	8.5	12.4	17.1	19.0	18.2	16.6
Min	10.9	0.0	0.0	0.0	0.0	0.0	5.8	7.5	10.5	15.6	14.7	11.3

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
21.7 14-Aug	4.5 30-Apr	21.1	13-Aug	Optic Stowaway	S/N 418573	
21.7 15-Aug		21.1	14-Aug	Optic Stowaway	s/n 515415	002

Notes:

Water Year - 2003

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	10.7								11.1	14.2	17.8	16.2
2	10.0								11.5	13.6	17.4	16.2
3	10.3								12.0	13.9	16.9	15.7
4	11.2								12.4	14.2	17.1	16.0
5									12.5	14.6	16.9	16.5
6									12.8	15.1	16.5	16.0
7									13.5	15.4	15.9	15.2
8									13.5	14.8	16.0	13.9
9									12.7	14.8	16.2	14.0
10									12.5	14.8	16.1	13.4
11									12.6	15.1	15.5	13.9
12									12.6	15.5	15.2	14.2
13									12.4	15.4	15.3	13.6
14									12.3	15.7	16.2	13.3
15									12.5	16.1	15.5	13.7
16									13.5	15.9	15.2	12.8
17									14.5	15.9	15.6	12.0
18									14.4	16.4	16.4	11.8
19									13.6	16.7	17.2	12.5
20									13.0	16.9	17.3	12.8
21									13.0	17.3	16.9	13.0
22								11.2	12.5	18.0	16.9	13.2
23								11.5	11.8	18.2	16.4	13.4
24								10.7	11.8	18.3	16.2	13.4
25								10.6	12.9	18.4	16.4	13.4
26								10.6	14.0	17.7	16.0	13.3
27								10.5	14.8	17.5	16.0	13.8
28								11.2	15.5	17.3	16.0	13.8
29								11.8	15.7	17.5	15.8	13.5
30								11.8	14.8	17.7	16.0	12.8
31								10.9		17.9	16.1	
Mean	10.6	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	11.1	13.1	16.2	16.3	13.9
Max	11.2	0.0	0.0	0.0	0.0	0.0	0.0	11.8	15.7	18.4	17.8	16.5
Min	10.0	0.0	0.0	0.0	0.0	0.0	0.0	10.5	11.1	13.6	15.2	11.8

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
20.4	25-Jul	8.4	2-Oct	19.8	24-Jul	Optic Stowaway s/n 515415 002
				19.8	25-Jul	Optic Stowaway s/n 624362 003

Notes:

Water Year - 2004

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.0	6.1	7.2	1.2	5.4	5.5	6.3	10.0	11.7	15.8	17.1	14.8
2	12.8	6.7	7.5	2.1	5.4	6.0	6.6	10.1	12.3	15.7	16.9	14.3
3	13.1	7.0	7.9	3.1	5.6	5.7	7.8	10.2	12.9	16.2	16.4	13.7
4	13.5	6.6	7.7	3.5	5.5	6.2	8.4	9.9	12.6	16.3	16.2	13.6
5	13.1	6.7	8.2	3.7	5.2	6.5	8.4	9.5	12.7	16.2	15.6	13.6
6	13.0	7.0	7.7	3.7	5.2	6.8	8.8	9.6	11.5	16.3	15.1	13.7
7	13.3	7.3	5.9	3.8	5.1	6.8	8.0	9.0	10.6	16.4	15.4	13.7
8	12.1	8.2	5.6	4.1	4.4	7.0	8.4	8.8	9.9	15.6	15.6	13.8
9	11.9	8.1	5.8	3.9	4.1	7.1	8.6	8.3	10.7	15.6	16.0	13.7
10	10.4	8.5	5.8	4.4	4.2	6.7	8.6	8.5	11.9	14.9	15.9	13.7
11	9.9	8.4	5.9	4.4	4.3	6.8	8.8	8.1	11.5	14.8	16.2	13.9
12	10.6	7.2	5.8	4.4	4.4	6.9	9.0	8.4	11.8	15.3	16.5	14.0
13	9.5	6.6	6.0	4.7	4.9	7.0	7.7	9.3	12.8	15.1	16.4	13.7
14	9.6	6.6	5.2	4.8	5.5	7.2	7.4	9.9	12.7	15.0	16.2	13.1
15	9.6	7.7	4.8	5.1	5.5	7.1	6.4	10.5	12.9	14.7	15.7	13.0
16	10.2	7.9	5.0	5.1	5.6	7.1	6.9	9.9	13.6	15.1	15.5	13.0
17	10.3	8.2	5.1	5.0	4.2	7.2	7.0	9.9	13.8	15.5	15.5	12.9
18	10.2	7.8	4.3	5.3	6.0	7.4	6.5	9.2	14.4	15.0	15.7	12.3
19	10.9	7.9	4.7	5.3	5.8	6.9	6.9	9.7	14.1	15.2	15.8	11.9
20	11.7	7.2	5.8	5.2	5.6	7.0	7.1	9.9	14.4	15.2	16.0	11.7
21	11.6	6.3	6.1	4.3	6.1	7.9	7.0	10.7	14.6	16.0	15.9	11.4
22	11.2	4.8	6.0	3.9	6.3	8.1	7.4	10.4	15.2	17.4	15.7	11.5
23	10.9	3.9	6.0	4.2	6.5	7.8	8.4	9.8	15.3	17.5	15.0	11.9
24	9.7	4.8	6.1	4.9	6.3	7.4	8.8	10.1	15.2	17.3	15.2	12.1
25	10.0	4.6	5.0	4.2	5.6	6.3	9.5	10.9		17.6	14.8	12.3
26	10.1	5.7	3.8	3.5	5.0	5.6	10.2	11.7	14.6	17.5	14.7	12.0
27	10.1	4.8	3.6	3.8	5.9	7.1	10.3	11.0	14.7	17.3	14.4	11.8
28	10.3	5.5	3.5	4.8	6.1	7.2	9.0	10.2	15.3	17.3	14.5	12.0
29	10.0	6.7	0.4	5.3	6.1	7.9	8.7	9.7	15.8	17.2	14.8	12.2
30	8.4	7.2	2.8	5.1		7.6	9.3	10.6	15.6	17.1	15.0	11.9
31	7.3		3.2	4.9		6.6		10.9		17.3	15.0	
Mean	10.9	6.7	5.4	4.2	5.4	6.9	8.1	9.8	13.3	16.1	15.6	12.9
Max	13.5	8.5	8.2	5.3	6.5	8.1	10.3	11.7	15.8	17.6	17.1	14.8
Min	7.3	3.9	0.4	1.2	4.1	5.5	6.3	8.1	9.9	14.7	14.4	11.4

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
20.2 23-Jul	0.0 28-Dec	19.8 25-Jul	Optic Stowaway	S/N 418574	011
	0.0 29-Dec		Optic Stowaway	s/n 624362	003
	0.0 1-Jan		Optic Stowaway		010

Notes:

Water Year - 2005

Stream Temperatures, Klamath River Basin
 Grider Creek 50 feet upstream of 46N66 Bridge
 Siskiyou County, CA
 Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	11.9	6.7	4.0	2.9	4.0	5.7	7.1	8.3	10.5	14.9	17.0	14.6
2	12.1	7.2	3.5	2.7	3.9	5.9	7.2	9.0	10.0	14.4	16.7	14.8
3	12.1	7.6	2.9	2.9	4.1	5.7	5.9	8.9	10.3	14.1	16.9	14.1
4	12.3	6.5	3.1	2.3	4.5	6.6	6.2	9.2	10.5	14.5	17.2	14.0
5	12.2	6.0	4.0	1.8	4.4	6.3	7.2	8.6	9.7	14.9	17.4	13.8
6	12.1	6.0	2.4	2.7	3.9	6.5	7.8	8.3	8.4	15.3	17.7	13.9
7	12.3	6.1	1.8	2.2	4.2	7.0	7.3	8.5	8.3	14.8	17.7	14.4
8	12.0	6.3	3.4	0.6	3.5	7.2	4.0	8.4	8.9	14.6	17.1	14.3
9	11.7	7.1	5.5	0.8	3.5	7.5	5.5	7.5	10.5	15.1	16.7	14.1
10	11.0	8.2	6.1	2.1	3.6	7.4	6.1	6.9	11.5	15.0	16.1	12.7
11	10.8	7.9	6.3	2.6	3.7	7.5	7.0	8.0	11.5	15.1	15.8	12.4
12	10.8	7.6	6.3	1.8	4.4	7.7	6.2	9.1	10.9	14.9	15.5	12.2
13	11.2	8.1	6.7	1.4	5.2	7.4	5.2	9.8	11.5	15.4	15.6	12.4
14	11.2	7.6	6.7	2.4	5.4	6.5	5.8	10.2	12.2	15.6	16.1	12.6
15	11.2	7.7	5.0	3.2	4.8	6.0	6.5	9.8	11.7	16.6	16.4	11.9
16	11.2	8.5	4.3	3.4	4.8	6.3	7.2	8.6	11.0	16.9	16.5	
17	11.1	7.4	4.3	3.5	5.2	7.1	7.1	7.5	9.8	16.7	16.3	
18	10.2	7.1	4.4	3.6	5.4	7.0	6.0	7.7	9.8	16.6	16.3	
19	9.3	6.0	4.5	3.5	6.1	7.6	6.5	8.0	10.5	16.6	16.3	
20	9.2	4.7	4.6	3.6	6.3	6.0	6.8	8.2	11.5	16.4	16.5	
21	9.0	4.3	3.7	3.6	5.3	6.3	7.7	8.3	11.7	16.4	16.4	
22	8.8	4.5	3.5	3.7	5.3	6.5	8.2	9.3	12.6	17.1	16.3	
23	8.9	5.0	3.2	3.9	5.4	6.7	8.2	8.9	12.6	16.7	16.0	
24	8.2	5.7	2.9	3.9	5.4	5.9	7.8	9.3	13.4	16.7	15.6	
25	7.6	6.6	2.7	4.7	5.7	5.8	8.3	10.4	13.5	15.8	15.8	
26	7.0	6.6	3.1	5.0	5.5	6.7	8.8	11.4	13.6	16.0	15.6	
27	7.0	6.0	3.7	4.9	6.2	6.8	8.8	11.9	14.0	16.5	15.3	
28	7.8	4.2	4.2	5.1	6.4	5.9	8.4	10.7	13.9	16.8	15.1	
29	8.7	3.4	4.8	4.5		5.7	8.5	9.3	14.0	16.9	14.9	
30	8.1	3.9	3.8	3.9		5.7	8.4	10.8	14.7	17.2	14.0	
31	7.1		3.4	4.2		6.3		11.1		17.4	14.1	
Mean	10.1	6.4	4.2	3.1	4.9	6.6	7.1	9.1	11.4	15.9	16.2	13.5
Max	12.3	8.5	6.7	5.1	6.4	7.7	8.8	11.9	14.7	17.4	17.7	14.8
Min	7.0	3.4	1.8	0.6	3.5	5.7	4.0	6.9	8.3	14.1	14.0	11.9

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
20.2 6-Aug	-0.1 6-Dec	19.7 5-Aug		Optic Stowaway	S/N 418574	011
	-0.1 7-Dec	19.7 6-Aug		Optic Stowaway	S/N 418575	
	-0.1 8-Jan					
	-0.1 9-Jan					

Notes:

Water Year - 2006

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF
Karuk Tribe

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1		8.4	4.4	6.3	6.3	5.7	6.1	8.2	11.1	16.0	15.5	14.5
2		8.6	4.6	6.2	6.9	5.0	6.7	8.1	11.7	16.1	15.6	14.8
3		7.5	4.3	5.7	7.1	5.1	6.8	8.5	11.9	16.1	15.8	14.8
4		8.0	4.1	5.9	6.4	5.0	6.7	8.8	12.4	16.2	16.3	14.8
5		8.3	3.6	6.2	5.5	4.8	6.9	9.1	12.2	15.8	16.5	15.0
6	10.2	8.4	3.4	6.4	5.8	5.2	7.4	8.8	12.3	15.7	16.3	15.2
7	10.5	6.3	4.4	6.5	5.9	5.2	7.2	9.2	12.3	15.2	15.7	15.1
8	10.4	6.3	4.8	5.9	6.1	5.1	7.3	8.6	12.2	15.7	16.1	15.2
9	10.5	6.5	4.5	6.0	6.4	4.2	7.1	8.5	11.9	16.5	16.3	14.6
10	10.1	6.7	4.0	6.9	6.4	3.9	6.9	9.3	12.1	16.7	16.5	14.5
11	11.0	7.1	3.8	6.9	6.6	3.6	7.1	9.7	12.3	16.1	16.4	14.7
12	10.3	6.8	3.7	5.9	6.4	3.8	7.4	9.5	11.9	15.7	15.7	14.9
13	10.4	7.8	3.6	6.5	6.1	3.8	8.3	9.6	11.7	16.1	15.9	14.8
14	10.5	8.3	2.8	6.2	5.2	3.6	7.6	9.9	11.2	16.2	16.3	14.0
15	10.4	6.8	2.4	5.5	4.2	4.9	6.0	10.6	12.2	16.7	16.3	12.9
16	10.3	6.0	2.0	5.6	3.7	4.7	5.3	10.9	13.1	17.0	15.5	12.3
17	10.3	5.7	2.1	5.8	4.0	5.1	6.0	11.1	13.0	17.3	14.9	12.5
18	10.6	5.7	3.0	4.9	3.7	5.1	6.5	10.7	13.0	16.6	15.2	13.1
19	11.1	5.3	4.2	5.5	3.3	4.7	7.4	9.9	12.6	16.8	15.6	12.9
20	10.2	5.1	5.6	5.0	3.4	5.2	8.2	9.9	12.8	17.3	15.9	12.4
21	9.7	5.3	6.3	5.4	4.0	5.8	8.0	9.6	13.0	16.9	15.8	13.4
22	9.8	5.6	6.7	5.2	4.5	6.2	8.1	9.9	13.2	17.7	15.5	12.3
23	10.0	5.5	7.0	4.9	4.9	6.6	8.2	9.6	14.0	18.5	15.3	12.0
24	10.0	5.7	7.2	5.1	4.9	6.8	8.4	9.3	14.8	18.5	15.2	11.9
25	10.1	6.8	7.4	5.3	5.3	6.2	8.1	9.1	15.5	18.3	15.3	12.1
26	10.2	5.4	6.9	5.3	5.9	6.0	8.6	8.4	15.9	18.6	15.4	12.3
27	9.0	5.1	6.6	5.3	6.1	6.1	9.0	7.7	15.8	18.6	15.5	12.5
28	9.5	3.9	7.1	5.3	6.1	6.4	9.3	8.5	15.8	18.4	15.8	12.6
29	8.9	4.5	6.7	5.9		6.5	9.1	9.2	16.3	16.9	15.5	12.6
30	8.3	4.3	6.9	6.2		6.2	8.4	10.1	16.0	15.6	14.7	12.5
31	8.5		7.3	5.7		6.4		10.5		15.5	14.2	
Mean	10.0	6.4	4.9	5.8	5.4	5.3	7.5	9.4	13.1	16.8	15.7	13.6
Max	11.1	8.6	7.4	6.9	7.1	6.8	9.3	11.1	16.3	18.6	16.5	15.2
Min	8.3	3.9	2.0	4.9	3.3	3.6	5.3	7.7	11.1	15.2	14.2	11.9

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
21.3 26-Jul	1.3 17-Dec	21.0 25-Jul	Hobo-Temp	S/N 687470	005
			Hobo-Temp	S/N 914218	002
			Optic Stowaway	unknown	

Notes:

Water Year - 2007

Stream Temperatures, Klamath River Basin

Grider Creek 50 feet upstream of 46N66 Bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF
Karuk Tribe

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.5											
2	12.5											
3	12.7											
4	12.4											
5	12.1											
6	12.0											
7	11.2											
8	10.9											
9	11.1											
10	10.7											
11	11.0											
12	11.2											
13	11.3											
14	11.2											
15	11.7											
16	11.7											
17	10.9											
18	10.1											
19	10.6											
20	10.7											
21	10.4											
22	10.0											
23	10.1											
24	10.0											
25	9.3											
26	8.8											
27	8.8											
28	8.8											
29	8.7											
30	8.3											
31	7.9											
Mean	10.6	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

6.8 31-Oct

Average 7 day max temp.

14.4 1-Oct

Instrument

Hobo-Temp

Optic Stowaway

Serial No.

S/N 687470

unknown

Setting

005

Notes:

5

JUL 15 2008

Water Year - 1992

Stream Temperatures, Klamath River Basin

Clear Creek 100 ft upstream of SF Clear

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

<input type="checkbox"/> EO	<input type="checkbox"/> WMgmt	<input type="checkbox"/> Admin
<input type="checkbox"/> AEO	<input type="checkbox"/> Timber	<input type="checkbox"/> Legal
<input type="checkbox"/> Reg/NPS	<input type="checkbox"/> Cleanups	<input type="checkbox"/> Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1									17.6	16.8	20.4	17.9
2									17.9	17.5	20.1	18.0
3									17.9	17.9	19.8	17.9
4									17.9	18.0	19.4	17.8
5									17.3	17.7	19.4	17.4
6									17.2	17.5	19.6	16.5
7									17.5	17.8	19.6	15.9
8									17.5	18.3	19.5	15.9
9									17.0	18.8	19.4	16.3
10									16.5	19.2	19.8	16.6
11									15.7	19.5	20.4	16.8
12									14.0	19.7	20.3	16.7
13									13.3	19.9	20.5	15.7
14									13.6	20.0	20.9	14.8
15									13.9	20.4	21.4	14.6
16									14.8	21.0	21.6	14.5
17									15.8	21.0	21.4	14.6
18									17.1	20.6	20.9	14.8
19									18.0	20.8	20.4	14.9
20									18.5	20.6	20.0	15.1
21									19.1	20.0	19.0	15.5
22									19.9	19.2	17.8	15.8
23									20.2	18.6	17.5	15.9
24									20.0	18.7	17.4	16.1
25									19.1	19.3	17.5	15.2
26									18.8	20.0	17.8	14.5
27									19.2	20.4	17.9	14.3
28									18.5	20.6	17.9	14.2
29								16.6	17.0	20.8	18.0	14.1
30								16.5	15.7	21.0	18.0	14.1
31								17.0		20.8	17.9	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	16.7	17.2	19.4	19.4	15.7
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.0	20.2	21.0	21.6	18.0
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.5	13.3	16.8	17.4	14.1

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
22.6 16-Aug	13.0 14-Jun	22.0 16-Aug	Ryan Tempmentor	SN902015	007
	13.0 15-Jun				

Notes:

Water Year - 1993

Stream Temperatures, Klamath River Basin

Clear Creek 100 ft upstream of SF Clear

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.3	10.5	6.7	4.5	5.4	5.3	6.6	8.5	8.9	15.1	17.6	16.9
2	13.8	10.9	7.2	4.3	5.7	6.0	6.9	8.8	9.0	15.1	18.4	16.7
3	13.4	9.8	6.4	4.4	6.3	6.4	7.1	7.4	8.8	14.8	19.1	16.8
4	12.8	9.9	5.2	4.7	6.1	6.7	6.3	7.1	9.1	15.1	19.0	17.1
5	12.4	10.4	4.4	4.6	6.7	6.6	6.6	7.9	8.9	15.3	18.6	17.3
6	12.2	10.0	4.6	4.8	6.8	6.7	7.2	8.3	9.4	15.3	18.4	17.4
7	11.9	10.0	4.7	5.2	6.5	6.8	7.8	6.9	9.9	15.4	18.5	17.4
8	11.8	9.3	4.8	5.2	7.0	7.0	7.6	7.9	10.1	15.7	18.1	17.6
9	11.9	8.2	6.3	4.2	6.9	7.0	6.8	8.7	10.8	16.3	17.6	17.8
10	12.1	7.1	6.7	4.5	6.4	7.1	6.6	9.3	11.2	16.2	17.3	18.0
11	12.2	6.2	6.0	4.5	5.1	7.1	6.9	8.2	10.5	16.2	17.2	17.5
12	12.3	6.4	5.7	4.4	5.9	7.2	7.0	7.8	10.5	16.0	17.8	16.6
13	12.2	6.4	5.4	4.6	5.9	7.1	7.6	7.6	11.5	15.8	17.9	15.6
14	11.8	6.6	5.4	4.4	5.7	7.0	7.7	8.8	12.1	15.4	17.7	15.0
15	11.1	6.8	5.3	4.9	5.4	6.7	8.0	9.5	12.5	15.1	17.1	14.6
16	10.9	7.0	4.9	5.0	4.9	6.7	7.6	9.4	12.4	14.9	16.9	14.7
17	10.8	7.7	4.7	5.0	4.8	6.5	7.0	9.7	13.1	15.2	16.9	15.1
18	11.1	7.9	4.6	4.9	4.5	7.0	6.7	9.6	13.9	15.8	17.4	14.9
19	11.5	7.7	4.4	5.2	5.3	7.3	7.4	9.3	14.5	15.8	17.1	14.2
20	11.5	7.0	4.7	5.4	4.5	7.5	7.7	8.8	14.5	15.5	15.8	13.7
21	12.2	6.7	5.2	5.9	3.9	7.2	7.9	8.8	13.6	15.5	16.7	12.9
22	12.4	7.3	4.8	6.3	4.8	7.3	7.4	9.0	12.3	15.4	17.1	12.5
23	12.1	6.6	4.4	5.8	5.1	6.8	7.1	10.0	12.6	15.9	17.2	12.2
24	11.8	5.8	4.3	6.1	5.2	6.9	7.5	9.4	13.0	16.2	16.8	12.0
25	11.4	6.3	4.1	6.0	4.9	6.7	7.8	9.6	14.2	16.2	15.8	12.1
26	11.4	6.5	4.3	5.8	4.8	7.0	7.5	9.2	15.0	16.2	15.6	12.4
27	11.3	7.3	5.1	5.7	4.7	7.4	7.8	9.2	14.3	16.8	16.0	12.7
28	11.2	6.8	4.5	6.0	4.9	7.6	8.5	9.3	14.0	17.1	16.5	13.2
29	11.2	5.7	3.9	6.1		7.4	9.1	9.7	14.1	16.8	16.6	13.5
30	10.5	5.6	3.0	5.5		7.7	8.1	9.1	14.4	16.4	16.6	13.5
31	10.0		3.0	5.3		7.8		8.8		16.8	16.6	
Mean	11.9	7.7	5.0	5.1	5.5	7.0	7.4	8.8	12.0	15.8	17.3	15.1
Max	14.3	10.9	7.2	6.3	7.0	7.8	9.1	10.0	15.0	17.1	19.1	18.0
Min	10.0	5.6	3.0	4.2	3.9	5.3	6.3	6.9	8.8	14.8	15.6	12.0

Instantaneous Peaks

Maximum

20.3 3-Aug

Minimum

2.0 31-Dec

Average 7 day max temp.

19.8 5-Aug

Instrument

Ryan Tempmentor

Ryan Tempmentor

Serial No.

SN902015

SN903415

Setting

007

003

Notes:

Water Year - 1994

Stream Temperatures, Klamath River Basin

Clear Creek 100 ft upstream of SF Clear

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.6	9.3	5.5	5.4	4.2	7.0	7.7	9.5	13.9			18.2
2	13.8	8.4	5.3	5.9	4.0	7.0	8.6	9.2	14.4			17.8
3	13.7	7.8	5.0	6.4	3.7	7.2	8.5	9.7	14.0			17.6
4	13.8	7.7	5.4	6.5	3.6	6.9	7.7	9.9	14.1			17.2
5	14.1	7.4	5.0	5.6	3.7	7.1	7.1	10.2	13.6		18.8	17.3
6	14.3	7.0	4.9	5.3	4.7	6.2	7.7	11.0	12.5		19.4	17.4
7	13.7	6.5	5.5	5.1	5.5	6.3	7.6	11.7	12.1		19.3	17.3
8	12.4	6.3	6.0	5.8	4.9	6.9	7.7	11.9	13.0		18.8	16.8
9	11.8	6.2	6.5	6.2	4.9	7.3	7.6	12.6	14.4		18.8	16.2
10	12.3	6.5	7.7	6.2	5.8	7.6	7.3	13.1	15.5		18.7	15.4
11	13.0	6.7	6.7	6.5	5.0	6.7	8.1	13.2	16.6		18.4	15.0
12	13.5	6.5	5.8	6.3	4.4	6.5	8.6	12.9	16.3		18.3	14.7
13	13.5	5.7	5.4	5.5	4.7	7.1	8.6	12.4	15.7		18.1	14.6
14	13.5	5.2	4.2	5.3	5.6	7.6	8.9	12.0	14.3		17.9	14.9
15	13.5	4.6	4.9	5.4	6.3	7.4	9.5	10.9	14.1		17.6	15.3
16	12.7	4.5	5.0	4.9	6.5	7.5	10.1	9.5	14.0		18.0	15.6
17	11.5	4.8	4.5	4.9	5.7	6.7	10.5	9.4			18.5	15.8
18	10.8	5.5	3.5	4.9	4.9	6.6	10.5	9.7			18.7	15.8
19	10.4	4.9	3.1	4.9	5.1	5.7	10.5	10.3			18.6	16.1
20	10.1	4.0	2.9	4.9	5.4	5.8	10.3	10.7			18.7	16.2
21	10.6	3.6	2.9	5.8	4.9	6.6	10.0	11.2			18.4	16.3
22	10.5	4.4	2.9	7.0	5.4	5.1	9.8	11.5			18.1	16.0
23	10.5	4.8	2.8	7.0	6.0	4.5	8.8	12.5			18.4	15.8
24	10.6	3.6	2.9	6.0	6.4	5.1	8.8	13.5			18.5	15.9
25	10.1	2.6	3.0	6.2	6.0	5.9	7.8	14.1			18.5	16.1
26	10.0	2.2	3.6	6.1	6.5	6.5	7.4	14.2			18.3	16.2
27	9.7	2.7	3.6	5.5	6.5	7.2	8.4	13.6			18.0	16.1
28	9.7	3.8	3.8	4.9	6.8	7.7	9.0	13.4			17.8	16.3
29	9.8	5.4	4.0	4.7		7.9	9.4	13.6			17.8	16.2
30	9.7	5.3	4.2	4.6		7.9	9.8	13.7			17.9	15.7
31	9.7		4.8	4.5		7.1		13.9			18.1	
Mean	11.8	5.5	4.6	5.6	5.3	6.7	8.7	11.8	14.3	#DIV/0!	18.4	16.2
Max	14.3	9.3	7.7	7.0	6.8	7.9	10.5	14.2	16.6	0.0	19.4	18.2
Min	9.7	2.2	2.8	4.5	3.6	4.5	7.1	9.2	12.1	0.0	17.6	14.6

Instantaneous Peaks

Maximum

20.4 6-Aug

Minimum

1.9 26-Nov

Average 7 day max temp.

20.1 5-Aug

Instrument

Ryan Tempmentor

Serial No.

SN903417

Setting

004

Notes:

JUL 15 2008

Water Year - 1997

Stream Temperatures, Klamath River Basin

Clear Creek near mouth, 150 ft upstream of pvt bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

<input type="checkbox"/> EO	<input type="checkbox"/> WMgmt	<input type="checkbox"/> Admin
<input type="checkbox"/> AEO	<input type="checkbox"/> Timber	<input type="checkbox"/> Legal
<input type="checkbox"/> Reg/NPS	<input type="checkbox"/> Cleanups	<input type="checkbox"/> Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											20.4	17.2
2											19.4	17.0
3											19.5	
4											19.6	
5											19.8	
6											20.6	
7											21.1	
8											21.2	
9											20.9	
10											20.2	
11											20.1	
12											20.1	
13											20.1	
14											19.9	
15											19.8	
16											19.3	
17											18.8	
18											18.7	
19											18.9	
20											18.6	
21											18.7	
22											19.0	
23											18.7	
24											18.8	
25											18.4	
26											17.6	
27											17.7	
28											17.7	
29											17.6	
30											17.3	
31											17.0	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	19.2	17.1
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.2	17.2
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.0	17.0

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
23.2 7-Aug	15.8 31-Aug	22.5 8-Aug	Hobo-Temp	S/N 18153	
23.2 8-Aug		22.5 9-Aug			

Notes:

Water Year - 1998

Stream Temperatures, Klamath River Basin

Clear Creek near mouth, 150 ft upstream of pvt bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										15.6	19.5	18.6
2										16.0	19.7	18.9
3										16.3	20.0	19.2
4										16.6	20.5	19.3
5										16.8	20.2	19.4
6										17.3	19.8	19.1
7										17.9	19.6	18.8
8										18.1	19.4	18.2
9										17.8	19.5	18.0
10									12.1	17.5	19.9	16.7
11									11.7	16.9	20.2	
12									12.2	17.1	20.3	
13									12.6	17.3	20.6	
14									12.5	17.4	20.7	
15									12.4	17.3	20.6	
16									12.7	17.8	19.6	
17									13.2	18.7	18.9	
18									13.7	19.1	18.6	
19									13.9	18.8	18.5	
20									13.9	19.1	18.4	
21									14.5	19.3	18.2	
22									14.9	19.5	18.2	
23									15.3	20.2	17.9	
24									13.7	20.5	17.8	
25									12.8	20.7	17.8	
26									12.8	21.1	18.0	
27									13.5	21.0	18.0	
28									14.5	21.0	18.1	
29									15.2	20.2	18.1	
30									15.7	19.6	18.2	
31										19.4	18.4	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	13.5	18.4	19.1	18.6
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.7	21.1	20.7	19.4
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	15.6	17.8	16.7

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
22.6 26-Jul	10.8 11-Jun	22.2 26-Jul	Hobo-Temp	S/N 156381	
22.6 28-Jul					

Notes:

Water Year - 2000

Stream Temperatures, Klamath River Basin

Clear Creek near mouth, 150 ft upstream of pvt bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										18.9	21.5	17.1
2										18.3	21.4	15.9
3										17.9	21.2	15.0
4										16.7	20.9	14.6
5										15.9	20.6	14.7
6										16.2	20.4	14.6
7										16.4	20.5	15.1
8										16.5	21.3	15.4
9										17.5	21.3	15.2
10										17.9	20.7	15.2
11										18.4	20.0	16.0
12										18.8	19.5	16.6
13										18.8	19.2	17.1
14										18.6	18.8	17.1
15										18.8	18.6	17.5
16										18.5	18.6	17.4
17										18.9	18.7	17.1
18										19.1	18.3	17.1
19										18.7	18.0	17.3
20										19.1	17.8	17.4
21										19.6	17.9	17.1
22										19.7	18.3	16.4
23										19.8	18.6	15.3
24										20.0	18.6	14.4
25										19.6	18.4	14.1
26										19.2	18.5	14.1
27										19.1	18.5	14.1
28										19.5	18.6	14.6
29										20.2	18.6	14.7
30									19.9	20.9	18.4	14.7
31										21.4	18.1	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	19.9	18.7	19.3	15.8
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.9	21.4	21.5	17.5
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.9	15.9	17.8	14.1

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
23.3 1-Aug	13.2 25-Sep	22.8	1-Aug	Optic Stowaway	s/n 122184	002
	13.2 26-Sep	22.8	2-Aug			
	13.2 27-Sep	22.8	3-Aug			

Notes:

Water Year - 2001

Stream Temperatures, Klamath River Basin

Clear Creek near mouth, 150 ft upstream of pvt bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.9							9.0	16.6	16.8	19.9	19.5
2	14.6							8.8	15.5	17.5	20.0	19.3
3	14.0							9.3	14.5	18.9	19.9	18.7
4								10.2	14.1	19.8	20.1	18.3
5								10.6	13.8	20.7	19.9	17.8
6								10.8	13.7	20.8	20.0	16.9
7								11.6	15.1	20.4	20.6	16.7
8								12.3	16.2	20.1	21.3	16.8
9								12.3	16.2	20.1	21.6	16.6
10								12.5	15.3	20.4	21.7	16.8
11								13.0	14.5	20.0	21.2	16.5
12								13.6	15.1	19.9	20.9	16.2
13								12.9	15.4	20.3	20.6	16.7
14								11.9	16.0	20.6	20.4	17.1
15								10.7	16.5	20.5	20.4	17.7
16								10.8	17.1	19.8	20.4	17.7
17								11.4	17.2	19.4	20.4	17.5
18								12.1	17.2	19.4	20.1	17.0
19								13.1	17.4	19.8	19.7	16.5
20								13.9	18.0	19.7	19.5	16.0
21								14.7	18.8	19.5	19.2	15.5
22								15.4	18.9	19.8	18.9	15.2
23								16.0	18.4	20.2	18.8	15.1
24								16.0	17.0	20.7	18.5	15.2
25								16.0	16.0	21.1	18.6	15.4
26								16.7	15.3	21.0	19.0	15.1
27							10.1	15.9	14.6	20.9	19.2	15.1
28							9.3	14.7	15.0	20.7	19.2	14.4
29							8.4	14.4	16.1	20.1	19.5	13.9
30							9.0	15.3	16.8	19.8	19.9	13.8
31								16.6		19.6	19.8	
Mean	14.5	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	9.2	13.0	16.1	19.9	20.0	16.5
Max	14.9	0.0	0.0	0.0	0.0	0.0	10.1	16.7	18.9	21.1	21.7	19.5
Min	14.0	0.0	0.0	0.0	0.0	0.0	8.4	8.8	13.7	16.8	18.5	13.8

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
23.5 9-Aug	7.6 29-Apr	23.0 10-Aug	Optic Stowaway	S/N 154917	
23.5 10-Aug	7.6 2-May		Optic Stowaway	s/n 122184	002

Notes:

Water Year - 2002

Stream Temperatures, Klamath River Basin

Clear Creek near mouth, 150 ft upstream of pvt bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.9							8.1	13.7	18.4	20.5	18.3
2	14.1							9.3	13.6	18.7	20.1	18.5
3	14.1							9.3	13.3	18.5	19.4	18.7
4	14.0							9.3	13.8	17.9	18.2	17.7
5	13.6							9.7	15.0	18.0	17.2	16.3
6	13.3							9.4	15.1	18.1	16.8	15.3
7	12.9							8.5	14.3	18.1	16.9	15.2
8	12.9							8.2	13.0	17.9	17.1	14.9
9	12.1							8.6	12.3	18.3	17.8	15.0
10	11.4							8.6	13.2	19.3	18.5	15.5
11	12.2							8.9	14.2	20.3	19.3	15.9
12	11.7							10.1	15.3	20.8	19.7	16.1
13	11.6							10.8	15.9	21.0	20.0	16.3
14	11.4							10.3	15.8	20.9	20.3	15.8
15	11.3							10.6	15.9	20.8	20.4	15.8
16	11.6							10.7	15.5	20.8	20.3	15.7
17	11.5							11.3	14.5	20.6	19.7	15.9
18	11.0							10.9	14.6	20.4	19.1	15.9
19								9.9	15.4	20.3	18.6	15.8
20								9.6	15.7	20.5	18.2	15.8
21								9.3	16.2	21.0	18.0	15.8
22								9.4	16.8	20.9	17.9	15.6
23								10.2	16.6	20.7	17.9	15.6
24								11.2	17.0	20.7	18.1	15.5
25								11.8	18.1	20.1	18.1	15.2
26								9.2	12.4	18.9	20.1	14.7
27								8.1	12.0	18.8	20.5	14.5
28								7.4	11.9	18.4	20.2	14.2
29								8.0	12.9	18.6	20.3	14.0
30								7.2	13.4	18.2	20.6	13.2
31								13.7		20.7	18.7	
Mean	12.5	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		8.0	10.3	15.6	19.9	15.8
Max	14.1	0.0	0.0	0.0	0.0	0.0		9.2	13.7	18.9	21.0	18.7
Min	11.0	0.0	0.0	0.0	0.0	0.0		7.2	8.1	12.3	16.8	13.2

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
22.8 21-Jul	6.4 28-Apr	22.4	14-Jul	Optic Stowaway	S/N 154917	
		22.4	16-Jul	Optic Stowaway	S/N 418570	200
		22.4	18-Jul			

Notes:

Water Year - 2003

Stream Temperatures, Klamath River Basin

Clear Creek near mouth, 150 ft upstream of pvt bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.4								12.3	16.8	21.7	18.6
2	11.6								13.1	16.2	20.7	18.4
3	11.2								13.6	16.1	20.0	18.2
4	11.5								14.2	16.5	20.1	18.2
5									14.5	16.9	20.2	18.5
6									14.9	17.5	19.7	18.6
7									15.5	17.9	19.0	17.8
8									15.8	17.5	18.8	16.5
9									15.2	17.4	18.9	15.9
10									15.1	17.6	18.7	15.5
11									15.0	17.9	18.2	15.8
12									14.7	18.0	17.8	16.1
13									14.2	18.0	17.9	15.9
14									14.1	18.2	18.3	15.6
15									14.4	18.7	18.2	15.7
16									15.2	18.7	18.0	14.8
17									16.2	18.7	18.1	14.3
18									16.2	19.3	18.7	13.8
19									15.9	19.8	19.5	14.0
20									15.0	20.0	20.0	14.3
21									14.9	20.3	19.9	14.6
22								11.0	14.7	20.9	19.6	14.7
23								11.4	14.3	21.4	19.1	14.7
24								10.9	14.1	21.6	18.9	15.0
25								10.8	14.9	21.5	19.0	15.0
26								10.7	15.9	20.8	18.8	14.9
27								11.1	16.8	20.4	18.6	14.8
28								11.9	17.5	20.4	18.5	15.0
29								12.5	17.8	20.8	18.2	14.9
30								13.0	17.4	21.3	18.2	14.6
31								12.2		21.6	18.4	
Mean	11.7	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	11.6	15.1	19.0	19.0	15.8
Max	12.4	0.0	0.0	0.0	0.0	0.0	0.0	13.0	17.8	21.6	21.7	18.6
Min	11.2	0.0	0.0	0.0	0.0	0.0	0.0	10.7	12.3	16.1	17.8	13.8

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
23.2 31-Jul	9.5 26-May	22.6 28-Jul	Optic Stowaway	S/N 418570	200
		22.6 29-Jul	Optic Stowaway	s/n 624358	003

Notes:

Water Year - 2004

Stream Temperatures, Klamath River Basin

Clear Creek near mouth, 150 ft upstream of pvt bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.5	7.2	7.2	4.2	6.3	6.5	6.6	9.8	12.7	18.2	21.2	19.3
2	14.3	7.0	7.5	4.3	6.4	6.7	7.0	9.9	13.3	18.1	20.5	18.7
3	14.2	7.5	7.9	4.9	6.6	6.5	7.9	10.0	14.0	18.4	20.0	17.9
4	14.5	7.6	8.1	5.1	6.5	6.8	8.2	10.0	14.0	19.0	19.8	17.7
5	14.4	7.6	8.1	5.2	6.3	7.0	8.3	9.4	14.1	19.0	19.1	17.8
6	14.3	7.7	7.9	5.0	6.3	7.4	8.4	9.8	13.1	19.0	18.4	18.1
7	14.4	8.2	6.8	5.0	6.0	7.4	7.9	9.8	12.4	19.2	18.4	18.3
8	13.4	8.7	6.2	5.5	5.4	7.4	8.5	9.3	11.9	18.8	19.0	18.3
9	13.1	8.9	6.1	5.9	5.3	7.3	8.5	8.7	12.0	18.4	19.8	18.1
10	11.9	9.3	6.1	6.3	5.3	7.0	8.7	9.1	13.0	17.7	20.1	17.9
11	10.9	9.2	6.2	6.2	5.3	7.0	8.7	9.0	13.3	17.6	20.6	18.0
12	11.4	8.3	6.2	6.1	5.4	7.0	8.6	9.2	13.5	18.2	21.2	18.2
13	10.7	7.6	7.0	6.4	5.6	7.2	7.6	10.1	14.1	18.4	21.3	17.8
14	10.6	7.3	6.4	6.3	6.3	7.3	7.5	10.5	14.5	18.3	21.1	17.1
15	10.1	7.9	6.0	6.4	6.3	7.2	6.8	11.1	14.7	18.1	20.8	16.6
16	10.7	8.2	6.0	6.5	6.3	7.2	6.9	10.7	15.4	18.4	20.4	16.8
17	11.0	8.2	6.0	6.3	5.8	7.2	7.0	10.8	15.7	18.9	20.1	16.6
18	10.9	8.4	5.5	6.6	6.6	7.3	7.0	10.3	16.2	18.6	20.3	15.9
19	11.1	8.5	5.6	6.6	6.6	6.8	7.2	10.3	16.2	18.8	20.7	15.1
20	12.1	7.9	6.4	6.1	6.5	6.9	7.0	10.8	16.3	19.0	21.0	14.8
21	12.7	6.8	6.9	5.6	6.8	7.7	6.6	11.5	16.7	19.5	21.2	14.2
22	12.5	5.8	6.6	5.2	7.1	7.8	7.0	11.4	17.1	20.3	20.5	14.2
23	11.9	4.4	6.4	5.4	7.4	7.5	8.1	10.9	17.3	20.6	19.1	14.6
24	10.9	4.3	6.8	5.8	7.2	7.6	8.5	11.3	17.3	20.7	18.7	15.2
25	10.5	4.6	5.8	5.3	6.7	6.7	8.9	12.0	16.7	20.9	18.1	15.5
26	10.3	5.2	5.1	4.7	6.1	5.3	9.2	12.7	16.7	21.1	18.1	15.2
27	10.2	5.2	5.0	4.5	6.8	6.5	9.1	12.4	17.0	21.1	17.7	14.8
28	10.3	5.4	5.2	5.7	6.8	6.9	8.6	11.4	17.3	21.1	18.1	14.9
29	10.2	6.1	3.2	6.4	6.9	7.5	8.6	10.6	17.9	21.1	18.9	15.2
30	9.4	6.7	4.4	6.1		7.4	9.3	11.6	17.8	21.0	19.4	14.9
31	8.5		4.8	5.9		6.6		12.0		21.2	19.7	
Mean	11.8	7.2	6.2	5.7	6.3	7.1	7.9	10.5	15.1	19.3	19.8	16.6
Max	14.5	9.3	8.1	6.6	7.4	7.8	9.3	12.7	17.9	21.2	21.3	19.3
Min	8.5	4.3	3.2	4.2	5.3	5.3	6.6	8.7	11.9	17.6	17.7	14.2

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
23.2 13-Aug	2.7 29-Dec	22.8	28-Jul	Optic Stowaway	S/N 418574	010
		22.8	29-Jul	Optic Stowaway	s/n 412246	010
				Optic Stowaway	s/n 624358	003

Notes:

Water Year - 2005

Stream Temperatures, Klamath River Basin

Clear Creek near mouth, 150 ft upstream of pvt bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.8	7.0	4.3	4.2	5.4	6.5	7.4	8.8	12.4	16.2	19.5	17.0
2	14.9	7.5	3.7	3.7	5.2	6.4	7.4	8.8	12.1	15.9	19.2	17.3
3	15.0	7.8	3.1	3.9	5.4	6.2	6.5	8.8	12.3	16.0	19.6	16.7
4	15.2	6.9	3.0	3.6	5.7	7.1	6.4	9.3	12.6	16.2	19.8	16.4
5	15.2	6.4	3.6	3.3	5.6	6.8	7.4	8.9	11.9	16.6	20.1	16.1
6	15.0	6.3	4.0	3.7	5.1	6.9	8.0	8.7	10.5	17.0	20.3	16.3
7	15.4	6.2	4.4	3.4	5.1	7.3	7.5	8.8	9.8	16.8	20.4	16.6
8	15.1	6.4	5.3	1.8	4.8	7.5	5.0	8.6	10.3	16.4	20.0	16.4
9	14.8	7.0	7.0	1.9	4.8	7.8	5.8	7.7	11.7	16.4	19.7	16.3
10	13.7	8.1	7.5	3.3	4.7	7.6	6.7	7.4	12.4	16.3	19.2	15.3
11	13.2	8.5	7.6	3.7	4.8	7.7	7.3	8.3	12.8	16.4	18.9	14.7
12	13.1	8.1	7.4	3.1	5.3	7.8	6.7	9.6	12.8	16.6	18.6	14.4
13	13.4	8.2	7.8	2.7	5.9	7.8	5.8	10.1	13.1	17.2	18.5	14.3
14	13.5	8.1	7.7	3.4	6.1	7.2	6.1	10.6	13.9	17.5	18.8	14.4
15	13.5	8.1	6.4	4.1	5.7	6.7	6.9	10.4	13.5	18.5	19.2	14.5
16	13.5	8.5	5.7	4.4	5.7	6.9	7.5	9.4	13.0	19.0	19.4	14.3
17	13.7	8.1	5.6	4.6	5.9	7.5	7.1	8.1	11.5	19.0	19.3	14.5
18	13.1	7.6	5.8	4.8	6.0	7.9	6.5	8.2	10.0	19.0	19.2	14.2
19	12.4	6.8	5.8	4.7	6.7	8.2	7.0	8.4	10.1	18.9	19.2	13.9
20	10.0	5.6	5.7	4.9	6.9	6.7	7.5	8.5	11.2	18.7	19.4	14.0
21	10.0	4.8	5.0	4.9	6.2	6.4	8.1	8.8	12.3	18.4	19.4	14.3
22	9.9	4.5	4.7	5.1	6.1	6.9	8.4	10.0	12.9	18.8	19.2	14.5
23	9.6	4.8	4.6	5.3	6.1	7.2	8.2	10.0	13.2	19.2	19.1	14.4
24	8.8	5.4	4.1	5.2	6.2	6.6	7.9	10.3	14.1	19.2	18.7	13.4
25	8.4	6.0	4.0	5.6	6.4	6.5	8.3	11.3	14.1	18.8	18.5	12.7
26	8.1	6.9	4.7	5.8	6.5	7.5	8.8	12.4	14.5	18.7	18.3	12.2
27	7.7	6.7	4.6	6.0	7.1	7.3	8.5	13.0	15.0	19.0	18.0	12.6
28	7.8	5.1	4.8	5.9	7.1	6.3	7.9	12.6	15.0	19.3	17.6	12.7
29	8.5	3.8	5.6	5.8		6.0	7.9	11.2	15.3	19.6	17.4	12.8
30	8.6	3.9	4.7	5.6		6.5	8.3	12.2	15.9	19.8	16.9	13.0
31	7.6		4.2	5.6		7.0		12.9		19.9	16.8	
Mean	12.0	6.6	5.2	4.3	5.8	7.1	7.3	9.7	12.7	17.9	19.0	14.7
Max	15.4	8.5	7.8	6.0	7.1	8.2	8.8	13.0	15.9	19.9	20.4	17.3
Min	7.6	3.8	3.0	1.8	4.7	6.0	5.0	7.4	9.8	15.9	16.8	12.2

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
22.0 6-Aug	0.8 8-Jan	21.6 5-Aug	Hobo-Temp	S/N 792447	001
22.0 7-Aug		21.6 6-Aug	Optic Stowaway	s/n 412246	010
		21.6 7-Aug			

Notes:

Water Year - 2006

Stream Temperatures, Klamath River Basin

Clear Creek near mouth, 150 ft upstream of pvt bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.5	9.2	6.4	7.9	6.6	6.5	6.9	8.0	11.1	18.7	18.7	16.6
2	12.5	9.2	6.3	7.6	7.1	6.2	7.1	8.0	11.4	18.7	18.8	16.8
3	11.9	8.5	5.8	7.6	7.4	6.2	7.1	8.3	11.5	18.8	18.8	16.9
4	11.4	8.3	5.6	7.5	7.3	6.3	6.9	8.6	12.4	18.8	19.2	17.0
5	11.0	8.2	5.2	7.6	6.9	6.2	7.3	8.7	12.4	18.6	19.5	17.0
6	11.0	8.5	5.0	7.8	6.9	6.4	7.3	8.6	12.7	18.0	19.3	17.2
7	11.3	7.5	5.6	8.0	7.0	6.6	7.6	8.8	13.0	17.8	18.5	17.2
8	11.6	7.1	6.1	7.5	7.1	6.7	7.7	8.8	13.1	18.2	18.3	17.2
9	11.4	6.9	5.8	7.0	7.3	6.1	7.5	8.5	13.1	19.0	18.8	16.8
10	11.1	7.2	5.6	7.4	7.4	5.6	7.3	9.0	13.1	19.2	19.2	16.7
11	11.6	7.8	5.4	7.5	7.6	5.3	7.4	9.5	13.6	18.8	19.3	16.8
12	11.4	7.5	5.3	7.6	7.7	5.5	7.5	9.4	13.6	17.8	18.8	17.0
13	11.4	8.0	5.3	7.5	7.3	5.6	8.1	9.4	13.2	18.2	18.8	17.0
14	11.3	8.7	4.7	7.6	6.9	4.9	7.5	9.6	12.6	18.5	19.0	16.5
15	11.5	7.9	4.2	7.4	5.9	5.9	6.8	10.2	13.0	18.8	19.0	15.4
16	11.4	7.2	3.8	7.2	5.0	5.9	5.9	10.4	14.3	19.3	18.4	14.4
17	11.0	6.9	3.8	7.2	4.8	6.4	6.5	10.8	14.5	19.8	18.0	14.1
18	11.3	6.7	4.0	6.6	4.6	6.4	6.9	10.8	14.6	19.6	17.9	14.2
19	11.7	6.5	5.5	6.7	4.3	6.2	7.6	10.4	14.5	19.6	18.2	14.2
20	11.6	6.1	7.2	6.9	4.2	6.5	8.2	10.3	14.6	20.0	18.3	13.9
21	11.1	6.1	7.8	6.8	4.6	6.8	8.2	10.5	14.9	19.8	18.1	14.5
22	10.8	6.3	8.0	6.6	5.1	7.2	8.0	10.5	15.2	19.9	17.9	14.0
23	10.6	6.3	8.4	6.3	5.6	7.4	8.2	10.1	15.8	21.2	17.7	13.5
24	10.6	6.4	8.5	6.4	5.6	7.4	8.1	9.4	16.7	21.8	17.8	13.1
25	10.6	7.4	8.6	6.5	5.9	6.8	7.9	9.2	17.5	21.7	17.9	13.1
26	10.9	6.5	8.0	6.6	6.6	6.7	8.2	9.1	18.2	21.8	18.0	13.1
27	10.4	6.1	7.7	6.3	6.6	6.7	8.2	8.4	18.0	22.0	18.2	13.1
28	10.3	5.1	8.1	6.4	6.4	7.1	8.1	9.0	17.9	21.9	18.3	13.3
29	10.1	5.6	7.7	6.8		7.1	8.0	9.6	18.3	20.7	18.2	13.4
30	9.5	5.8	7.7	6.8		7.0	7.8	10.3	18.8	19.1	17.5	13.3
31	9.3		8.2	6.5		7.0		10.8		18.6	16.8	
Mean	11.1	7.2	6.3	7.1	6.3	6.4	7.5	9.5	14.5	19.5	18.4	15.2
Max	13.5	9.2	8.6	8.0	7.7	7.4	8.2	10.8	18.8	22.0	19.5	17.2
Min	9.3	5.1	3.8	6.3	4.2	4.9	5.9	8.0	11.1	17.8	16.8	13.1

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
23.5 27-Jul	3.5 17-Dec	23.2	26-Jul	Hobo-Temp	S/N 702959	003
				Hobo-Temp	S/N 792447	001
				Hobo-Temp	S/N 914226	002

Notes:

Water Year - 2007

Stream Temperatures, Klamath River Basin

Clear Creek near mouth, 150 ft upstream of pvt bridge

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.2											
2	13.0											
3	13.1											
4	13.3											
5	13.3											
6	13.3											
7	12.4											
8	11.8											
9	11.8											
10	11.4											
11	11.0											
12	10.7											
13	10.7											
14	10.7											
15	10.9											
16	11.2											
17	11.2											
18	10.3											
19	10.1											
20	10.3											
21	9.9											
22	9.5											
23	9.3											
24	9.2											
25	8.6											
26	7.9											
27												
28												
29												
30												
31												
Mean	11.1	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	13.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

7.3 26-Oct

14.0 1-Oct

Hobo-Temp

S/N 702959

003

Notes:

7

Water Year - 1992

JUL 15 2008

Stream Temperatures, Klamath River Basin

Wooley Creek

downstream from Big Meadows Cr

Siskiyou County, CA

Collecting Agency:

USFWS

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups ☐ Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1		6.2	3.7	2.4	5.0	6.3	7.8	8.1	14.0	13.2	16.9	
2		6.6	4.5	3.0	3.8	6.1	8.0	8.9	14.1	13.6	16.7	
3		7.6	3.9	3.0	3.8	6.5	7.3	9.6	14.4	13.8	16.2	
4		7.9	3.7	2.4	3.9	6.1	6.4	10.2	14.2	13.4	15.4	
5		7.9	4.3	3.2	3.8	5.7	5.3	10.9	13.6	13.3	16.4	
6		8.3	5.5	3.7	4.0	5.2	5.1	11.4	14.0	13.5	17.1	
7		8.4	4.9	2.8	3.6	5.5	5.6	11.5	14.0	14.1	16.8	
8		8.8	3.9	2.7	4.5	5.7	6.6	11.2	13.6	14.8	16.6	
9		9.0	3.9	2.6	5.3	5.6	6.8	10.4	12.9	15.1	16.2	
10		7.8	3.9	3.1	5.6	5.8	6.7	10.6	12.5	15.1	17.7	
11		7.4	3.6	3.2	5.6	5.9	6.8	10.5	11.1	15.3	18.5	
12		7.7	3.7	2.3	5.7	6.0	6.8	10.2	10.4	16.3	17.9	
13		8.4	3.2	2.6	5.7	6.1	6.7	10.6	10.3	16.3	19.0	
14		7.0	3.1	2.8	3.9	6.1	7.2	10.8	10.4	15.8	19.6	
15		5.1	3.4	3.6	3.1	5.9	7.4	10.8	10.4	17.0	20.0	
16		4.9	3.6	4.0	1.4	5.9	7.6	11.0	12.1	17.9	19.1	
17		6.2	4.2	4.4	2.6	5.8	6.8	11.4	12.9	16.7	18.8	
18		5.2	4.2	3.5	3.3	5.4	6.5	11.0	13.5	16.3	18.3	
19		5.2	2.9	2.8	3.8	5.7	7.4	10.8	14.0	16.8	17.6	
20		5.9	2.3	2.8	4.6	6.2	8.0	10.8	15.1	15.6	17.0	
21	10.8	5.2	3.0	3.1	5.1	6.1	7.3	10.4	15.9	14.4	14.1	
22	10.0	3.9	3.2	2.7	5.4	6.6	6.1	10.8	16.6	14.3	13.4	
23	9.0	4.4	3.0	2.7	5.0	6.9	6.4	12.0	16.8	14.2	13.7	
24	8.2	5.8	2.9	3.3	5.7	6.6	8.0	13.0	15.7	15.3	15.3	
25	8.5	6.3	3.6	4.5	6.3	6.9	8.8	12.6	15.2	16.4	15.9	
26	8.4	6.5	4.3	4.3	6.3	7.1	8.7	12.6	15.5	17.2	16.2	
27	7.5	5.6	4.9	4.7	6.4	7.0	9.4	12.0	15.2	17.4	12.9	
28	6.7	3.9	5.0	5.2	6.3	6.9	10.0	12.1	13.8	17.1		
29	7.3	3.5	4.6	4.7	6.3	6.7	9.5	12.6	12.1	17.6		
30	6.0	2.8	3.5	5.0		6.8	8.7	13.2	12.4	18.1		
31	5.7		2.7	5.8		7.1		13.7		17.3		
Mean	8.0	6.3	3.8	3.4	4.7	6.2	7.3	11.2	13.6	15.6	16.8	#DIV/0!
Max	10.8	9.0	5.5	5.8	6.4	7.1	10.0	13.7	16.8	18.1	20.0	0.0
Min	5.7	2.8	2.3	2.3	1.4	5.2	5.1	8.1	10.3	13.2	12.9	0.0

Instantaneous Peaks

Maximum

26.8 14-Aug

Minimum

0.3 16-Feb

Average 7 day max temp.

25.6 16-Aug

Instrument

Ryan Tempmentor

Serial No.

SN903359

Setting

001

Notes:

JUL 15 2008

8

Water Year - 1992

Stream Temperatures, Klamath River Basin

Wooley Creek downstream from NF Wooley

Siskiyou County, CA

Collecting Agency: USFWS

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups ☐ Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1		6.6	3.7	2.8	5.4	6.7	8.4	8.8	14.8	13.3	16.3	14.5
2		7.1	4.8	3.2	4.1	6.5	8.7	9.5	14.8	14.1	16.0	14.7
3		8.0	4.3	3.3	4.0	7.0	8.0	10.2	15.0	13.8	15.6	14.2
4		8.3	3.9	2.9	4.1	6.4	6.9	10.9	14.7	13.9	14.9	13.7
5		8.3	4.4	3.5	4.1	6.0	5.8	11.6	14.1	13.6	15.4	13.6
6		8.7	5.7	4.1	4.3	5.4	5.5	12.1	14.2	13.7	15.8	12.8
7		8.8	5.3	3.3	4.0	5.7	6.0	12.1	14.3	14.0	16.0	12.5
8		9.2	4.1	3.2	4.7	6.0	7.1	11.9	13.9	14.6	15.9	13.0
9		9.4	4.0	3.0	5.5	5.9	7.2	11.2	13.4	15.0	15.5	13.7
10		8.3	4.0	3.4	6.0	6.1	7.2	11.3	12.9	15.0	16.1	14.2
11		7.9	3.6	3.7	6.0	6.3	7.3	11.2	11.8	15.1	16.8	14.2
12		8.0	3.8	2.6	6.1	6.5	7.3	10.8	10.9	15.7	16.7	13.8
13		8.9	3.3	2.9	6.1	6.4	7.2	11.1	10.4	16.0	17.1	12.4
14		7.4	3.2	3.1	4.5	6.5	7.8	11.3	10.4	15.6	17.4	11.7
15		5.6	3.5	3.8	3.5	6.3	7.9	11.3	10.6	16.3	17.7	12.0
16		5.5	3.7	4.2	1.8	6.3	7.9	11.6	11.9	16.9	17.6	11.9
17		6.6	4.2	4.7	2.8	6.4	7.4	12.0	12.7	16.7	17.2	12.2
18		5.8	4.5	3.7	3.5	5.7	7.1	11.7	13.5	16.2	16.6	12.5
19		5.8	3.3	3.0	3.9	6.2	7.9	11.5	14.0	16.6	16.0	12.6
20		6.3	2.6	2.9	4.6	6.6	8.6	11.4	14.8	16.2	15.5	12.8
21		5.7	3.4	3.4	5.0	6.7	7.9	10.9	15.7	15.4	14.7	13.5
22	10.2	4.4	3.6	3.1	5.6	7.1	6.5	11.3	16.3	14.7	13.9	13.7
23	9.3	4.7	3.2	3.0	5.2	7.4	6.8	12.4	16.7	14.4	13.7	13.5
24	8.7	6.1	3.1	3.6	5.8	7.1	8.5	13.5	16.2	15.1	13.8	13.3
25	9.1	6.6	3.7	4.8	6.4	7.5	9.4	13.2	15.5	15.7	14.2	11.8
26	8.9	6.9	4.4	4.6	6.5	7.6	9.3	13.1	15.7	16.3	14.5	11.9
27	8.1	6.0	5.1	5.0	6.6	7.5	10.0	12.5	15.6	16.6	14.6	12.2
28	7.3	4.2	5.4	5.3	6.6	7.6	10.6	12.7	14.7	16.6	14.5	12.1
29	7.9	3.9	5.0	5.0	6.5	7.2	10.3	13.3	12.7	16.8	14.6	12.4
30	6.5	3.1	4.1	5.2		7.3	9.4	13.9	12.5	17.0	14.6	12.7
31	6.2		3.1	6.1		7.6		14.4		16.6	14.5	
Mean	8.2	6.7	4.0	3.8	4.9	6.6	7.9	11.8	13.8	15.4	15.6	13.0
Max	10.2	9.4	5.7	6.1	6.6	7.6	10.6	14.4	16.7	17.0	17.7	14.7
Min	6.2	3.1	2.6	2.6	1.8	5.4	5.5	8.8	10.4	13.3	13.7	11.7

Instantaneous Peaks

Maximum

19.4 16-Aug

Minimum

0.8 16-Feb

Average 7 day max temp.

18.8 14-Aug

18.8 15-Aug

18.8 16-Aug

Instrument

Ryan Tempmentor

Serial No.

SN903362

Setting

001

Notes:

Water Year - 1993

Stream Temperatures, Klamath River Basin
 Wooley Creek downstream from NF Wooley
 Siskiyou County, CA
 Collecting Agency: USFWS

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.4	8.3	5.4	2.6	4.5	4.1	4.7	7.6	6.7	11.7	14.0	13.0
2	10.8	9.0	5.9	2.4	4.6	4.6	5.6	7.6	7.0	11.5	14.7	13.2
3	10.7	7.7	4.8	2.1	5.2	4.9	6.0	5.9	7.2	11.1	15.4	13.6
4	10.3	8.5	3.5	2.2	5.1	5.1	5.2	6.1	7.2	11.4	15.3	13.8
5	10.0	8.8	3.0	3.1	5.5	5.1	5.4	6.8	6.9	11.6	14.7	13.8
6	10.2	8.0	4.0	3.3	5.5	5.3	6.1	6.8	7.5	11.7	14.1	13.9
7	10.1	8.8	4.3	3.5	5.3	5.6	6.5	5.8	8.0	11.8	14.1	14.0
8	10.3	7.4	3.1	3.4	5.7	5.8	6.4	6.6	8.2	12.3	13.8	14.2
9	10.4	6.1	4.4	2.4	5.7	6.0	5.7	7.6	8.8	12.7	13.7	14.5
10	10.7	4.8	4.3	2.3	5.3	6.0	5.4	7.8	8.9	12.4	13.5	14.6
11	11.0	4.5	3.6	2.6	4.2	5.8	5.3	7.0	8.0	12.5	13.4	13.8
12	11.1	5.1	3.9	2.4	4.9	6.2	5.5	6.2	8.0	12.0	13.4	12.9
13	10.8	5.5	3.3	3.1	4.4	6.1	6.3	6.2	9.1	11.8	13.8	12.2
14	10.1	5.9	3.7	3.1	4.2	6.0	6.5	7.6	9.7	11.2	13.6	11.9
15	9.5	6.1	3.7	3.1	4.0	5.5	6.9	8.1	9.6	10.9	13.0	11.6
16	9.4	6.2	3.2	3.1	3.6	5.5	6.7	8.0	9.4	11.1	12.4	11.3
17	9.5	7.3	2.6	3.0	3.7	5.2	5.6	7.9	10.1	11.4	12.9	11.5
18	10.0	6.3	2.9	3.6	4.2	5.8	4.9	7.7	10.9	11.8	13.6	11.4
19	10.2	6.2	2.6	3.8	4.6	6.2	6.0	7.7	11.1	12.2	13.4	11.0
20	10.2	4.9	2.6	3.6	2.6	6.5	6.3	7.2	11.1	11.9	12.9	10.7
21	10.8	5.3	3.3	4.7	2.2	6.3	6.7	7.1	9.7	11.7	13.3	10.1
22	10.0	5.6	3.0	5.1	3.4	6.4	6.3	7.5	8.6	11.7	13.7	9.9
23	9.9	4.4	3.0	4.6	3.5	5.9	6.0	8.1	9.2	12.6	13.6	9.7
24	9.8	3.9	3.0	5.0	3.5	5.7	6.6	7.4	10.0	12.4	13.0	9.7
25	9.8	5.0	2.8	4.8	3.0	5.5	6.9	7.6	11.3	12.4	12.0	10.0
26	9.8	5.4	3.1	4.7	3.3	5.8	6.5	7.3	11.7	12.5	12.2	10.4
27	9.9	6.6	3.8	4.7	3.1	6.3	6.9	7.3	10.7	13.0	12.7	10.8
28	10.1	5.5	2.8	4.9	3.6	6.4	7.5	7.3	10.5	13.2	13.0	11.1
29	9.7	4.0	2.5	4.9		6.6	8.0	7.7	10.7	13.2	13.3	11.3
30	8.5	4.2	2.2	4.4		6.6	7.1	7.2	11.1	12.3	13.3	11.5
31	7.8		2.1	4.4		6.5		6.8		13.1	13.3	
Mean	10.1	6.2	3.4	3.6	4.2	5.8	6.2	7.2	9.2	12.0	13.5	12.0
Max	12.4	9.0	5.9	5.1	5.7	6.6	8.0	8.1	11.7	13.2	15.4	14.6
Min	7.8	3.9	2.1	2.1	2.2	4.1	4.7	5.8	6.7	10.9	12.0	9.7

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
17.0 3-Aug	1.6 30-Dec	16.1 4-Aug	Ryan Tempmentor	UNKNOWN	
	1.6 3-Jan	16.1 5-Aug			
	1.6 4-Jan				

Notes:

JUL 15 2008

9

Water Year - 1992

Stream Temperatures, Klamath River Basin
 Wooley Creek downstream from Bridge Creek
 Siskiyou County, CA
 Collecting Agency: USFWS

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups ☐ Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	15.0	6.8	3.6	3.0	6.1	7.2	9.1				17.8	15.9
2	14.0	7.2	4.8	3.4	4.4	7.1	9.4			16.7	17.5	16.3
3	13.7	8.3	4.4	3.5	4.4	7.5	8.8			15.2	17.2	15.7
4	13.4	8.7	4.0	3.8	4.3	6.9	7.6			15.1	16.4	15.2
5	13.4	8.7	4.5	4.1	4.3	6.5	6.4			14.9	17.0	15.1
6	13.1	9.0	5.9	4.7	4.6	6.0	6.1			15.1	17.4	14.1
7	12.6	9.2	5.6	4.0	4.2	6.2	6.6			15.6	17.6	13.8
8	12.9	9.6	4.3	4.0	5.0	6.4	7.8			16.3	17.6	14.3
9	12.6	10.2	4.2	3.6	6.0	6.5	7.6			16.7	17.2	15.1
10	12.5	9.1	4.0	3.9	6.4	6.6	7.5			16.7	18.0	15.6
11	12.5	8.4	3.6	4.2	6.6	6.9	7.8			16.7	18.7	15.5
12	12.6	8.5	3.7	3.0	6.7	7.1	7.8			17.3	18.3	15.2
13	12.4	9.4	3.4	3.1	6.8	7.1	7.7			17.8	18.8	13.5
14	12.2	8.1	3.3	3.2	5.2	7.1	8.4			17.4	19.2	12.8
15	12.2	5.9	3.5	3.9	4.1	6.9	8.6			18.1	19.6	13.0
16	12.1	5.7	3.7	4.5	2.6	7.0				18.8	19.5	13.0
17	11.9	7.0	4.3	5.1	3.4	7.0				18.4	18.9	13.2
18	11.1	6.5	5.1	3.9	4.4	6.3				17.9	18.3	13.5
19	11.0	6.3	3.8	3.2	4.7	6.7				18.3	17.6	13.6
20	11.2	6.9	2.9	3.1	5.1	7.3				17.8	17.0	13.9
21	11.1	6.3	3.7	3.6	5.4	7.1				17.1	16.1	14.6
22	10.8	4.8	4.1	3.4	6.0	7.8				16.1	15.1	14.9
23	9.8	4.9	3.6	3.2	5.6	8.2				15.9	15.1	14.6
24	9.2	6.4	3.2	3.8	6.2	7.8				16.7	15.2	14.5
25	9.6	7.1	3.8	5.1	6.7	8.3				17.5	15.6	12.9
26	9.5	7.5	4.7	5.1	6.8	8.4				18.1	16.0	12.8
27	8.5	6.6	5.5	5.5	7.0	8.3				18.5	16.1	13.1
28	7.6	4.4	5.9	5.8	7.0	8.3				18.5	16.0	13.0
29	8.2	4.0	5.5	5.4	7.0	7.9				18.7	16.0	13.3
30	6.8	3.1	4.8	5.7		8.0				18.8	16.0	13.6
31	6.3		3.4	6.5		8.2				18.3	15.8	
Mean	11.3	7.2	4.2	4.1	5.4	7.2	7.8	#DIV/0!	#DIV/0!	17.2	17.2	14.2
Max	15.0	10.2	5.9	6.5	7.0	8.4	9.4	0.0	0.0	18.8	19.6	16.3
Min	6.3	3.1	2.9	3.0	2.6	6.0	6.1	0.0	0.0	14.9	15.1	12.8

Instantaneous Peaks

Maximum

21.3 16-Aug

Minimum

1.7 16-Feb

Average 7 day max temp.

20.6 14-Aug

20.6 15-Aug

20.6 16-Aug

Instrument

Ryan Tempmentor

Serial No.

SN903355

Setting

001

Notes:

Water Year - 1993

Stream Temperatures, Klamath River Basin
 Wooley Creek downstream from Bridge Creek
 Siskiyou County, CA
 Collecting Agency: USFWS

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.4	8.5	5.8	3.6	4.9	4.5	5.4	8.2	6.9	12.8	15.2	14.2
2	11.8	9.5	6.4	3.1	5.1	5.3	6.1	8.2	7.5	12.5	16.1	14.4
3	11.5	8.3	5.5	2.9	5.9	5.7	6.4	6.4	7.6	12.1	16.8	14.8
4	11.2	9.1	3.8	3.0	5.8	5.8	5.7	6.5	7.6	12.4	16.6	15.1
5	10.8	9.4	3.3	3.8	6.2	5.7	5.9	7.3	7.3	12.6	16.0	15.0
6	10.9	8.6	4.4	3.9	6.1	6.0	6.6	7.3	7.9	12.7	15.2	14.9
7	10.7	9.4	4.7	4.2	5.9	6.2	7.1	6.2	8.5	12.9	15.3	15.1
8	10.9	8.1	4.1	4.1	6.4	6.4	6.9	7.2	8.8	13.4	15.0	15.4
9	11.1	6.5	5.2	3.1	6.3	6.7	6.3	8.2	9.3	13.9	14.9	15.8
10	11.3	5.2	5.0	3.1	5.9	6.7	6.0	8.3	9.5	13.5	14.6	15.8
11	11.7	4.8	4.2	3.3	4.8	6.5	5.9	7.3	8.6	13.6	14.5	15.0
12	11.8	5.3	4.4	3.0	5.3	6.7	6.1	6.7	8.6	13.1	14.6	14.0
13	11.5	5.7	3.8	3.6	4.9	6.6	6.9	6.8	9.7	13.0	15.0	13.0
14	10.8	6.1	4.3	3.8	4.6	6.4	7.1	8.1	10.2	12.4	14.8	12.9
15	10.1	6.3	4.3	3.6	4.3	5.7	7.5	8.7	10.3	11.9	13.9	12.4
16	10.0	6.5	3.7	3.6	3.9	5.7	7.2	8.5	10.0	12.2	13.5	12.3
17	10.0	7.6	3.2	3.5	4.0	5.4	6.3	8.3	10.8	12.5	14.2	12.6
18	10.6	6.6	3.5	4.2	4.4	5.9	5.7	8.1	11.5	12.9	14.9	12.4
19	10.8	6.7	3.3	4.5	5.0	6.5	6.6	8.1	11.8	13.2	14.4	11.9
20	11.0	5.4	3.4	4.5	3.0	6.9	7.0	7.4	11.7	13.0	14.0	11.5
21	11.5	5.8	4.1	5.3	2.5	6.6	7.3	7.3	10.4	12.8	14.6	11.0
22	10.6	6.1	3.6	5.7	3.8	6.7	6.9	7.9	9.3	12.6	15.0	10.8
23	10.4	5.0	3.5	5.1	4.0	6.2	6.6	8.5	10.0	13.6	14.9	10.6
24	10.4	4.4	3.4	5.6	4.1	6.0	7.2	7.8	10.7	13.6	14.4	10.5
25	10.4	5.3	3.1	5.3	3.5	5.9	7.4	8.1	12.1	13.6	13.1	10.8
26	10.4	5.7	3.4	5.2	3.8	6.3	7.1	7.7	12.5	13.6	13.3	11.3
27	10.5	7.0	4.3	5.2	3.6	6.7	7.5	7.7	11.6	14.3	13.9	11.7
28	10.7	6.1	3.7	5.5	4.0	7.0	8.1	7.8	11.3	14.5	14.3	12.0
29	10.4	4.5	3.1	5.4		7.2	8.6	8.2	11.6	14.4	14.6	12.3
30	9.3	4.5	2.7	4.7		7.2	7.7	7.5	12.0	13.5	14.5	12.4
31	8.5		3.0	4.7		7.2		7.0		14.3	14.6	
Mean	10.8	6.6	4.0	4.2	4.7	6.3	6.8	7.7	9.9	13.1	14.7	13.1
Max	13.4	9.5	6.4	5.7	6.4	7.2	8.6	8.7	12.5	14.5	16.8	15.8
Min	8.5	4.4	2.7	2.9	2.5	4.5	5.4	6.2	6.9	11.9	13.1	10.5

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
18.7 3-Aug	2.3 20-Feb	17.7 4-Aug	Ryan Tempmentor	UNKNOWN	
	2.3 21-Feb	17.7 5-Aug			

Notes:

10

Water Year - 1992

JUL 15 2008

Stream Temperatures, Klamath River Basin

Wooley Creek 300 m upstream from mouth

Siskiyou County, CA

Collecting Agency: USFWS

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups ☐ Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	15.0	6.8	3.3	3.4	6.9	7.9	9.8	10.6	17.9	15.4	19.4	17.3
2	14.9	7.2	4.7	3.4	5.1	7.8	10.2	11.1	18.0	16.8	19.0	17.6
3	14.6	8.2	4.7	3.8	4.7	8.3	9.8	11.9	18.1	16.6	18.7	17.6
4	14.2	8.9	4.2	4.3	4.6	7.6	8.7	12.8	18.0	16.9	17.9	16.9
5	14.0	9.1	4.5	4.6	4.6	7.4	7.4	13.5	17.2	16.4	18.2	16.6
6	13.8	9.3	5.9	5.3	4.9	6.6	6.9	14.0	17.0	16.4	18.7	15.7
7	13.3	9.6	6.3	4.9	4.6	6.8	7.2	14.0	17.1	17.0	19.1	15.1
8	13.5	10.0	4.8	4.8	5.1	7.0	8.5	13.8	16.9	17.8	19.2	15.3
9	13.4	10.7	4.3	4.3	6.3	7.0	8.6	13.4	16.4	18.1	18.7	16.1
10	13.1	10.1	4.1	4.4	6.7	7.2	8.0	13.4	15.8	18.3	19.2	16.7
11	13.0	9.1	3.7	5.0	7.2	7.4	8.5	13.3	14.5	18.2	20.2	16.7
12	13.0	8.9	3.6	3.6	7.3	7.6	8.5	12.9	12.9	18.6	20.1	16.6
13	12.9	9.7	3.5	3.3	7.5	7.7	8.5	12.8	12.5	19.3	20.1	15.1
14	12.7	9.1	3.2	3.6	6.3	7.8	9.1	13.2	12.4	19.0	20.6	14.0
15	12.6	6.9	3.6	4.0	4.6	7.6	9.4	13.3	12.9	19.5	21.1	13.8
16	12.7	5.9	3.6	4.7	4.0	7.9	9.3	13.7	14.1	20.3	21.1	13.8
17	12.6	7.3	4.1	5.5	3.8	7.9	8.7	14.4	15.4	20.7	20.6	14.1
18	11.8	7.2	5.4	4.5	5.1	7.1	8.1	14.3	16.5	19.4	19.8	14.4
19	11.5	6.8	4.6	3.5	5.6	7.3	8.9	13.7	17.2	19.8	19.1	14.5
20	11.4	7.7	3.4	3.1	5.9	7.9	10.0	13.6	18.2	19.6	18.3	14.8
21	11.4	7.0	3.8	3.7	6.3	7.9	9.6	13.3	19.0	18.8	17.7	15.3
22	11.5	5.5	4.5	3.7	6.8	8.4	8.1	13.5	19.6	18.1	16.5	15.9
23	10.8	5.2	4.4	3.4	6.2	9.1	8.0	14.6	20.1	17.3	16.4	15.9
24	9.9	6.5	3.6	3.8	6.6	8.6	9.7	15.9	19.8	18.0	16.4	16.0
25	10.1	7.7	3.9	5.1	7.2	8.9	10.7	15.9	19.3	18.9	16.7	14.4
26	10.1	8.1	4.7	5.5	7.4	9.3	10.8	15.4	18.8	19.6	17.1	13.7
27	9.2	7.6	5.8	5.9	7.5	9.2	11.5	15.3	18.7	20.0	17.3	13.9
28	8.1	5.1	6.5	6.4	7.6	9.1	12.4	15.1	17.7	20.0	17.2	13.9
29	8.8	4.4	6.2	5.8	7.6	8.8	12.2	15.9	15.4	20.1	17.4	14.0
30	7.6	3.4	5.7	5.9		8.9	11.3	16.8	14.5	20.2	17.3	14.3
31	6.6		4.2	6.8		8.8		17.3		19.9	17.2	
Mean	11.9	7.6	4.5	4.5	6.0	8.0	9.3	14.0	16.7	18.5	18.6	15.3
Max	15.0	10.7	6.5	6.8	7.6	9.3	12.4	17.3	20.1	20.7	21.1	17.6
Min	6.6	3.4	3.2	3.1	3.8	6.6	6.9	10.6	12.4	15.4	16.4	13.7

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
22.1 16-Aug	2.7 20-Jan	21.4 14-Aug	Ryan Tempmentor	SN903356	001
		21.4 15-Aug			

Notes:

Water Year - 1993

Stream Temperatures, Klamath River Basin

Wooley Creek 300 m upstream from mouth

Siskiyou County, CA

Collecting Agency: USFWS

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.6	9.5	5.9	4.3	5.2	5.0	6.3	9.0	8.0	13.7	16.3	15.5
2	13.0	10.2	6.9	4.0	5.5	5.8	6.7	9.3	8.4	13.7	17.2	15.5
3	12.5	9.2	6.4	3.3	6.5	6.4	7.3	7.8	8.6	13.2	18.1	16.0
4	12.1	9.4	4.7	3.4	6.2	6.5	6.8	7.2	8.5	13.4	17.9	16.3
5	11.8	10.2	3.6	4.3	7.0	6.4	6.7	8.0	8.2	13.7	17.1	16.2
6	11.7	9.5	4.5	4.6	6.8	6.7	7.3	8.3	8.8	13.8	16.5	15.9
7	11.5	9.9	5.2	4.9	6.5	6.9	7.8	7.0	9.3	14.1	16.5	16.1
8	11.5	9.2	5.1	5.0	7.1	7.3	7.9	7.8	9.7	14.6	16.2	16.4
9	11.7	7.3	5.7	3.8	7.1	7.6	7.1	8.9	10.2	15.1	16.0	16.9
10	11.9	5.9	5.9	3.5	6.7	7.7	6.8	9.5	10.6	14.8	15.7	17.0
11	12.3	5.2	4.9	3.7	5.7	7.3	6.7	8.2	9.7	14.9	15.8	16.3
12	12.4	5.5	5.0	3.5	5.9	7.5	6.7	7.7	9.4	14.3	15.9	15.4
13	12.3	5.8	4.4	3.9	5.6	7.6	7.5	7.4	10.5	14.2	16.1	14.1
14	12.0	6.2	4.6	4.4	5.0	7.5	7.8	8.9	11.3	13.9	16.0	13.7
15	11.0	6.4	5.1	4.2	4.7	6.8	8.4	9.6	11.4	13.1	15.3	13.4
16	10.6	6.6	4.1	4.0	4.5	6.7	8.0	9.6	11.2	13.4	14.5	13.3
17	10.5	7.7	4.0	4.1	4.5	6.4	7.4	9.3	11.7	13.6	15.3	14.0
18	11.0	7.5	3.9	4.4	4.5	7.0	6.5	9.2	12.5	14.0	16.0	13.7
19	11.5	7.3	3.8	5.1	5.5	7.2	7.3	9.2	12.9	14.2	15.9	13.0
20	11.6	6.5	4.1	5.6	3.9	7.8	7.7	8.5	12.9	14.2	15.3	12.5
21	12.1	6.3	4.8	6.0	3.0	7.4	8.0	8.4	11.8	14.1	16.0	11.8
22	11.8	6.7	4.3	6.5	4.2	7.5	7.8	8.7	10.4	13.8	16.4	11.5
23	11.3	5.9	3.8	5.6	4.7	7.3	7.4	9.5	11.0	14.5	16.3	11.2
24	11.1	4.9	3.8	6.1	4.7	6.9	7.9	8.8	11.5	14.8	15.9	11.2
25	11.1	5.7	3.3	5.8	4.1	6.6	8.2	9.0	13.0	14.8	14.4	11.4
26	11.2	6.1	3.3	5.5	4.3	7.0	7.9	8.6	13.7	14.7	14.4	11.9
27	11.2	7.3	4.6	5.6	4.0	7.3	8.2	8.7	12.9	15.4	15.0	12.4
28	11.2	7.2	4.6	6.0	4.4	7.7	8.9	8.7	12.3	15.6	15.5	12.7
29	11.2	5.3	3.8	6.0		8.0	9.7	9.0	12.6	15.7	15.8	13.0
30	10.3	4.8	3.2	5.2		7.9	8.8	8.7	13.0	14.7	15.7	13.2
31	9.3		3.6	5.1		8.1		8.1		15.3	15.7	
Mean	11.6	7.2	4.5	4.8	5.3	7.1	7.6	8.6	10.9	14.3	16.0	14.1
Max	14.6	10.2	6.9	6.5	7.1	8.1	9.7	9.6	13.7	15.7	18.1	17.0
Min	9.3	4.8	3.2	3.3	3.0	5.0	6.3	7.0	8.0	13.1	14.4	11.2

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
19.4 3-Aug	2.8 21-Feb	18.3 4-Aug	Ryan Tempmentor	UNKNOWN	

Notes:

Water Year - 1998

Stream Temperatures, Klamath River Basin

Wooley Creek 300 m upstream from mouth

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										13.6	17.8	18.0
2										14.1	18.0	17.9
3										14.2	18.4	
4										14.5	19.2	
5									11.0	15.0	19.3	
6									10.4	15.5	18.8	
7									9.9	15.8	18.2	
8									10.2	16.0	18.2	
9									10.5	16.0	18.2	
10									10.5	15.9	18.5	
11									10.1	14.9	18.9	
12									10.9	15.2	19.3	
13									11.0	15.7	19.4	
14									11.0	15.8	19.4	
15									11.2	15.9	19.5	
16									10.7	16.4	18.2	
17									11.1	17.4	17.3	
18									11.8	17.8	17.0	
19									11.2	17.6	17.1	
20									11.8	17.9	17.0	
21									12.6	18.2	16.8	
22									12.7	18.4	17.0	
23									12.6	19.0	17.1	
24									11.8	19.2	16.8	
25									11.4	19.0	16.7	
26									11.1	19.3	17.0	
27									11.9	19.4	17.2	
28									13.0	19.2	17.3	
29									13.6	18.3	17.2	
30									13.8	17.6	17.2	
31										17.6	17.5	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	11.5	16.8	17.9	18.0
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.8	19.4	19.5	18.0
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9	13.6	16.7	17.9

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
20.6 26-Jul	8.6 7-Jun	20.3	25-Jul	Hobo-Temp	S/N 1952	
20.6 27-Jul	8.6 11-Jun					

Notes:

Water Year - 1999

Stream Temperatures, Klamath River Basin
 Wooley Creek 300 m upstream from mouth
 Siskiyou County, CA
 Collecting Agency: CDFG

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										14.1	16.0	13.8
2										13.4	16.6	14.1
3										12.0	17.2	14.3
4										11.5	17.5	14.2
5										12.7	16.9	14.7
6										13.4	16.0	15.2
7										13.5	14.9	14.7
8										13.4	15.1	14.9
9										14.5	16.4	15.2
10										15.5	16.9	15.4
11										16.2	16.5	15.5
12										17.2	16.7	15.4
13										17.7	16.8	15.5
14										17.3	15.9	15.6
15										16.2	15.7	15.2
16										15.4	16.2	15.3
17										15.0	16.5	15.0
18										15.2	16.4	14.5
19										15.8	16.3	14.7
20										15.5	16.3	15.2
21										15.1	16.7	15.4
22										15.6	17.3	15.2
23										15.9	17.6	15.2
24									12.8	16.0	17.5	15.2
25									11.5	15.9	17.3	14.8
26									11.7	16.8	17.6	13.8
27									12.0	16.8	17.5	12.8
28									12.9	16.7	17.3	12.0
29									13.8	16.3	17.5	12.1
30									14.4	16.1	16.7	12.4
31										16.0	14.2	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	12.7	15.2	16.6	14.6
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.4	17.7	17.6	15.6
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	11.5	14.2	12.0

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
19.0 13-Jul	9.7 4-Jul	18.1 24-Aug		Optic Stowaway	S/N 155047	
		18.1 25-Aug				
		18.1 26-Aug				

Notes:

Water Year - 2000

Stream Temperatures, Klamath River Basin

Wooley Creek 300 m upstream from mouth

Siskiyou County, CA

Collecting Agency: CDFG

Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.7	8.9								17.2	20.5	16.1
2	12.9									16.6	20.2	14.4
3	12.7									16.3	19.7	14.0
4	12.4									15.1	19.3	13.7
5	12.5									15.0	19.2	13.8
6	12.8									15.1	19.0	13.6
7	12.2									15.1	19.3	14.2
8	12.1									15.3	20.1	14.8
9	12.5									16.5	19.8	14.4
10	12.5								10.9	17.2	18.9	14.5
11	12.7								10.2	17.4	18.0	15.5
12	12.3								11.1	17.9	17.8	16.4
13	11.8								12.2	17.8	17.4	16.9
14	11.7								14.3	17.4	17.1	16.9
15	10.8								15.3	17.5	16.9	16.9
16	9.6								15.1	17.0	17.3	16.8
17	9.3								14.9	17.6	17.4	16.4
18	9.3								15.5	17.6	16.9	16.3
19	9.3								15.3	16.9	16.9	16.7
20	9.4								15.3	17.5	16.5	16.8
21	9.4								16.3	18.0	16.7	16.4
22	9.4								17.0	18.2	17.4	15.6
23	9.4								17.2	18.1	17.6	14.6
24	9.3								17.7	18.6	17.5	14.0
25	9.4								17.8	18.3	17.3	13.7
26	10.6								18.0	17.9	17.2	13.7
27	10.7								18.1	17.5	17.0	13.9
28	10.4								18.4	18.2	17.0	14.2
29	8.9								18.6	18.9	17.2	14.3
30	8.8								18.2	19.7	17.2	14.5
31	9.3									20.2	16.8	
Mean	10.9	8.9	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	15.6	17.3	18.0	15.1
Max	12.9	8.9	0.0	0.0	0.0	0.0	0.0	0.0	18.6	20.2	20.5	16.9
Min	8.8	8.9	0.0	0.0	0.0	0.0	0.0	0.0	10.2	15.0	16.5	13.6

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
21.4 1-Aug	8.4 30-Oct	20.8 2-Aug	Optic Stowaway	S/N 155047	003
			Optic Stowaway	S/N 155047	

Notes:

Water Year - 2001

Stream Temperatures, Klamath River Basin
 Wooley Creek 300 m upstream from mouth
 Siskiyou County, CA
 Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.9							9.2	16.8	16.9	19.6	19.0
2	14.5							8.5	15.2	17.8	19.5	18.9
3	13.6							9.1	13.8	19.3	18.8	18.2
4								10.1	13.4	20.2	19.1	17.7
5								10.5	13.5	20.9	19.3	17.3
6								10.7	13.7	20.6	19.4	16.2
7								11.5	14.9	19.9	20.0	15.8
8								12.2	15.9	19.6	20.6	16.3
9								12.1	15.8	19.7	20.9	16.4
10								12.2	14.8	20.2	21.1	16.6
11								12.7	14.3	19.8	20.4	16.3
12								13.3	15.0	19.4	19.9	15.7
13								12.3	15.0	19.9	19.6	16.0
14								10.9	15.7	20.2	19.3	16.8
15								10.0	16.1	20.0	19.5	17.7
16								10.5	16.7	18.9	19.7	18.0
17								11.3	16.8	18.5	19.6	17.4
18								12.1	16.5	18.5	19.2	16.9
19								13.3	16.9	18.9	19.0	16.3
20								13.9	17.7	19.0	18.9	15.7
21								14.9	18.7	18.8	18.2	15.0
22								15.6	18.8	19.2	18.0	14.6
23								16.0	18.2	19.7	18.2	14.8
24								15.8	16.8	20.5	18.2	14.9
25								15.6	15.8	21.1	18.2	15.4
26								16.6	15.1	21.1	18.5	14.8
27							9.8	15.5	14.7	20.9	18.8	15.1
28							9.0	13.9	15.8	20.6	18.8	14.2
29							7.7	13.7	16.7	19.7	19.3	13.6
30							8.8	14.8	17.0	19.4	19.7	13.7
31								16.4		19.6	19.4	
Mean	14.3	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	8.8	12.7	15.9	19.6	19.3	16.2
Max	14.9	0.0	0.0	0.0	0.0	0.0	9.8	16.6	18.8	21.1	21.1	19.0
Min	13.6	0.0	0.0	0.0	0.0	0.0	7.7	8.5	13.4	16.9	18.0	13.6

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
22.5 25-Jul	6.8 2-May	21.7 25-Jul	21.7 26-Jul	Optic Stowaway	S/N 155047	003
		21.7 27-Jul		Optic Stowaway	S/N 392302	

Notes:

Water Year - 2002

Stream Temperatures, Klamath River Basin
Wooley Creek 300 m upstream from mouth
Siskiyou County, CA
Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.1											
2	14.6											
3	14.4											
4	14.1											
5	13.8											
6	13.6											
7	13.5											
8	13.4											
9	12.4											
10	11.3											
11	12.3											
12	11.9											
13	11.4											
14	11.4											
15	11.5											
16	11.9											
17	11.8											
18	11.4											
19	10.9											
20	10.7											
21	10.4											
22	10.4											
23												
24												
25												
26												
27												
28												
29												
30												
31												
Mean	12.3	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

9.9 21-Oct

14.9 1-Oct

Optic Stowaway

S/N 392302

14.9 2-Oct

14.9 3-Oct

Notes:

Water Year - 2003

Stream Temperatures, Klamath River Basin
 Wooley Creek 300 m upstream from mouth
 Siskiyou County, CA
 Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										15.2	20.6	18.1
2										14.3	19.9	18.0
3										14.7	19.4	17.5
4										15.2	19.4	17.5
5									13.9	15.6	18.9	18.5
6									13.0	16.4	18.4	18.2
7									13.5	16.5	17.5	16.8
8									13.7	15.8	17.5	15.2
9									13.4	15.9	18.2	14.9
10									13.2	16.0	17.5	14.3
11									13.4	16.4	16.8	15.0
12									13.0	16.6	16.3	15.7
13									12.7	17.0	16.5	15.3
14									13.1	16.9	16.9	14.9
15									12.8	17.6	17.3	15.0
16									14.1	17.5	16.8	14.3
17									15.2	17.4	17.2	13.3
18									14.8	18.1	17.9	12.6
19									14.3	18.7	18.8	13.2
20									13.5	18.9	18.9	14.0
21									13.5	19.5	18.6	14.1
22									13.3	20.0	18.4	14.4
23									13.0	20.2	18.2	14.6
24									12.8	20.9	18.0	14.7
25									13.8	20.6	18.2	14.7
26									14.9	19.7	18.0	14.5
27									15.9	19.3	17.8	14.6
28									16.7	19.4	17.5	14.6
29									16.9	20.0	17.2	14.9
30									16.3	20.6	17.6	14.2
31										20.9	17.9	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	14.0	17.8	18.0	15.3
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.9	20.9	20.6	18.5
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	14.3	16.3	12.6

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
21.8 24-Jul	11.0 24-Jun	21.1	24-Jul	Optic Stowaway	s/n 624360	003
21.8 31-Jul		21.1	25-Jul			
		21.1	26-Jul			
		21.1	27-Jul			
		21.1	28-Jul			
		21.1	30-Jul			
		21.1	31-Jul			
		21.1	1-Aug			

Notes:

Water Year - 2004

Stream Temperatures, Klamath River Basin
 Wooley Creek 300 m upstream from mouth
 Siskiyou County, CA
 Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.0	6.7							12.0	17.2	19.9	17.7
2	13.7	6.7							12.5	17.0	19.3	17.0
3	13.9								12.9	17.4	18.8	15.7
4	14.5								12.6	18.0	18.6	15.5
5	14.2								12.6	18.3	18.0	15.9
6	13.8								11.8	18.5	17.0	16.2
7	14.1								10.9	18.6	17.2	16.4
8	13.4								10.0	18.1	18.2	16.5
9	13.1								10.9	17.3	18.7	16.2
10	11.6								12.2	16.4	18.8	16.0
11	10.4								11.9	16.1	19.5	16.2
12	11.0								12.5	16.9	19.9	16.7
13	10.3								13.2	17.0	19.9	16.1
14	10.0								13.6	16.8	19.7	15.0
15	9.9								13.8	16.6	19.1	14.7
16	10.6								14.7	17.1	18.2	15.2
17	11.0								14.8	18.1	18.3	14.9
18	11.0								15.3	17.7	18.8	13.7
19	11.7								14.9	18.0	19.5	12.8
20	12.4								15.1	18.3	19.9	12.6
21	12.5								15.5	18.9	19.9	12.0
22	12.3								15.7	19.6	19.0	12.2
23	12.3								15.8	19.9	17.4	12.8
24	11.0								15.7	19.9	17.4	13.3
25	10.4								15.1	20.2	17.3	13.7
26	10.5								15.3	20.5	16.6	13.2
27	10.6								15.7	20.4	16.4	12.7
28	10.8								16.4	20.3	16.8	13.0
29	10.8							9.3	16.8	20.1	17.4	13.6
30	9.3							10.8	16.9	20.2	18.1	13.6
31	8.3							11.3		20.0	18.2	
Mean	11.7	6.7	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	10.5	13.9	18.4	18.4	14.7
Max	14.5	6.7	0.0	0.0	0.0	0.0	0.0	11.3	16.9	20.5	19.9	17.7
Min	8.3	6.7	0.0	0.0	0.0	0.0	0.0	9.3	10.0	16.1	16.4	12.0

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
21.5 26-Jul	6.3 1-Nov	21.2	27-Jul	Optic Stowaway	s/n 624360	003
	6.3 2-Nov	21.2	28-Jul	Optic Stowaway	s/n 624366	010

Notes:

Water Year - 2005

Stream Temperatures, Klamath River Basin
 Wooley Creek 300 m upstream from mouth
 Siskiyou County, CA
 Collecting Agency: Happy Camp RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.5								11.3	16.4	19.1	16.2
2	13.6								10.9	15.7	18.6	16.6
3	13.8								11.3	15.7	18.8	16.4
4	13.9								11.6	15.8	19.1	16.0
5	13.7								10.6	16.3	19.5	15.6
6	13.3								9.1	16.7	19.9	15.7
7	13.9								9.0	16.4	20.2	16.1
8	13.8								9.6	15.8	19.4	16.2
9	12.9								11.1	16.3	18.8	15.7
10	11.3								12.3	16.4	18.3	14.8
11	10.7								12.6	16.8	18.3	13.6
12	10.8								12.1	16.4	18.1	13.6
13	11.4								12.6	16.8	18.0	13.6
14	12.0								13.1	17.5	18.2	13.7
15	12.0								12.4	18.6	18.5	13.8
16	11.9								11.9	18.9	18.5	13.5
17	12.2								10.2	18.6	18.5	13.8
18	11.0								9.7	18.7	18.4	13.6
19	10.3								10.3	18.8	18.3	13.4
20									11.7	18.4	18.4	13.7
21									12.5	18.2	18.5	14.0
22									13.2	18.3	18.3	14.0
23									13.8	18.6	18.4	13.9
24									14.5	18.6	18.4	12.5
25									14.5	18.1	18.3	11.6
26									14.6	18.1	17.9	11.5
27									14.9	18.6	17.5	12.0
28									15.2	18.8	17.2	12.5
29									15.4	18.9	16.9	12.5
30									16.1	19.3	16.0	12.7
31										19.6	15.6	
Mean	12.4	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	12.3	17.6	18.3	14.1
Max	13.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.1	19.6	20.2	16.6
Min	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	15.7	15.6	11.5

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
21.1 7-Aug	8.1 7-Jun	20.3 4-Aug		Hobo-Temp	S/N 624360	012
		20.3 5-Aug		Optic Stowaway	s/n 624366	010
		20.3 6-Aug				

Notes:

Water Year - 2006

Stream Temperatures, Klamath River Basin

Wooley Creek 300 m upstream from mouth

Siskiyou County, CA

Collecting Agency: Happy Camp RD, Klamath NF

Orleans RD, Six Rivers NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.4										16.3	15.4
2	12.1										16.8	15.9
3	11.3										17.1	15.9
4	10.5										17.7	15.8
5	10.3										18.0	15.8
6	10.8									16.3	17.4	15.8
7	11.6									16.0	17.3	16.2
8	12.0									16.9	17.2	16.4
9	11.7									18.1	18.0	15.7
10	11.2									18.3	18.6	15.6
11	11.7									17.6	18.6	15.7
12	11.7									16.7	18.4	16.0
13										17.4	18.0	16.2
14										17.8	18.2	15.8
15										18.4	17.9	14.3
16										18.6	17.1	12.9
17										19.1	16.2	12.9
18										19.0	16.1	13.5
19										19.1	16.3	13.9
20										19.4	16.5	13.1
21										19.3	16.5	14.0
22										19.3	16.3	13.3
23										21.1	16.0	12.6
24										21.2	16.4	12.5
25										20.8	16.7	12.5
26										21.4	16.9	12.4
27										21.2	17.2	12.5
28										20.7	17.3	12.3
29										19.0	17.2	12.1
30										16.6	16.4	12.1
31										15.9	15.5	
Mean	11.5	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	18.7	17.1	14.3
Max	13.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.4	18.6	16.4
Min	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.9	15.5	12.1

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
22.5 23-Jul	9.7 5-Oct	22.0	25-Jul	Hobo-Temp	S/N 624360	012
		22.0	26-Jul	Hobo-Temp	S/N 792380	008

Notes:

Water Year - 2007

Stream Temperatures, Klamath River Basin
Wooley Creek 300 m upstream from mouth
Siskiyou County, CA
Collecting Agency: Orleans RD, Six Rivers NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.3											
2	12.0											
3	12.2											
4	12.5											
5	12.1											
6	11.9											
7	11.5											
8	10.8											
9	11.0											
10	10.9											
11	10.5											
12	10.6											
13	10.6											
14	10.9											
15	11.0											
16	11.3											
17	10.8											
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
Mean	11.3	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum	Minimum	Average 7.day max temp.	Instrument	Serial No.	Setting
	9.8 11-Oct	12.6 1-Oct	Hobo-Temp	S/N 792380	008
		12.6 2-Oct			
		12.6 3-Oct			

Notes:

JUL 15 2008

Water Year - 2000

Stream Temperatures, Klamath River Basin

North Fork Salmon River 200 yards upstream of Mule Bridge

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

<input type="checkbox"/> EO	<input type="checkbox"/> WMgmt	<input type="checkbox"/> Admin
<input type="checkbox"/> AEO	<input type="checkbox"/> Timber	<input type="checkbox"/> Legal
<input type="checkbox"/> Reg/NPS	<input type="checkbox"/> Cleanups	<input type="checkbox"/> Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											19.6	15.3
2											19.5	13.7
3											19.3	12.9
4											19.1	12.3
5											19.1	11.7
6											18.7	12.2
7									13.0	13.2	18.6	12.9
8									13.2	14.5	19.3	13.3
9									14.5	15.5	19.2	12.9
10									15.5	16.7	18.2	13.1
11										16.1	17.5	14.3
12										16.7	17.3	15.0
13										16.7	16.7	15.4
14										16.6	16.4	14.8
15										16.7	16.1	14.9
16										16.4	16.5	15.3
17										17.1	16.6	15.1
18										16.9	16.0	15.3
19										17.0	15.8	15.6
20										17.3	15.5	15.7
21										17.6	16.0	15.2
22										17.4	16.5	14.6
23										17.5	16.6	13.3
24										18.0	16.6	12.5
25										17.3	16.6	12.4
26										17.0	16.5	12.4
27										16.9	16.5	12.6
28										17.6	16.6	13.1
29										18.3	16.9	13.2
30										19.2	16.7	13.3
31										19.5	16.2	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	16.8	17.3	13.8
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.5	19.6	15.7
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	15.5	11.7

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
22.6 1-Aug	10.3 5-Sep	22.3 2-Aug	Optic Stowaway	UNKNOWN	
	10.3 6-Sep	22.3 3-Aug			

Notes:

Water Year - 2001

Stream Temperatures, Klamath River Basin

North Fork Salmon River 200 yards upstream of Mule Bridge

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.4	6.1										
2	12.9	7.1										
3	12.2	6.9										
4	11.7	6.5										
5	11.6	7.1										
6	11.5	2.4										
7	11.6											
8	11.6											
9	10.8											
10	10.4											
11	10.0											
12	9.2											
13	9.9											
14	9.8											
15	9.5											
16	9.1											
17	9.0											
18	9.0											
19	9.5											
20	9.3											
21	8.3											
22	7.3											
23	7.0											
24	7.2											
25	7.9											
26	8.1											
27	7.8											
28	7.8											
29	7.3											
30	7.0											
31	6.2											
Mean	9.5	6.0	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	13.4	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	6.2	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

-0.4 6-Nov

Average 7 day max temp.

15.2 1-Oct

Instrument

Optic Stowaway

Serial No.

UNKNOWN

Setting

Notes:

Water Year - 2004

Stream Temperatures, Klamath River Basin

North Fork Salmon River 200 yards upstream of Mule Bridge

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											18.8	16.8
2											18.1	15.6
3											17.7	14.5
4											17.6	14.7
5											17.1	15.0
6										18.1	16.4	15.2
7										17.2	16.5	15.5
8										16.8	17.0	15.5
9										16.6	17.7	15.1
10										15.6	18.0	14.7
11										15.6	18.7	15.0
12										16.4	19.1	15.3
13										16.5	19.2	14.4
14										16.4	19.1	13.5
15										16.5	18.2	13.4
16										16.9	17.9	13.4
17										17.4	17.7	12.8
18										16.9	18.1	11.9
19										16.9	18.7	10.9
20										17.4	19.2	11.0
21										18.1	19.2	10.6
22										18.8	17.7	11.1
23										19.2	16.2	11.6
24										19.2	16.4	12.1
25										19.6	15.4	12.3
26										19.8	14.9	11.9
27										19.7	15.0	11.8
28										19.7	15.6	12.0
29										18.9	16.3	12.3
30										18.9	17.0	12.3
31										19.0	17.1	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	17.8	17.5	13.4
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.8	19.2	16.8
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6	14.9	10.6

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
22.2 25-Jul	8.8 21-Sep	21.9	25-Jul	Optic Stowaway	s/n 629824	001
22.2 26-Jul		21.9	26-Jul			
22.2 27-Jul						
22.2 28-Jul						
22.2 13-Aug						

Notes:

Water Year - 2005

Stream Temperatures, Klamath River Basin

North Fork Salmon River 200 yards upstream of Mule Bridge

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.3	4.6	1.8									
2	12.4	5.2	1.5									
3	12.7	5.7	1.3									
4	12.7	4.9	1.4									
5	12.5	4.7	2.0									
6	12.2	4.4	1.9									
7	12.7	4.5										
8	12.0	4.8										
9	10.9	5.2										
10	10.0	6.2										
11	9.8	6.1										
12	10.1	5.6										
13	10.7	6.1										
14	10.9	5.6										
15	10.9	5.7										
16	10.8	6.6										
17	10.7	5.7										
18	9.3	5.0										
19	8.1	4.4										
20	7.1	3.6										
21	7.1	3.1										
22	7.1	3.3										
23	7.5	3.4										
24	6.5	3.7										
25	5.9	4.6										
26	5.3	4.7										
27	5.2	3.7										
28	5.8	2.4										
29	6.5	1.6										
30	6.3	1.9										
31	5.2											
Mean	9.3	4.6	1.7	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	12.7	6.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	5.2	1.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

0.8 2-Dec 14.4 1-Oct
0.8 3-Dec 14.4 2-Oct
0.8 4-Dec 14.4 3-Oct
14.4 4-Oct

Optic Stowaway

s/n 629824

001

Notes:

Water Year - 2006

Stream Temperatures, Klamath River Basin
 North Fork Salmon River 200 yards upstream of Mule Bridge
 Siskiyou County, CA
 Collecting Agency: Karuk Tribe

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1							6.7	8.2	10.9	19.2	18.7	18.4
2							6.8	8.2	11.0	19.3	19.1	18.4
3							7.1	8.5	11.6	19.5	19.4	18.3
4							6.6	8.8	12.7	19.5	19.8	18.3
5							7.0	8.9	12.6	19.0	20.1	18.2
6							7.6	8.4	12.8	18.5	19.3	18.6
7							7.7	8.9	12.7	18.5	18.7	19.1
8							7.7	8.6	12.7	19.6	19.3	18.9
9							7.6	8.6	13.3	20.7	20.6	18.0
10							7.5	9.1	13.3	20.8	21.2	18.0
11							7.4	9.5	13.1	20.0	21.0	18.4
12							7.6	9.2	12.8	19.3	21.1	18.5
13							8.7	9.4	12.4	20.3	20.8	18.6
14							8.5	9.5	11.6	20.9	20.6	17.8
15						5.8	6.8	9.9	13.2	21.5	20.2	16.1
16						5.3	5.5	9.9	14.7	21.7	19.1	14.7
17						5.8	6.7	10.0	14.9	22.2	18.9	15.2
18						6.0	7.3	9.8	15.1	22.1	18.8	15.8
19						5.4	8.3	8.9	15.2	22.2	18.9	15.8
20						5.6	9.0	9.0	15.3	22.6	19.0	15.3
21						5.6	9.1	9.2	15.7	21.8	19.0	16.5
22						6.6	8.9	9.4	16.0	22.4	19.1	15.5
23						6.6	8.8	9.2	16.8	24.2	19.1	15.0
24						7.5	8.7	9.2	17.6	24.0	19.4	14.8
25						6.9	8.6	9.6	18.3	23.5	19.8	14.8
26						6.8	8.8	8.9	18.7	24.4	20.0	14.7
27						6.5	9.0	8.1	18.7	24.1	20.1	14.6
28						6.8	8.8	9.2	18.5	23.2	20.1	14.4
29						6.4	8.5	10.1	19.1	21.3	19.7	14.2
30						6.2	7.9	10.9	19.4	19.2	18.8	14.0
31						6.5		11.2		18.3	18.2	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		6.3	7.8	9.2	14.7	21.1	19.6
Max	0.0	0.0	0.0	0.0	0.0		7.5	9.1	11.2	19.4	24.4	21.2
Min	0.0	0.0	0.0	0.0	0.0		5.3	5.5	8.1	10.9	18.3	14.0

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
26.6 23-Jul	4.0 19-Mar	25.6 25-Jul	Optic Stowaway	S/N 630401	

Notes:

Water Year - 2007

Stream Temperatures, Klamath River Basin

North Fork Salmon River 200 yards upstream of Mule Bridge

Siskiyou County, CA

Collecting Agency: Karuk Tribe

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.1											
2	14.0											
3	14.1											
4	13.7											
5	13.5											
6	13.6											
7	13.1											
8	12.4											
9	12.7											
10	12.2											
11	11.9											
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
Mean	13.2	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

10.5 11-Oct

15.0 1-Oct

Optic Stowaway

S/N 630401

Notes:

JUL 15 2008

12

Water Year - 2001

Stream Temperatures, Klamath River Basin
 North Fork Salmon River 200m down stream of Mule Bridge
 Siskiyou County, CA
 Collecting Agency: Salmon River RD, Klamath NF

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups ☐ Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										16.3	18.7	18.0
2										17.1	18.6	17.8
3										18.3	18.3	17.6
4										19.4	18.9	17.3
5										19.5	18.6	16.5
6											19.0	15.1
7									15.0	18.3	19.4	15.3
8									14.7	18.4	19.8	15.7
9									14.6	18.9	19.9	15.6
10									13.5	19.1	20.2	15.8
11									13.4	17.9	19.3	14.6
12									13.8	17.0	19.6	14.2
13									13.6	18.0	19.3	14.5
14									14.3	18.1	19.1	15.2
15									15.1	17.9	19.2	16.2
16									15.5	17.4	19.2	16.4
17									15.6	17.5	19.0	16.2
18									15.6	17.4	18.2	16.0
19									16.1	17.5	18.1	15.5
20									17.0	17.6	17.7	14.9
21									17.8	17.5	17.2	14.4
22									18.1	18.1	16.7	14.4
23									17.2	18.4	17.0	14.6
24									15.6	19.1	17.2	14.5
25									14.9	19.7	17.3	14.2
26									14.3	19.6	17.6	13.2
27									14.2	19.7	17.5	13.3
28									15.1	19.2	17.7	12.7
29									15.7	18.6	18.1	12.5
30									16.3	18.7	18.4	12.9
31										18.4	18.3	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	15.3	18.3	18.5	15.2
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.1	19.7	20.2	18.0
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.4	16.3	16.7	12.5

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
23.7 25-Jul	10.7 29-Sep	22.9 9-Aug	Hobo-Temp	UNKNOWN	
		22.9 10-Aug			

Notes:

Water Year - 2002

Stream Temperatures, Klamath River Basin

North Fork Salmon River 200m down stream of Mule Bridge

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13.4	9.1							10.5	15.9	19.5	17.1
2	13.7	8.3							10.1	16.4	18.7	17.4
3	13.4	7.7							10.2	16.2	17.8	17.1
4	13.2								11.0	15.5	15.5	15.7
5	12.8								11.9	15.8	15.1	14.2
6	12.7								11.6	16.1	14.8	13.4
7	12.2								11.0	16.0	14.9	13.1
8	12.1								9.4	15.6	15.3	13.1
9	10.8								8.8	16.3	16.3	13.5
10	10.4								9.9	17.7	17.1	14.1
11	11.8								11.1	18.7	17.7	14.6
12	10.5								12.3	19.2	18.3	15.0
13	10.4								12.8	19.7	18.8	15.3
14	10.7								12.8	19.7	19.2	15.1
15	10.5								13.1	19.5	19.1	14.6
16	10.7								12.7	19.0	19.0	14.1
17	10.7								11.6	18.6	18.3	14.3
18	10.3								12.2	18.5	17.7	14.2
19	9.9								12.4	18.5	16.8	14.2
20	9.9								12.9	18.9	16.3	14.5
21	9.6								13.3	19.5	16.1	14.7
22	9.8								13.9	19.5	16.1	14.7
23	10.1							7.5	13.9	18.8	16.5	14.7
24	8.1							8.8	14.5	17.8	16.9	14.7
25	7.8							9.4	15.8	18.2	16.5	14.4
26	8.1							9.5	16.7	18.7	16.3	13.8
27	8.2							8.8	16.7	18.9	16.3	13.5
28	9.0							9.3	16.1	18.6	16.9	13.0
29	9.5							10.0	16.4	19.1	17.3	12.4
30	9.5							10.0	15.7	19.2	17.4	11.3
31	9.5							10.1		19.2	17.4	
Mean	10.6	8.4	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	9.3	12.7	18.0	17.1	14.4
Max	13.7	9.1	0.0	0.0	0.0	0.0	0.0	10.1	16.7	19.7	19.5	17.4
Min	7.8	7.7	0.0	0.0	0.0	0.0	0.0	7.5	8.8	15.5	14.8	11.3

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
22.5 21-Jul	5.3 23-May	21.9 14-Jul	Hobo-Temp	UNKNOWN	
22.5 15-Aug					

Notes:

Water Year - 2003

Stream Temperatures, Klamath River Basin

North Fork Salmon River 200m down stream of Mule Bridge

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	10.2	3.6										
2	9.6	3.6										
3	9.7	4.0										
4	10.9	4.2										
5	11.2	4.5										
6	11.7	4.7										
7	11.7	5.7										
8	11.5	5.4										
9	11.1	4.0										
10	10.7	4.1										
11	9.6	5.1										
12	8.9	5.3										
13	8.9	5.4										
14	9.0	5.0										
15	9.2	4.4										
16	9.2	4.3										
17	9.2	5.2										
18	9.0	4.6										
19	9.0	4.9										
20	9.0	5.1										
21	8.7	5.1										
22	8.5											
23	8.2											
24	7.9											
25	7.9											
26	7.1											
27	6.9											
28	7.1											
29	6.2											
30	5.2											
31	4.4											
Mean	8.9	4.7	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	11.7	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	4.4	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

2.5 1-Nov
2.5 2-Nov

13.5 7-Oct

Hobo-Temp

UNKNOWN

Notes:

13

Water Year - 1999

JUL 15 2008

Stream Temperatures, Klamath River Basin

North Fork Salmon River at Rattlesnake Gulch

Siskiyou County, CA

Collecting Agency: Salmon River Restoration Council

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups ☐
☐ Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
1									6.3	11.4	13.7	11.4	
2									4.4	10.7	14.0	11.5	
3									5.4	9.0	14.6	11.8	
4									6.6	8.8	15.0	11.8	
5									7.0	10.2	14.5	12.2	
6									5.8	11.2	13.4	12.5	
7									5.2	10.1	12.5	12.4	
8									5.4	11.0	12.7	12.8	
9									6.3	12.2	13.6	13.2	
10									7.0	13.0	13.9	13.3	
11									7.6	13.5	13.8	13.4	
12									7.6	14.5	13.9	13.1	
13									8.0	15.1	14.2	13.1	
14									8.3	14.2	13.3	13.1	
15									8.4	13.4	13.0	12.9	
16									8.3	12.5	13.4	12.9	
17									8.3	11.9	13.6	12.7	
18									8.3	12.4	13.4	12.6	
19									8.5	12.5	13.5	12.9	
20									8.6	12.2	13.9	13.2	
21									9.4	12.2	14.0	13.4	
22									9.5	12.6	14.5	13.0	
23									9.8	12.8	14.8	13.1	
24									9.5	12.8	14.5	12.9	
25									8.5	13.1	14.7	12.6	
26									9.1	13.9	14.8	11.8	
27									9.6	13.8	14.8	11.1	
28									10.5	13.6	14.8	10.8	
29								7.6	11.2	13.3	14.7	11.0	
30								6.3	11.7	13.4	13.4	11.2	
31								6.8		13.7	11.7		
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		6.9	8.0	12.4	13.9	12.5
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	11.7	15.1	15.0	13.4
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	4.4	8.8	11.7	10.8

Instantaneous Peaks

Maximum

16.8 13-Jul

Minimum

3.2 7-Jun

Average 7 day max temp.

16.1 25-Aug

Instrument

Hobo-Temp

Serial No.

UNKNOWN

Setting

Notes:

Water Year - 2000

Stream Temperatures, Klamath River Basin

North Fork Salmon River at Rattlesnake Gulch

Siskiyou County, CA

Collecting Agency: Salmon River Restoration Council

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	11.3											
2	11.3											
3	11.2											
4	11.2											
5	11.1											
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
Mean	11.2	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

10.0 3-Oct
10.0 4-Oct

Hobo-Temp

UNKNOWN

Notes:

14

Water Year - 1999

JUL 15 2008

Stream Temperatures, Klamath River Basin

North Fork Salmon River below junction with Kelly Gul

Siskiyou County, CA

Collecting Agency: Salmon River Restoration Council

<input type="checkbox"/> EO	<input type="checkbox"/> WMgmt	<input type="checkbox"/> Admin
<input type="checkbox"/> AEO	<input type="checkbox"/> Timber	<input type="checkbox"/> Legal
<input type="checkbox"/> Reg/NPS	<input type="checkbox"/> Cleanups	<input type="checkbox"/> Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											14.3	12.0
2											14.7	12.3
3											15.2	12.5
4											15.4	12.5
5											14.6	13.0
6											13.7	13.2
7											12.9	13.0
8											13.3	13.5
9											14.3	13.7
10											14.6	13.8
11											14.3	13.9
12											14.5	13.7
13											14.5	13.9
14										15.3	13.6	13.9
15										14.1	13.6	13.6
16										13.4	14.1	13.3
17										12.8	14.4	13.0
18										13.2	14.3	13.1
19										13.7	14.1	13.5
20										13.4	14.4	13.8
21										13.0	14.6	14.0
22										13.6	15.0	13.7
23										13.7	15.2	13.7
24										13.6	15.0	13.5
25										13.9	15.1	13.2
26										14.7	15.4	12.3
27										14.6	15.3	11.6
28										14.5	15.2	11.3
29										14.3	15.0	11.5
30										14.2	13.8	11.7
31										14.4	11.9	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	13.9	14.4	13.1
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.3	15.4	14.0
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.8	11.9	11.3

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
17.5 4-Aug	10.0 28-Sep	16.7 1-Aug	Hobo-Temp	UNKNOWN	
		16.7 23-Aug			
		16.7 24-Aug			
		16.7 25-Aug			

Notes:

Water Year - 2000

Stream Temperatures, Klamath River Basin

North Fork Salmon River below junction with Kelly Gul

Siskiyou County, CA

Collecting Agency: Salmon River Restoration Council

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	11.8	7.8									19.6	15.3
2	11.9	7.6									19.5	13.7
3	11.8	8.0									19.3	12.9
4	11.8	9.1									19.1	12.3
5	11.6	9.2									19.1	11.7
6	11.6	9.1									18.7	12.2
7	10.7	8.6								13.0	18.6	12.9
8	11.2	8.7								13.2	19.3	13.3
9	11.3	8.0								14.5	19.2	12.9
10	11.3	8.0								15.5	18.2	13.1
11	11.6	8.4								16.1	17.5	14.3
12	11.2									16.7	17.3	15.0
13	10.9									16.7	16.7	15.4
14	10.8									16.6	16.4	14.8
15	9.8									16.7	16.1	14.9
16	9.5									16.4	16.5	15.3
17	9.2									17.1	16.6	15.1
18	9.0									16.9	16.0	15.3
19	9.2									17.0	15.8	15.6
20	9.4									17.3	15.5	15.7
21	9.4									17.6	16.0	15.2
22	9.3									17.4	16.5	14.6
23	9.2									17.5	16.6	13.3
24	8.9									18.0	16.6	12.5
25	9.0									17.3	16.6	12.4
26	10.0									17.0	16.5	12.4
27	9.5									16.9	16.5	12.6
28	8.9									17.6	16.6	13.1
29	7.8									18.3	16.9	13.2
30	8.1									19.2	16.7	13.3
31	8.6									19.5	16.2	
Mean	10.1	8.4	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	16.8	17.3	13.8
Max	11.9	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.5	19.6	15.7
Min	7.8	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	15.5	11.7

Instantaneous Peaks

Maximum

22.6 1-Aug

Minimum

6.7 2-Nov

Average 7 day max temp.

22.3 2-Aug

22.3 3-Aug

Instrument

Hobo-Temp

Serial No.

UNKNOWN

Setting

Notes:

15

NCRWQCB

Water Year - 1999

JUL 15 2008

Stream Temperatures, Klamath River Basin
 North Fork Salmon River at Little North Fork
 Siskiyou County, CA
 Collecting Agency:

Salmon River Restoration Council

Temperature, Degrees Celsius

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups ☐ Date

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										14.4	18.4	16.4
2										13.8	18.8	16.4
3										12.4	19.3	16.7
4										12.2	19.6	16.6
5									9.9	13.2	18.5	16.7
6									8.0	14.2	17.3	17.0
7									7.4	13.8	16.4	16.8
8									7.6	14.1	17.1	17.1
9									8.3	15.4	18.1	17.2
10									9.2	16.2	17.9	17.3
11									9.8	16.8	18.1	17.5
12									9.6	17.7	18.5	17.4
13									10.2	18.4	18.6	17.5
14									10.5	17.8	18.0	17.5
15									10.6	17.3	18.1	17.2
16									10.3	16.5	18.5	16.7
17									10.3	16.1	18.6	16.3
18									10.4	16.5	18.5	16.4
19									10.7	16.7	18.4	16.8
20									10.7	16.7	18.6	17.2
21									11.8	16.5	19.0	17.3
22									12.1	17.1	19.0	17.0
23									12.2	17.2	19.0	17.0
24									12.2	17.3	19.0	16.9
25									11.3	17.5	19.2	16.6
26									11.9	18.3	19.2	15.9
27									12.3	18.4	18.9	15.2
28									13.3	18.4	19.1	14.8
29									14.1	18.2	19.0	14.7
30									14.6	18.1	17.7	14.8
31										18.4	16.3	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	10.7	16.3	18.4	16.6
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.6	18.4	19.6	17.5
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	12.2	16.3	14.7

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
22.6 4-Aug	5.5 7-Jun	21.7 1-Aug	Hobo-Temp	UNKNOWN	
		21.7 21-Aug			
		21.7 22-Aug			
		21.7 23-Aug			

Notes:

Water Year - 2000

Stream Temperatures, Klamath River Basin

North Fork Salmon River at Little North Fork

Siskiyou County, CA

Collecting Agency: Salmon River Restoration Council

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.7	8.8										
2	14.6	8.3										
3	14.5	8.6										
4	14.5	9.7										
5	14.3	9.9										
6	14.5	9.6										
7	13.8	9.0										
8	13.9	9.4										
9	13.9	8.8										
10	13.9	8.8										
11	14.1	9.1										
12	13.7	9.5										
13	13.2	8.6										
14	13.1	8.2										
15	12.0	9.2										
16	11.4	8.8										
17	11.3	7.9										
18	11.1	7.1										
19	11.1											
20	11.1											
21	10.9											
22	10.7											
23	10.6											
24	10.5											
25	10.5											
26	11.3											
27	10.5											
28	9.8											
29	9.3											
30	9.1											
31	9.5											
Mean	12.2	8.9	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	14.7	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	9.1	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

6.6 18-Nov

16.8 1-Oct

Hobo-Temp

UNKNOWN

Notes:

Water Year - 2006

Stream Temperatures, Klamath River Basin

North Fork Salmon River at Little North Fork

Siskiyou County, CA

Collecting Agency: Scott River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											13.0	12.8
2											13.2	12.9
3											13.5	13.0
4											13.8	13.0
5											14.0	13.1
6											13.8	13.3
7											13.6	13.3
8											13.5	13.2
9											13.9	12.4
10											14.2	12.6
11										13.6	14.1	12.8
12										12.9	14.0	12.9
13										13.4	14.0	13.0
14										13.9	14.1	12.3
15										14.3	13.9	10.8
16										14.4	13.1	10.2
17										14.8	12.9	10.7
18										14.6	13.2	11.1
19										14.7	13.6	10.8
20										15.0	13.8	10.3
21										14.8	13.7	11.1
22										15.4	13.5	10.2
23										16.0	13.1	10.1
24										15.9	13.1	10.1
25										15.9	13.3	10.3
26										16.3	13.3	10.5
27										16.2	13.5	10.7
28										15.7	13.7	10.9
29										14.6	13.3	10.8
30										13.2	12.6	10.7
31										12.7	12.4	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	14.7	13.5	11.7
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.3	14.2	13.3
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	12.4	10.1

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
18.3 26-Jul	9.1 16-Sep	17.8 25-Jul	Hobo-Temp	UNKNOWN	n/a

Notes:

Water Year - 2007

Stream Temperatures, Klamath River Basin

North Fork Salmon River at Little North Fork

Siskiyou County, CA

Collecting Agency: Scott River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	10.6											
2	10.3											
3	10.3											
4	10.0											
5	9.8											
6	9.7											
7	9.1											
8	9.2											
9	9.5											
10	9.0											
11	8.9											
12	9.1											
13	9.3											
14	9.4											
15	9.2											
16	8.9											
17	8.0											
18	7.8											
19	8.4											
20	8.6											
21	8.3											
22	8.2											
23	8.3											
24	8.0											
25	7.1											
26	7.1											
27	7.3											
28	7.3											
29	6.9											
30												
31												
Mean	8.7	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

6.5 25-Oct
6.5 26-Oct

11.4 1-Oct

Hobo-Temp

UNKNOWN

n/a

Notes:

16

Water Year - 2002

Stream Temperatures, Klamath River Basin

North Fork Salmon River at junction with Big Creek

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											18.5	16.2
2											17.7	16.4
3											16.8	16.1
4											14.9	14.9
5											14.0	13.3
6											13.4	12.4
7											13.4	11.8
8											13.9	11.6
9											15.0	12.1
10											15.9	12.7
11											16.6	13.4
12											17.3	13.9
13											17.9	14.3
14											18.4	14.2
15											18.3	13.9
16											18.2	13.2
17											17.5	13.4
18											16.7	13.0
19										17.4	15.9	13.1
20										17.8	15.3	13.4
21										18.6	15.0	13.5
22										18.6	15.1	13.6
23										17.6	15.1	13.2
24										16.9	15.5	
25										17.2	15.4	
26										17.6	15.3	
27										17.9	15.2	
28										17.5	15.8	
29										18.0	16.3	
30										18.2	16.5	
31										18.2	16.4	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	17.8	16.0	13.6
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6	18.5	16.4
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.9	13.4	11.6

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
20.8 21-Jul	10.2 7-Sep	20.3 19-Jul	Hobo-Temp	UNKNOWN	
	10.2 8-Sep				
	10.2 9-Sep				

Notes:

17

Water Year - 1997

JUL 15 2008

Stream Temperatures, Klamath River Basin

North Fork Salmon River upstream of Forks of Salmon

Siskiyou County, CA

Collecting Agency: Salmon River Restoration Council

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups ☐ Date
☐

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1									15.9	15.3	21.7	20.7
2									15.4	17.2	21.6	20.5
3									14.6	18.6	21.9	20.7
4									13.6	19.7	22.1	20.5
5									14.5	20.1	22.6	20.1
6									15.1	19.6	23.5	19.6
7									16.0	20.4	24.2	19.6
8									16.2	20.9	24.3	19.5
9									16.7	20.7	23.6	19.1
10									17.2	20.1	22.4	19.1
11									17.2	19.8	22.4	19.4
12									16.2	19.9	22.8	19.6
13									15.7	20.8	22.8	18.7
14									17.1	21.4	22.5	17.9
15									18.2	21.3	22.5	16.6
16								14.6	19.1	21.3	21.8	16.7
17								14.9	18.9	20.7	21.3	17.3
18								15.0	18.5	20.6	21.2	16.1
19								14.8	18.6	21.7	21.5	15.8
20								14.3	18.1	22.5	21.8	15.9
21								13.6	17.5	22.6	21.6	16.3
22								13.0	17.0	21.8	21.6	16.8
23								13.4	16.9	22.3	21.0	17.3
24								13.5	17.7	22.5	20.9	17.3
25								12.9	18.5	22.5	20.7	17.3
26								12.4	18.2	22.6	20.0	17.3
27								13.2	17.8	23.2	19.9	15.8
28								14.2	16.9	23.2	20.2	15.7
29								15.0	15.9	22.3	20.7	16.1
30								16.5	15.6	22.0	20.7	16.5
31								16.6		22.1	20.5	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		14.2	16.8	21.0	18.0
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0		16.6	19.1	23.2	20.7
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0		12.4	13.6	15.3	15.7

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
26.3 7-Aug	11.0 25-May	25.4 9-Aug	Hobo-Temp	UNKNOWN	
26.3 8-Aug					

Notes:

Water Year - 1998

Stream Temperatures, Klamath River Basin

North Fork Salmon River upstream of Forks of Salmon

Siskiyou County, CA

Collecting Agency: Salmon River Restoration Council

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	16.0											
2	15.0											
3	14.7											
4	15.2											
5	14.7											
6	13.7											
7	12.7											
8	12.5											
9	11.6											
10	10.8											
11	10.9											
12	11.0											
13	10.7											
14	10.9											
15	11.1											
16	11.2											
17	11.4											
18	11.3											
19	10.8											
20	9.7											
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
Mean	12.3	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

9.2 20-Oct

16.7 1-Oct

Hobo-Temp

UNKNOWN

Notes:

Water Year - 1999

Stream Temperatures, Klamath River Basin

North Fork Salmon River upstream of Forks of Salmon

Siskiyou County, CA

Collecting Agency: Salmon River Restoration Council

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											14.5	12.1
2											14.8	12.4
3											15.3	12.6
4											15.6	12.6
5											14.8	13.1
6											13.9	13.2
7											13.1	13.1
8											13.5	13.6
9											14.4	13.8
10											14.7	13.9
11											14.4	14.0
12											14.6	13.8
13											14.7	14.0
14										15.4	13.8	14.0
15										14.3	13.8	13.7
16										13.5	14.3	13.4
17										12.9	14.5	13.1
18										13.4	14.5	13.1
19										13.8	14.2	13.5
20										13.5	14.6	13.9
21										13.2	14.8	14.0
22										13.8	15.1	13.7
23										13.8	15.3	13.7
24										13.8	15.2	13.5
25										14.1	15.2	13.3
26										14.8	15.5	12.3
27										14.8	15.4	11.7
28										14.7	15.3	11.3
29										14.5	15.1	11.6
30										14.4	14.0	11.7
31										14.6	12.1	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	14.1	14.5	13.1
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.4	15.6	14.0
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9	12.1	11.3

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
17.9 4-Aug	10.1 28-Sep	17.1 1-Aug	Hobo-Temp	UNKNOWN	

Notes:

Water Year - 2000

Stream Temperatures, Klamath River Basin

North Fork Salmon River upstream of Forks of Salmon

Siskiyou County, CA

Collecting Agency: Salmon River Restoration Council

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	11.8	7.8									24.1	18.6
2	11.9	7.5									23.7	17.3
3	11.8	8.0									23.5	16.9
4	11.8	9.0									23.2	17.0
5	11.7	9.2									23.0	16.8
6	11.7	9.1								17.5	22.6	17.0
7	10.8	8.5								17.2	22.7	17.7
8	11.2	8.7								17.6	23.3	17.9
9	11.3	8.0								19.3	22.9	17.4
10	11.3	8.0								20.4	22.2	17.7
11	11.6	8.4								20.6	21.6	18.9
12	11.3									21.1	21.4	19.8
13	10.9									21.0	20.9	20.0
14	10.8									20.7	20.4	19.7
15	9.8									20.9	20.3	19.1
16	9.5									20.2	20.7	19.1
17	9.2									20.8	20.7	19.4
18	9.0									20.9	20.1	19.5
19	9.2									20.7	20.0	19.7
20	9.3									21.2	19.5	19.6
21	9.3									21.5	20.1	19.0
22	9.2									21.5	20.9	18.3
23	9.1									21.6	21.0	17.2
24	8.9									22.0	20.8	16.5
25	9.0									21.5	20.6	16.3
26	10.0									21.0	20.8	16.4
27	9.5									20.8	20.8	16.4
28	9.0									21.7	20.9	16.8
29	8.0									22.4	20.9	17.0
30	8.1									23.2	20.6	17.2
31	8.6									23.7	20.0	
Mean	10.1	8.4	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	20.8	21.4	18.0
Max	11.9	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.7	24.1	20.0
Min	8.0	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.2	19.5	16.3

Instantaneous Peaks

Maximum

26.1 1-Aug

Minimum

6.7 2-Nov

Average 7 day max temp.

25.4 1-Aug

25.4 2-Aug

25.4 3-Aug

Instrument

Hobo-Temp

Serial No.

UNKNOWN

Setting

Notes:

Water Year - 2001

Stream Temperatures, Klamath River Basin

North Fork Salmon River upstream of Forks of Salmon

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF
Salmon River Restoration Council

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	17.4	10.0								20.6	22.9	21.9
2	16.8	9.7								21.6	22.8	21.9
3	15.8	9.0								23.0	22.4	21.5
4	15.1									23.8	22.4	20.9
5	14.8									24.2	22.7	20.2
6	14.8									23.7	22.9	19.0
7	14.9								19.3	23.0	23.7	19.3
8	14.7								19.4	23.0	24.2	19.9
9	13.9								18.9	23.1	24.5	19.7
10	13.4								18.1	23.5	24.3	19.6
11	13.4								17.2	22.9	23.4	18.7
12	12.8								18.1	22.5	23.2	17.8
13	13.1								18.4	22.7	22.6	18.4
14	13.0								19.2	23.3	22.4	19.3
15	12.5								19.5	22.9	22.8	20.4
16	11.8								20.0	21.7	22.8	20.6
17	11.6								20.0	21.6	22.6	20.2
18	11.8								19.8	21.8	22.0	20.0
19	12.1								20.2	22.1	22.2	19.4
20	12.2								21.2	21.8	21.7	18.6
21	11.7								22.3	21.7	21.0	17.9
22	10.0								22.2	22.5	20.6	17.8
23	9.2								21.3	23.4	20.4	18.2
24	9.2								19.5	24.2	21.0	17.9
25	10.2								18.4	24.9	21.3	18.0
26	10.8								17.6	24.6	21.7	16.9
27	10.5								17.3	24.2	21.8	17.0
28	10.6								19.2	23.6	21.9	16.1
29	10.0								20.3	22.6	22.5	15.9
30	9.1								20.8	22.3	22.6	16.3
31	8.8									22.8	22.2	
Mean	12.5	9.6	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	19.5	22.9	22.4	19.0
Max	17.4	10.0	0.0	0.0	0.0	0.0	0.0	0.0	22.3	24.9	24.5	21.9
Min	8.8	9.0	0.0	0.0	0.0	0.0	0.0	0.0	17.2	20.6	20.4	15.9

Instantaneous Peaks

Maximum

27.4 25-Jul

Minimum

8.1 23-Oct
8.1 31-Oct

Average 7 day max temp.

26.4 25-Jul

Instrument

Hobo-Temp

Serial No.

UNKNOWN

Setting

Notes:

Water Year - 2002

Stream Temperatures, Klamath River Basin

North Fork Salmon River upstream of Forks of Salmon

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	16.8								13.6	20.3	23.2	21.5
2	17.3								13.5	21.0	22.3	21.8
3	16.9								13.4	20.4	21.0	21.5
4	16.6								14.1	19.6	19.1	19.3
5	16.1								15.3	19.9	18.9	17.9
6	15.8								15.2	20.0	18.7	17.2
7	15.4								14.6	20.1	19.3	16.8
8	15.1								13.3	19.8	20.0	16.9
9	13.9								12.3	20.7	20.9	17.5
10	12.7								13.3	22.3	21.8	18.4
11									14.6	23.2	22.3	18.9
12									15.7	23.5	22.8	19.2
13									16.2	23.8	23.2	19.3
14									16.2	23.4	23.6	18.9
15									16.5	23.2	23.7	18.4
16									16.2	22.9	23.1	17.9
17									15.1	22.5	22.2	18.0
18									15.6	22.4	21.7	18.3
19									16.3	22.4	20.6	18.2
20									16.8	23.0	19.9	18.4
21									17.3	23.8	19.8	18.7
22									17.8	23.2	20.2	18.6
23								10.7	17.9	22.7	20.4	18.6
24								11.9	18.4	22.3	20.5	18.7
25								12.5	19.7	22.2	20.3	18.3
26								12.7	20.7	22.7	20.4	17.5
27								11.9	20.7	23.3	20.6	17.0
28								12.0	20.2	22.9	21.3	16.5
29								13.3	20.4	23.1	21.9	16.0
30								13.4	20.0	23.2	21.8	15.2
31								13.5		22.9	21.6	
Mean	15.7	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	12.4	16.4	22.2	21.2	18.3
Max	17.3	0.0	0.0	0.0	0.0	0.0	0.0	13.5	20.7	23.8	23.7	21.8
Min	12.7	0.0	0.0	0.0	0.0	0.0	0.0	10.7	12.3	19.6	18.7	15.2

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
26.0 21-Jul	8.6 23-May	25.1	13-Jul	Hobo-Temp	UNKNOWN	
26.0 15-Aug		25.1	14-Jul			

Notes:

Water Year - 2003

Stream Temperatures, Klamath River Basin
 North Fork Salmon River upstream of Forks of Salmon
 Siskiyou County, CA
 Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.0	5.1										
2	12.9	4.7										
3	12.6	5.0										
4	13.6	5.3										
5	14.5	5.6										
6	15.1	6.2										
7	14.9	7.9										
8	14.6	8.1										
9	14.1	7.4										
10	13.6	6.6										
11	12.6	6.7										
12	11.6	7.0										
13	11.2											
14	11.3											
15	11.4											
16	11.4											
17	11.2											
18	11.0											
19	11.3											
20	11.6											
21	11.2											
22	10.9											
23	10.5											
24	10.0											
25	9.9											
26	9.4											
27	9.0											
28	8.9											
29	8.7											
30	7.5											
31	6.3											
Mean	11.5	6.3	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	15.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	6.3	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

3.9 2-Nov

16.1 7-Oct

Hobo-Temp

UNKNOWN

Notes:

Water Year - 2004

Stream Temperatures, Klamath River Basin

North Fork Salmon River upstream of Forks of Salmon

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											23.0	21.1
2											22.6	20.0
3											22.3	18.8
4											21.9	18.9
5											20.8	19.4
6										23.0	20.0	19.7
7										21.8	21.1	19.9
8										21.4	22.1	20.0
9										20.6	22.5	19.4
10										19.6	22.6	18.9
11										19.6	23.4	19.2
12										20.6	23.6	19.4
13										20.7	23.6	18.5
14										20.6	23.3	17.8
15										20.5	22.5	17.7
16										21.0	21.7	18.3
17										22.1	21.8	17.5
18										21.2	22.4	16.2
19										21.1	23.0	15.4
20										21.7	23.5	15.2
21										22.6	23.3	14.7
22										23.3	22.0	15.0
23										23.6	20.1	15.6
24										23.5	20.2	16.2
25										23.7	19.8	16.4
26										23.9	19.8	15.7
27										23.9	19.6	15.4
28										23.9	20.2	15.6
29										23.4	20.9	16.0
30										23.1	21.5	16.1
31										23.4	21.4	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	22.1	21.8	17.6
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.9	23.6	21.1
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.6	19.6	14.7

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
26.0 26-Jul	13.0 21-Sep	25.8	25-Jul	Optic Stowaway	s/n 433268	001
26.0 27-Jul						
26.0 28-Jul						

Notes:

Water Year - 2005

Stream Temperatures, Klamath River Basin

North Fork Salmon River upstream of Forks of Salmon

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	16.2	7.3										
2	16.2	7.3										
3	16.0	8.2										
4	16.0	7.1										
5	16.0	6.5										
6	15.4	6.2										
7	15.9	6.0										
8	15.6	6.2										
9	14.8	7.0										
10	13.3	8.3										
11	12.7	8.8										
12	12.7	7.7										
13	13.2	8.1										
14	13.6	7.6										
15	13.4	7.4										
16	13.2	8.4										
17	13.2	7.8										
18	12.2	6.7										
19	11.3	6.6										
20	10.5	4.8										
21	10.3	3.7										
22	10.3	3.4										
23	10.6											
24	9.8											
25	9.2											
26	8.7											
27	8.2											
28	8.7											
29	9.6											
30	9.3											
31	8.7											
Mean	12.4	6.9	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	16.2	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	8.2	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

3.1 21-Nov

17.6 1-Oct

Optic Stowaway

s/n 433268

001

3.1 22-Nov

17.6 2-Oct

Notes:

Water Year - 2006

Stream Temperatures, Klamath River Basin

North Fork Salmon River upstream of Forks of Salmon

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										19.7	19.0	18.7
2										19.8	19.5	18.7
3										20.0	19.8	18.6
4										20.0	20.2	18.7
5										19.6	20.5	18.5
6										19.0	19.8	18.9
7										18.9	19.2	19.4
8										20.0	19.5	19.3
9										21.1	21.0	18.3
10										21.3	21.7	18.3
11										20.6	21.4	18.8
12										19.8	21.5	18.9
13										20.7	21.3	19.0
14										21.4	21.0	18.3
15										22.0	20.6	16.6
16										22.2	19.5	15.2
17										22.7	19.2	15.6
18										22.7	19.2	16.2
19										22.8	19.2	16.2
20										23.1	19.3	15.6
21										22.5	19.4	16.7
22										22.7	19.5	15.8
23										24.7	19.4	15.3
24										24.6	19.8	15.1
25										24.0	20.2	15.0
26										24.9	20.4	15.0
27										24.7	20.5	14.8
28									19.0	23.8	20.6	14.6
29									19.4	22.0	20.2	14.5
30									19.9	19.8	19.2	14.3
31										18.8	18.6	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	19.4	21.6	20.0	17.0
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.9	24.9	21.7	19.4
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.0	18.8	18.6	14.3

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
27.0 23-Jul	13.2 30-Sep	26.1 25-Jul	Optic Stowaway	S/N 659509	n/a

Notes:

18

Water Year - 1991

JUL 15 2008

Stream Temperatures, Klamath River Basin

South Fork Salmon River 1/4 mile upstream of East Fork

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups ☐ Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1		8.3	3.5	0.2	2.2	5.8	6.3	6.2	9.9	13.5	17.7	18.3
2		6.6	3.5	0.2	3.9	5.1	6.6	7.3	10.2	14.5	17.9	18.2
3		6.7	3.3	0.7	4.0	5.5	5.2	7.7	9.3	15.3	18.1	18.3
4		7.2	3.3	0.3	4.2	5.1	6.3	8.2	9.2	15.9	18.1	18.4
5		8.3	4.4	0.3	4.3	4.0	5.9	7.6	8.6	16.3	17.9	18.1
6		6.4	2.8	0.6	3.7	3.8	5.5	6.8	9.4	16.2	18.1	18.0
7		6.0	2.6	1.3	3.6	4.1	5.0	7.4	10.3	16.2	16.6	17.5
8		7.8	2.7	1.1	3.8	4.0	4.9	6.3	10.9	16.4		16.6
9		6.5	3.4	1.8	3.7	4.2	6.1	5.3	11.4	16.0		15.9
10		5.8	4.9	2.0	4.4	4.1	4.6	6.0	11.8	15.5		16.1
11		5.6	4.7	1.9	4.5	3.2	4.3	7.2	11.4	15.7		16.1
12		5.9	3.4	1.8	4.3	3.5	5.5	7.6	10.9	16.6		16.3
13		6.4	3.2	3.3	5.2	4.1	6.5	6.9	10.4	16.7		16.4
14		6.6	2.5	4.1	4.8	3.8	6.5	8.1	10.0	16.7		16.3
15		5.8	2.8	4.5	5.3	3.9	6.4	8.4	10.4	15.7		16.3
16		4.9	3.3	2.6	5.6	3.5	6.5	7.8	10.5	14.8		16.3
17		5.0	2.6	3.0	5.4	4.3	6.2	6.0	10.8	15.9		16.6
18		6.0	2.9	2.9	5.3	4.1	6.4	4.8	11.1	16.8		16.9
19		6.2	1.7	3.2	4.9	4.2	6.7	6.7	10.6	17.6		17.0
20		5.9	0.8	2.0	4.0	4.6	7.0	8.3	10.8	18.0		17.1
21		5.9	-0.1	1.5	4.2	4.4	7.1	8.7	10.7	17.9	20.7	16.2
22		5.4	-0.3	1.3	4.6	4.3	7.4	8.9	10.6	18.0	18.6	15.4
23		4.2	-0.1	1.3	4.3	3.6	7.1	8.7	10.2	17.3	18.5	15.7
24	11.1	3.8	0.0	1.2	4.3	3.5	6.6	8.6	11.1	17.8	18.0	15.9
25	10.3	3.9	0.2	0.7	4.3	4.4	5.5	7.7	11.3	17.2	17.6	16.1
26	10.3	4.2	0.4	0.8	4.3	4.4	5.6	7.8	10.5	17.7	17.3	15.9
27	10.1	4.2	0.3	0.5	4.4	4.6	6.7	8.2	10.1	18.1	16.4	15.6
28	10.4	3.8	0.8	0.4	5.8	5.1	7.2	8.7	10.9	18.5	16.8	15.5
29	10.7	4.1	0.0	0.2		5.6	7.3	7.1	11.3	18.7	17.3	15.7
30	10.3	5.0	-0.1	0.4		6.0	6.7	7.5	12.1	18.7	17.7	15.8
31	9.6		0.1	1.9		6.0		8.2		18.5	17.7	
Mean	10.4	5.7	2.0	1.5	4.4	4.4	6.2	7.4	10.6	16.7	17.8	16.6
Max	11.1	8.3	4.9	4.5	5.8	6.0	7.4	8.9	12.1	18.7	20.7	18.4
Min	9.6	3.8	-0.3	0.2	2.2	3.2	4.3	4.8	8.6	13.5	16.4	15.4

Instantaneous Peaks

Maximum

22.9 21-Aug

Minimum

-0.7 21-Dec

-0.7 30-Dec

-0.7 29-Jan

Average 7 day max temp.

22.4 21-Aug

Instrument

Ryan Tempmentor

Serial No.

UNKNOWN

Setting

Notes:

Water Year - 1997

Stream Temperatures, Klamath River Basin
 South Fork Salmon River 1/4 mile upstream of East Fork
 Siskiyou County, CA
 Collecting Agency: SRRC

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1									12.7	11.2	17.1	15.9
2									11.9	12.4	16.9	15.8
3									11.7	13.7	17.1	15.7
4									11.0	15.0	17.3	15.7
5									11.4	15.4	17.6	15.4
6									11.8	14.8	18.3	15.0
7									12.5	15.6	19.0	15.0
8									12.5	16.0	19.1	14.9
9									12.7	16.0	18.6	14.8
10									13.3	15.4	17.6	14.9
11									13.5	14.8	17.6	14.9
12									12.7	14.7	17.8	15.2
13									11.8	15.7	17.8	14.4
14									13.0	16.5	17.5	13.9
15									14.2	16.3	17.6	12.8
16								11.4	15.1	16.5	17.0	12.6
17								11.7	14.9	16.0	16.8	12.8
18								11.7	14.5	15.8	16.5	11.8
19								11.3	14.1	16.6	16.5	11.5
20								10.8	13.6	17.4	17.0	11.6
21								10.2	12.9	17.6	16.9	12.0
22								10.0	12.4	17.1	16.6	12.6
23								10.4	12.1	17.5	16.5	13.0
24								10.2	12.8	17.8	16.0	13.0
25								9.6	13.9	17.8	15.7	13.5
26								9.4	13.1	17.8	15.3	13.7
27								10.8	13.2	18.2	15.7	11.8
28								11.8	12.5	17.9	15.7	11.9
29								12.3	11.9	16.8	16.1	12.4
30								13.3	11.2	17.2	15.9	12.8
31								13.3		17.5	15.9	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	11.1	12.8	16.1	17.0	13.7
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3	15.1	18.2	19.1	15.9
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	11.0	11.2	15.3	11.5

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
22.4 7-Aug	7.8 25-May	21.5 8-Aug	Hobo-Temp	UNKNOWN	
22.4 8-Aug		21.5 9-Aug			

Notes:

Water Year - 1998

Stream Temperatures, Klamath River Basin

South Fork Salmon River 1/4 mile upstream of East Fork

Siskiyou County, CA

Collecting Agency: SRRC

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.7											
2	11.8											
3	11.5											
4	12.1											
5	10.9											
6	10.3											
7	9.3											
8	9.1											
9	9.0											
10	8.2											
11	8.1											
12	8.0											
13	7.8											
14	8.2											
15	8.4											
16	8.6											
17	8.9											
18	8.7											
19	8.1											
20	7.0											
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
Mean	9.3	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

6.2 13-Oct
6.2 20-Oct

Hobo-Temp

UNKNOWN

Notes:

JUL 15 2008

19

Water Year - 1999

Stream Temperatures, Klamath River Basin
 South Fork Salmon River at Petersburg
 Siskiyou County, CA
 Collecting Agency:

Salmon River Restoration Council

☐ EO ☐ WMgmt ☐ Admin
☐ AEO ☐ Timber ☐ Legal
☐ Reg/NPS ☐ Cleanups ☐ Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										12.2	15.3	13.7
2										11.3	15.4	13.9
3										10.3	16.2	14.0
4										10.6	16.6	14.0
5										11.7	15.4	14.3
6										12.6	14.5	14.8
7										11.8	13.8	14.6
8										12.3	15.0	15.1
9										13.5	15.7	15.3
10										14.0	15.5	14.8
11										14.2	15.8	15.2
12									10.5	15.0	16.0	15.1
13									9.7	15.4	15.8	15.3
14									10.1	14.8	15.3	15.3
15									10.1	14.2	15.2	14.9
16									9.8	13.6	15.7	14.7
17									9.9	13.4	15.8	14.5
18									9.9	13.9	15.7	14.5
19									10.2	14.0	15.7	14.7
20									10.2	13.7	16.0	15.0
21									11.1	13.6	16.3	15.2
22									11.1	14.0	16.8	14.7
23									11.2	14.0	16.3	14.6
24									10.9	14.3	16.4	14.7
25									10.2	14.6	16.5	14.3
26									10.7	15.4	16.4	13.5
27									11.2	15.1	16.3	12.7
28									12.1	14.9	16.7	12.3
29									12.6	14.8	16.5	11.8
30									12.7	14.9	15.1	12.3
31										15.3	13.8	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	10.7	13.7	15.7	14.3
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	15.4	16.8	15.3
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	10.3	13.8	11.8

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
20.9 22-Aug	7.4 13-Jun	20.1 19-Aug	Hobo-Temp	UNKNOWN	
	7.4 16-Jun				
	7.4 18-Jun				

Notes:

Water Year - 2000

Stream Temperatures, Klamath River Basin

South Fork Salmon River at Petersburg

Siskiyou County, CA

Collecting Agency: Salmon River Restoration Council

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.4	7.8										
2	12.5	7.2										
3	12.4	7.6										
4	12.5	8.7										
5	12.5	9.2										
6	12.7	8.8										
7	11.7	8.9										
8	12.1	8.4										
9	12.2	7.8										
10	12.3	8.0										
11	12.6	8.2										
12	12.0	8.3										
13	11.6	7.5										
14	11.4	6.4										
15	10.1											
16	9.3											
17	9.3											
18	9.3											
19	9.5											
20	9.5											
21	9.3											
22	9.3											
23	9.2											
24	9.2											
25	9.2											
26	10.3											
27	9.5											
28	8.8											
29	7.9											
30	7.8											
31	8.4											
Mean	10.5	8.1	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	12.7	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	7.8	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

5.3 2-Nov

14.9 1-Oct

Hobo-Temp

UNKNOWN

Notes:

Water Year - 2001

Stream Temperatures, Klamath River Basin

South Fork Salmon River at Petersburg

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										18.7	22.2	21.1
2										19.9	22.0	21.0
3										21.4	21.5	20.6
4										22.3	21.7	20.2
5										22.8	21.8	19.4
6											22.4	18.2
7									17.7	21.8	22.7	18.4
8									17.5	21.9	23.3	19.0
9									17.2	22.1	23.6	18.8
10									16.4	22.3	23.5	18.8
11									15.7	21.6	22.5	18.0
12									16.7	21.4	22.6	17.1
13									16.9	21.7	21.9	17.8
14									17.6	22.2	21.6	18.8
15									17.9	22.1	22.0	19.9
16									18.3	20.8	22.0	19.9
17									18.4	20.7	21.8	19.5
18									18.2	20.9	21.3	19.3
19									18.6	21.3	21.3	18.6
20									19.7	20.9	20.8	17.8
21									20.9	20.8	20.2	17.2
22									20.7	21.5	19.9	17.0
23									19.7	22.4	19.6	17.5
24									18.1	23.3	20.4	17.3
25									17.1	23.9	20.5	17.5
26									16.3	23.7	20.8	16.2
27									14.8	23.3	20.9	16.3
28									16.2	22.8	21.1	15.5
29									17.9	21.8	21.7	15.3
30									18.8	21.5	21.8	15.7
31										22.1	21.4	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	17.8	21.8	21.6	18.3
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.9	23.9	23.6	21.1
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.8	18.7	19.6	15.3

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
26.2 25-Jul	13.6 29-Sep	25.2	25-Jul	Hobo-Temp	UNKNOWN	

Notes:

Water Year - 2002

Stream Temperatures, Klamath River Basin

South Fork Salmon River at Petersburg

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	16.2	10.9							10.8	15.4	19.9	18.6
2	16.6	10.3							10.7	16.1	18.8	18.9
3	16.2	9.4							10.9	15.6	17.8	18.5
4	16.0	8.7							11.4	15.0	16.0	17.0
5	15.6	8.3							12.2	15.6	16.1	15.6
6	15.4	8.9							11.6	15.7	16.1	15.2
7	14.9	7.5							11.1	15.9	16.5	14.8
8	14.7								9.7	15.5	17.1	14.9
9	13.5								9.4	16.3	18.0	15.5
10	12.7								10.7	17.5	18.8	16.2
11	14.2								11.9	18.1	19.2	16.5
12	13.1								12.7	18.0	19.4	16.9
13	13.0								12.8	18.9	19.9	17.1
14	13.0								12.8	18.7	20.2	16.8
15	12.7								13.1	18.6	20.2	15.9
16	12.8								12.7	18.2	19.8	15.4
17	12.7								12.0	18.0	19.1	15.9
18	12.3								13.1	18.2	18.8	16.3
19	11.9								12.6	18.4	17.6	16.0
20	11.9								13.2	18.8	17.3	16.4
21	11.6								12.8	19.2	17.4	16.4
22	11.9								13.9	18.6	17.8	16.3
23	12.3							8.8	13.6	18.5	17.8	16.3
24	10.3							10.0	14.3	18.1	17.9	16.3
25	9.4							10.7	15.3	18.7	17.6	15.9
26	9.4							10.4	15.8	19.1	17.6	15.4
27	9.7							9.8	15.6	19.7	17.7	15.0
28	10.9							10.3	15.5	19.2	18.6	14.4
29	11.3							10.7	15.7	19.5	19.2	14.0
30	11.8							10.7	15.3	19.7	18.9	13.5
31	11.8							10.9		19.5	18.6	
Mean	12.9	9.1	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	10.3	12.8	17.8	18.2	16.1
Max	16.6	10.9	0.0	0.0	0.0	0.0	0.0	10.9	15.8	19.7	20.2	18.9
Min	9.4	7.5	0.0	0.0	0.0	0.0	0.0	8.8	9.4	15.0	16.0	13.5

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
24.2 15-Aug	5.7 23-May	23.7 13-Aug	Hobo-Temp	UNKNOWN	

Notes:

Water Year - 2003

Stream Temperatures, Klamath River Basin

South Fork Salmon River at Petersburg

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.1	5.2										
2	11.5	5.5										
3	11.8	6.0										
4	13.2	6.1										
5	13.4	6.4										
6	13.7	6.9										
7	13.4	7.8										
8	13.0	7.2										
9	12.8	6.8										
10	12.4	7.1										
11	11.3	7.6										
12	10.5	7.7										
13	10.6	7.4										
14	10.7	6.4										
15	10.9	5.7										
16	10.8	5.8										
17	10.6	7.0										
18	10.7	6.0										
19	10.7	6.2										
20	10.9	6.2										
21	10.4	6.7										
22	10.1	6.6										
23	9.8	6.8										
24	9.6	6.4										
25	9.7	5.4										
26	9.0											
27	8.8											
28	8.7											
29	8.1											
30	6.7											
31	6.0											
Mean	10.7	6.5	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	13.7	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	6.0	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

3.2 1-Nov

15.5 6-Oct

15.5 7-Oct

Hobo-Temp

UNKNOWN

Notes:

Water Year - 2004

Stream Temperatures, Klamath River Basin

South Fork Salmon River at Petersburg

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											18.1	
2											16.6	
3											17.6	
4											17.3	
5											16.8	
6										17.7	16.8	
7										15.8		
8										15.6		
9										15.3		
10										14.5		
11										15.0		
12										15.6		
13										15.6		
14										15.6		
15										15.8		
16										16.3		
17										16.9		
18										16.3		
19										16.4		
20										17.0		
21										17.6		
22										18.1		
23										18.4		
24										18.3		16.6
25										18.6		14.3
26										18.7		13.8
27										18.7		13.8
28										18.9		13.5
29										18.5		13.9
30										18.7		14.2
31										18.7		
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	17.0	17.2	14.3
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.9	18.1	16.6
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	16.6	13.5

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
23.9 4-Aug	10.7 28-Sep	23.0 29-Jul	Optic Stowaway	s/n 659505	001

Notes:

Water Year - 2005

Stream Temperatures, Klamath River Basin

South Fork Salmon River at Petersburg

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.3	6.0										
2	14.5	6.9										
3	14.5	7.5										
4	13.9	6.0										
5	13.8	5.6										
6	13.7	5.5										
7	14.5	5.5										
8	13.5	6.1										
9	13.0	6.6										
10	11.7	7.6										
11	11.4	7.2										
12	11.8	6.5										
13	12.4	7.6										
14	12.4	6.5										
15	12.1	6.7										
16	12.0	8.0										
17	12.0	6.8										
18	10.6	5.7										
19	9.7	5.7										
20	9.4	3.9										
21	9.1	3.5										
22	8.6	3.4										
23	8.6											
24	8.1											
25	7.4											
26	7.7											
27	7.3											
28	7.6											
29	8.3											
30	7.2											
31	7.3											
Mean	10.9	6.1	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	14.5	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	7.2	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

2.3 21-Nov

Optic Stowaway

s/n 659505

001

16.7 1-Oct

16.7 2-Oct

16.7 3-Oct

16.7 4-Oct

Notes:

Water Year - 2006

Stream Temperatures, Klamath River Basin

South Fork Salmon River at Petersburg

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1										13.1	15.0	15.4
2										13.2	14.9	15.5
3										13.6	15.9	15.7
4										13.6	16.8	15.6
5										13.5	16.7	15.4
6										13.3	16.0	15.8
7										13.0	15.0	16.0
8										14.1	15.8	15.6
9										14.9	16.2	14.7
10										14.8	16.5	15.0
11										14.7	16.3	15.3
12										13.9	16.6	15.4
13										14.8	16.5	15.2
14										15.5	16.4	14.8
15										15.7	16.1	13.2
16										15.8	15.2	12.6
17										16.2	15.2	13.0
18										16.1	15.6	13.2
19										16.4	15.7	13.6
20										16.9	16.0	12.9
21										16.3	16.3	14.2
22										17.2	16.2	12.7
23										17.9	16.1	12.4
24										16.9	15.8	11.7
25										17.8	16.1	12.2
26										18.4	16.3	12.2
27										18.3	16.5	11.9
28										17.7	16.6	12.1
29									12.9	16.0	16.1	12.0
30									13.2	14.4	15.3	12.1
31										14.0	15.0	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	13.1	15.4	16.0	13.9
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2	18.4	16.8	16.0
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9	13.0	14.9	11.7

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
23.5 4-Aug	9.8 24-Sep	21.5	3-Aug	Optic Stowaway	S/N 659510	n/a
	9.8 25-Sep					

Notes:

Water Year - 2007

Stream Temperatures, Klamath River Basin

South Fork Salmon River at Petersburg

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.0											
2	11.9											
3	11.7											
4	11.3											
5	11.7											
6	11.6											
7	11.0											
8	10.6											
9	11.1											
10	10.3											
11	10.2											
12	10.4											
13	10.6											
14	10.8											
15	10.3											
16	10.8											
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
Mean	11.0	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum

Minimum

Average 7 day max temp.

Instrument

Serial No.

Setting

7.8 11-Oct

14.2 8-Oct

Optic Stowaway

S/N 659510

n/a

Notes:

20

Water Year - 2002

JUL 15 2008

Stream Temperatures, Klamath River Basin

South Fork Salmon River At Big Flat

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

<input type="checkbox"/> EO	<input type="checkbox"/> WMgmt	<input type="checkbox"/> Admin
<input type="checkbox"/> AEO	<input type="checkbox"/> Timber	<input type="checkbox"/> Legal
<input type="checkbox"/> Reg/NPS	<input type="checkbox"/> Cleanups	<input type="checkbox"/> Date

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1												13.6
2												13.7
3												13.8
4												13.4
5												12.4
6												11.6
7												10.3
8												10.6
9												10.8
10												11.3
11												11.6
12												11.8
13												12.1
14												12.1
15												11.9
16												11.0
17												11.2
18												11.3
19												11.3
20												11.6
21												11.7
22												11.8
23												11.7
24												11.8
25												11.8
26												11.5
27												10.7
28												
29												
30											13.3	
31											13.4	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	13.4	11.8
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.4	13.8
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3	10.3

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
19.0 2-Sep	8.7 8-Sep	18.2 1-Sep	Hobo-Temp	UNKNOWN	
19.0 3-Sep	8.7 9-Sep	18.2 3-Sep			
	8.7 10-Sep				

Notes:

Water Year - 2004

Stream Temperatures, Klamath River Basin

South Fork Salmon River At Big Flat

Siskiyou County, CA

Collecting Agency: Salmon River RD, Klamath NF

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											14.5	13.5
2											13.6	12.5
3											13.7	12.1
4											13.9	12.4
5											13.6	12.6
6											13.6	12.8
7											13.9	12.8
8											14.1	12.8
9											14.2	12.4
10											14.5	12.3
11											14.7	12.7
12											14.8	12.8
13										14.4	14.9	12.1
14										12.8	14.9	11.5
15										13.0	14.3	11.7
16										13.4	14.3	11.5
17										14.0	14.3	10.8
18										13.8	14.6	10.5
19										13.5	14.4	9.8
20										13.5	14.6	10.0
21										14.3	14.7	9.5
22										14.8	13.8	10.1
23										15.2	13.1	10.4
24										15.2	13.5	10.5
25										15.5	13.0	10.4
26										15.5	13.0	10.3
27										15.5	12.8	10.1
28										15.5	13.2	10.0
29										15.6	13.6	9.1
30										15.2	13.8	
31										15.1	13.7	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	14.5	14.0	11.4
Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6	14.9	13.5
Min	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.8	12.8	9.1

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.		Instrument	Serial No.	Setting
19.0 25-Jul	7.7 21-Sep	18.8	25-Jul	Optic Stowaway	s/n 629836	001
19.0 26-Jul		18.8	26-Jul			
19.0 27-Jul						
19.0 29-Jul						
19.0 14-Aug						

Notes:

Water Year - 2006

Stream Temperatures, Klamath River Basin
South Fork Salmon River At Big Flat
Siskiyou County, CA
Collecting Agency: Karuk Tribe

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1								7.9	10.5	16.1	16.9	17.1
2								8.1	10.3	16.2	17.2	17.2
3								8.3	10.5	16.6	17.5	17.3
4							7.1	8.6	11.7	16.8	18.1	17.2
5							7.2	8.7	11.5	16.6	18.4	17.1
6							7.5	8.3	11.5	16.3	17.8	17.5
7							7.7	8.7	11.3	16.0	17.3	18.1
8							7.9	8.4	11.3	17.1	17.6	17.8
9							7.8	8.4	12.0	18.1	19.0	16.8
10							7.6	8.8	11.9	18.1	19.7	16.7
11							7.5	9.2	11.8	17.6	19.3	17.2
12							7.6	8.8	11.4	16.8	19.6	17.3
13							8.5	9.1	10.7	17.9	19.5	17.2
14							8.5	9.1	10.1	18.7	19.2	16.7
15							7.2	9.5	11.7	19.0	18.7	15.1
16							5.9	9.4	13.2	19.2	17.6	13.8
17							6.7	9.3	12.8	19.6	17.5	14.0
18							7.1	9.2	13.2	19.5	17.5	14.6
19							8.2	8.4	13.2	19.7	17.6	14.9
20							9.0	8.1	13.4	20.1	17.8	14.2
21							9.2	8.4	13.9	19.7	18.0	15.4
22							8.9	8.6	14.0	19.9	18.0	14.4
23							8.8	8.3	14.6	21.9	18.1	13.7
24							8.8	8.5	15.1	20.5	18.4	13.3
25							8.7	9.0	15.5	20.6	18.8	13.2
26							8.8	8.3	15.7	21.9	19.1	13.3
27							9.0	7.7	15.6	21.9	19.1	13.2
28							8.9	8.7	14.9	21.2	18.9	13.0
29							8.6	9.4	15.6	19.4	18.7	12.9
30							7.9	10.2	16.2	17.5	17.8	12.7
31								10.6		16.8	17.1	
Mean	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	8.0	8.8	12.8	18.6	18.3	15.4
Max	0.0	0.0	0.0	0.0	0.0	0.0	9.2	10.6	16.2	21.9	19.7	18.1
Min	0.0	0.0	0.0	0.0	0.0	0.0	5.9	7.7	10.1	16.0	16.9	12.7

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
23.7 23-Jul	5.1 16-Apr	22.8 25-Jul	Optic Stowaway	s/n 955773	
	5.1 18-Apr				

Notes:

Water Year - 2007

Stream Temperatures, Klamath River Basin
 South Fork Salmon River At Big Flat
 Siskiyou County, CA
 Collecting Agency: Karuk Tribe

Temperature, Degrees Celsius

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12.8											
2	12.7											
3	12.9											
4	12.7											
5	12.5											
6	12.5											
7	11.8											
8	11.1											
9	11.4											
10	11.0											
11	10.5											
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
Mean	12.0	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Max	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Min	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Instantaneous Peaks

Maximum	Minimum	Average 7 day max temp.	Instrument	Serial No.	Setting
	9.3 11-Oct	13.7 1-Oct	Optic Stowaway	s/n 955773	

Notes: