



CALIFORNIA REGIONAL WATER

APR 03 2001

QUALITY CONTROL BOARD

Chris Campbell, Ph.D.
Environmental Scientist
Water Guidance and Monitoring Group
Lawrence Livermore National Laboratory
PO Box 808, L-627
Livermore, CA 94551
(925) 423-7642
campbell48@llnl.gov

Regional Water Quality Control Board
Attn: Steve Moore ✓
151 Clay St., #1400
Oakland, CA 94612

Steve Moore,

As you requested I have enclosed storm water chemical data collected as part of the routine monitoring performed at the Lawrence Livermore National Laboratory Main Site which falls under your jurisdiction. All the data was collected as grab samples with bottle requirements and sample preservation techniques followed in accordance with standard procedures. The data provided is for Arroyo Sec and Arroyo Los Positas which are both tributaries to Arroyo Mocho. These are intermittent streams flowing westward toward the Bay. I have included a map to help orient the geographic location of the streams position

The data is provided in Macintosh Excel Workbook format that includes a description and my contact information along with the data since July, 1997. I attempted to make the format as straight forward as possible, but I am available to answer any questions if some should arise. I also included two hard copies of the spreadsheets.

I am happy to provide you with this data and please feel free to contact me with questions or if there is more information you require.

Sincerely,

Chris Campbell



Recycle
7600-61230

Information:

Contact person :

Chris Campbell
Environmental Scientist, Water Guidance and Monitoring Group
Lawrence Livermore National Laboratory
P.O. Box 808, L-627
Livermore, CA 94551
FAX: (925) 422-2748
E-mail: campbell48@llnl.gov
phone: (925) 423 - 7642

Description:

This data has been collected in Arroyo Los Positas and Arroyo Seco, intermittent streams that flow approximately east to west toward the town of Livermore. These streams join with Arroyo Mocho downstream.

Data is collected as part our routine monitoring program for storm water runoff.

A map of the site and sample locations has been included.

The data has been separated out with Arroyo Seco data listed first followed by Arroyo Los Positas Data
Two formats have been used, one where the analyte is listed in a column is most common, but one sheet lists the analytes across the top in a row.

If there is a specific type of data you need that is not included here feel free to call and ask if we have it, as it is possible we do.

Please contact me with any questions,
Chris



1 Site Overview




Figure 1-1. Locations of LLNL Livermore site and Site 300.

LLNL was founded at the Livermore site in 1952 at a former U.S. Navy training base. At that time the location was relatively isolated, being approximately 1.6 km from the Livermore city limits. Over time, Livermore evolved from a small town of fewer than 7000 people when the Laboratory began to its present population of about 74,300. The economy, which had been primarily agricultural, diversified to include light industry and business parks. Within the last few years, low-density, single-family



7 Surface Water




Figure 7-1. Surface water courses in the vicinity of the Livermore site.




Figure 7-2. Storm water runoff and Drainage Retention Basin discharge sampling locations, Livermore site, 1999.

Site 300

Surface water at Site 300 consists of seasonal runoff, springs, and natural and man-made ponds. The primary waterway in the Site 300 area is Corral Hollow Creek, an ephemeral stream that borders the site to the south and southeast. No continuously flowing streams are present in the Site 300 area. Elk Ravine is the major drainage channel for most of Site 300; it extends from the northwest portion of the site to the east-central area (see **Figure 9-3**). Elk Ravine drains the center of the site into Corral Hollow Creek, which drains eastward to the San Joaquin River Basin. Some smaller canyons in the northeast portion of the site drain to the north and east toward Tracy.

Location	Sampled date	Type	Aluminum Result	Chloride Result	Copper Result	Fluoride Result	Hexavalent Chromium Result	Iron Result	Lead Result	Mercury Result	Nitrate (as NO3) Result	Selenium Result	Sodium Result	Specific Conductance Result	Sulfate Result	Zinc Result
Arroyo Seco																
L-ASS2-RO	11/15/97	RTN		1.3		0.06					4.4				2.1	
L-ASS2-RO	11/15/97	RTN	< 0.05		< 0.01			< 0.05					3.3			0.053
L-ASS2-RO	11/15/97	RTN	5.3	1.4	0.018	0.06		5.9			4.9		2.4	5.4	2.1	0.14
L-ASS2-RO	11/15/97	RTN	< 0.05		< 0.001		0.002	< 0.05	< 0.005	< 0.0002		< 0.002				0.055
L-ASS2-RO	11/15/97	RTN	1.4		0.024			1.6	0.0098	< 0.0002		< 0.002				0.13
L-ASS2-RO	12/8/97	RTN		3.8		0.05					2.6				2	
L-ASS2-RO	12/8/97	RTN	< 0.05		< 0.01			< 0.05					4.7			0.048
L-ASS2-RO	12/8/97	RTN	2.3	3.9	< 0.01	0.05		2.3			3.3		3.8	7.1	2	0.078
L-ASS2-RO	12/8/97	RTN	< 0.05		0.0048		< 0.002	< 0.05	< 0.005	< 0.0002		< 0.002				0.057
L-ASS2-RO	12/8/97	RTN	1.2		0.013			1.3	< 0.005	< 0.0002		< 0.002				0.079
L-ASS2-RO	2/12/98	RTN		6.1		0.26					1.2					1.36
L-ASS2-RO	2/12/98	RTN	< 0.05	6.3	< 0.01	0.26		0.06			1.2		68	795	138	< 0.01
L-ASS2-RO	2/12/98	RTN	4.3		0.057			6.1					53			0.19
L-ASS2-RO	2/12/98	RTN	0.057		0.0044		< 0.002	0.067	< 0.005	< 0.0002		< 0.004				< 0.02
L-ASS2-RO	2/12/98	RTN	< 0.05		0.088			0.058	0.027	< 0.0002		< 0.004				< 0.02
L-ASS2-RO	3/31/98	RTN		9.2		0.2					7.2					162
L-ASS2-RO	3/31/98	RTN	< 0.05	9.3	< 0.01	0.21		< 0.05			7.4		88	930	163	< 0.01
L-ASS2-RO	3/31/98	RTN	0.69		< 0.01			0.97					86			0.042
L-ASS2-RO	3/31/98	RTN	< 0.05		0.0057		< 0.002	< 0.05	< 0.005	< 0.0002		< 0.002				< 0.02
L-ASS2-RO	3/31/98	RTN	0.98		0.017			1.3	0.061	< 0.0002		< 0.002				0.04
L-ASS2-RO	11/30/98	RTN		1.4		< 0.05					1.4					1.5
L-ASS2-RO	11/30/98	RTN	0.28	1.2	< 0.01	< 0.05		0.25			1.5		3.4	4.7		1.7
L-ASS2-RO	11/30/98	RTN	2.5	1.2	< 0.01	< 0.05		3			1.5		2.2	4.8		0.096
L-ASS2-RO	11/30/98	RTN	0.27		0.0048		< 0.002	0.23	< 0.005	< 0.0002		< 0.002				0.055
L-ASS2-RO	11/30/98	RTN	2.9		0.0091			3.5	< 0.005	< 0.0002		< 0.002				0.1
L-ASS2-RO	1/26/99	RTN		2.7		< 0.05					0.62					1.7
L-ASS2-RO	1/26/99	RTN	0.92	1.4	< 0.01	< 0.05		0.97			< 0.4		2.3	30	< 1	0.081
L-ASS2-RO	1/26/99	RTN	0.13	1.6	< 0.01	< 0.05		0.12			0.44		2.6	30	< 1	0.062
L-ASS2-RO	1/26/99	RTN	0.14		0.0037		0.002	0.12	< 0.005	< 0.0002		< 0.002				0.052
L-ASS2-RO	1/26/99	RTN	0.88		0.0055			5.95	< 0.005	< 0.0002		< 0.002				0.078
L-ASS2-RO	2/8/99	RTN		2.6		0.12					2.5					40
L-ASS2-RO	2/8/99	RTN	2.9	2.6	0.014	0.1		3.4			2.6		2.6	308	4.1	0.077
L-ASS2-RO	2/8/99	RTN	0.17	2.6	< 0.01	0.11		0.16			2.6		2.8	308	4.1	0.029
L-ASS2-RO	2/8/99	RTN	0.15		< 0.001		< 0.002	0.16	< 0.005	< 0.0002		< 0.002				0.03
L-ASS2-RO	2/8/99	RTN	3		0.008			3.3	< 0.005	< 0.0002		< 0.002				0.074
L-ASS2-RO	4/8/99	RTN		1.5		< 0.05					3.1					3
L-ASS2-RO	4/8/99	RTN	2.8	0.51	0.017	< 0.05		3.1			2.9		3.2	50	2	0.097
L-ASS2-RO	4/8/99	RTN	0.13	2.1	< 0.01	< 0.05		0.14			3.1		3.8	50	5.5	0.056
L-ASS2-RO	4/8/99	RTN	0.2		0.0066		< 0.002	0.18	< 0.005	< 0.0002		< 0.002				0.058
L-ASS2-RO	4/8/99	RTN	2.8		0.011			3	< 0.005	< 0.0002		< 0.002				0.096
L-ASS2-RO	1/11/00	RTN					< 0.002									0.082
L-ASS2-RO	1/11/00	RTN	< 0.05		0.0068		0.002	0.052	< 0.005	< 0.0002		< 0.002				
L-ASS2-RO	2/14/00	RTN		5.7		0.19					9.8					7.7
L-ASS2-RO	2/14/00	RTN	2.1	5.6	0.05	0.22		2.5			9.5		5.6	600		0.11
L-ASS2-RO	2/14/00	RTN	2.5		0.033		0.015	30	0.012	< 0.0002		< 0.002				0.11
L-ASS2-RO	3/8/00	RTN		8.6		0.3					5.1					164
L-ASS2-RO	3/8/00	RTN	< 0.05	9.7	< 0.01	0.3		< 0.05			5.1		100	940	166	< 0.05
L-ASS2-RO	3/8/00	RTN	< 0.05		0.004		0.003	< 0.05	< 0.005	< 0.0002		< 0.002				0.032
L-ASW-RO	11/15/97	RTN		0.98		0.06					1.7					1.2
L-ASW-RO	11/15/97	RTN	< 0.05		< 0.01			0.07					3			0.027
L-ASW-RO	11/15/97	RTN	60	1	0.12	0.06		63			1.9		2.5	43	1.2	0.46
L-ASW-RO	11/15/97	RTN	< 0.05		< 0.001		0.004	0.074	< 0.005	< 0.0002		< 0.002				0.055
L-ASW-RO	11/15/97	RTN	6.5		0.12			5.6	0.064	0.0039		< 0.002				0.47
L-ASW-RO	12/8/97	RTN		2.8		< 0.05					1.9					1.4
L-ASW-RO	12/8/97	RTN	< 0.05		< 0.01			< 0.05					7.8			0.038
L-ASW-RO	12/8/97	RTN	8.1	4.9	0.023	< 0.05		10			3.5		6.4	92	2	0.15
L-ASW-RO	12/8/97	RTN	< 0.05		0.0038		< 0.002	< 0.05	< 0.005	< 0.0002		< 0.002				0.048
L-ASW-RO	12/8/97	RTN	4.8		0.015			6.6	0.011	< 0.0002		< 0.002				0.22
L-ASW-RO	2/12/98	RTN		5.7		0.25					1.2					120
L-ASW-RO	2/12/98	RTN	< 0.05	6.2	< 0.01	0.24		< 0.05			1.2		60	735	121	< 0.01
L-ASW-RO	2/12/98	RTN	6.8		< 0.01			8.1					61			0.069
L-ASW-RO	2/12/98	RTN	< 0.05		0.0066		0.004	< 0.05	< 0.005	< 0.0002		< 0.004				< 0.02
L-ASW-RO	2/12/98	RTN	< 0.05		0.026			< 0.05	0.0052	< 0.0002		< 0.004				0.032
L-ASW-RO	3/31/98	RTN		9.1		0.18					6.7					138

L-ASW-RO	3/31/98	RTN	< 0.05	90	< 0.01	0.18	< 0.05		6.7			86	855	136	0.011		
L-ASW-RO	3/31/98	RTN	0.55		< 0.01		0.71					75			0.061		
L-ASW-RO	3/31/98	RTN	< 0.05		0.0091		< 0.05	< 0.005	< 0.0002		< 0.002				< 0.02		
L-ASW-RO	3/31/98	RTN	0.75		0.0084		0.95	< 0.005	< 0.0002		< 0.002				0.07		
L-ASW-RO	11/30/98	RTN		6.9		< 0.05				1.4				1.4			
L-ASW-RO	11/30/98	RTN	0.19	7.6	< 0.01	< 0.05	0.2			1.4			8.3	75	1.5	0.058	
L-ASW-RO	11/30/98	RTN	13.7	6.8		0.016	< 0.05			1.4			8.4	71	1.4	0.1	
L-ASW-RO	11/30/98	RTN	0.21			0.0062	< 0.002		0.19	< 0.005	< 0.0002					0.054	
L-ASW-RO	11/30/98	RTN	14			0.013			5.1	0.006	< 0.0002		< 0.002			0.12	
L-ASW-RO	1/26/99	RTN		2.6		< 0.05									1.7		
L-ASW-RO	1/26/99	RTN	3.6	2		0.012	< 0.05		3.8				3.3	46	1.5	0.098	
L-ASW-RO	1/26/99	RTN	0.21	2.4		< 0.01	< 0.05		0.19				3.5	46	1.7	0.048	
L-ASW-RO	1/26/99	RTN	0.27			0.0051		0.0043	0.23	< 0.005	< 0.0002		< 0.002			0.05	
L-ASW-RO	1/26/99	RTN	3.3			0.012			3.7	0.0061	< 0.0002		< 0.002			0.097	
L-ASW-RO	2/8/99	RTN		23			0.1								37		
L-ASW-RO	2/8/99	RTN	2.5	24		0.023	0.1		3				22	294	38	0.085	
L-ASW-RO	2/8/99	RTN	0.15	24		< 0.01	0.1		0.13				25	294	38	0.042	
L-ASW-RO	2/8/99	RTN	0.13			0.0001		< 0.002	0.15	< 0.005	< 0.0002		< 0.002			0.04	
L-ASW-RO	2/8/99	RTN	2.9			0.0096			3	< 0.005	< 0.0002		< 0.002			0.08	
L-ASW-RO	4/8/99	RTN		1.3		< 0.05									1.8		
L-ASW-RO	4/8/99	RTN	1.7	0.96		0.017	< 0.05		2						1.6	0.084	
L-ASW-RO	4/8/99	RTN	0.13	0.84		< 0.01	< 0.05		0.14				2.8	42	1.1	0.056	
L-ASW-RO	4/8/99	RTN	0.17			0.0077		< 0.002	0.15	< 0.005	< 0.0002		< 0.002			0.062	
L-ASW-RO	4/8/99	RTN	1.6			0.0097			1.8	< 0.005	< 0.0002		< 0.002			0.085	
L-ASW-RO	11/8/99	RTN		2.7			0.06								2.9		
L-ASW-RO	11/8/99	RTN	2	2.7		0.023	0.05		1.9				3.9	85	2.9	0.27	
L-ASW-RO	11/8/99	RTN	2.2			0.018		< 0.002	2.2	< 0.005	< 0.0002		< 0.002			0.27	
L-ASW-RO	1/11/00	RTN				< 0.002											
L-ASW-RO	1/11/00	RTN	0.06			0.013		0.0059	0.085	< 0.005	< 0.0002		< 0.002			0.084	
L-ASW-RO	2/14/00	DLP		52			0.2								76		
L-ASW-RO	2/14/00	RTN		57			0.21								86		
L-ASW-RO	2/14/00	DLP	30	51		0.056	0.19		33				54	571	75	0.15	
L-ASW-RO	2/14/00	RTN	28	56		0.058	0.21		34				65	615	84	0.15	
L-ASW-RO	2/14/00	DLP	26			0.039		0.02	33	0.015	< 0.0002		< 0.002			0.13	
L-ASW-RO	2/14/00	RTN	28			0.039		0.017	37	0.016	< 0.0002		< 0.002			0.16	
L-ASW-RO	3/8/00	DLP		58			0.19								99		
L-ASW-RO	3/8/00	RTN		57			0.2								98		
L-ASW-RO	3/8/00	DLP	< 0.05	58		< 0.01	0.1		< 0.05				66	617	98	< 0.05	
L-ASW-RO	3/8/00	RTN	< 0.05	59		< 0.01	0.19		< 0.05				67	625	100	< 0.05	
L-ASW-RO	3/8/00	DLP	0.08			0.003		0.0054	0.085	< 0.005	< 0.0002		< 0.002			0.026	
L-ASW-RO	3/8/00	RTN	< 0.05			0.005		0.004	0.063	< 0.005	< 0.0002		< 0.002			0.023	
Arroyo Los Positas																	
L-ALPE-RO	11/15/97	DLP		4.2			0.06								2.2		
L-ALPE-RO	11/15/97	RTN		3.8			0.06								2		
L-ALPE-RO	11/15/97	DLP	< 0.05			< 0.01			< 0.05				6.8			0.014	
L-ALPE-RO	11/15/97	DLP	13	4.4		0.02	0.06		11				6.5	85	2.2	0.065	
L-ALPE-RO	11/15/97	RTN	< 0.05			< 0.01			< 0.05				6.6			0.012	
L-ALPE-RO	11/15/97	RTN	14	4.4		0.019	0.06		11				5.5	85	2.3	0.067	
L-ALPE-RO	11/15/97	DLP	< 0.05			< 0.001		0.003	< 0.05	< 0.005	< 0.0002		< 0.002			< 0.02	
L-ALPE-RO	11/15/97	DLP	1.8			0.029			1.5	0.011	< 0.0002		< 0.002			0.058	
L-ALPE-RO	11/15/97	RTN	< 0.05			< 0.001		0.003	< 0.05	0.019	< 0.0002		< 0.002			< 0.02	
L-ALPE-RO	11/15/97	RTN	9.9			0.029			9.6	0.011	< 0.0002		< 0.002			0.078	
L-ALPE-RO	12/8/97	RTN		700			1								575		
L-ALPE-RO	12/8/97	RTN	< 0.05			< 0.01			0.053				583			< 0.01	
L-ALPE-RO	12/8/97	RTN	3	700		0.014	1		2.6				602	3810	580	0.016	
L-ALPE-RO	12/8/97	RTN	0.29			0.0044		< 0.002	0.28	< 0.005	< 0.0002		< 0.002			< 0.02	
L-ALPE-RO	12/8/97	RTN	2.8			0.0085			2.4	< 0.005	< 0.0002		< 0.002			< 0.02	
L-ALPE-RO	2/12/98	RTN		61			0.18								63		
L-ALPE-RO	2/12/98	RTN	< 0.05	63		< 0.01	0.19		0.078				< 0.4				
L-ALPE-RO	2/12/98	RTN	2.1			< 0.01			1.9				67	537	64	0.015	
L-ALPE-RO	2/12/98	RTN	< 0.05			0.0041		0.006	0.078	< 0.005	< 0.0002		< 0.004			0.034	
L-ALPE-RO	2/12/98	RTN	< 0.05						0.078	0.0076	< 0.0002		< 0.004			0.03	
L-ALPE-RO	3/31/98	RTN		388			1.2						0.69			317	
L-ALPE-RO	3/31/98	RTN	< 0.05	365		< 0.01	1.2		< 0.05				0.69			297	< 0.01
L-ALPE-RO	3/31/98	RTN	5.6			0.012			6.5				369			0.062	
L-ALPE-RO	3/31/98	RTN	< 0.05			0.015		0.002	< 0.05	< 0.005	< 0.0002		< 0.002			< 0.02	
L-ALPE-RO	3/31/98	RTN	17.3			0.016			7.3	0.0071	< 0.0002		< 0.002			0.06	
L-ALPE-RO	11/30/98	RTN		125			0.3								98		
L-ALPE-RO	11/30/98	RTN	< 0.05	7.5		< 0.01	< 0.05		0.098				136	76	1.5	0.015	
L-ALPE-RO	11/30/98	RTN	5.6	132		0.012	0.32		5.1				137	866	104	0.04	
L-ALPE-RO	11/30/98	RTN	0.16			0.0046		< 0.002	0.14	< 0.005	< 0.0002		< 0.002			< 0.02	

L-ALPE-RO	11/30/98	RTN	5.7		0.0093			5.3	< 0.005	< 0.0002		< 0.002					720	0.029
L-ALPE-RO	1/20/99	DUP		576		1.2					< 0.4						720	
L-ALPE-RO	1/20/99	RTN		550		1.2					0.89						692	
L-ALPE-RO	1/20/99	DUP	0.87	577	0.031	1.1		0.84			< 0.4				596	3560	717	< 0.01
L-ALPE-RO	1/20/99	RTN	0.55	555	0.026	1.1		0.61			0.76				574	3270	698	< 0.01
L-ALPE-RO	1/20/99	DUP	< 0.05	579	< 0.01	1.1		0.11			< 0.4				620	3580	720	0.01
L-ALPE-RO	1/20/99	RTN	< 0.05	553	< 0.01	1.1		0.11			0.76				600	3430	694	0.012
L-ALPE-RO	1/20/99	DUP	< 0.05		0.0058		< 0.02	0.11	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	1/20/99	RTN	< 0.05		0.0063		< 0.01	0.11	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	1/20/99	DUP	0.89		0.0055			0.86	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	1/20/99	RTN	0.55		0.0056			0.59	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	2/8/99	RTN		310		0.97						1.2					349	
L-ALPE-RO	2/8/99	RTN	6.7	322	0.015	0.97		5.4				1.1			364	2140	358	0.021
L-ALPE-RO	2/8/99	RTN	0.28	317	0.016	0.99		0.25				1.1			370	2130	354	0.016
L-ALPE-RO	2/8/99	RTN	0.28					0.27	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	2/8/99	RTN	6.9		0.016			5.6	< 0.005		< 0.0002							< 0.023
L-ALPE-RO	4/8/99	RTN		89		0.29						2					69	
L-ALPE-RO	4/8/99	RTN	3.1	96	0.016	0.28		3				2.8			93	634	74	0.033
L-ALPE-RO	4/8/99	RTN	0.14	85	< 0.01	0.3		0.21				2.8			92	632	66	0.076
L-ALPE-RO	4/8/99	RTN	0.096		0.008		< 0.002	0.1	< 0.005		< 0.0002							0.022
L-ALPE-RO	4/8/99	RTN	3.2		0.0092			2.8	< 0.005		< 0.0002							0.03
L-ALPE-RO	11/8/99	RTN		4.2		0.08						3.3					7.8	
L-ALPE-RO	11/8/99	RTN	2.6	4	0.019	0.08		2.4				3			7.3	111	4.8	0.13
L-ALPE-RO	11/8/99	RTN	2.3		0.011			2.4	< 0.005		< 0.0002							0.16
L-ALPE-RO	1/11/00	DUP																
L-ALPE-RO	1/11/00	RTN																
L-ALPE-RO	1/11/00	DUP	0.14		0.0053		0.0083	0.086	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	1/11/00	RTN	0.092		0.0057		0.01	0.084	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	2/14/00	RTN		95		0.24						1.4					88	
L-ALPE-RO	2/14/00	RTN	3.2	97	< 0.01	0.2		2.5				1.4					91	< 0.05
L-ALPE-RO	2/14/00	RTN	6.3		0.011		0.026	6.7	< 0.005		< 0.0002				100	693	91	0.043
L-ALPE-RO	3/8/00	RTN		224		0.56						< 0.4					244	
L-ALPE-RO	3/8/00	RTN	< 0.05	223	< 0.01	0.55		0.09				0.44			240	1450	248	< 0.05
L-ALPE-RO	3/8/00	RTN	0.2		0.004		0.01	0.18	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	3/10/93	RTN		300		1											240	
L-ALPE-RO	3/10/93	RTN							< 0.002		< 0.0002							
L-ALPE-RO	11/15/97	RTN		174		0.72						3.5					140	
L-ALPE-RO	11/15/97	RTN	< 0.05		< 0.01			< 0.05							167			< 0.01
L-ALPE-RO	11/15/97	RTN	5.9	181	0.019	0.72		5.2				3.7			146	1200	145	0.032
L-ALPE-RO	11/15/97	RTN	< 0.05		< 0.001		0.003	< 0.05	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	11/15/97	RTN	0.76		0.02			1	< 0.005		< 0.0002							0.03
L-ALPE-RO	12/8/97	RTN		88		0.49						8.9					65	
L-ALPE-RO	12/8/97	RTN	< 0.05		< 0.01			< 0.05							94			< 0.01
L-ALPE-RO	12/8/97	RTN	7.3	89	0.015	0.49		6.7				9.3			85	671	65	0.028
L-ALPE-RO	12/8/97	RTN	< 0.05		0.007		< 0.002	< 0.05	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	12/8/97	RTN	7		0.015			6.3	< 0.005		< 0.0002							0.031
L-ALPE-RO	2/12/98	RTN		250		0.95						15					304	
L-ALPE-RO	2/12/98	RTN	< 0.05	248	< 0.01	0.97		< 0.05				15			189	1830	302	< 0.01
L-ALPE-RO	2/12/98	RTN	13		0.018			13							187			0.061
L-ALPE-RO	2/12/98	RTN	< 0.05		0.0074		0.004	< 0.05	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	2/12/98	RTN	< 0.05		0.038			< 0.05	0.0082		< 0.0002							< 0.02
L-ALPE-RO	3/31/98	DUP		334		1.4						13					354	
L-ALPE-RO	3/31/98	RTN		333		1.4						13					355	
L-ALPE-RO	3/31/98	DUP	< 0.05	332	< 0.01	1.4		< 0.05				13			272	2330	355	< 0.01
L-ALPE-RO	3/31/98	DUP	2.7		< 0.01			2.8							266			0.026
L-ALPE-RO	3/31/98	RTN	< 0.05	331	< 0.01	1.4		< 0.05				13			275	2230	352	< 0.01
L-ALPE-RO	3/31/98	RTN	2		< 0.01			2.1							237			0.02
L-ALPE-RO	3/31/98	DUP	< 0.05		0.0057		< 0.002	< 0.05	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	3/31/98	DUP	2.9		0.011			2.7	< 0.005		< 0.0002				0.0022			0.03
L-ALPE-RO	3/31/98	RTN	< 0.05		0.011		< 0.002	< 0.05	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	3/31/98	RTN	2.9		0.0096			2.6	< 0.005		< 0.0002							0.02
L-ALPE-RO	11/30/98	RTN		213		1						9.5					190	
L-ALPE-RO	11/30/98	RTN	< 0.05	221	< 0.01	1		< 0.05				9.8			206	1520	199	< 0.01
L-ALPE-RO	11/30/98	RTN	1.7	222	< 0.01	1		1.6				9.5			207	1530	201	0.02
L-ALPE-RO	11/30/98	RTN	< 0.05		0.004		< 0.002	< 0.05	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	11/30/98	RTN	2.5		0.0059			2.2	< 0.005		< 0.0002							0.025
L-ALPE-RO	1/20/99	RTN		251		0.92						12					232	
L-ALPE-RO	1/20/99	RTN	5.4	252	0.026	0.82		5.2				11			204	1570	234	0.031
L-ALPE-RO	1/20/99	RTN	< 0.05	254	< 0.01	0.79		< 0.05				11			210	1570	233	< 0.01
L-ALPE-RO	1/20/99	RTN	< 0.05		0.005		< 0.002	< 0.05	< 0.005		< 0.0002							< 0.02
L-ALPE-RO	1/20/99	RTN	5.6		0.011			5.2	< 0.005		< 0.0002							0.034
L-ALPE-RO	2/8/99	RTN		223		0.88						11					212	

LQFNE-RO	1/11/00	RTN	0.09		0.003		0.013	< 0.05	< 0.005	< 0.0002		< 0.002					< 0.02
LQFNE-RO	2/14/00	RTN		13		0.14					7.6					3	
LQFNE-RO	2/14/00	RTN	3.2	16	< 0.01	0.13		2.5			6.8			27	228	3.3	0.056
LQFNE-RO	2/14/00	RTN	2.9		0.0063		0.017	2.6	< 0.005	< 0.0002		< 0.002					0.07
LQFNE-RO	3/8/00	RTN		6.2		0.13					14					6.4	
LQFNE-RO	3/8/00	RTN	0.1	6.1	< 0.01	0.12		0.18			14			16	162	6.4	< 0.05
LQFNE-RO	3/8/00	RTN	< 0.05		< 0.005		0.003	0.078	< 0.005	< 0.0002		< 0.002					0.034
LWPDC-RO	11/15/97	RTN		5.1		0.07					2.4					3.3	
LWPDC-RO	11/15/97	RTN	< 0.05		< 0.01			< 0.05						6.8			0.087
LWPDC-RO	11/15/97	RTN	1.5	4.9	0.029	0.07		1.5			2.4			6	78	3.2	0.35
LWPDC-RO	11/15/97	RTN	< 0.05		< 0.001		0.003	< 0.05	< 0.005	< 0.0002		< 0.002					0.054
LWPDC-RO	11/15/97	RTN	2.6		0.021			2.7	0.012	< 0.0002		< 0.002					0.24
LWPDC-RO	12/8/97	RTN		52		0.2					5.8						2.5
LWPDC-RO	12/8/97	RTN	< 0.05		< 0.01			< 0.05						50			0.064
LWPDC-RO	12/8/97	RTN	7.3	52	0.013	0.2		7.9			5.8			44	425	2.5	0.17
LWPDC-RO	12/8/97	RTN	< 0.05		0.0062		< 0.002	< 0.05	< 0.005	< 0.0002		< 0.002					0.087
LWPDC-RO	12/8/97	RTN	5.2		0.017			5.9	< 0.005	< 0.0002		< 0.002					0.24
LWPDC-RO	2/12/98	RTN		8.6		0.07					1.5						9.3
LWPDC-RO	2/12/98	RTN	< 0.05	8.4	< 0.01	0.07		< 0.05			1.5			10	113	9.3	0.023
LWPDC-RO	2/12/98	RTN	7		0.011			7.8						9.2			0.15
LWPDC-RO	2/12/98	RTN	< 0.05		0.0026		0.008	< 0.05	< 0.005	< 0.0002		< 0.004					0.026
LWPDC-RO	2/12/98	RTN	< 0.05		0.016			< 0.05	0.035	< 0.0002		< 0.004					0.028
LWPDC-RO	3/31/98	RTN		3.2		< 0.05					2.2						3.7
LWPDC-RO	3/31/98	RTN	< 0.05	22	< 0.01	0.12		< 0.05			3.3			24	230	1.8	0.041
LWPDC-RO	3/31/98	RTN	1.8		< 0.01			2.2						21			0.11
LWPDC-RO	3/31/98	RTN	0.06		0.0076		< 0.002	< 0.05	< 0.005	< 0.0002		< 0.002					0.05
LWPDC-RO	3/31/98	RTN	2.7		0.014			3.3	< 0.005	< 0.0002		< 0.002					< 0.02
LWPDC-RO	11/30/98	RTN		6.3		0.07					4						3.7
LWPDC-RO	11/30/98	RTN	0.1	12	< 0.01	0.07		0.1			4.3			12	240	6.5	0.028
LWPDC-RO	11/30/98	RTN	2.8	6.7	< 0.01	0.07		3			4.2			13	150	4	0.092
LWPDC-RO	11/30/98	RTN	0.14		0.0032		0.004	0.13	< 0.005	< 0.0002		< 0.002					0.027
LWPDC-RO	11/30/98	RTN	2.9		0.0076			3.4	< 0.005	< 0.0002		< 0.002					0.093
LWPDC-RO	1/20/99	RTN		114		0.38					9.7						104
LWPDC-RO	1/20/99	RTN	1.4	117	0.011	0.37		1.4			9.7			94	827	8.9	0.084
LWPDC-RO	1/20/99	RTN	< 0.05	117	< 0.01	0.38		0.065			9.7			96	835	8.9	0.055
LWPDC-RO	1/20/99	RTN	< 0.05		0.0037		0.0027	0.066	< 0.005	< 0.0002		< 0.002					0.058
LWPDC-RO	1/20/99	RTN	1.4		0.005			1.4	< 0.005	< 0.0002		< 0.002					0.087
LWPDC-RO	2/8/99	RTN		30		0.17					4.9						22
LWPDC-RO	2/8/99	RTN	4.1	29	0.022	0.17		4			5.7			32	312	2.1	0.086
LWPDC-RO	2/8/99	RTN	0.21	29	< 0.01	0.17		0.18			5.7			32	307	2.1	0.018
LWPDC-RO	2/8/99	RTN	0.28		< 0.001		0.004	0.25	< 0.005	< 0.0002		< 0.002					0.022
LWPDC-RO	2/8/99	RTN	3.9		0.0096			3.9	< 0.005	< 0.0002		< 0.002					0.071
LWPDC-RO	4/8/99	RTN		12		0.07					4.1						6.2
LWPDC-RO	4/8/99	DLP	5.5	15	< 0.05	0.08		5.7			< 10.5			19	180	1.3	0.1
LWPDC-RO	4/8/99	RTN	4.2	9.4	0.017	0.08		4.8			6			14	175	5.2	0.13
LWPDC-RO	4/8/99	RTN	0.19	6.1	< 0.01	0.08		0.17			6.1			14	170	3.6	0.043
LWPDC-RO	4/8/99	RTN	0.18		0.0054		< 0.002	0.16	< 0.005	< 0.0002		< 0.002					0.046
LWPDC-RO	4/8/99	DLP	5.5		0.01		< 0.002	5.7	< 0.005	< 0.0002		< 0.002					0.1
LWPDC-RO	4/8/99	RTN	3.7		0.009			4.1	< 0.005	< 0.0002		< 0.002					0.097
LWPDC-RO	11/8/99	RTN		19		0.11					4.6						11
LWPDC-RO	11/8/99	RTN	4.6	22	0.015	0.12		4.5			4.9			18	250	1.2	0.28
LWPDC-RO	11/8/99	RTN	4.5		0.014		< 0.002	4.6	< 0.005	< 0.0002		< 0.002					0.29
LWPDC-RO	1/11/00	RTN					< 0.01										
LWPDC-RO	1/11/00	RTN	0.11		0.0086		0.011	0.1	< 0.005	< 0.0002		< 0.002					0.071
LWPDC-RO	2/14/00	RTN		69		0.2					4.6						5.3
LWPDC-RO	2/14/00	RTN	2.6	70	< 0.01	0.2		2.1			4.8			68	564	5.3	0.09
LWPDC-RO	2/14/00	RTN	2.7		0.0066		0.0097	2.2	< 0.005	< 0.0002		< 0.002					0.082
LWPDC-RO	3/8/00	RTN		52		0.19					5.5						4.1
LWPDC-RO	3/8/00	RTN	0.2	52	< 0.01	0.2		0.16			6			50	432	4.2	< 0.05
LWPDC-RO	3/8/00	RTN	0.2		0.002		0.0071	0.2	< 0.005	< 0.0002		< 0.002					0.045

Location	Sampled Date	Type	Analyte	Units	Los Value	Result
Arroyo Seco						
L-ASS2-RO	11/15/97	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASS2-RO	12/8/97	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASS2-RO	2/12/98	RTN	Atrazine	ug/L	< 0.4	0.4
L-ASS2-RO	3/31/98	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASS2-RO	11/30/98	RTN	Atrazine	ug/L	< 0.4	0.4
L-ASS2-RO	1/26/99	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASS2-RO	2/8/99	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASS2-RO	4/8/99	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASS2-RO	2/14/00	RTN	Atrazine	ug/L	< 1	1
L-ASS2-RO	3/8/00	RTN	Atrazine	ug/L	< 0.5	0.5
L-ASW-RO	10/29/96	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	1/15/97	DLP	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	1/15/97	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	5/23/97	DLP	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	5/23/97	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	11/15/97	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	12/8/97	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	2/12/98	RTN	Atrazine	ug/L	< 0.4	0.4
L-ASW-RO	3/31/98	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	11/30/98	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	1/26/99	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	2/8/99	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	4/8/99	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	11/8/99	RTN	Atrazine	ug/L	< 0.2	0.2
L-ASW-RO	2/14/00	DLP	Atrazine	ug/L	< 0.5	0.5
L-ASW-RO	2/14/00	RTN	Atrazine	ug/L	< 1	1
L-ASW-RO	3/8/00	DLP	Atrazine	ug/L	< 0.5	0.5
L-ASW-RO	3/8/00	RTN	Atrazine	ug/L	< 0.5	0.5
L-ASS2-RO	11/15/97	RTN	Bromacil	ug/L	< 0.5	1.8
L-ASS2-RO	12/8/97	RTN	Bromacil	ug/L	< 0.5	4
L-ASS2-RO	2/12/98	RTN	Bromacil	ug/L	< 1	1
L-ASS2-RO	3/31/98	RTN	Bromacil	ug/L	< 0.5	0.5
L-ASS2-RO	11/30/98	RTN	Bromacil	ug/L	< 1	1.4
L-ASS2-RO	1/26/99	RTN	Bromacil	ug/L	< 0.5	0.5
L-ASS2-RO	2/8/99	RTN	Bromacil	ug/L	< 0.5	2.7
L-ASS2-RO	4/8/99	RTN	Bromacil	ug/L	< 0.5	0.5
L-ASS2-RO	2/14/00	RTN	Bromacil	ug/L	< 1	1.2
L-ASS2-RO	3/8/00	RTN	Bromacil	ug/L	< 0.5	0.5
L-ASW-RO	10/29/96	RTN	Bromacil	ug/L	< 1	1
L-ASW-RO	1/15/97	DLP	Bromacil	ug/L	< 1	1
L-ASW-RO	1/15/97	RTN	Bromacil	ug/L	< 1	1.3
L-ASW-RO	5/23/97	DLP	Bromacil	ug/L	< 1	1
L-ASW-RO	5/23/97	RTN	Bromacil	ug/L	< 1	1
L-ASW-RO	11/15/97	RTN	Bromacil	ug/L	< 0.5	2.2
L-ASW-RO	12/8/97	RTN	Bromacil	ug/L	< 0.5	8.4
L-ASW-RO	2/12/98	RTN	Bromacil	ug/L	< 1	1
L-ASW-RO	3/31/98	RTN	Bromacil	ug/L	< 0.5	0.5
L-ASW-RO	11/30/98	RTN	Bromacil	ug/L	< 0.5	0.79
L-ASW-RO	1/26/99	RTN	Bromacil	ug/L	< 0.5	0.5
L-ASW-RO	2/8/99	RTN	Bromacil	ug/L	< 0.5	2.2
L-ASW-RO	4/8/99	RTN	Bromacil	ug/L	< 0.5	0.5
L-ASW-RO	11/8/99	RTN	Bromacil	ug/L	< 0.5	0.5
L-ASW-RO	2/14/00	DLP	Bromacil	ug/L	< 0.5	0.5
L-ASW-RO	2/14/00	RTN	Bromacil	ug/L	< 1	1
L-ASW-RO	3/8/00	DLP	Bromacil	ug/L	< 0.5	0.5
L-ASW-RO	3/8/00	RTN	Bromacil	ug/L	< 0.5	0.5
L-ASS2-RO	10/15/93	RTN	Bromide	mg/L	< 1	1
L-ASS2-RO	11/10/93	RTN	Bromide	mg/L	< 1	1
L-ASS2-RO	11/5/94	RTN	Bromide	mg/L	< 0.5	0.5
L-ASS2-RO	5/13/95	RTN	Bromide	mg/L	< 0.5	0.5
L-ASS2-RO	12/11/95	RTN	Bromide	mg/L	< 5	5
L-ASS2-RO	4/1/96	DLP	Bromide	mg/L	< 0.05	0.05
L-ASS2-RO	4/1/96	RTN	Bromide	mg/L	< 0.05	0.05
L-ASS2-RO	5/15/96	RTN	Bromide	mg/L	< 0.5	0.5
L-ASS2-RO	10/29/96	RTN	Bromide	mg/L	< 0.05	0.05
L-ASS2-RO	1/15/97	RTN	Bromide	mg/L	< 0.05	0.21
L-ASS2-RO	11/15/97	RTN	Bromide	mg/L	< 0.05	0.05
L-ASS2-RO	12/8/97	RTN	Bromide	mg/L	< 0.05	0.05
L-ASS2-RO	2/12/98	RTN	Bromide	mg/L	< 0.05	0.19
L-ASS2-RO	3/31/98	RTN	Bromide	mg/L	< 0.05	0.25
L-ASS2-RO	11/30/98	RTN	Bromide	mg/L	< 0.05	0.05
L-ASS2-RO	1/26/99	RTN	Bromide	mg/L	< 0.1	0.1
L-ASS2-RO	2/8/99	RTN	Bromide	mg/L	< 0.1	0.1
L-ASS2-RO	4/8/99	RTN	Bromide	mg/L	< 0.1	0.1
L-ASS2-RO	2/14/00	RTN	Bromide	mg/L	< 0.1	0.1
L-ASS2-RO	3/8/00	RTN	Bromide	mg/L	< 0.1	0.3
L-ASW-RO	11/10/93	RTN	Bromide	mg/L	< 1	1
L-ASW-RO	11/5/94	RTN	Bromide	mg/L	< 0.5	0.5
L-ASW-RO	5/13/95	RTN	Bromide	mg/L	< 0.5	0.5
L-ASW-RO	12/11/95	RTN	Bromide	mg/L	< 5	5
L-ASW-RO	4/1/96	RTN	Bromide	mg/L	< 0.05	0.05
L-ASW-RO	5/15/96	RTN	Bromide	mg/L	< 0.5	0.5
L-ASW-RO	10/29/96	RTN	Bromide	mg/L	< 0.05	0.05
L-ASW-RO	1/15/97	DLP	Bromide	mg/L	< 0.05	0.21
L-ASW-RO	1/15/97	RTN	Bromide	mg/L	< 0.05	0.2
L-ASW-RO	5/23/97	DLP	Bromide	mg/L	< 0.05	0.05
L-ASW-RO	5/23/97	RTN	Bromide	mg/L	< 0.05	0.05
L-ASW-RO	11/15/97	RTN	Bromide	mg/L	< 0.05	0.05
L-ASW-RO	12/8/97	RTN	Bromide	mg/L	< 0.05	0.05
L-ASW-RO	2/12/98	RTN	Bromide	mg/L	< 0.05	0.18
L-ASW-RO	3/31/98	RTN	Bromide	mg/L	< 0.05	0.15
L-ASW-RO	11/30/98	RTN	Bromide	mg/L	< 0.05	0.05
L-ASW-RO	1/26/99	RTN	Bromide	mg/L	< 0.1	0.1
L-ASW-RO	2/8/99	RTN	Bromide	mg/L	< 0.1	0.1
L-ASW-RO	4/8/99	RTN	Bromide	mg/L	< 0.1	0.16
L-ASW-RO	11/8/99	RTN	Bromide	mg/L	< 0.1	0.1
L-ASW-RO	2/14/00	DLP	Bromide	mg/L	< 0.1	0.2
L-ASW-RO	2/14/00	RTN	Bromide	mg/L	< 0.1	0.1
L-ASW-RO	3/8/00	DLP	Bromide	mg/L	< 0.1	0.2
L-ASW-RO	3/8/00	RTN	Bromide	mg/L	< 0.1	0.2
L-ASS2-RO	2/27/91	RTN	Chemical Oxygen Demand	mg/L	0	200
L-ASS2-RO	3/1/91	RTN	Chemical Oxygen Demand	mg/L	0	75
L-ASS2-RO	3/10/91	RTN	Chemical Oxygen Demand	mg/L	0	50
L-ASS2-RO	11/17/91	RTN	Chemical Oxygen Demand	mg/L	0	120

L-ASS2-RO	12/27/91	RTN	Chemical Oxygen Demand	mg/L		10	60
L-ASS2-RO	1/5/92	RTN	Chemical Oxygen Demand	mg/L		10	25
L-ASS2-RO	1/28/92	RTN	Chemical Oxygen Demand	mg/L		10	150
L-ASS2-RO	2/12/92	RTN	Chemical Oxygen Demand	mg/L		10	40
L-ASS2-RO	3/5/92	RTN	Chemical Oxygen Demand	mg/L		10	110
L-ASS2-RO	10/29/92	RTN	Chemical Oxygen Demand	mg/L		10	60
L-ASS2-RO	12/8/92	RTN	Chemical Oxygen Demand	mg/L		10	40
L-ASS2-RO	1/6/93	RTN	Chemical Oxygen Demand	mg/L		10	40
L-ASS2-RO	2/8/93	RTN	Chemical Oxygen Demand	mg/L		10	35
L-ASS2-RO	3/25/93	RTN	Chemical Oxygen Demand	mg/L		10	40
L-ASS2-RO	10/15/93	RTN	Chemical Oxygen Demand	mg/L		5	79
L-ASS2-RO	11/10/93	RTN	Chemical Oxygen Demand	mg/L		5	150
L-ASS2-RO	1/24/94	RTN	Chemical Oxygen Demand	mg/L		5	42
L-ASS2-RO	4/25/94	RTN	Chemical Oxygen Demand	mg/L		5	24
L-ASS2-RO	11/5/94	RTN	Chemical Oxygen Demand	mg/L		5	36
L-ASS2-RO	3/3/95	RTN	Chemical Oxygen Demand	mg/L		5	20
L-ASS2-RO	5/13/95	RTN	Chemical Oxygen Demand	mg/L		5	18
L-ASS2-RO	12/11/95	RTN	Chemical Oxygen Demand	mg/L		5	45
L-ASS2-RO	1/18/96	RTN	Chemical Oxygen Demand	mg/L		5	35
L-ASS2-RO	4/1/96	DLP	Chemical Oxygen Demand	mg/L		5	13
L-ASS2-RO	4/1/96	RTN	Chemical Oxygen Demand	mg/L		5	10
L-ASS2-RO	5/15/96	RTN	Chemical Oxygen Demand	mg/L		5	110
L-ASS2-RO	10/29/96	RTN	Chemical Oxygen Demand	mg O/L		4	80.6
L-ASS2-RO	1/15/97	RTN	Chemical Oxygen Demand	mg O/L		4	111
L-ASS2-RO	11/15/97	RTN	Chemical Oxygen Demand	mg/L		20	51
L-ASS2-RO	12/8/97	RTN	Chemical Oxygen Demand	mg/L		20	24
L-ASS2-RO	2/12/98	RTN	Chemical Oxygen Demand	mg/L		20	115
L-ASS2-RO	3/31/98	RTN	Chemical Oxygen Demand	mg/L		20	35
L-ASS2-RO	11/30/98	RTN	Chemical Oxygen Demand	mg/L		20	64
L-ASS2-RO	1/26/99	RTN	Chemical Oxygen Demand	mg/L	<	4	4
L-ASS2-RO	2/8/99	RTN	Chemical Oxygen Demand	mg/L		20	27
L-ASS2-RO	4/8/99	RTN	Chemical Oxygen Demand	mg/L		20	33
L-ASS2-RO	2/14/00	RTN	Chemical Oxygen Demand	mg/L		25	130
L-ASW-RO	2/2/91	RTN	Chemical Oxygen Demand	mg/L		0	200
L-ASW-RO	2/4/91	RTN	Chemical Oxygen Demand	mg/L		0	120
L-ASW-RO	3/1/91	RTN	Chemical Oxygen Demand	mg/L		0	100
L-ASW-RO	3/10/91	RTN	Chemical Oxygen Demand	mg/L		0	75
L-ASW-RO	12/27/91	DLP	Chemical Oxygen Demand	mg/L		10	100
L-ASW-RO	12/27/91	RTN	Chemical Oxygen Demand	mg/L		10	90
L-ASW-RO	1/5/92	RTN	Chemical Oxygen Demand	mg/L		10	25
L-ASW-RO	1/28/92	RTN	Chemical Oxygen Demand	mg/L		10	110
L-ASW-RO	2/12/92	RTN	Chemical Oxygen Demand	mg/L		10	90
L-ASW-RO	3/5/92	RTN	Chemical Oxygen Demand	mg/L		10	85
L-ASW-RO	10/29/92	RTN	Chemical Oxygen Demand	mg/L		10	210
L-ASW-RO	12/6/92	RTN	Chemical Oxygen Demand	mg/L		10	30
L-ASW-RO	1/6/93	RTN	Chemical Oxygen Demand	mg/L		10	20
L-ASW-RO	2/8/93	RTN	Chemical Oxygen Demand	mg/L		10	40
L-ASW-RO	3/25/93	RTN	Chemical Oxygen Demand	mg/L		10	40
L-ASW-RO	11/10/93	RTN	Chemical Oxygen Demand	mg/L		5	210
L-ASW-RO	1/24/94	DLP	Chemical Oxygen Demand	mg/L		5	49
L-ASW-RO	1/24/94	RTN	Chemical Oxygen Demand	mg/L		5	53
L-ASW-RO	4/25/94	RTN	Chemical Oxygen Demand	mg/L		5	41
L-ASW-RO	11/5/94	DLP	Chemical Oxygen Demand	mg/L		20	36
L-ASW-RO	11/5/94	RTN	Chemical Oxygen Demand	mg/L		5	43
L-ASW-RO	3/2/95	RTN	Chemical Oxygen Demand	mg/L		5	24
L-ASW-RO	5/13/95	RTN	Chemical Oxygen Demand	mg/L		5	16
L-ASW-RO	12/11/95	RTN	Chemical Oxygen Demand	mg/L		5	43
L-ASW-RO	1/16/96	RTN	Chemical Oxygen Demand	mg/L		5	36
L-ASW-RO	4/1/96	RTN	Chemical Oxygen Demand	mg/L		5	10
L-ASW-RO	5/15/96	RTN	Chemical Oxygen Demand	mg/L		5	80
L-ASW-RO	10/29/96	RTN	Chemical Oxygen Demand	mg O/L		4	419
L-ASW-RO	1/15/97	DLP	Chemical Oxygen Demand	mg O/L		4	114
L-ASW-RO	1/15/97	RTN	Chemical Oxygen Demand	mg O/L		4	122
L-ASW-RO	5/23/97	DLP	Chemical Oxygen Demand	mg/L		20	131
L-ASW-RO	5/23/97	RTN	Chemical Oxygen Demand	mg/L		20	135
L-ASW-RO	11/15/97	RTN	Chemical Oxygen Demand	mg/L		20	82
L-ASW-RO	12/8/97	RTN	Chemical Oxygen Demand	mg/L		20	82
L-ASW-RO	2/12/98	RTN	Chemical Oxygen Demand	mg/L		20	39
L-ASW-RO	3/31/98	RTN	Chemical Oxygen Demand	mg/L		20	24
L-ASW-RO	11/30/98	RTN	Chemical Oxygen Demand	mg/L		20	37
L-ASW-RO	1/26/99	RTN	Chemical Oxygen Demand	mg/L		4	33
L-ASW-RO	2/8/99	RTN	Chemical Oxygen Demand	mg/L		20	33
L-ASW-RO	4/8/99	RTN	Chemical Oxygen Demand	mg/L		20	50
L-ASW-RO	11/8/99	RTN	Chemical Oxygen Demand	mg/L		20	64
L-ASW-RO	2/14/00	DLP	Chemical Oxygen Demand	mg/L		25	128
L-ASW-RO	2/14/00	RTN	Chemical Oxygen Demand	mg/L		25	144
L-ASS2-RO	11/15/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASS2-RO	12/8/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASS2-RO	2/12/98	RTN	Diazinon	ug/L	<	0.4	0.4
L-ASS2-RO	3/31/98	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASS2-RO	11/30/98	RTN	Diazinon	ug/L	<	0.4	0.4
L-ASS2-RO	1/26/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASS2-RO	2/8/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASS2-RO	4/8/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASS2-RO	2/14/00	RTN	Diazinon	ug/L	<	1	1
L-ASS2-RO	3/8/00	RTN	Diazinon	ug/L	<	0.5	0.5
L-ASW-RO	10/29/96	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	1/15/97	DLP	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	1/15/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	5/23/97	DLP	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	5/23/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	11/15/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	12/8/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	2/12/98	RTN	Diazinon	ug/L	<	0.4	0.4
L-ASW-RO	3/31/98	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	11/30/98	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	1/26/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	2/8/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	4/8/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-ASW-RO	11/8/99	RTN	Diazinon	ug/L	<	0.2	0.26
L-ASW-RO	2/14/00	DLP	Diazinon	ug/L	<	0.5	0.5
L-ASW-RO	2/14/00	RTN	Diazinon	ug/L	<	1	1
L-ASW-RO	3/8/00	DLP	Diazinon	ug/L	<	0.5	0.5
L-ASS2-RO	11/15/97	RTN	Diuron	ug/L		5	16
L-ASS2-RO	12/8/97	RTN	Diuron	ug/L		1	1.2
L-ASS2-RO	2/12/98	RTN	Diuron	ug/L	<	1	1
L-ASS2-RO	3/31/98	RTN	Diuron	ug/L	<	1	1
L-ASS2-RO	11/30/98	RTN	Diuron	ug/L	<	1	1
L-ASS2-RO	1/26/99	RTN	Diuron	ug/L	<	1	1
L-ASS2-RO	2/8/99	RTN	Diuron	ug/L	<	1	1

L-ASS2-RO	4/8/99	RTN	Diuron	ug/L	<	1	1
L-ASS2-RO	2/14/00	RTN	Diuron	ug/L	<	1	1
L-ASS2-RO	3/8/00	RTN	Diuron	ug/L	<	1	1
L-ASW-RO	10/29/96	RTN	Diuron	ug/L	<	1	1
L-ASW-RO	1/15/97	DLP	Diuron	ug/L	<	1	1
L-ASW-RO	1/15/97	RTN	Diuron	ug/L	<	1	1
L-ASW-RO	5/23/97	DLP	Diuron	ug/L	<	2	2
L-ASW-RO	5/23/97	RTN	Diuron	ug/L	<	2	2
L-ASW-RO	11/15/97	RTN	Diuron	ug/L	<	1	2.4
L-ASW-RO	12/8/97	RTN	Diuron	ug/L	<	5	2.9
L-ASW-RO	2/12/98	RTN	Diuron	ug/L	<	1	1
L-ASW-RO	3/31/98	RTN	Diuron	ug/L	<	1	1
L-ASW-RO	11/30/98	RTN	Diuron	ug/L	<	1	1
L-ASW-RO	1/26/99	RTN	Diuron	ug/L	<	1	1.6
L-ASW-RO	2/8/99	RTN	Diuron	ug/L	<	1	1
L-ASW-RO	4/8/99	RTN	Diuron	ug/L	<	1	1
L-ASW-RO	11/8/99	RTN	Diuron	ug/L	<	2	2
L-ASW-RO	2/14/00	DLP	Diuron	ug/L	<	1	2.8
L-ASW-RO	2/14/00	RTN	Diuron	ug/L	<	1	2.8
L-ASW-RO	3/8/00	DLP	Diuron	ug/L	<	1	1
L-ASW-RO	3/8/00	RTN	Diuron	ug/L	<	1	1
L-ASS2-RO	11/15/97	RTN	Glyphosate	ug/L	<	35	35
L-ASS2-RO	12/8/97	RTN	Glyphosate	ug/L	<	9	9
L-ASS2-RO	2/12/98	RTN	Glyphosate	ug/L	<	9	9
L-ASS2-RO	3/31/98	RTN	Glyphosate	ug/L	<	9	1.9
L-ASS2-RO	11/30/98	RTN	Glyphosate	ug/L	<	9	9
L-ASS2-RO	1/26/99	RTN	Glyphosate	ug/L	<	9	9
L-ASS2-RO	2/8/99	RTN	Glyphosate	ug/L	<	9	9
L-ASS2-RO	4/8/99	RTN	Glyphosate	ug/L	<	9	1.2
L-ASS2-RO	3/8/00	RTN	Glyphosate	ug/L	<	9	9
L-ASW-RO	10/29/96	RTN	Glyphosate	ug/L	<	20	20
L-ASW-RO	1/15/97	DLP	Glyphosate	ug/L	<	20	20
L-ASW-RO	1/15/97	RTN	Glyphosate	ug/L	<	20	20
L-ASW-RO	5/23/97	DLP	Glyphosate	ug/L	<	20	4.4
L-ASW-RO	5/23/97	RTN	Glyphosate	ug/L	<	20	4.2
L-ASW-RO	11/15/97	RTN	Glyphosate	ug/L	<	9	9
L-ASW-RO	12/8/97	RTN	Glyphosate	ug/L	<	9	9
L-ASW-RO	2/12/98	RTN	Glyphosate	ug/L	<	9	4.0
L-ASW-RO	3/31/98	RTN	Glyphosate	ug/L	<	9	1.9
L-ASW-RO	11/30/98	RTN	Glyphosate	ug/L	<	9	9
L-ASW-RO	1/26/99	RTN	Glyphosate	ug/L	<	9	9
L-ASW-RO	2/8/99	RTN	Glyphosate	ug/L	<	9	9
L-ASW-RO	4/8/99	RTN	Glyphosate	ug/L	<	9	1.4
L-ASW-RO	11/8/99	RTN	Glyphosate	ug/L	<	9	5.7
L-ASW-RO	3/8/00	DLP	Glyphosate	ug/L	<	9	9
L-ASW-RO	3/8/00	RTN	Glyphosate	ug/L	<	9	1.5
L-ASS2-RO	2/27/91	RTN	Oil and Grease	mg/L	<	0	5
L-ASS2-RO	3/1/91	RTN	Oil and Grease	mg/L	<	0	7
L-ASS2-RO	3/10/91	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	11/17/91	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	12/27/91	RTN	Oil and Grease	mg/L	<	5	7
L-ASS2-RO	1/5/92	RTN	Oil and Grease	mg/L	<	5	1.0
L-ASS2-RO	1/28/92	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	2/12/92	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	3/5/92	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	10/29/92	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	12/6/92	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	1/6/93	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	2/8/93	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	3/25/93	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	10/15/93	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	11/10/93	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	1/24/94	RTN	Oil and Grease	mg/L	<	5	5.4
L-ASS2-RO	4/25/94	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	11/5/94	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	3/3/95	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	5/13/95	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	12/11/95	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	1/16/96	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	4/1/96	DLP	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	4/1/96	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	5/15/96	RTN	Oil and Grease	mg/L	<	5	5
L-ASS2-RO	10/29/96	RTN	Oil and Grease	mg/L	<	1	1.7
L-ASS2-RO	1/15/97	RTN	Oil and Grease	mg/L	<	1	1
L-ASS2-RO	11/15/97	RTN	Oil and Grease	mg/L	<	1	1
L-ASS2-RO	12/8/97	RTN	Oil and Grease	mg/L	<	1	1
L-ASS2-RO	2/12/98	RTN	Oil and Grease	mg/L	<	1	1
L-ASS2-RO	3/31/98	RTN	Oil and Grease	mg/L	<	1	1
L-ASS2-RO	11/30/98	RTN	Oil and Grease	mg/L	<	1	1
L-ASS2-RO	1/26/99	RTN	Oil and Grease	mg/L	<	1	1
L-ASS2-RO	2/8/99	RTN	Oil and Grease	mg/L	<	1	2.7
L-ASS2-RO	4/8/99	RTN	Oil and Grease	mg/L	<	1	2.1
L-ASS2-RO	2/14/00	RTN	Oil and Grease	mg/L	<	1	1
L-ASS2-RO	3/8/00	RTN	Oil and Grease	mg/L	<	1	1
L-ASW-RO	2/2/91	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	2/4/91	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	3/1/91	RTN	Oil and Grease	mg/L	<	0	8
L-ASW-RO	3/10/91	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	12/27/91	DLP	Oil and Grease	mg/L	<	5	5
L-ASW-RO	12/27/91	RTN	Oil and Grease	mg/L	<	5	7
L-ASW-RO	1/5/92	RTN	Oil and Grease	mg/L	<	5	1.0
L-ASW-RO	1/28/92	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	2/12/92	RTN	Oil and Grease	mg/L	<	5	8
L-ASW-RO	3/5/92	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	10/29/92	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	12/6/92	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	1/6/93	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	2/8/93	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	3/25/93	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	11/10/93	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	1/24/94	DLP	Oil and Grease	mg/L	<	5	7.6
L-ASW-RO	1/24/94	RTN	Oil and Grease	mg/L	<	5	6.4
L-ASW-RO	4/25/94	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	11/5/94	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	3/2/95	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	5/13/95	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	12/11/95	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	1/16/96	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	4/1/96	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	5/15/96	RTN	Oil and Grease	mg/L	<	5	5
L-ASW-RO	10/29/96	RTN	Oil and Grease	mg/L	<	1	2.7
L-ASW-RO	1/15/97	DLP	Oil and Grease	mg/L	<	1	1
L-ASW-RO	1/15/97	RTN	Oil and Grease	mg/L	<	1	1
L-ASW-RO	5/23/97	DLP	Oil and Grease	mg/L	<	1	2.6
L-ASW-RO	5/23/97	RTN	Oil and Grease	mg/L	<	1	1.9

L-ASW-RO	11/15/97	RTN	Oil and Grease	mg/L	<	1	1.2
L-ASW-RO	12/8/97	RTN	Oil and Grease	mg/L	<	1	1.2
L-ASW-RO	2/12/98	RTN	Oil and Grease	mg/L	<	1	1.2
L-ASW-RO	3/31/98	RTN	Oil and Grease	mg/L	<	1	2.4
L-ASW-RO	11/30/98	RTN	Oil and Grease	mg/L	<	1	1.2
L-ASW-RO	1/26/99	RTN	Oil and Grease	mg/L	<	1	2.2
L-ASW-RO	2/8/99	RTN	Oil and Grease	mg/L	<	1	1.2
L-ASW-RO	4/8/99	RTN	Oil and Grease	mg/L	<	1	1.2
L-ASW-RO	11/8/99	RTN	Oil and Grease	mg/L	<	1	1.4
L-ASW-RO	2/14/00	RTN	Oil and Grease	mg/L	<	1	1.2
L-ASW-RO	3/8/00	RTN	Oil and Grease	mg/L	<	1	1.2
L-ASS2-RO	11/5/94	RTN	Ortho-Phosphate	mg/L	<	0.5	0.5
L-ASS2-RO	5/13/95	RTN	Ortho-Phosphate	mg/L	<	1	1
L-ASS2-RO	12/11/95	RTN	Ortho-Phosphate	mg/L	<	1.0	1.0
L-ASS2-RO	4/1/96	DUP	Ortho-Phosphate	mg/L	<	0.1	0.1
L-ASS2-RO	4/1/96	DUP	Ortho-Phosphate	mg/L	<	0.02	0.02
L-ASS2-RO	4/1/96	RTN	Ortho-Phosphate	mg/L	<	0.1	0.1
L-ASS2-RO	4/1/96	RTN	Ortho-Phosphate	mg/L	<	0.02	0.02
L-ASS2-RO	5/15/96	RTN	Ortho-Phosphate	mg/L	<	0.05	0.13
L-ASS2-RO	10/29/96	RTN	Ortho-Phosphate	mg/L	<	0.05	0.54
L-ASS2-RO	10/29/96	RTN	Ortho-Phosphate	mg/L	<	0.05	0.56
L-ASS2-RO	11/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	1.3
L-ASS2-RO	11/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	1.3
L-ASS2-RO	11/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	0.55
L-ASS2-RO	11/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	0.54
L-ASS2-RO	12/8/97	RTN	Ortho-Phosphate	mg/L	<	0.05	0.36
L-ASS2-RO	12/8/97	RTN	Ortho-Phosphate	mg/L	<	0.05	0.36
L-ASS2-RO	2/12/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.6
L-ASS2-RO	2/12/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.7
L-ASS2-RO	3/31/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.3
L-ASS2-RO	3/31/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.28
L-ASS2-RO	11/30/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.43
L-ASS2-RO	11/30/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.44
L-ASS2-RO	11/30/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.43
L-ASS2-RO	1/26/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.21
L-ASS2-RO	1/26/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.2
L-ASS2-RO	1/26/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.19
L-ASS2-RO	2/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.43
L-ASS2-RO	2/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.43
L-ASS2-RO	2/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.43
L-ASS2-RO	4/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.94
L-ASS2-RO	4/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.93
L-ASS2-RO	4/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.93
L-ASS2-RO	2/14/00	RTN	Ortho-Phosphate	mg/L	<	0.25	2.3
L-ASS2-RO	2/14/00	RTN	Ortho-Phosphate	mg/L	<	0.25	2.4
L-ASS2-RO	3/8/00	RTN	Ortho-Phosphate	mg/L	<	0.05	0.559
L-ASS2-RO	3/8/00	RTN	Ortho-Phosphate	mg/L	<	0.05	0.541
L-ASW-RO	11/5/94	RTN	Ortho-Phosphate	mg/L	<	0.5	0.54
L-ASW-RO	5/13/95	RTN	Ortho-Phosphate	mg/L	<	1	1
L-ASW-RO	12/11/95	RTN	Ortho-Phosphate	mg/L	<	1.0	1.0
L-ASW-RO	4/1/96	RTN	Ortho-Phosphate	mg/L	<	0.1	0.1
L-ASW-RO	4/1/96	RTN	Ortho-Phosphate	mg/L	<	0.02	0.02
L-ASW-RO	5/15/96	RTN	Ortho-Phosphate	mg/L	<	0.05	0.12
L-ASW-RO	10/29/96	RTN	Ortho-Phosphate	mg/L	<	0.05	2.7
L-ASW-RO	10/29/96	RTN	Ortho-Phosphate	mg/L	<	0.05	2.7
L-ASW-RO	11/15/97	DUP	Ortho-Phosphate	mg/L	<	0.05	1.2
L-ASW-RO	11/15/97	DUP	Ortho-Phosphate	mg/L	<	0.05	1.3
L-ASW-RO	11/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	1.4
L-ASW-RO	11/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	1.4
L-ASW-RO	5/23/97	DUP	Ortho-Phosphate	mg/L	<	0.1	0.84
L-ASW-RO	5/23/97	RTN	Ortho-Phosphate	mg/L	<	0.1	0.84
L-ASW-RO	11/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	0.62
L-ASW-RO	11/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	0.6
L-ASW-RO	12/8/97	RTN	Ortho-Phosphate	mg/L	<	0.05	0.26
L-ASW-RO	12/8/97	RTN	Ortho-Phosphate	mg/L	<	0.05	0.28
L-ASW-RO	2/12/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.46
L-ASW-RO	2/12/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.41
L-ASW-RO	3/31/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.25
L-ASW-RO	3/31/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.25
L-ASW-RO	11/30/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.35
L-ASW-RO	11/30/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.38
L-ASW-RO	11/30/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.36
L-ASW-RO	1/26/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.33
L-ASW-RO	1/26/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.33
L-ASW-RO	1/26/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.33
L-ASW-RO	2/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.47
L-ASW-RO	2/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.47
L-ASW-RO	2/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.47
L-ASW-RO	2/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.47
L-ASW-RO	4/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.49
L-ASW-RO	4/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.43
L-ASW-RO	4/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.44
L-ASW-RO	11/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.75
L-ASW-RO	2/14/00	DUP	Ortho-Phosphate	mg/L	<	0.25	2.3
L-ASW-RO	2/14/00	DUP	Ortho-Phosphate	mg/L	<	0.25	2.4
L-ASW-RO	2/14/00	RTN	Ortho-Phosphate	mg/L	<	0.25	2.3
L-ASW-RO	2/14/00	RTN	Ortho-Phosphate	mg/L	<	0.25	2.4
L-ASW-RO	3/8/00	DUP	Ortho-Phosphate	mg/L	<	0.05	0.45
L-ASW-RO	3/8/00	DUP	Ortho-Phosphate	mg/L	<	0.05	0.45
L-ASW-RO	3/8/00	RTN	Ortho-Phosphate	mg/L	<	0.05	0.46
L-ASW-RO	3/8/00	RTN	Ortho-Phosphate	mg/L	<	0.05	0.47
L-ASS2-RO	11/10/93	RTN	pH	Units	<	0	6.9
L-ASS2-RO	1/24/94	RTN	pH	Units	<	0	6.9
L-ASS2-RO	4/25/94	RTN	pH	Units	<	0	6.8
L-ASS2-RO	11/5/94	RTN	pH	Units	<	0	6.2
L-ASS2-RO	3/3/95	RTN	pH	Units	<	0	7.7
L-ASS2-RO	5/13/95	RTN	pH	Units	<	0	6.9
L-ASS2-RO	12/11/95	RTN	pH	Units	<	0	6.8
L-ASS2-RO	11/16/96	RTN	pH	Units	<	0	6.9
L-ASS2-RO	4/1/96	DUP	pH	SU	<	0	7
L-ASS2-RO	4/1/96	RTN	pH	SU	<	0	7
L-ASS2-RO	5/15/96	RTN	pH	Units	<	0	6.2
L-ASS2-RO	10/29/96	RTN	pH	Units	<	0	6.7
L-ASS2-RO	11/15/97	RTN	pH	Units	<	0	6.26
L-ASS2-RO	11/15/97	RTN	pH	Units	<	0	6.45
L-ASS2-RO	12/8/97	RTN	pH	Units	<	0	7.34
L-ASS2-RO	2/12/98	RTN	pH	Units	<	0	8.08
L-ASS2-RO	3/31/98	RTN	pH	Units	<	0	8.32
L-ASS2-RO	11/30/98	RTN	pH	Units	<	0	6.83
L-ASS2-RO	11/30/98	RTN	pH	Units	<	0	6.71
L-ASS2-RO	1/26/99	RTN	pH	Units	<	0	6.84
L-ASS2-RO	1/26/99	RTN	pH	Units	<	0	6.91

L-ASS2-RO	2/8/99	RITN	pH	Units	0	7.74
L-ASS2-RO	2/8/99	RITN	pH	Units	0	7.68
L-ASS2-RO	4/8/99	RITN	pH	Units	0	6.77
L-ASS2-RO	4/8/99	RITN	pH	Units	0	7.01
L-ASS2-RO	2/14/00	RITN	pH	Units	0	8.11
L-ASS2-RO	3/8/00	RITN	pH	Units	0	8.52
L-ASW-RO	1/11/03	RITN	pH	Units	0	6.7
L-ASW-RO	1/24/94	DLP	pH	Units	0	6.9
L-ASW-RO	1/24/94	RITN	pH	Units	0	6.8
L-ASW-RO	4/25/94	RITN	pH	Units	0	6.7
L-ASW-RO	1/15/94	DLP	pH	Units	0	6.2
L-ASW-RO	1/15/94	RITN	pH	Units	0	6.1
L-ASW-RO	3/2/95	RITN	pH	Units	0	6.7
L-ASW-RO	5/13/95	RITN	pH	Units	0	6.8
L-ASW-RO	12/11/95	RITN	pH	Units	0	6.8
L-ASW-RO	1/16/96	RITN	pH	Units	0	6.8
L-ASW-RO	4/1/96	RITN	pH	SU	0	6.9
L-ASW-RO	5/15/96	RITN	pH	Units	0	5.9
L-ASW-RO	10/29/96	RITN	pH	Units	0	6.44
L-ASW-RO	1/15/97	DLP	pH	Units	0	8.27
L-ASW-RO	1/15/97	RITN	pH	Units	0	8.24
L-ASW-RO	5/23/97	DLP	pH	Units	0	6.34
L-ASW-RO	5/23/97	RITN	pH	Units	0	6.29
L-ASW-RO	11/15/97	RITN	pH	Units	0	6.72
L-ASW-RO	12/8/97	RITN	pH	Units	0	7.21
L-ASW-RO	2/12/98	RITN	pH	Units	0	6.16
L-ASW-RO	3/31/98	RITN	pH	Units	0	6.26
L-ASW-RO	11/30/98	RITN	pH	Units	0	6.81
L-ASW-RO	11/30/98	RITN	pH	Units	0	6.79
L-ASW-RO	1/26/99	RITN	pH	Units	0	7.06
L-ASW-RO	1/26/99	RITN	pH	Units	0	7.02
L-ASW-RO	2/8/99	RITN	pH	Units	0	7.7
L-ASW-RO	2/8/99	RITN	pH	Units	0	7.67
L-ASW-RO	4/8/99	RITN	pH	Units	0	6.78
L-ASW-RO	4/8/99	RITN	pH	Units	0	6.99
L-ASW-RO	1/18/99	RITN	pH	Units	0	7.17
L-ASW-RO	2/14/00	DLP	pH	Units	0	8.05
L-ASW-RO	2/14/00	RITN	pH	Units	0	8.09
L-ASW-RO	3/8/00	DLP	pH	Units	0	8.38
L-ASW-RO	3/8/00	RITN	pH	Units	0	6.4
L-ASS2-RO	11/10/93	RITN	Potassium	mg/L	1	4.1
L-ASS2-RO	1/24/94	RITN	Potassium	mg/L	1	1.3
L-ASS2-RO	4/25/94	RITN	Potassium	mg/L	1	1.8
L-ASS2-RO	1/15/94	RITN	Potassium	mg/L	1	1.5
L-ASS2-RO	3/3/95	RITN	Potassium	mg/L	1	3.5
L-ASS2-RO	5/13/95	RITN	Potassium	mg/L	1	2.3
L-ASS2-RO	12/11/95	RITN	Potassium	mg/L	1	2.3
L-ASS2-RO	1/16/96	RITN	Potassium	mg/L	1	1.1
L-ASS2-RO	4/1/96	DLP	Potassium	mg/L	0.5	4.3
L-ASS2-RO	4/1/96	RITN	Potassium	mg/L	0.5	3.2
L-ASS2-RO	5/15/96	RITN	Potassium	mg/L	1	2.7
L-ASS2-RO	10/29/96	RITN	Potassium	mg/L	0.1	2.5
L-ASS2-RO	1/15/97	RITN	Potassium	mg/L	0.1	10.6
L-ASS2-RO	11/15/97	RITN	Potassium	mg/L	1	2.5
L-ASS2-RO	11/15/97	RITN	Potassium	mg/L	1	3.1
L-ASS2-RO	12/8/97	RITN	Potassium	mg/L	1	1.7
L-ASS2-RO	12/8/97	RITN	Potassium	mg/L	1	1.9
L-ASS2-RO	2/12/98	RITN	Potassium	mg/L	1	4.7
L-ASS2-RO	2/12/98	RITN	Potassium	mg/L	1	1.2
L-ASS2-RO	3/31/98	RITN	Potassium	mg/L	1	3.3
L-ASS2-RO	3/31/98	RITN	Potassium	mg/L	0.2	3.4
L-ASS2-RO	11/30/98	RITN	Potassium	mg/L	1	2.1
L-ASS2-RO	11/30/98	RITN	Potassium	mg/L	1	2.7
L-ASS2-RO	1/26/99	RITN	Potassium	mg/L	<	1
L-ASS2-RO	1/26/99	RITN	Potassium	mg/L	1	0
L-ASS2-RO	2/8/99	RITN	Potassium	mg/L	1	3
L-ASS2-RO	2/8/99	RITN	Potassium	mg/L	1	2.2
L-ASS2-RO	4/8/99	RITN	Potassium	mg/L	1	1.2
L-ASS2-RO	4/8/99	RITN	Potassium	mg/L	0.2	1.8
L-ASS2-RO	2/14/00	RITN	Potassium	mg/L	5	1.5
L-ASS2-RO	3/8/00	RITN	Potassium	mg/L	1	5.1
L-ASW-RO	11/10/93	RITN	Potassium	mg/L	1	5.7
L-ASW-RO	1/24/94	DLP	Potassium	mg/L	1	1.9
L-ASW-RO	1/24/94	RITN	Potassium	mg/L	1	2
L-ASW-RO	4/25/94	RITN	Potassium	mg/L	1	1.9
L-ASW-RO	1/15/94	RITN	Potassium	mg/L	1	2.8
L-ASW-RO	3/2/95	RITN	Potassium	mg/L	1	1.5
L-ASW-RO	5/13/95	RITN	Potassium	mg/L	1	1.8
L-ASW-RO	12/11/95	RITN	Potassium	mg/L	1	2
L-ASW-RO	1/16/96	RITN	Potassium	mg/L	1	1.2
L-ASW-RO	4/1/96	RITN	Potassium	mg/L	0.5	3.1
L-ASW-RO	5/15/96	RITN	Potassium	mg/L	1	2.5
L-ASW-RO	10/29/96	RITN	Potassium	mg/L	0.1	10
L-ASW-RO	1/15/97	DLP	Potassium	mg/L	0.1	10.5
L-ASW-RO	1/15/97	RITN	Potassium	mg/L	0.1	10.6
L-ASW-RO	5/23/97	DLP	Potassium	mg/L	0.1	4.3
L-ASW-RO	5/23/97	RITN	Potassium	mg/L	0.1	4.4
L-ASW-RO	11/15/97	RITN	Potassium	mg/L	1	1.4
L-ASW-RO	11/15/97	RITN	Potassium	mg/L	1	7.4
L-ASW-RO	12/8/97	RITN	Potassium	mg/L	1	1.3
L-ASW-RO	12/8/97	RITN	Potassium	mg/L	1	3.1
L-ASW-RO	2/12/98	RITN	Potassium	mg/L	1	3.6
L-ASW-RO	2/12/98	RITN	Potassium	mg/L	1	5.4
L-ASW-RO	3/31/98	RITN	Potassium	mg/L	1	3.1
L-ASW-RO	3/31/98	RITN	Potassium	mg/L	0.2	2.9
L-ASW-RO	11/30/98	RITN	Potassium	mg/L	1	1.9
L-ASW-RO	11/30/98	RITN	Potassium	mg/L	1	2.9
L-ASW-RO	1/26/99	RITN	Potassium	mg/L	1	1.2
L-ASW-RO	1/26/99	RITN	Potassium	mg/L	1	2.1
L-ASW-RO	2/8/99	RITN	Potassium	mg/L	1	2.8
L-ASW-RO	2/8/99	RITN	Potassium	mg/L	1	2.5
L-ASW-RO	4/8/99	RITN	Potassium	mg/L	1	1.2
L-ASW-RO	4/8/99	RITN	Potassium	mg/L	0.2	1.8
L-ASW-RO	1/18/99	RITN	Potassium	mg/L	1	3.9
L-ASW-RO	2/14/00	DLP	Potassium	mg/L	5	1.5
L-ASW-RO	2/14/00	RITN	Potassium	mg/L	1	1.5
L-ASW-RO	3/8/00	DLP	Potassium	mg/L	1	3.8
L-ASW-RO	3/8/00	RITN	Potassium	mg/L	1	3.9
L-ASS2-RO	2/27/91	RITN	Total Alkalinity (as CaCO3)	mg/L	0	2.4
L-ASS2-RO	3/1/91	RITN	Total Alkalinity (as CaCO3)	mg/L	0	12.0

L-ASS2-RO	3/10/91	RTN	Total Alkalinity (as CaCO3)	mg/L	0	18
L-ASS2-RO	11/17/91	RTN	Total Alkalinity (as CaCO3)	mg/L	0	30
L-ASS2-RO	12/27/91	RTN	Total Alkalinity (as CaCO3)	mg/L	1	20
L-ASS2-RO	1/5/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	30
L-ASS2-RO	1/28/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	30
L-ASS2-RO	2/12/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	30
L-ASS2-RO	3/5/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	20
L-ASS2-RO	10/29/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	19
L-ASS2-RO	12/8/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	22
L-ASS2-RO	1/6/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	27
L-ASS2-RO	2/8/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	13
L-ASS2-RO	3/25/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	31
L-ASS2-RO	11/10/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	32
L-ASS2-RO	1/24/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	14
L-ASS2-RO	4/25/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	8.6
L-ASS2-RO	11/5/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	8.6
L-ASS2-RO	3/3/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	70
L-ASS2-RO	5/13/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	19
L-ASS2-RO	12/11/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	11
L-ASS2-RO	1/16/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	15
L-ASS2-RO	4/1/96	DLP	Total Alkalinity (as CaCO3)	mg/L	1	57
L-ASS2-RO	4/1/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	6
L-ASS2-RO	5/15/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	28
L-ASS2-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	8.9
L-ASS2-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	11.3
L-ASS2-RO	1/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	180
L-ASS2-RO	11/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	14
L-ASS2-RO	12/8/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	20
L-ASS2-RO	2/12/98	RTN	Total Alkalinity (as CaCO3)	mg/L	1	181
L-ASS2-RO	3/31/98	RTN	Total Alkalinity (as CaCO3)	mg/L	5	155
L-ASS2-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L	1	15
L-ASS2-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L	5	19
L-ASS2-RO	1/26/99	RTN	Total Alkalinity (as CaCO3)	mg/L	1	9.8
L-ASS2-RO	1/26/99	RTN	Total Alkalinity (as CaCO3)	mg/L	1	9.8
L-ASS2-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	58
L-ASS2-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	58
L-ASS2-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	16
L-ASS2-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	16
L-ASS2-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L	5	133
L-ASS2-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L	5	134
L-ASS2-RO	3/8/00	RTN	Total Alkalinity (as CaCO3)	mg/L	5	205
L-ASW-RO	2/2/91	RTN	Total Alkalinity (as CaCO3)	mg/L	0	16
L-ASW-RO	2/4/91	RTN	Total Alkalinity (as CaCO3)	mg/L	0	21
L-ASW-RO	3/1/91	RTN	Total Alkalinity (as CaCO3)	mg/L	0	16
L-ASW-RO	3/10/91	RTN	Total Alkalinity (as CaCO3)	mg/L	0	15
L-ASW-RO	12/27/91	DLP	Total Alkalinity (as CaCO3)	mg/L	1	20
L-ASW-RO	12/27/91	RTN	Total Alkalinity (as CaCO3)	mg/L	1	20
L-ASW-RO	1/5/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	20
L-ASW-RO	1/28/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	30
L-ASW-RO	2/12/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	50
L-ASW-RO	3/5/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	20
L-ASW-RO	10/29/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	26
L-ASW-RO	12/6/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	17
L-ASW-RO	1/6/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	15
L-ASW-RO	2/8/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	11
L-ASW-RO	3/25/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	46
L-ASW-RO	11/10/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	26
L-ASW-RO	1/24/94	DLP	Total Alkalinity (as CaCO3)	mg/L	1	20
L-ASW-RO	1/24/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	21
L-ASW-RO	4/25/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	9.5
L-ASW-RO	1/15/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	17
L-ASW-RO	3/2/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	10
L-ASW-RO	5/13/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	12
L-ASW-RO	12/11/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	11
L-ASW-RO	1/16/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	20
L-ASW-RO	4/1/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	20
L-ASW-RO	5/15/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	21
L-ASW-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	48.2
L-ASW-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	44.9
L-ASW-RO	1/15/97	DLP	Total Alkalinity (as CaCO3)	mg/L	1	182
L-ASW-RO	1/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	182
L-ASW-RO	5/23/97	DLP	Total Alkalinity (as CaCO3)	mg/L	1	13.5
L-ASW-RO	5/23/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	13.5
L-ASW-RO	11/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	14
L-ASW-RO	12/8/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	15
L-ASW-RO	2/12/98	RTN	Total Alkalinity (as CaCO3)	mg/L	1	156
L-ASW-RO	3/31/98	RTN	Total Alkalinity (as CaCO3)	mg/L	5	143
L-ASW-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L	5	19
L-ASW-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L	5	16
L-ASW-RO	1/26/99	RTN	Total Alkalinity (as CaCO3)	mg/L	1	14
L-ASW-RO	1/26/99	RTN	Total Alkalinity (as CaCO3)	mg/L	1	14
L-ASW-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	55
L-ASW-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	57
L-ASW-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	14
L-ASW-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	14
L-ASW-RO	11/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	36
L-ASW-RO	2/14/00	DLP	Total Alkalinity (as CaCO3)	mg/L	5	123
L-ASW-RO	2/14/00	DLP	Total Alkalinity (as CaCO3)	mg/L	5	118
L-ASW-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L	5	133
L-ASW-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L	5	134
L-ASW-RO	3/8/00	DLP	Total Alkalinity (as CaCO3)	mg/L	5	130
L-ASW-RO	3/8/00	RTN	Total Alkalinity (as CaCO3)	mg/L	5	135
L-ASS2-RO	11/10/93	RTN	Total dissolved solids (TDS)	mg/L	1	120
L-ASS2-RO	1/24/94	RTN	Total dissolved solids (TDS)	mg/L	1	36
L-ASS2-RO	4/25/94	RTN	Total dissolved solids (TDS)	mg/L	1	35
L-ASS2-RO	1/15/94	RTN	Total dissolved solids (TDS)	mg/L	1	34
L-ASS2-RO	3/3/95	RTN	Total dissolved solids (TDS)	mg/L	1	270
L-ASS2-RO	5/13/95	RTN	Total dissolved solids (TDS)	mg/L	1	88
L-ASS2-RO	12/11/95	RTN	Total dissolved solids (TDS)	mg/L	1	45
L-ASS2-RO	1/16/96	RTN	Total dissolved solids (TDS)	mg/L	2	58
L-ASS2-RO	4/1/96	DLP	Total dissolved solids (TDS)	mg/L	1	180
L-ASS2-RO	4/1/96	RTN	Total dissolved solids (TDS)	mg/L	1	70
L-ASS2-RO	5/15/96	RTN	Total dissolved solids (TDS)	mg/L	1	94
L-ASS2-RO	10/29/96	RTN	Total dissolved solids (TDS)	mg/L	10	82
L-ASS2-RO	1/15/97	RTN	Total dissolved solids (TDS)	mg/L	10	740
L-ASS2-RO	11/15/97	RTN	Total dissolved solids (TDS)	mg/L	10	45
L-ASS2-RO	12/8/97	RTN	Total dissolved solids (TDS)	mg/L	10	71
L-ASS2-RO	2/12/98	RTN	Total dissolved solids (TDS)	mg/L	10	508
L-ASS2-RO	3/31/98	RTN	Total dissolved solids (TDS)	mg/L	10	563
L-ASS2-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L	10	46
L-ASS2-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L	10	50

L-ASS2-RO	1/26/99	RTN	Total dissolved solids (TDS)	mg/L		10	24
L-ASS2-RO	1/26/99	RTN	Total dissolved solids (TDS)	mg/L		10	26
L-ASS2-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L		10	209
L-ASS2-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L		10	189
L-ASS2-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L		10	60
L-ASS2-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L		10	64
L-ASS2-RO	2/14/00	RTN	Total dissolved solids (TDS)	mg/L		20	442
L-ASS2-RO	3/8/00	RTN	Total dissolved solids (TDS)	mg/L		40	640
L-ASW-RO	11/10/93	RTN	Total dissolved solids (TDS)	mg/L		1	110
L-ASW-RO	1/24/94	DLP	Total dissolved solids (TDS)	mg/L		1	42
L-ASW-RO	1/24/94	RTN	Total dissolved solids (TDS)	mg/L		1	57
L-ASW-RO	4/25/94	RTN	Total dissolved solids (TDS)	mg/L		1	44
L-ASW-RO	11/5/94	DLP	Total dissolved solids (TDS)	mg/L		1	53
L-ASW-RO	11/5/94	RTN	Total dissolved solids (TDS)	mg/L		1	49
L-ASW-RO	3/2/95	RTN	Total dissolved solids (TDS)	mg/L		1	37
L-ASW-RO	5/13/95	RTN	Total dissolved solids (TDS)	mg/L		1	39
L-ASW-RO	12/11/95	RTN	Total dissolved solids (TDS)	mg/L		1	55
L-ASW-RO	1/16/96	RTN	Total dissolved solids (TDS)	mg/L		1	47
L-ASW-RO	4/1/96	RTN	Total dissolved solids (TDS)	mg/L		1	50
L-ASW-RO	5/15/96	RTN	Total dissolved solids (TDS)	mg/L		1	81
L-ASW-RO	10/29/96	RTN	Total dissolved solids (TDS)	mg/L		10	290
L-ASW-RO	1/15/97	DLP	Total dissolved solids (TDS)	mg/L		10	700
L-ASW-RO	1/15/97	RTN	Total dissolved solids (TDS)	mg/L		10	735
L-ASW-RO	5/23/97	DLP	Total dissolved solids (TDS)	mg/L		10	103
L-ASW-RO	5/23/97	RTN	Total dissolved solids (TDS)	mg/L		10	101
L-ASW-RO	11/15/97	RTN	Total dissolved solids (TDS)	mg/L		10	62
L-ASW-RO	12/8/97	RTN	Total dissolved solids (TDS)	mg/L		10	51
L-ASW-RO	2/12/98	RTN	Total dissolved solids (TDS)	mg/L		10	460
L-ASW-RO	3/31/98	RTN	Total dissolved solids (TDS)	mg/L		10	517
L-ASW-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L		10	52
L-ASW-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L		10	56
L-ASW-RO	1/26/99	RTN	Total dissolved solids (TDS)	mg/L		10	39
L-ASW-RO	1/26/99	RTN	Total dissolved solids (TDS)	mg/L		10	38
L-ASW-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L		10	195
L-ASW-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L		10	210
L-ASW-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L		10	49
L-ASW-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L		10	40
L-ASW-RO	11/8/99	RTN	Total dissolved solids (TDS)	mg/L		10	80
L-ASW-RO	2/14/00	DLP	Total dissolved solids (TDS)	mg/L		10	432
L-ASW-RO	2/14/00	RTN	Total dissolved solids (TDS)	mg/L		10	450
L-ASW-RO	3/8/00	DLP	Total dissolved solids (TDS)	mg/L		20	398
L-ASW-RO	3/8/00	RTN	Total dissolved solids (TDS)	mg/L		20	410
L-ASS2-RO	11/10/93	RTN	Total suspended solids (TSS)	mg/L		1	230
L-ASS2-RO	1/24/94	RTN	Total suspended solids (TSS)	mg/L		1	65
L-ASS2-RO	4/25/94	RTN	Total suspended solids (TSS)	mg/L		1	34
L-ASS2-RO	11/5/94	RTN	Total suspended solids (TSS)	mg/L		1	39
L-ASS2-RO	5/13/95	RTN	Total suspended solids (TSS)	mg/L		1	64
L-ASS2-RO	12/11/95	RTN	Total suspended solids (TSS)	mg/L		1	210
L-ASS2-RO	4/1/96	DLP	Total suspended solids (TSS)	mg/L		1	330
L-ASS2-RO	4/1/96	RTN	Total suspended solids (TSS)	mg/L		1	130
L-ASS2-RO	5/15/96	RTN	Total suspended solids (TSS)	mg/L		1	660
L-ASS2-RO	10/29/96	RTN	Total suspended solids (TSS)	mg/L		0.5	296
L-ASS2-RO	1/15/97	RTN	Total suspended solids (TSS)	mg/L		0.5	608
L-ASS2-RO	1/15/97	RTN	Total suspended solids (TSS)	mg/L		0.5	55
L-ASS2-RO	12/8/97	RTN	Total suspended solids (TSS)	mg/L		0.5	61
L-ASS2-RO	2/12/98	RTN	Total suspended solids (TSS)	mg/L		0.5	454
L-ASS2-RO	3/31/98	RTN	Total suspended solids (TSS)	mg/L		0.5	27
L-ASS2-RO	11/30/98	RTN	Total suspended solids (TSS)	mg/L		3.4	38
L-ASS2-RO	1/26/99	RTN	Total suspended solids (TSS)	mg/L		0.5	21
L-ASS2-RO	2/8/99	RTN	Total suspended solids (TSS)	mg/L		1.7	47
L-ASS2-RO	4/8/99	RTN	Total suspended solids (TSS)	mg/L		2	34
L-ASS2-RO	1/11/00	RTN	Total suspended solids (TSS)	mg/L		2	19
L-ASS2-RO	2/14/00	RTN	Total suspended solids (TSS)	mg/L		2.0	740
L-ASS2-RO	3/8/00	RTN	Total suspended solids (TSS)	mg/L		3	20
L-ASW-RO	11/10/93	RTN	Total suspended solids (TSS)	mg/L		1	82
L-ASW-RO	1/24/94	DLP	Total suspended solids (TSS)	mg/L		1	34
L-ASW-RO	1/24/94	RTN	Total suspended solids (TSS)	mg/L		1	34
L-ASW-RO	4/25/94	RTN	Total suspended solids (TSS)	mg/L		1	31
L-ASW-RO	11/5/94	DLP	Total suspended solids (TSS)	mg/L		1	3
L-ASW-RO	11/5/94	RTN	Total suspended solids (TSS)	mg/L		1	8
L-ASW-RO	5/13/95	RTN	Total suspended solids (TSS)	mg/L		1	37
L-ASW-RO	12/11/95	RTN	Total suspended solids (TSS)	mg/L		1	310
L-ASW-RO	4/1/96	RTN	Total suspended solids (TSS)	mg/L		1	150
L-ASW-RO	5/15/96	RTN	Total suspended solids (TSS)	mg/L		1	220
L-ASW-RO	10/29/96	RTN	Total suspended solids (TSS)	mg/L		0.5	480
L-ASW-RO	1/15/97	DLP	Total suspended solids (TSS)	mg/L		0.5	538
L-ASW-RO	1/15/97	RTN	Total suspended solids (TSS)	mg/L		0.5	612
L-ASW-RO	5/23/97	DLP	Total suspended solids (TSS)	mg/L		0.5	186
L-ASW-RO	5/23/97	RTN	Total suspended solids (TSS)	mg/L		0.5	168
L-ASW-RO	11/15/97	RTN	Total suspended solids (TSS)	mg/L		0.5	978
L-ASW-RO	12/8/97	RTN	Total suspended solids (TSS)	mg/L		0.5	306
L-ASW-RO	2/12/98	RTN	Total suspended solids (TSS)	mg/L		0.5	90
L-ASW-RO	3/31/98	RTN	Total suspended solids (TSS)	mg/L		0.5	19
L-ASW-RO	11/30/98	RTN	Total suspended solids (TSS)	mg/L		3.4	81
L-ASW-RO	1/26/99	RTN	Total suspended solids (TSS)	mg/L		0.5	56
L-ASW-RO	2/8/99	RTN	Total suspended solids (TSS)	mg/L		1.7	53
L-ASW-RO	4/8/99	RTN	Total suspended solids (TSS)	mg/L		2	18
L-ASW-RO	11/8/99	RTN	Total suspended solids (TSS)	mg/L		5	38
L-ASW-RO	1/11/00	RTN	Total suspended solids (TSS)	mg/L		5	56
L-ASW-RO	2/14/00	DLP	Total suspended solids (TSS)	mg/L		20	748
L-ASW-RO	2/14/00	RTN	Total suspended solids (TSS)	mg/L		25	835
L-ASW-RO	3/8/00	DLP	Total suspended solids (TSS)	mg/L		2	29
L-ASW-RO	3/8/00	RTN	Total suspended solids (TSS)	mg/L		2	29
Arroyo Los Positas							
L-ALPE-RO	11/15/97	DLP	Atrazine	ug/L	<	0.2	0.2
L-ALPE-RO	11/15/97	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPE-RO	12/8/97	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPE-RO	2/12/98	RTN	Atrazine	ug/L	<	0.4	0.4
L-ALPE-RO	3/31/98	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPE-RO	11/30/98	RTN	Atrazine	ug/L	<	0.4	0.4
L-ALPE-RO	1/20/99	DLP	Atrazine	ug/L	<	0.2	0.2
L-ALPE-RO	1/20/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPE-RO	2/8/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPE-RO	4/8/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPE-RO	11/8/99	RTN	Atrazine	ug/L	<	0.3	0.3
L-ALPE-RO	2/14/00	RTN	Atrazine	ug/L	<	0.5	0.5
L-ALPE-RO	3/8/00	RTN	Atrazine	ug/L	<	0.5	0.5
L-ALPO-RO	11/15/97	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPO-RO	12/8/97	RTN	Atrazine	ug/L	<	0.2	0.2

L-ALPO-RO	2/12/98	RTN	Atrazine	ug/L	<	0.4	0.4
L-ALPO-RO	3/31/98	DLP	Atrazine	ug/L	<	0.2	0.2
L-ALPO-RO	3/31/98	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPO-RO	11/30/98	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPO-RO	1/20/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPO-RO	2/8/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPO-RO	4/8/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-ALPO-RO	11/8/99	DLP	Atrazine	ug/L	<	0.5	0.5
L-ALPO-RO	11/8/99	RTN	Atrazine	ug/L	<	2	2
L-ALPO-RO	2/14/00	RTN	Atrazine	ug/L	<	0.5	0.5
L-ALPO-RO	3/8/00	RTN	Atrazine	ug/L	<	0.5	0.5
L-GRNE-RO	11/15/97	RTN	Atrazine	ug/L	<	0.2	0.2
L-GRNE-RO	12/8/97	RTN	Atrazine	ug/L	<	0.2	0.2
L-GRNE-RO	2/12/98	RTN	Atrazine	ug/L	<	0.4	0.4
L-GRNE-RO	3/31/98	RTN	Atrazine	ug/L	<	0.2	0.2
L-GRNE-RO	11/30/98	RTN	Atrazine	ug/L	<	0.2	0.2
L-GRNE-RO	1/20/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-GRNE-RO	2/8/99	DLP	Atrazine	ug/L	<	0.2	0.2
L-GRNE-RO	2/8/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-GRNE-RO	4/8/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-GRNE-RO	11/8/99	RTN	Atrazine	ug/L	<	0.3	0.3
L-GRNE-RO	2/14/00	RTN	Atrazine	ug/L	<	0.5	0.5
L-GRNE-RO	3/8/00	RTN	Atrazine	ug/L	<	0.5	0.5
L-WPDC-RO	11/15/97	RTN	Atrazine	ug/L	<	0.2	0.2
L-WPDC-RO	12/8/97	RTN	Atrazine	ug/L	<	0.2	0.2
L-WPDC-RO	2/12/98	RTN	Atrazine	ug/L	<	0.4	0.4
L-WPDC-RO	3/31/98	RTN	Atrazine	ug/L	<	0.2	0.2
L-WPDC-RO	11/30/98	RTN	Atrazine	ug/L	<	0.2	0.2
L-WPDC-RO	1/20/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-WPDC-RO	2/8/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-WPDC-RO	4/8/99	DLP	Atrazine	ug/L	<	0.5	0.5
L-WPDC-RO	4/8/99	RTN	Atrazine	ug/L	<	0.2	0.2
L-WPDC-RO	11/8/99	RTN	Atrazine	ug/L	<	0.3	0.3
L-WPDC-RO	2/14/00	RTN	Atrazine	ug/L	<	0.5	0.5
L-WPDC-RO	3/8/00	RTN	Atrazine	ug/L	<	0.5	0.5
L-ALPE-RO	11/15/97	DLP	Bromacil	ug/L		0.5	7.3
L-ALPE-RO	11/15/97	RTN	Bromacil	ug/L		0.5	6.3
L-ALPE-RO	12/8/97	RTN	Bromacil	ug/L		0.5	0.93
L-ALPE-RO	2/12/98	RTN	Bromacil	ug/L	<	1	1
L-ALPE-RO	3/31/98	RTN	Bromacil	ug/L	<	0.5	0.6
L-ALPE-RO	11/30/98	RTN	Bromacil	ug/L		2	17
L-ALPE-RO	1/20/99	DLP	Bromacil	ug/L	<	0.5	0.5
L-ALPE-RO	1/20/99	RTN	Bromacil	ug/L	<	0.5	0.5
L-ALPE-RO	2/8/99	RTN	Bromacil	ug/L	<	0.5	0.5
L-ALPE-RO	4/8/99	RTN	Bromacil	ug/L		0.5	4.2
L-ALPE-RO	11/8/99	RTN	Bromacil	ug/L		0.8	1.9
L-ALPE-RO	2/14/00	RTN	Bromacil	ug/L	<	0.5	0.5
L-ALPE-RO	3/8/00	RTN	Bromacil	ug/L		0.5	0.56
L-ALPO-RO	11/15/97	RTN	Bromacil	ug/L		0.5	13
L-ALPO-RO	12/8/97	RTN	Bromacil	ug/L		1.0	13
L-ALPO-RO	2/12/98	RTN	Bromacil	ug/L		1	3.5
L-ALPO-RO	3/31/98	DLP	Bromacil	ug/L		0.5	3.7
L-ALPO-RO	3/31/98	RTN	Bromacil	ug/L		0.5	3.8
L-ALPO-RO	11/30/98	RTN	Bromacil	ug/L		0.5	15
L-ALPO-RO	1/20/99	RTN	Bromacil	ug/L	<	0.5	0.5
L-ALPO-RO	2/8/99	RTN	Bromacil	ug/L		5	35
L-ALPO-RO	4/8/99	RTN	Bromacil	ug/L		30	400
L-ALPO-RO	11/8/99	DLP	Bromacil	ug/L		0.5	2.3
L-ALPO-RO	11/8/99	RTN	Bromacil	ug/L	<	5	5
L-ALPO-RO	2/14/00	RTN	Bromacil	ug/L		3	14
L-ALPO-RO	3/8/00	RTN	Bromacil	ug/L		0.5	3.8
L-GRNE-RO	11/15/97	RTN	Bromacil	ug/L		100	1200
L-GRNE-RO	12/8/97	RTN	Bromacil	ug/L		10	84
L-GRNE-RO	2/12/98	RTN	Bromacil	ug/L		1	2.8
L-GRNE-RO	3/31/98	RTN	Bromacil	ug/L		5	46
L-GRNE-RO	11/30/98	RTN	Bromacil	ug/L		50	820
L-GRNE-RO	1/20/99	RTN	Bromacil	ug/L	<	0.5	0.5
L-GRNE-RO	2/8/99	DLP	Bromacil	ug/L		100	1500
L-GRNE-RO	2/8/99	RTN	Bromacil	ug/L	<	0.5	0.5
L-GRNE-RO	4/8/99	RTN	Bromacil	ug/L		30	330
L-GRNE-RO	11/8/99	RTN	Bromacil	ug/L		3	16
L-GRNE-RO	2/14/00	RTN	Bromacil	ug/L		5	100
L-GRNE-RO	3/8/00	RTN	Bromacil	ug/L		3.0	180
L-WPDC-RO	10/29/96	RTN	Bromacil	ug/L		1	1.8
L-WPDC-RO	11/15/97	RTN	Bromacil	ug/L		1	9.8
L-WPDC-RO	5/23/97	RTN	Bromacil	ug/L		1	17
L-WPDC-RO	11/15/97	RTN	Bromacil	ug/L		0.5	15
L-WPDC-RO	12/8/97	RTN	Bromacil	ug/L		5	27
L-WPDC-RO	2/12/98	RTN	Bromacil	ug/L	<	1	1
L-WPDC-RO	3/31/98	RTN	Bromacil	ug/L		0.5	4.5
L-WPDC-RO	11/30/98	RTN	Bromacil	ug/L		1	4.5
L-WPDC-RO	1/20/99	RTN	Bromacil	ug/L	<	0.5	0.5
L-WPDC-RO	2/8/99	RTN	Bromacil	ug/L		100	270
L-WPDC-RO	4/8/99	DLP	Bromacil	ug/L		0.5	23
L-WPDC-RO	4/8/99	RTN	Bromacil	ug/L		0.5	3.8
L-WPDC-RO	11/8/99	RTN	Bromacil	ug/L		0.7	2.2
L-WPDC-RO	2/14/00	RTN	Bromacil	ug/L		0.5	10
L-WPDC-RO	3/8/00	RTN	Bromacil	ug/L		0.5	3.1
L-ALPE-RO	11/10/93	RTN	Bromide	mg/L	<	1	1
L-ALPE-RO	11/5/94	RTN	Bromide	mg/L	<	0.5	0.5
L-ALPE-RO	5/13/95	DLP	Bromide	mg/L	<	0.5	0.5
L-ALPE-RO	5/13/95	RTN	Bromide	mg/L	<	0.5	0.5
L-ALPE-RO	12/11/95	RTN	Bromide	mg/L	<	5	5
L-ALPE-RO	4/1/96	RTN	Bromide	mg/L	<	0.05	0.05
L-ALPE-RO	5/15/96	RTN	Bromide	mg/L	<	0.5	0.5
L-ALPE-RO	10/29/96	RTN	Bromide	mg/L	<	0.05	0.05
L-ALPE-RO	1/15/97	RTN	Bromide	mg/L		0.05	0.15
L-ALPE-RO	11/15/97	DLP	Bromide	mg/L	<	0.05	0.05
L-ALPE-RO	11/15/97	RTN	Bromide	mg/L	<	0.05	0.05
L-ALPE-RO	12/8/97	RTN	Bromide	mg/L		0.25	1.4
L-ALPE-RO	2/12/98	RTN	Bromide	mg/L		0.05	0.16
L-ALPE-RO	3/31/98	RTN	Bromide	mg/L		0.05	0.88
L-ALPE-RO	11/30/98	RTN	Bromide	mg/L		0.05	0.31
L-ALPE-RO	1/20/99	DLP	Bromide	mg/L		0.1	1.1
L-ALPE-RO	1/20/99	RTN	Bromide	mg/L		0.05	0.36
L-ALPE-RO	2/8/99	RTN	Bromide	mg/L		0.2	0.62
L-ALPE-RO	4/8/99	RTN	Bromide	mg/L		0.1	0.19
L-ALPE-RO	11/8/99	RTN	Bromide	mg/L	<	0.1	0.1
L-ALPE-RO	2/14/00	RTN	Bromide	mg/L		0.1	0.3
L-ALPE-RO	3/8/00	RTN	Bromide	mg/L		0.2	0.6

L-ALPO-RO	12/11/95	RTN	Bromide	mg/L	<	5	5
L-ALPO-RO	4/1/96	RTN	Bromide	mg/L		0.05	1
L-ALPO-RO	5/15/96	RTN	Bromide	mg/L	<	0.5	0.5
L-ALPO-RO	10/29/96	DLP	Bromide	mg/L		0.05	0.66
L-ALPO-RO	10/29/96	RTN	Bromide	mg/L		0.05	0.66
L-ALPO-RO	1/15/97	RTN	Bromide	mg/L		0.05	0.63
L-ALPO-RO	1/15/97	RTN	Bromide	mg/L	<	0.05	0.05
L-ALPO-RO	12/8/97	RTN	Bromide	mg/L		0.05	0.38
L-ALPO-RO	2/12/98	RTN	Bromide	mg/L		11.05	0.94
L-ALPO-RO	3/31/98	DLP	Bromide	mg/L		0.05	1.2
L-ALPO-RO	3/31/98	RTN	Bromide	mg/L		0.1	1.2
L-ALPO-RO	1/30/98	RTN	Bromide	mg/L		0.05	1.1
L-ALPO-RO	1/20/99	RTN	Bromide	mg/L		0.05	0.61
L-ALPO-RO	2/8/99	RTN	Bromide	mg/L		0.1	0.9
L-ALPO-RO	4/8/99	RTN	Bromide	mg/L		0.1	0.22
L-ALPO-RO	11/8/99	DLP	Bromide	mg/L		1	1
L-ALPO-RO	11/8/99	RTN	Bromide	mg/L		0.1	0.96
L-ALPO-RO	2/14/00	RTN	Bromide	mg/L		0.1	0.9
L-ALPO-RO	3/8/00	RTN	Bromide	mg/L		0.2	2
L-GRNE-RO	11/10/93	RTN	Bromide	mg/L	<	1	1
L-GRNE-RO	11/5/94	RTN	Bromide	mg/L	<	0.5	0.5
L-GRNE-RO	5/13/95	RTN	Bromide	mg/L	<	0.5	0.5
L-GRNE-RO	12/11/95	RTN	Bromide	mg/L	<	5	5
L-GRNE-RO	4/1/96	RTN	Bromide	mg/L	<	0.05	0.05
L-GRNE-RO	5/15/96	RTN	Bromide	mg/L	<	0.5	0.5
L-GRNE-RO	10/29/96	RTN	Bromide	mg/L	<	0.05	0.05
L-GRNE-RO	1/15/97	RTN	Bromide	mg/L	<	0.05	0.05
L-GRNE-RO	1/15/97	RTN	Bromide	mg/L	<	0.05	0.05
L-GRNE-RO	12/8/97	RTN	Bromide	mg/L	<	0.05	0.05
L-GRNE-RO	2/12/98	RTN	Bromide	mg/L	<	0.05	0.05
L-GRNE-RO	3/31/98	RTN	Bromide	mg/L		0.05	0.06
L-GRNE-RO	11/30/98	RTN	Bromide	mg/L		0.05	0.09
L-GRNE-RO	1/20/99	RTN	Bromide	mg/L		0.05	0.07
L-GRNE-RO	2/8/99	DLP	Bromide	mg/L		0.1	0.1
L-GRNE-RO	2/8/99	RTN	Bromide	mg/L	<	0.05	0.05
L-GRNE-RO	4/8/99	RTN	Bromide	mg/L		0.1	0.11
L-GRNE-RO	11/8/99	RTN	Bromide	mg/L		0.1	0.14
L-GRNE-RO	2/14/00	RTN	Bromide	mg/L		0.1	0.1
L-GRNE-RO	3/8/00	RTN	Bromide	mg/L		0.1	0.1
L-WPDC-RO	11/10/93	RTN	Bromide	mg/L	<	1	1
L-WPDC-RO	11/5/94	RTN	Bromide	mg/L	<	0.5	0.5
L-WPDC-RO	5/13/95	RTN	Bromide	mg/L	<	0.5	0.5
L-WPDC-RO	12/11/95	RTN	Bromide	mg/L	<	5	5
L-WPDC-RO	4/1/96	RTN	Bromide	mg/L		0.05	0.12
L-WPDC-RO	5/15/96	DLP	Bromide	mg/L	<	0.5	0.5
L-WPDC-RO	5/15/96	RTN	Bromide	mg/L	<	0.5	0.5
L-WPDC-RO	10/29/96	RTN	Bromide	mg/L		0.05	0.08
L-WPDC-RO	1/15/97	RTN	Bromide	mg/L		0.05	0.16
L-WPDC-RO	5/23/97	RTN	Bromide	mg/L		0.05	0.09
L-WPDC-RO	11/15/97	RTN	Bromide	mg/L	<	0.05	0.05
L-WPDC-RO	12/8/97	RTN	Bromide	mg/L		0.05	0.16
L-WPDC-RO	2/12/98	RTN	Bromide	mg/L	<	0.05	0.05
L-WPDC-RO	3/31/98	RTN	Bromide	mg/L	<	0.05	0.05
L-WPDC-RO	11/30/98	RTN	Bromide	mg/L	<	0.05	0.05
L-WPDC-RO	1/20/99	RTN	Bromide	mg/L		0.05	0.31
L-WPDC-RO	2/8/99	RTN	Bromide	mg/L		0.1	0.1
L-WPDC-RO	4/8/99	RTN	Bromide	mg/L	<	0.1	0.1
L-WPDC-RO	11/8/99	RTN	Bromide	mg/L	<	0.1	0.1
L-WPDC-RO	2/14/00	RTN	Bromide	mg/L		0.1	0.2
L-WPDC-RO	3/8/00	RTN	Bromide	mg/L		0.1	0.2
L-ALPE-RO	4/22/88	RTN	Chemical Oxygen Demand	mg/L		0	64
L-ALPE-RO	2/16/90	RTN	Chemical Oxygen Demand	mg/L		0	180
L-ALPE-RO	5/27/90	RTN	Chemical Oxygen Demand	mg/L		0	540
L-ALPE-RO	12/15/90	RTN	Chemical Oxygen Demand	mg/L		0	125
L-ALPE-RO	2/4/91	RTN	Chemical Oxygen Demand	mg/L		0	100
L-ALPE-RO	3/1/91	RTN	Chemical Oxygen Demand	mg/L		0	250
L-ALPE-RO	3/10/91	RTN	Chemical Oxygen Demand	mg/L		0	150
L-ALPE-RO	10/26/91	RTN	Chemical Oxygen Demand	mg/L		0	130
L-ALPE-RO	12/27/91	RTN	Chemical Oxygen Demand	mg/L		10	60
L-ALPE-RO	1/5/92	RTN	Chemical Oxygen Demand	mg/L		10	25
L-ALPE-RO	1/28/92	RTN	Chemical Oxygen Demand	mg/L		10	110
L-ALPE-RO	2/11/92	RTN	Chemical Oxygen Demand	mg/L		10	130
L-ALPE-RO	3/5/92	RTN	Chemical Oxygen Demand	mg/L		10	60
L-ALPE-RO	10/29/92	RTN	Chemical Oxygen Demand	mg/L		10	140
L-ALPE-RO	1/6/93	RTN	Chemical Oxygen Demand	mg/L		10	80
L-ALPE-RO	2/8/93	RTN	Chemical Oxygen Demand	mg/L		10	240
L-ALPE-RO	3/25/93	DLP	Chemical Oxygen Demand	mg/L		10	130
L-ALPE-RO	3/25/93	RTN	Chemical Oxygen Demand	mg/L		10	120
L-ALPE-RO	11/10/93	RTN	Chemical Oxygen Demand	mg/L		5	100
L-ALPE-RO	1/24/94	RTN	Chemical Oxygen Demand	mg/L		5	100
L-ALPE-RO	4/25/94	RTN	Chemical Oxygen Demand	mg/L		5	110
L-ALPE-RO	11/5/94	RTN	Chemical Oxygen Demand	mg/L		5	45
L-ALPE-RO	3/2/95	RTN	Chemical Oxygen Demand	mg/L		5	37
L-ALPE-RO	5/13/95	DLP	Chemical Oxygen Demand	mg/L		5	41
L-ALPE-RO	5/13/95	RTN	Chemical Oxygen Demand	mg/L		5	38
L-ALPE-RO	12/11/95	RTN	Chemical Oxygen Demand	mg/L		5	41
L-ALPE-RO	1/16/96	RTN	Chemical Oxygen Demand	mg/L		5	110
L-ALPE-RO	4/1/96	RTN	Chemical Oxygen Demand	mg/L		5	25
L-ALPE-RO	5/15/96	RTN	Chemical Oxygen Demand	mg/L		5	60
L-ALPE-RO	10/29/96	RTN	Chemical Oxygen Demand	mg/L		4	278
L-ALPE-RO	1/15/97	RTN	Chemical Oxygen Demand	mg/L		1	101
L-ALPE-RO	11/15/97	DLP	Chemical Oxygen Demand	mg/L		20	42
L-ALPE-RO	11/15/97	RTN	Chemical Oxygen Demand	mg/L		20	45
L-ALPE-RO	12/8/97	RTN	Chemical Oxygen Demand	mg/L		20	128
L-ALPE-RO	2/12/98	RTN	Chemical Oxygen Demand	mg/L		20	59
L-ALPE-RO	3/31/98	RTN	Chemical Oxygen Demand	mg/L		20	124
L-ALPE-RO	11/30/98	RTN	Chemical Oxygen Demand	mg/L		20	64
L-ALPE-RO	1/20/99	DLP	Chemical Oxygen Demand	mg/L		20	168
L-ALPE-RO	1/20/99	RTN	Chemical Oxygen Demand	mg/L		20	169
L-ALPE-RO	2/8/99	RTN	Chemical Oxygen Demand	mg/L		20	104
L-ALPE-RO	4/8/99	RTN	Chemical Oxygen Demand	mg/L		20	85
L-ALPE-RO	11/8/99	RTN	Chemical Oxygen Demand	mg/L		20	79
L-ALPE-RO	2/14/00	RTN	Chemical Oxygen Demand	mg/L		25	103
L-ALPE-RO	12/11/95	RTN	Chemical Oxygen Demand	mg/L		5	95
L-ALPE-RO	1/16/96	RTN	Chemical Oxygen Demand	mg/L		5	36
L-ALPE-RO	4/1/96	RTN	Chemical Oxygen Demand	mg/L		5	16
L-ALPE-RO	5/15/96	RTN	Chemical Oxygen Demand	mg/L		5	86
L-ALPE-RO	10/29/96	DLP	Chemical Oxygen Demand	mg/L		4	81.5
L-ALPE-RO	10/29/96	RTN	Chemical Oxygen Demand	mg/L		4	70
L-ALPE-RO	1/15/97	RTN	Chemical Oxygen Demand	mg/L		4	52
L-ALPE-RO	11/15/97	RTN	Chemical Oxygen Demand	mg/L		20	38

L-ALPO-RO	12/8/97	RTN	Chemical Oxygen Demand	mg/L	20	29	
L-ALPO-RO	2/12/98	RTN	Chemical Oxygen Demand	mg/L	20	64	
L-ALPO-RO	3/31/98	DLP	Chemical Oxygen Demand	mg/L	20	35	
L-ALPO-RO	3/31/98	RTN	Chemical Oxygen Demand	mg/L	20	35	
L-ALPO-RO	11/30/98	RTN	Chemical Oxygen Demand	mg/L	20	47	
L-ALPO-RO	1/20/99	RTN	Chemical Oxygen Demand	mg/L	20	61	
L-ALPO-RO	2/8/99	RTN	Chemical Oxygen Demand	mg/L	20	64	
L-ALPO-RO	4/8/99	RTN	Chemical Oxygen Demand	mg/L	20	43	
L-ALPO-RO	11/8/99	DLP	Chemical Oxygen Demand	mg/L	50	90	
L-ALPO-RO	11/8/99	RTN	Chemical Oxygen Demand	mg/L	20	56	
L-ALPO-RO	2/14/00	RTN	Chemical Oxygen Demand	mg/L	25	64	
L-GRNE-RO	3/1/91	RTN	Chemical Oxygen Demand	mg/L	0	50	
L-GRNE-RO	3/10/91	RTN	Chemical Oxygen Demand	mg/L	0	100	
L-GRNE-RO	10/26/91	RTN	Chemical Oxygen Demand	mg/L	0	280	
L-GRNE-RO	11/17/91	RTN	Chemical Oxygen Demand	mg/L	0	75	
L-GRNE-RO	12/28/91	RTN	Chemical Oxygen Demand	mg/L	10	50	
L-GRNE-RO	1/5/92	RTN	Chemical Oxygen Demand	mg/L	10	30	
L-GRNE-RO	1/28/92	RTN	Chemical Oxygen Demand	mg/L	10	170	
L-GRNE-RO	2/11/92	RTN	Chemical Oxygen Demand	mg/L	10	100	
L-GRNE-RO	3/5/92	RTN	Chemical Oxygen Demand	mg/L	10	40	
L-GRNE-RO	12/6/92	DLP	Chemical Oxygen Demand	mg/L	10	75	
L-GRNE-RO	12/6/92	RTN	Chemical Oxygen Demand	mg/L	10	80	
L-GRNE-RO	1/6/93	RTN	Chemical Oxygen Demand	mg/L	10	90	
L-GRNE-RO	2/8/93	DLP	Chemical Oxygen Demand	mg/L	10	100	
L-GRNE-RO	2/8/93	RTN	Chemical Oxygen Demand	mg/L	10	80	
L-GRNE-RO	3/25/93	RTN	Chemical Oxygen Demand	mg/L	10	70	
L-GRNE-RO	6/4/93	DLP	Chemical Oxygen Demand	mg/L	5	18	
L-GRNE-RO	6/4/93	RTN	Chemical Oxygen Demand	mg/L	5	38	
L-GRNE-RO	11/10/93	RTN	Chemical Oxygen Demand	mg/L	5	62	
L-GRNE-RO	4/25/94	RTN	Chemical Oxygen Demand	mg/L	5	47	
L-GRNE-RO	11/5/94	RTN	Chemical Oxygen Demand	mg/L	5	36	
L-GRNE-RO	3/2/95	RTN	Chemical Oxygen Demand	mg/L	5	44	
L-GRNE-RO	5/13/95	RTN	Chemical Oxygen Demand	mg/L	5	23	
L-GRNE-RO	12/11/95	RTN	Chemical Oxygen Demand	mg/L	5	76	
L-GRNE-RO	1/16/96	DLP	Chemical Oxygen Demand	mg/L	5	26	
L-GRNE-RO	1/16/96	RTN	Chemical Oxygen Demand	mg/L	5	25	
L-GRNE-RO	4/1/96	RTN	Chemical Oxygen Demand	mg/L	5	16	
L-GRNE-RO	5/15/96	RTN	Chemical Oxygen Demand	mg/L	5	45	
L-GRNE-RO	10/29/96	RTN	Chemical Oxygen Demand	mg O/L	4	105	
L-GRNE-RO	1/15/97	RTN	Chemical Oxygen Demand	mg O/L	4	93	
L-GRNE-RO	1/15/97	RTN	Chemical Oxygen Demand	mg/L	20	69	
L-GRNE-RO	12/8/97	RTN	Chemical Oxygen Demand	mg/L	20	25	
L-GRNE-RO	2/12/98	RTN	Chemical Oxygen Demand	mg/L	20	50	
L-GRNE-RO	3/31/98	RTN	Chemical Oxygen Demand	mg/L	20	27	
L-GRNE-RO	11/30/98	RTN	Chemical Oxygen Demand	mg/L	20	32	
L-GRNE-RO	1/20/99	RTN	Chemical Oxygen Demand	mg/L	<	20	20
L-GRNE-RO	2/8/99	DLP	Chemical Oxygen Demand	mg/L	20	37	
L-GRNE-RO	2/8/99	RTN	Chemical Oxygen Demand	mg/L	<	20	20
L-GRNE-RO	4/8/99	RTN	Chemical Oxygen Demand	mg/L	20	28	
L-GRNE-RO	11/8/99	RTN	Chemical Oxygen Demand	mg/L	20	53	
L-GRNE-RO	2/14/00	RTN	Chemical Oxygen Demand	mg/L	25	84	
L-WPDC-RO	10/29/91	RTN	Chemical Oxygen Demand	mg/L	0	75	
L-WPDC-RO	11/17/91	RTN	Chemical Oxygen Demand	mg/L	0	180	
L-WPDC-RO	12/28/91	RTN	Chemical Oxygen Demand	mg/L	10	30	
L-WPDC-RO	1/5/92	RTN	Chemical Oxygen Demand	mg/L	10	25	
L-WPDC-RO	1/28/92	RTN	Chemical Oxygen Demand	mg/L	10	75	
L-WPDC-RO	2/12/92	RTN	Chemical Oxygen Demand	mg/L	10	50	
L-WPDC-RO	3/5/92	RTN	Chemical Oxygen Demand	mg/L	10	50	
L-WPDC-RO	10/29/92	RTN	Chemical Oxygen Demand	mg/L	10	130	
L-WPDC-RO	1/6/93	DLP	Chemical Oxygen Demand	mg/L	10	35	
L-WPDC-RO	1/6/93	RTN	Chemical Oxygen Demand	mg/L	10	25	
L-WPDC-RO	2/8/93	RTN	Chemical Oxygen Demand	mg/L	10	70	
L-WPDC-RO	3/25/93	RTN	Chemical Oxygen Demand	mg/L	10	60	
L-WPDC-RO	10/5/93	RTN	Chemical Oxygen Demand	mg/L	5	240	
L-WPDC-RO	11/10/93	RTN	Chemical Oxygen Demand	mg/L	5	120	
L-WPDC-RO	1/24/94	RTN	Chemical Oxygen Demand	mg/L	5	64	
L-WPDC-RO	4/25/94	RTN	Chemical Oxygen Demand	mg/L	5	53	
L-WPDC-RO	11/5/94	RTN	Chemical Oxygen Demand	mg/L	5	43	
L-WPDC-RO	11/15/94	RTN	Chemical Oxygen Demand	mg/L	5	24	
L-WPDC-RO	12/14/94	RTN	Chemical Oxygen Demand	mg/L	5	25	
L-WPDC-RO	3/2/95	RTN	Chemical Oxygen Demand	mg/L	5	22	
L-WPDC-RO	5/13/95	RTN	Chemical Oxygen Demand	mg/L	5	14	
L-WPDC-RO	12/11/95	RTN	Chemical Oxygen Demand	mg/L	5	59	
L-WPDC-RO	1/16/96	RTN	Chemical Oxygen Demand	mg/L	5	43	
L-WPDC-RO	4/1/96	RTN	Chemical Oxygen Demand	mg/L	5	22	
L-WPDC-RO	5/15/96	DLP	Chemical Oxygen Demand	mg/L	5	150	
L-WPDC-RO	5/15/96	RTN	Chemical Oxygen Demand	mg/L	5	110	
L-WPDC-RO	10/29/96	RTN	Chemical Oxygen Demand	mg O/L	4	180	
L-WPDC-RO	1/15/97	RTN	Chemical Oxygen Demand	mg O/L	4	46	
L-WPDC-RO	5/23/97	RTN	Chemical Oxygen Demand	mg/L	20	137	
L-WPDC-RO	11/15/97	RTN	Chemical Oxygen Demand	mg/L	20	54	
L-WPDC-RO	12/8/97	RTN	Chemical Oxygen Demand	mg/L	20	24	
L-WPDC-RO	2/12/98	RTN	Chemical Oxygen Demand	mg/L	20	38	
L-WPDC-RO	3/31/98	RTN	Chemical Oxygen Demand	mg/L	20	62	
L-WPDC-RO	11/30/98	RTN	Chemical Oxygen Demand	mg/L	4	52	
L-WPDC-RO	1/20/99	RTN	Chemical Oxygen Demand	mg/L	20	30	
L-WPDC-RO	2/8/99	RTN	Chemical Oxygen Demand	mg/L	20	78	
L-WPDC-RO	4/8/99	RTN	Chemical Oxygen Demand	mg/L	20	40	
L-WPDC-RO	11/8/99	RTN	Chemical Oxygen Demand	mg/L	20	64	
L-WPDC-RO	2/14/00	RTN	Chemical Oxygen Demand	mg/L	25	55	
L-ALPE-RO	11/15/97	DLP	Diazinon	ug/L	<	0.2	0.2
L-ALPE-RO	11/15/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPE-RO	12/8/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPE-RO	2/12/98	RTN	Diazinon	ug/L	<	0.4	0.4
L-ALPE-RO	3/31/98	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPE-RO	11/30/98	RTN	Diazinon	ug/L	<	0.4	0.4
L-ALPE-RO	1/20/99	DLP	Diazinon	ug/L	<	0.2	0.2
L-ALPE-RO	1/20/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPE-RO	2/8/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPE-RO	4/8/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPE-RO	11/8/99	RTN	Diazinon	ug/L	<	0.3	0.3
L-ALPE-RO	2/14/00	RTN	Diazinon	ug/L	<	0.5	0.5
L-ALPE-RO	3/8/00	RTN	Diazinon	ug/L	<	0.5	0.5
L-ALPO-RO	11/15/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPO-RO	12/8/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPO-RO	2/12/98	RTN	Diazinon	ug/L	<	0.4	0.4
L-ALPO-RO	3/31/98	DLP	Diazinon	ug/L	<	0.2	0.2
L-ALPO-RO	3/31/98	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPO-RO	11/30/98	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPO-RO	1/20/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPO-RO	2/8/99	RTN	Diazinon	ug/L	<	0.2	0.2

L-ALPO-RO	4/8/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-ALPO-RO	11/8/99	RTN	Diazinon	ug/L	<	2	2
L-ALPO-RO	2/14/00	RTN	Diazinon	ug/L	<	0.5	0.5
L-ALPO-RO	3/8/00	RTN	Diazinon	ug/L	<	0.5	0.5
L-ASW-RO	3/8/00	RTN	Diazinon	ug/L	<	0.5	0.5
L-GFNE-RO	11/15/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-GFNE-RO	12/8/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-GFNE-RO	2/12/98	RTN	Diazinon	ug/L	<	0.4	0.4
L-GFNE-RO	3/31/98	RTN	Diazinon	ug/L	<	0.2	0.2
L-GFNE-RO	11/30/98	RTN	Diazinon	ug/L	<	0.2	0.2
L-GFNE-RO	1/20/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-GFNE-RO	2/8/99	DUP	Diazinon	ug/L	<	0.2	0.2
L-GFNE-RO	2/8/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-GFNE-RO	4/8/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-GFNE-RO	11/8/99	RTN	Diazinon	ug/L	<	0.3	4.8
L-GFNE-RO	2/14/00	RTN	Diazinon	ug/L	<	0.5	0.5
L-GFNE-RO	3/8/00	RTN	Diazinon	ug/L	<	0.5	0.5
L-WPDC-RO	10/29/96	RTN	Diazinon	ug/L	<	0.2	0.2
L-WPDC-RO	1/15/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-WPDC-RO	5/23/97	RTN	Diazinon	ug/L	<	0.2	0.55
L-WPDC-RO	11/15/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-WPDC-RO	12/8/97	RTN	Diazinon	ug/L	<	0.2	0.2
L-WPDC-RO	2/12/98	RTN	Diazinon	ug/L	<	0.4	0.4
L-WPDC-RO	3/31/98	RTN	Diazinon	ug/L	<	0.2	0.2
L-WPDC-RO	11/30/98	RTN	Diazinon	ug/L	<	0.2	0.2
L-WPDC-RO	1/20/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-WPDC-RO	2/8/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-WPDC-RO	4/8/99	RTN	Diazinon	ug/L	<	0.2	0.2
L-WPDC-RO	11/8/99	RTN	Diazinon	ug/L	<	0.3	0.3
L-WPDC-RO	2/14/00	RTN	Diazinon	ug/L	<	0.5	0.5
L-WPDC-RO	3/8/00	RTN	Diazinon	ug/L	<	0.5	0.5
L-ALPE-RO	11/15/97	DUP	Diuron	ug/L		1	4.9
L-ALPE-RO	11/15/97	RTN	Diuron	ug/L		1	4.6
L-ALPE-RO	12/8/97	RTN	Diuron	ug/L	<	1	1
L-ALPE-RO	2/12/98	RTN	Diuron	ug/L	<	1	1
L-ALPE-RO	3/31/98	RTN	Diuron	ug/L	<	1	1
L-ALPE-RO	11/30/98	RTN	Diuron	ug/L		20	53
L-ALPE-RO	1/20/99	DUP	Diuron	ug/L	<	1	1
L-ALPE-RO	1/20/99	RTN	Diuron	ug/L	<	1	1
L-ALPE-RO	2/8/99	RTN	Diuron	ug/L	<	1	1
L-ALPE-RO	4/8/99	RTN	Diuron	ug/L	<	2	2
L-ALPE-RO	11/8/99	RTN	Diuron	ug/L	<	2	2
L-ALPE-RO	2/14/00	RTN	Diuron	ug/L		1	2.1
L-ALPE-RO	3/8/00	RTN	Diuron	ug/L	<	1	1
L-ALPO-RO	11/15/97	RTN	Diuron	ug/L		5	20
L-ALPO-RO	12/8/97	RTN	Diuron	ug/L		10	47
L-ALPO-RO	2/12/98	RTN	Diuron	ug/L		1	1.1
L-ALPO-RO	3/31/98	DUP	Diuron	ug/L	<	1	1
L-ALPO-RO	3/31/98	RTN	Diuron	ug/L	<	1	1
L-ALPO-RO	11/30/98	RTN	Diuron	ug/L		10	18
L-ALPO-RO	1/20/99	RTN	Diuron	ug/L		50	190
L-ALPO-RO	2/8/99	RTN	Diuron	ug/L		10	34
L-ALPO-RO	4/8/99	RTN	Diuron	ug/L		5	1.1
L-ALPO-RO	11/8/99	DUP	Diuron	ug/L	<	0.5	0.5
L-ALPO-RO	11/8/99	RTN	Diuron	ug/L	<	2	2
L-ALPO-RO	2/14/00	RTN	Diuron	ug/L		10	23
L-ALPO-RO	3/8/00	RTN	Diuron	ug/L		1	1.2
L-GFNE-RO	11/15/97	RTN	Diuron	ug/L		1	320
L-GFNE-RO	12/8/97	RTN	Diuron	ug/L		2	11
L-GFNE-RO	2/12/98	RTN	Diuron	ug/L	<	1	1
L-GFNE-RO	3/31/98	RTN	Diuron	ug/L		1	2.9
L-GFNE-RO	11/30/98	RTN	Diuron	ug/L		100	150
L-GFNE-RO	1/20/99	RTN	Diuron	ug/L		5	11
L-GFNE-RO	2/8/99	DUP	Diuron	ug/L		10	30
L-GFNE-RO	2/8/99	RTN	Diuron	ug/L		30	100
L-GFNE-RO	4/8/99	RTN	Diuron	ug/L		10	12
L-GFNE-RO	11/8/99	RTN	Diuron	ug/L		2	2.8
L-GFNE-RO	2/14/00	RTN	Diuron	ug/L		10	22
L-GFNE-RO	3/8/00	RTN	Diuron	ug/L		10	24
L-WPDC-RO	10/29/96	RTN	Diuron	ug/L	<	1	1
L-WPDC-RO	1/15/97	RTN	Diuron	ug/L		1	2
L-WPDC-RO	5/23/97	RTN	Diuron	ug/L		10	14
L-WPDC-RO	11/15/97	RTN	Diuron	ug/L		10	23
L-WPDC-RO	12/8/97	RTN	Diuron	ug/L		5	25
L-WPDC-RO	2/12/98	RTN	Diuron	ug/L	<	1	1
L-WPDC-RO	3/31/98	RTN	Diuron	ug/L		1	4.5
L-WPDC-RO	11/30/98	RTN	Diuron	ug/L		1	2.8
L-WPDC-RO	1/20/99	RTN	Diuron	ug/L		0	63
L-WPDC-RO	2/8/99	RTN	Diuron	ug/L		3	6.3
L-WPDC-RO	4/8/99	RTN	Diuron	ug/L	<	1	1
L-WPDC-RO	11/8/99	RTN	Diuron	ug/L	<	1	1
L-WPDC-RO	2/14/00	RTN	Diuron	ug/L		1	3.3
L-WPDC-RO	3/8/00	RTN	Diuron	ug/L	<	1	1
L-ALPE-RO	11/15/97	DUP	Glyphosate	ug/L	<	35	35
L-ALPE-RO	11/15/97	RTN	Glyphosate	ug/L	<	35	35
L-ALPE-RO	12/8/97	RTN	Glyphosate	ug/L	<	9	9
L-ALPE-RO	3/31/98	RTN	Glyphosate	ug/L		9	14
L-ALPE-RO	11/30/98	RTN	Glyphosate	ug/L	<	9	9
L-ALPE-RO	1/20/99	DUP	Glyphosate	ug/L	<	9	9
L-ALPE-RO	1/20/99	RTN	Glyphosate	ug/L	<	9	9
L-ALPE-RO	2/8/99	RTN	Glyphosate	ug/L	<	9	9
L-ALPE-RO	4/8/99	RTN	Glyphosate	ug/L		9	5.1
L-ALPE-RO	11/8/99	RTN	Glyphosate	ug/L		9	94
L-ALPE-RO	3/8/00	RTN	Glyphosate	ug/L	<	9	9
L-ALPO-RO	11/15/97	RTN	Glyphosate	ug/L	<	9	9
L-ALPO-RO	12/8/97	RTN	Glyphosate	ug/L	<	9	9
L-ALPO-RO	2/12/98	RTN	Glyphosate	ug/L	<	9	9
L-ALPO-RO	3/31/98	DUP	Glyphosate	ug/L	<	9	9
L-ALPO-RO	3/31/98	RTN	Glyphosate	ug/L	<	9	9
L-ALPO-RO	11/30/98	RTN	Glyphosate	ug/L	<	9	9
L-ALPO-RO	1/20/99	RTN	Glyphosate	ug/L		9	10
L-ALPO-RO	2/8/99	RTN	Glyphosate	ug/L	<	9	9
L-ALPO-RO	4/8/99	RTN	Glyphosate	ug/L		9	1.6
L-ALPO-RO	11/8/99	DUP	Glyphosate	ug/L	<	20	20
L-ALPO-RO	11/8/99	RTN	Glyphosate	ug/L		9	95
L-ALPO-RO	3/8/00	RTN	Glyphosate	ug/L	<	9	9
L-GFNE-RO	11/15/97	RTN	Glyphosate	ug/L	<	9	9
L-GFNE-RO	12/8/97	RTN	Glyphosate	ug/L	<	9	9
L-GFNE-RO	2/12/98	RTN	Glyphosate	ug/L	<	9	9

L-GFNE-RO	3/31/88	RTN	Glyphosate	ug/L	<	9	8
L-GFNE-RO	11/30/88	RTN	Glyphosate	ug/L	<	9	24
L-GFNE-RO	1/20/89	RTN	Glyphosate	ug/L	<	9	9
L-GFNE-RO	2/8/89	DLP	Glyphosate	ug/L	<	9	9
L-GFNE-RO	2/8/89	RTN	Glyphosate	ug/L	<	9	9
L-GFNE-RO	4/8/89	RTN	Glyphosate	ug/L	<	20	20
L-GFNE-RO	11/8/89	RTN	Glyphosate	ug/L	<	9	100
L-GFNE-RO	3/8/00	RTN	Glyphosate	ug/L	<	9	25
L-WPDC-RO	10/29/96	RTN	Glyphosate	ug/L	<	20	20
L-WPDC-RO	1/15/97	RTN	Glyphosate	ug/L	<	20	20
L-WPDC-RO	5/23/97	RTN	Glyphosate	ug/L	<	20	20
L-WPDC-RO	11/15/97	RTN	Glyphosate	ug/L	<	9	9
L-WPDC-RO	12/8/97	RTN	Glyphosate	ug/L	<	9	9
L-WPDC-RO	2/12/98	RTN	Glyphosate	ug/L	<	9	26
L-WPDC-RO	3/31/98	RTN	Glyphosate	ug/L	<	9	20
L-WPDC-RO	11/30/98	RTN	Glyphosate	ug/L	<	9	9
L-WPDC-RO	1/20/99	RTN	Glyphosate	ug/L	<	9	9
L-WPDC-RO	2/8/99	RTN	Glyphosate	ug/L	<	9	9
L-WPDC-RO	4/8/99	DLP	Glyphosate	ug/L	<	20	20
L-WPDC-RO	4/8/99	RTN	Glyphosate	ug/L	<	9	9
L-WPDC-RO	11/8/99	RTN	Glyphosate	ug/L	<	9	99
L-WPDC-RO	3/8/00	RTN	Glyphosate	ug/L	<	9	12
L-ALPE-RO	4/22/88	RTN	Oil and Grease	mg/L	<	0	77
L-ALPE-RO	2/18/89	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	5/27/90	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	12/15/90	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	2/4/91	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	3/1/91	RTN	Oil and Grease	mg/L	<	0	8
L-ALPE-RO	3/10/91	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	10/26/91	RTN	Oil and Grease	mg/L	<	0	8
L-ALPE-RO	12/27/91	RTN	Oil and Grease	mg/L	<	5	11
L-ALPE-RO	1/5/92	RTN	Oil and Grease	mg/L	<	5	10
L-ALPE-RO	1/28/92	RTN	Oil and Grease	mg/L	<	5	6
L-ALPE-RO	2/11/92	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	3/5/92	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	10/29/92	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	1/8/93	RTN	Oil and Grease	mg/L	<	5	6
L-ALPE-RO	2/8/93	RTN	Oil and Grease	mg/L	<	5	7
L-ALPE-RO	3/25/93	DLP	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	3/25/93	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	11/10/93	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	1/24/94	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	4/25/94	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	11/5/94	RTN	Oil and Grease	mg/L	<	5	6
L-ALPE-RO	3/2/95	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	5/13/95	DLP	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	5/13/95	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	12/11/95	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	1/16/96	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	4/1/96	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	5/15/96	RTN	Oil and Grease	mg/L	<	5	5
L-ALPE-RO	10/29/96	RTN	Oil and Grease	mg/L	<	1	3
L-ALPE-RO	1/15/97	RTN	Oil and Grease	mg/L	<	1	1
L-ALPE-RO	11/15/97	DLP	Oil and Grease	mg/L	<	1	1
L-ALPE-RO	11/15/97	RTN	Oil and Grease	mg/L	<	1	1
L-ALPE-RO	12/8/97	RTN	Oil and Grease	mg/L	<	1	1
L-ALPE-RO	2/12/98	RTN	Oil and Grease	mg/L	<	1	1
L-ALPE-RO	3/31/98	RTN	Oil and Grease	mg/L	<	1	3
L-ALPE-RO	11/30/98	RTN	Oil and Grease	mg/L	<	1	1
L-ALPE-RO	1/20/99	DLP	Oil and Grease	mg/L	<	1	1
L-ALPE-RO	1/20/99	RTN	Oil and Grease	mg/L	<	1	1.1
L-ALPE-RO	2/8/99	RTN	Oil and Grease	mg/L	<	1	1.2
L-ALPE-RO	4/8/99	RTN	Oil and Grease	mg/L	<	1	2.4
L-ALPE-RO	11/8/99	RTN	Oil and Grease	mg/L	<	2	11.0
L-ALPE-RO	2/14/00	RTN	Oil and Grease	mg/L	<	1	1
L-ALPE-RO	3/8/00	RTN	Oil and Grease	mg/L	<	1	1.8
L-ALPO-RO	12/11/95	RTN	Oil and Grease	mg/L	<	5	5
L-ALPO-RO	1/16/96	RTN	Oil and Grease	mg/L	<	5	5
L-ALPO-RO	4/1/96	RTN	Oil and Grease	mg/L	<	5	5
L-ALPO-RO	5/15/96	RTN	Oil and Grease	mg/L	<	5	5
L-ALPO-RO	10/29/96	DLP	Oil and Grease	mg/L	<	1	1
L-ALPO-RO	10/29/96	RTN	Oil and Grease	mg/L	<	1	1
L-ALPO-RO	1/15/97	RTN	Oil and Grease	mg/L	<	1	1
L-ALPO-RO	11/15/97	RTN	Oil and Grease	mg/L	<	1	1
L-ALPO-RO	12/8/97	RTN	Oil and Grease	mg/L	<	1	1
L-ALPO-RO	2/12/98	RTN	Oil and Grease	mg/L	<	1	1
L-ALPO-RO	3/31/98	DLP	Oil and Grease	mg/L	<	1	1
L-ALPO-RO	3/31/98	RTN	Oil and Grease	mg/L	<	1	1
L-ALPO-RO	11/30/98	RTN	Oil and Grease	mg/L	<	1	1.1
L-ALPO-RO	1/20/99	RTN	Oil and Grease	mg/L	<	1	1
L-ALPO-RO	2/8/99	RTN	Oil and Grease	mg/L	<	1	1.1
L-ALPO-RO	4/8/99	RTN	Oil and Grease	mg/L	<	1	2.2
L-ALPO-RO	11/8/99	DLP	Oil and Grease	mg/L	<	5.5	5.6
L-ALPO-RO	11/8/99	RTN	Oil and Grease	mg/L	<	1	1.9
L-ALPO-RO	2/14/00	RTN	Oil and Grease	mg/L	<	1	1
L-ALPO-RO	3/8/00	RTN	Oil and Grease	mg/L	<	1	2.2
L-GFNE-RO	3/1/91	RTN	Oil and Grease	mg/L	<	0	6
L-GFNE-RO	3/10/91	RTN	Oil and Grease	mg/L	<	0	5
L-GFNE-RO	10/26/91	RTN	Oil and Grease	mg/L	<	0	7
L-GFNE-RO	11/17/91	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	12/28/91	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	1/5/92	RTN	Oil and Grease	mg/L	<	5	9
L-GFNE-RO	1/28/92	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	2/11/92	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	3/5/92	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	12/6/92	DLP	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	12/6/92	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	1/6/93	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	2/8/93	DLP	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	2/8/93	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	3/25/93	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	6/4/93	DLP	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	6/4/93	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	11/10/93	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	1/24/94	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	4/25/94	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	11/5/94	RTN	Oil and Grease	mg/L	<	5	8.9
L-GFNE-RO	3/2/95	RTN	Oil and Grease	mg/L	<	5	5

L-GFNE-RO	5/13/95	RTN	Oil and Grease	mg/L	<	5	6
L-GFNE-RO	12/11/95	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	1/16/96	DLP	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	1/16/96	RTN	Oil and Grease	mg/L	<	5	7.8
L-GFNE-RO	4/1/96	RTN	Oil and Grease	mg/L	<	5	6
L-GFNE-RO	5/15/96	RTN	Oil and Grease	mg/L	<	5	5
L-GFNE-RO	10/29/96	RTN	Oil and Grease	mg/L	<	1	1
L-GFNE-RO	1/15/97	RTN	Oil and Grease	mg/L	<	1	1
L-GFNE-RO	1/15/97	RTN	Oil and Grease	mg/L	<	1	1
L-GFNE-RO	12/8/97	RTN	Oil and Grease	mg/L	<	1	1
L-GFNE-RO	2/12/98	RTN	Oil and Grease	mg/L	<	1	1
L-GFNE-RO	3/31/98	RTN	Oil and Grease	mg/L	<	1	1
L-GFNE-RO	11/30/98	RTN	Oil and Grease	mg/L	<	1	3.4
L-GFNE-RO	1/20/99	RTN	Oil and Grease	mg/L	<	1	1
L-GFNE-RO	2/8/99	DLP	Oil and Grease	mg/L	<	1	1
L-GFNE-RO	2/8/99	RTN	Oil and Grease	mg/L	<	1	1
L-GFNE-RO	4/8/99	RTN	Oil and Grease	mg/L	<	1	1
L-GFNE-RO	11/8/99	RTN	Oil and Grease	mg/L	<	1	1.9
L-GFNE-RO	2/14/00	RTN	Oil and Grease	mg/L	<	1	1
L-GFNE-RO	3/8/00	RTN	Oil and Grease	mg/L	<	1	1
L-WPDC-RO	10/29/91	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	11/17/91	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	12/28/91	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	1/5/92	RTN	Oil and Grease	mg/L	<	5	9
L-WPDC-RO	1/28/92	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	2/12/92	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	3/5/92	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	10/29/92	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	1/8/93	DLP	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	1/8/93	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	2/8/93	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	3/25/93	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	10/5/93	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	11/10/93	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	1/24/94	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	2/7/94	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	4/25/94	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	11/5/94	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	11/15/94	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	12/14/94	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	3/2/95	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	5/13/95	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	12/11/95	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	1/16/96	RTN	Oil and Grease	mg/L	<	5	1.0
L-WPDC-RO	4/1/96	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	5/15/96	DLP	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	5/15/96	RTN	Oil and Grease	mg/L	<	5	5
L-WPDC-RO	10/29/96	RTN	Oil and Grease	mg/L	<	1	2.9
L-WPDC-RO	1/15/97	RTN	Oil and Grease	mg/L	<	1	1
L-WPDC-RO	5/23/97	RTN	Oil and Grease	mg/L	<	1	2.3
L-WPDC-RO	11/15/97	RTN	Oil and Grease	mg/L	<	1	1
L-WPDC-RO	12/8/97	RTN	Oil and Grease	mg/L	<	1	1
L-WPDC-RO	2/12/98	RTN	Oil and Grease	mg/L	<	1	1
L-WPDC-RO	3/31/98	RTN	Oil and Grease	mg/L	<	1	1.9
L-WPDC-RO	11/30/98	RTN	Oil and Grease	mg/L	<	1	4.5
L-WPDC-RO	1/20/99	RTN	Oil and Grease	mg/L	<	1	1
L-WPDC-RO	2/8/99	RTN	Oil and Grease	mg/L	<	1	1
L-WPDC-RO	4/8/99	RTN	Oil and Grease	mg/L	<	1	1
L-WPDC-RO	11/8/99	RTN	Oil and Grease	mg/L	<	1	1
L-WPDC-RO	2/14/00	RTN	Oil and Grease	mg/L	<	1	1
L-WPDC-RO	3/8/00	RTN	Oil and Grease	mg/L	<	1	1.8
L-ALPE-RO	11/5/94	RTN	Ortho-Phosphate	mg/L	<	0.5	0.5
L-ALPE-RO	5/13/95	DLP	Ortho-Phosphate	mg/L	<	1	1.4
L-ALPE-RO	5/13/95	RTN	Ortho-Phosphate	mg/L	<	1	1.4
L-ALPE-RO	12/11/95	RTN	Ortho-Phosphate	mg/L	<	1.0	1.0
L-ALPE-RO	4/1/96	RTN	Ortho-Phosphate	mg/L	<	0.1	0.1
L-ALPE-RO	4/1/96	RTN	Ortho-Phosphate	mg/L	<	0.02	0.02
L-ALPE-RO	5/15/96	RTN	Ortho-Phosphate	mg/L	<	0.05	0.15
L-ALPE-RO	10/29/96	RTN	Ortho-Phosphate	mg/L	<	0.05	0.46
L-ALPE-RO	10/29/96	RTN	Ortho-Phosphate	mg/L	<	0.05	0.58
L-ALPE-RO	1/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	1.9
L-ALPE-RO	1/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	2
L-ALPE-RO	11/15/97	DLP	Ortho-Phosphate	mg/L	<	0.05	0.83
L-ALPE-RO	11/15/97	DLP	Ortho-Phosphate	mg/L	<	0.05	0.8
L-ALPE-RO	11/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	0.66
L-ALPE-RO	11/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	0.84
L-ALPE-RO	12/8/97	RTN	Ortho-Phosphate	mg/L	<	0.5	4.1
L-ALPE-RO	12/8/97	RTN	Ortho-Phosphate	mg/L	<	0.5	4.1
L-ALPE-RO	2/12/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.62
L-ALPE-RO	2/12/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.68
L-ALPE-RO	3/31/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.95
L-ALPE-RO	3/31/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.85
L-ALPE-RO	11/30/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.88
L-ALPE-RO	11/30/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.36
L-ALPE-RO	11/30/98	RTN	Ortho-Phosphate	mg/L	<	0.05	0.89
L-ALPE-RO	1/20/99	DLP	Ortho-Phosphate	mg/L	<	0.5	3.5
L-ALPE-RO	1/20/99	DLP	Ortho-Phosphate	mg/L	<	0.5	4.7
L-ALPE-RO	1/20/99	DLP	Ortho-Phosphate	mg/L	<	0.5	4.5
L-ALPE-RO	1/20/99	RTN	Ortho-Phosphate	mg/L	<	0.5	4.8
L-ALPE-RO	1/20/99	RTN	Ortho-Phosphate	mg/L	<	0.5	4.5
L-ALPE-RO	1/20/99	RTN	Ortho-Phosphate	mg/L	<	0.5	5.9
L-ALPE-RO	2/8/99	RTN	Ortho-Phosphate	mg/L	<	0.5	3.1
L-ALPE-RO	2/8/99	RTN	Ortho-Phosphate	mg/L	<	0.5	3.1
L-ALPE-RO	2/8/99	RTN	Ortho-Phosphate	mg/L	<	0.5	3.1
L-ALPE-RO	4/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.81
L-ALPE-RO	4/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.92
L-ALPE-RO	4/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.92
L-ALPE-RO	11/8/99	RTN	Ortho-Phosphate	mg/L	<	0.05	0.64
L-ALPE-RO	2/14/00	RTN	Ortho-Phosphate	mg/L	<	0.25	2.81
L-ALPE-RO	2/14/00	RTN	Ortho-Phosphate	mg/L	<	0.25	2.72
L-ALPE-RO	3/8/00	RTN	Ortho-Phosphate	mg/L	<	0.25	1.4
L-ALPE-RO	3/8/00	RTN	Ortho-Phosphate	mg/L	<	0.25	1.4
L-ALPE-RO	12/11/95	RTN	Ortho-Phosphate	mg/L	<	1.0	1.0
L-ALPE-RO	4/1/96	RTN	Ortho-Phosphate	mg/L	<	0.1	0.1
L-ALPE-RO	4/1/96	RTN	Ortho-Phosphate	mg/L	<	0.02	0.02
L-ALPE-RO	5/15/96	RTN	Ortho-Phosphate	mg/L	<	0.05	0.26
L-ALPE-RO	10/29/96	DLP	Ortho-Phosphate	mg/L	<	0.05	0.5
L-ALPE-RO	10/29/96	DLP	Ortho-Phosphate	mg/L	<	0.05	0.52
L-ALPE-RO	10/29/96	RTN	Ortho-Phosphate	mg/L	<	0.05	0.57
L-ALPE-RO	10/29/96	RTN	Ortho-Phosphate	mg/L	<	0.05	0.6
L-ALPE-RO	1/15/97	RTN	Ortho-Phosphate	mg/L	<	0.05	1.6

L-ALPO-RO	1/15/97	RIN	Ortho-Phosphate	mg/L	0.05	1.6
L-ALPO-RO	1/15/97	RIN	Ortho-Phosphate	mg/L	0.05	0.46
L-ALPO-RO	1/15/97	RIN	Ortho-Phosphate	mg/L	0.05	0.46
L-ALPO-RO	12/8/97	RIN	Ortho-Phosphate	mg/L	0.05	1.6
L-ALPO-RO	12/8/97	RIN	Ortho-Phosphate	mg/L	0.05	1.6
L-ALPO-RO	2/12/98	RIN	Ortho-Phosphate	mg/L	0.05	1.2
L-ALPO-RO	2/12/98	RIN	Ortho-Phosphate	mg/L	0.05	1.1
L-ALPO-RO	3/31/98	DLP	Ortho-Phosphate	mg/L	0.05	0.33
L-ALPO-RO	3/31/98	DLP	Ortho-Phosphate	mg/L	0.05	0.34
L-ALPO-RO	3/31/98	RIN	Ortho-Phosphate	mg/L	0.05	0.33
L-ALPO-RO	3/31/98	RIN	Ortho-Phosphate	mg/L	0.05	0.32
L-ALPO-RO	11/30/98	RIN	Ortho-Phosphate	mg/L	0.05	0.25
L-ALPO-RO	11/30/98	RIN	Ortho-Phosphate	mg/L	0.05	0.25
L-ALPO-RO	11/30/98	RIN	Ortho-Phosphate	mg/L	0.05	0.25
L-ALPO-RO	1/20/99	RIN	Ortho-Phosphate	mg/L	0.05	1.1
L-ALPO-RO	1/20/99	RIN	Ortho-Phosphate	mg/L	0.05	1.1
L-ALPO-RO	1/20/99	RIN	Ortho-Phosphate	mg/L	0.05	1.1
L-ALPO-RO	2/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.62
L-ALPO-RO	2/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.91
L-ALPO-RO	2/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.92
L-ALPO-RO	4/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.39
L-ALPO-RO	4/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.41
L-ALPO-RO	4/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.4
L-ALPO-RO	11/8/99	DLP	Ortho-Phosphate	mg/L	0.02	0.15
L-ALPO-RO	11/8/99	DLP	Ortho-Phosphate	mg/L	0.02	0.15
L-ALPO-RO	11/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.39
L-ALPO-RO	2/14/00	RIN	Ortho-Phosphate	mg/L	0.25	1.9
L-ALPO-RO	2/14/00	RIN	Ortho-Phosphate	mg/L	0.25	1.9
L-ALPO-RO	3/8/00	RIN	Ortho-Phosphate	mg/L	0.05	0.612
L-ALPO-RO	3/8/00	RIN	Ortho-Phosphate	mg/L	0.05	0.612
L-GRNE-RO	11/5/94	RIN	Ortho-Phosphate	mg/L	< 0.5	0.6
L-GRNE-RO	5/13/95	RIN	Ortho-Phosphate	mg/L	< 1	1
L-GRNE-RO	12/11/95	RIN	Ortho-Phosphate	mg/L	< 10	10
L-GRNE-RO	4/1/96	RIN	Ortho-Phosphate	mg/L	< 0.1	0.1
L-GRNE-RO	4/1/96	RIN	Ortho-Phosphate	mg/L	< 0.02	0.07
L-GRNE-RO	5/15/96	RIN	Ortho-Phosphate	mg/L	0.05	0.3
L-GRNE-RO	10/29/96	RIN	Ortho-Phosphate	mg/L	0.05	0.35
L-GRNE-RO	10/29/96	RIN	Ortho-Phosphate	mg/L	0.05	0.39
L-GRNE-RO	1/15/97	RIN	Ortho-Phosphate	mg/L	0.05	1.7
L-GRNE-RO	1/15/97	RIN	Ortho-Phosphate	mg/L	0.05	1.5
L-GRNE-RO	11/15/97	RIN	Ortho-Phosphate	mg/L	0.05	0.52
L-GRNE-RO	11/15/97	RIN	Ortho-Phosphate	mg/L	0.05	0.52
L-GRNE-RO	12/8/97	RIN	Ortho-Phosphate	mg/L	0.05	0.58
L-GRNE-RO	12/8/97	RIN	Ortho-Phosphate	mg/L	0.05	0.56
L-GRNE-RO	2/12/98	RIN	Ortho-Phosphate	mg/L	0.05	0.34
L-GRNE-RO	2/12/98	RIN	Ortho-Phosphate	mg/L	0.05	0.37
L-GRNE-RO	3/31/98	RIN	Ortho-Phosphate	mg/L	0.05	0.26
L-GRNE-RO	3/31/98	RIN	Ortho-Phosphate	mg/L	0.05	0.24
L-GRNE-RO	11/30/98	RIN	Ortho-Phosphate	mg/L	0.05	0.45
L-GRNE-RO	11/30/98	RIN	Ortho-Phosphate	mg/L	0.05	0.45
L-GRNE-RO	11/30/98	RIN	Ortho-Phosphate	mg/L	0.05	0.45
L-GRNE-RO	1/20/99	RIN	Ortho-Phosphate	mg/L	0.05	0.33
L-GRNE-RO	1/20/99	RIN	Ortho-Phosphate	mg/L	0.05	0.44
L-GRNE-RO	1/20/99	RIN	Ortho-Phosphate	mg/L	0.05	0.43
L-GRNE-RO	2/8/99	DLP	Ortho-Phosphate	mg/L	0.05	0.47
L-GRNE-RO	2/8/99	DLP	Ortho-Phosphate	mg/L	0.05	0.46
L-GRNE-RO	2/8/99	DLP	Ortho-Phosphate	mg/L	0.05	0.45
L-GRNE-RO	2/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.44
L-GRNE-RO	2/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.43
L-GRNE-RO	2/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.43
L-GRNE-RO	4/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.33
L-GRNE-RO	4/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.38
L-GRNE-RO	4/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.36
L-GRNE-RO	11/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.7
L-GRNE-RO	2/14/00	RIN	Ortho-Phosphate	mg/L	0.05	1.2
L-GRNE-RO	2/14/00	RIN	Ortho-Phosphate	mg/L	0.05	1.16
L-GRNE-RO	3/8/00	RIN	Ortho-Phosphate	mg/L	0.05	0.41
L-GRNE-RO	3/8/00	RIN	Ortho-Phosphate	mg/L	0.05	0.41
L-WPDC-RO	11/5/94	RIN	Ortho-Phosphate	mg/L	< 0.5	0.5
L-WPDC-RO	11/15/94	RIN	Ortho-Phosphate	mg/L	0.05	0.085
L-WPDC-RO	12/14/94	RIN	Ortho-Phosphate	mg/L	0.05	0.06
L-WPDC-RO	5/13/95	RIN	Ortho-Phosphate	mg/L	< 1	1
L-WPDC-RO	12/11/95	RIN	Ortho-Phosphate	mg/L	< 10	10
L-WPDC-RO	4/1/96	RIN	Ortho-Phosphate	mg/L	< 0.1	0.1
L-WPDC-RO	4/1/96	RIN	Ortho-Phosphate	mg/L	0.02	0.06
L-WPDC-RO	5/15/96	DLP	Ortho-Phosphate	mg/L	0.05	0.058
L-WPDC-RO	5/15/96	RIN	Ortho-Phosphate	mg/L	0.05	0.058
L-WPDC-RO	10/29/96	RIN	Ortho-Phosphate	mg/L	0.05	1.2
L-WPDC-RO	10/29/96	RIN	Ortho-Phosphate	mg/L	0.05	1.1
L-WPDC-RO	1/15/97	RIN	Ortho-Phosphate	mg/L	0.05	1.1
L-WPDC-RO	1/15/97	RIN	Ortho-Phosphate	mg/L	0.05	1.1
L-WPDC-RO	1/15/97	RIN	Ortho-Phosphate	mg/L	0.05	0.98
L-WPDC-RO	5/23/97	RIN	Ortho-Phosphate	mg/L	0.1	0.82
L-WPDC-RO	11/15/97	RIN	Ortho-Phosphate	mg/L	0.05	0.55
L-WPDC-RO	11/15/97	RIN	Ortho-Phosphate	mg/L	0.05	0.55
L-WPDC-RO	12/8/97	RIN	Ortho-Phosphate	mg/L	0.05	0.68
L-WPDC-RO	12/8/97	RIN	Ortho-Phosphate	mg/L	0.05	0.68
L-WPDC-RO	2/12/98	RIN	Ortho-Phosphate	mg/L	0.05	0.16
L-WPDC-RO	2/12/98	RIN	Ortho-Phosphate	mg/L	0.05	0.05
L-WPDC-RO	3/31/98	RIN	Ortho-Phosphate	mg/L	0.05	0.4
L-WPDC-RO	3/31/98	RIN	Ortho-Phosphate	mg/L	0.05	0.32
L-WPDC-RO	11/30/98	RIN	Ortho-Phosphate	mg/L	0.05	0.4
L-WPDC-RO	11/30/98	RIN	Ortho-Phosphate	mg/L	0.05	0.36
L-WPDC-RO	11/30/98	RIN	Ortho-Phosphate	mg/L	0.05	0.4
L-WPDC-RO	1/20/99	RIN	Ortho-Phosphate	mg/L	0.05	0.35
L-WPDC-RO	1/20/99	RIN	Ortho-Phosphate	mg/L	0.05	0.48
L-WPDC-RO	1/20/99	RIN	Ortho-Phosphate	mg/L	0.05	0.48
L-WPDC-RO	2/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.39
L-WPDC-RO	2/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.32
L-WPDC-RO	2/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.33
L-WPDC-RO	4/8/99	DLP	Ortho-Phosphate	mg/L	0.02	0.08
L-WPDC-RO	4/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.2
L-WPDC-RO	4/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.2
L-WPDC-RO	4/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.23
L-WPDC-RO	11/8/99	RIN	Ortho-Phosphate	mg/L	0.05	0.42
L-WPDC-RO	2/14/00	RIN	Ortho-Phosphate	mg/L	0.05	1.33
L-WPDC-RO	2/14/00	RIN	Ortho-Phosphate	mg/L	0.05	1.3
L-WPDC-RO	3/8/00	RIN	Ortho-Phosphate	mg/L	0.05	0.35
L-WPDC-RO	3/8/00	RIN	Ortho-Phosphate	mg/L	0.05	0.35
L-ALPE-RO	11/10/93	RIN	pH	Units	0	8.4
L-ALPE-RO	1/24/94	RIN	pH	Units	0	8.3

L-ALPE-RO	4/25/84	RTN	pH	Units	0	6.7
L-ALPE-RO	11/5/84	RTN	pH	Units	0	6.4
L-ALPE-RO	3/2/85	RTN	pH	Units	0	6.8
L-ALPE-RO	5/13/85	CLP	pH	Units	0	7.7
L-ALPE-RO	5/13/85	RTN	pH	Units	0	7.6
L-ALPE-RO	12/11/85	RTN	pH	Units	0	7.6
L-ALPE-RO	1/16/86	RTN	pH	Units	0	7.9
L-ALPE-RO	4/1/86	RTN	pH	SU	0	7.3
L-ALPE-RO	5/15/86	RTN	pH	Units	0	6.6
L-ALPE-RO	10/29/86	RTN	pH	Units	0	6.82
L-ALPE-RO	1/15/87	RTN	pH	Units	0	7.99
L-ALPE-RO	11/15/87	CLP	pH	Units	0	6.93
L-ALPE-RO	11/15/87	RTN	pH	Units	0	6.85
L-ALPE-RO	12/8/87	RTN	pH	Units	0	8.33
L-ALPE-RO	2/12/88	RTN	pH	Units	0	7.7
L-ALPE-RO	3/31/88	RTN	pH	Units	0	7.55
L-ALPE-RO	11/30/88	RTN	pH	Units	0	6.78
L-ALPE-RO	11/30/88	RTN	pH	Units	0	7.9
L-ALPE-RO	1/20/89	CLP	pH	Units	0	8.26
L-ALPE-RO	1/20/89	CLP	pH	Units	0	8.28
L-ALPE-RO	1/20/89	RTN	pH	Units	0	8.25
L-ALPE-RO	1/20/89	RTN	pH	Units	0	8.23
L-ALPE-RO	2/8/89	RTN	pH	Units	0	8.2
L-ALPE-RO	2/8/89	RTN	pH	Units	0	8.13
L-ALPE-RO	4/8/89	RTN	pH	Units	0	7.39
L-ALPE-RO	4/8/89	RTN	pH	Units	0	7.6
L-ALPE-RO	11/8/89	RTN	pH	Units	0	7.23
L-ALPE-RO	2/14/00	RTN	pH	Units	0	7.91
L-ALPE-RO	3/8/00	RTN	pH	Units	0	8.5
L-ALPO-RO	12/11/85	RTN	pH	Units	0	7.4
L-ALPO-RO	1/16/86	RTN	pH	Units	0	7.7
L-ALPO-RO	4/1/86	RTN	pH	SU	0	7.4
L-ALPO-RO	5/15/86	RTN	pH	Units	0	6.6
L-ALPO-RO	10/29/86	CLP	pH	Units	0	7.98
L-ALPO-RO	10/29/86	RTN	pH	Units	0	8.02
L-ALPO-RO	1/15/87	RTN	pH	Units	0	8.26
L-ALPO-RO	11/15/87	RTN	pH	Units	0	8.07
L-ALPO-RO	12/8/87	RTN	pH	Units	0	8.13
L-ALPO-RO	2/12/88	RTN	pH	Units	0	8.13
L-ALPO-RO	3/31/88	CLP	pH	Units	0	8.16
L-ALPO-RO	3/31/88	RTN	pH	Units	0	8.27
L-ALPO-RO	11/30/88	RTN	pH	Units	0	8.1
L-ALPO-RO	11/30/88	RTN	pH	Units	0	8.11
L-ALPO-RO	1/20/89	RTN	pH	Units	0	8.15
L-ALPO-RO	1/20/89	RTN	pH	Units	0	8.16
L-ALPO-RO	2/8/89	RTN	pH	Units	0	8.06
L-ALPO-RO	2/8/89	RTN	pH	Units	0	8
L-ALPO-RO	4/8/89	RTN	pH	Units	0	7.48
L-ALPO-RO	4/8/89	RTN	pH	Units	0	7.62
L-ALPO-RO	11/8/89	CLP	pH	Units	0	7.4
L-ALPO-RO	11/8/89	RTN	pH	Units	0	8.07
L-ALPO-RO	2/14/00	RTN	pH	Units	0	8.19
L-ALPO-RO	3/8/00	RTN	pH	Units	0	8.53
L-GRNE-RO	11/10/93	RTN	pH	Units	0	8.7
L-GRNE-RO	1/24/94	RTN	pH	Units	0	7.4
L-GRNE-RO	4/25/84	RTN	pH	Units	0	7.8
L-GRNE-RO	11/5/84	RTN	pH	Units	0	7.2
L-GRNE-RO	3/2/85	RTN	pH	Units	0	7.3
L-GRNE-RO	5/13/85	RTN	pH	Units	0	7.7
L-GRNE-RO	12/11/85	RTN	pH	Units	0	8.4
L-GRNE-RO	1/16/86	CLP	pH	Units	0	7.5
L-GRNE-RO	1/16/86	RTN	pH	Units	0	7.3
L-GRNE-RO	4/1/86	RTN	pH	SU	0	7.4
L-GRNE-RO	5/15/86	RTN	pH	Units	0	6.7
L-GRNE-RO	10/29/86	RTN	pH	Units	0	7.54
L-GRNE-RO	1/15/87	RTN	pH	Units	0	7.87
L-GRNE-RO	11/15/87	RTN	pH	Units	0	7.84
L-GRNE-RO	12/8/87	RTN	pH	Units	0	7.98
L-GRNE-RO	2/12/88	RTN	pH	Units	0	7.86
L-GRNE-RO	3/31/88	RTN	pH	Units	0	7.5
L-GRNE-RO	11/30/88	RTN	pH	Units	0	7.61
L-GRNE-RO	11/30/88	RTN	pH	Units	0	7.63
L-GRNE-RO	1/20/89	RTN	pH	Units	0	7.89
L-GRNE-RO	1/20/89	RTN	pH	Units	0	7.94
L-GRNE-RO	2/8/89	CLP	pH	Units	0	7.55
L-GRNE-RO	2/8/89	CLP	pH	Units	0	7.64
L-GRNE-RO	2/8/89	RTN	pH	Units	0	7.46
L-GRNE-RO	2/8/89	RTN	pH	Units	0	7.4
L-GRNE-RO	4/8/89	RTN	pH	Units	0	7.83
L-GRNE-RO	4/8/89	RTN	pH	Units	0	7.84
L-GRNE-RO	11/8/89	RTN	pH	Units	0	7.58
L-GRNE-RO	2/14/00	RTN	pH	Units	0	7.85
L-GRNE-RO	3/8/00	RTN	pH	Units	0	7.79
L-WPDC-RO	11/10/93	RTN	pH	Units	0	6.9
L-WPDC-RO	1/24/94	RTN	pH	Units	0	7.2
L-WPDC-RO	2/7/84	RTN	pH	Units	0	7
L-WPDC-RO	4/25/84	RTN	pH	Units	0	7
L-WPDC-RO	11/5/84	RTN	pH	Units	0	6.4
L-WPDC-RO	11/15/84	RTN	pH	Units	0	8.2
L-WPDC-RO	12/14/84	RTN	pH	Units	0	6.8
L-WPDC-RO	3/2/85	RTN	pH	Units	0	6.6
L-WPDC-RO	5/13/85	RTN	pH	Units	0	6.9
L-WPDC-RO	12/11/85	RTN	pH	Units	0	6.9
L-WPDC-RO	1/16/86	RTN	pH	Units	0	7
L-WPDC-RO	4/1/86	RTN	pH	SU	0	7.2
L-WPDC-RO	5/15/86	CLP	pH	Units	0	5.9
L-WPDC-RO	5/15/86	RTN	pH	Units	0	6.6
L-WPDC-RO	10/29/86	RTN	pH	Units	0	6.67
L-WPDC-RO	1/15/87	RTN	pH	Units	0	8.02
L-WPDC-RO	1/15/87	RTN	pH	Units	0	8.04
L-WPDC-RO	5/23/87	RTN	pH	Units	0	6.74
L-WPDC-RO	11/15/87	RTN	pH	Units	0	6.92
L-WPDC-RO	12/8/87	RTN	pH	Units	0	7.96
L-WPDC-RO	2/12/88	RTN	pH	Units	0	7.65
L-WPDC-RO	3/31/88	RTN	pH	Units	0	7.47
L-WPDC-RO	11/30/88	RTN	pH	Units	0	7.79
L-WPDC-RO	11/30/88	RTN	pH	Units	0	7.81
L-WPDC-RO	1/20/89	RTN	pH	Units	0	8.06
L-WPDC-RO	1/20/89	RTN	pH	Units	0	8.07
L-WPDC-RO	2/8/89	RTN	pH	Units	0	7.88
L-WPDC-RO	2/8/89	RTN	pH	Units	0	8.17
L-WPDC-RO	4/8/89	CLP	pH	Units	0	7.6

L-WPDC-RO	4/8/99	RTN	pH	Units	0	7.34
L-WPDC-RO	4/8/99	RTN	pH	Units	0	7.98
L-WPDC-RO	11/8/99	RTN	pH	Units	0	7.7
L-WPDC-RO	2/14/00	RTN	pH	Units	0	7.88
L-WPDC-RO	3/8/00	RTN	pH	Units	0	7.81
L-ALPE-RO	11/10/93	RTN	Potassium	mg/L	1	1.7
L-ALPE-RO	1/24/94	RTN	Potassium	mg/L	1	7.8
L-ALPE-RO	4/25/94	RTN	Potassium	mg/L	1	1.5
L-ALPE-RO	11/5/94	RTN	Potassium	mg/L	1	3
L-ALPE-RO	11/5/94	RTN	Potassium	mg/L	1	3.1
L-ALPE-RO	3/2/95	RTN	Potassium	mg/L	1	2.8
L-ALPE-RO	5/13/95	DUP	Potassium	mg/L	1	3.2
L-ALPE-RO	5/13/95	RTN	Potassium	mg/L	1	3.1
L-ALPE-RO	12/11/95	RTN	Potassium	mg/L	1	1.3
L-ALPE-RO	1/16/96	RTN	Potassium	mg/L	1	7
L-ALPE-RO	4/1/96	RTN	Potassium	mg/L	0.5	12
L-ALPE-RO	5/15/96	RTN	Potassium	mg/L	1	1.9
L-ALPE-RO	10/29/96	RTN	Potassium	mg/L	0.1	2.6
L-ALPE-RO	1/15/97	RTN	Potassium	mg/L	0.1	6.8
L-ALPE-RO	1/15/97	DUP	Potassium	mg/L	1	3.1
L-ALPE-RO	1/15/97	DUP	Potassium	mg/L	1	5
L-ALPE-RO	1/15/97	RTN	Potassium	mg/L	1	3
L-ALPE-RO	1/15/97	RTN	Potassium	mg/L	1	4
L-ALPE-RO	12/8/97	RTN	Potassium	mg/L	1	1.1
L-ALPE-RO	12/8/97	RTN	Potassium	mg/L	1	10
L-ALPE-RO	2/12/98	RTN	Potassium	mg/L	1	3.6
L-ALPE-RO	2/12/98	RTN	Potassium	mg/L	1	3.5
L-ALPE-RO	3/31/98	RTN	Potassium	mg/L	1	2.4
L-ALPE-RO	3/31/98	RTN	Potassium	mg/L	0.2	3.1
L-ALPE-RO	11/30/98	RTN	Potassium	mg/L	1	3.8
L-ALPE-RO	11/30/98	RTN	Potassium	mg/L	1	4.2
L-ALPE-RO	1/20/99	DUP	Potassium	mg/L	1	1.1
L-ALPE-RO	1/20/99	DUP	Potassium	mg/L	1	1.1
L-ALPE-RO	1/20/99	RTN	Potassium	mg/L	1	1.1
L-ALPE-RO	1/20/99	RTN	Potassium	mg/L	1	1.1
L-ALPE-RO	2/8/99	RTN	Potassium	mg/L	1	6.2
L-ALPE-RO	2/8/99	RTN	Potassium	mg/L	1	5.8
L-ALPE-RO	4/8/99	RTN	Potassium	mg/L	1	3.9
L-ALPE-RO	4/8/99	RTN	Potassium	mg/L	1	4.3
L-ALPE-RO	11/8/99	RTN	Potassium	mg/L	1	2.8
L-ALPE-RO	2/14/00	RTN	Potassium	mg/L	1	5.9
L-ALPE-RO	3/8/00	RTN	Potassium	mg/L	1	4.2
L-ALPO-RO	12/11/95	RTN	Potassium	mg/L	1	3.7
L-ALPO-RO	1/16/96	RTN	Potassium	mg/L	1	2.1
L-ALPO-RO	4/1/96	RTN	Potassium	mg/L	0.5	5
L-ALPO-RO	5/15/96	RTN	Potassium	mg/L	1	2.8
L-ALPO-RO	10/29/96	DUP	Potassium	mg/L	0.1	7.6
L-ALPO-RO	10/29/96	RTN	Potassium	mg/L	0.1	8
L-ALPO-RO	1/15/97	RTN	Potassium	mg/L	0.1	5.1
L-ALPO-RO	1/15/97	RTN	Potassium	mg/L	1	3.6
L-ALPO-RO	1/15/97	RTN	Potassium	mg/L	1	3.7
L-ALPO-RO	12/8/97	RTN	Potassium	mg/L	1	4
L-ALPO-RO	12/8/97	RTN	Potassium	mg/L	1	4.5
L-ALPO-RO	2/12/98	RTN	Potassium	mg/L	1	8
L-ALPO-RO	2/12/98	RTN	Potassium	mg/L	1	7.8
L-ALPO-RO	3/31/98	DUP	Potassium	mg/L	1	3.1
L-ALPO-RO	3/31/98	DUP	Potassium	mg/L	0.2	3.2
L-ALPO-RO	3/31/98	RTN	Potassium	mg/L	1	3.2
L-ALPO-RO	3/31/98	RTN	Potassium	mg/L	0.2	2.8
L-ALPO-RO	11/30/98	RTN	Potassium	mg/L	1	2.4
L-ALPO-RO	11/30/98	RTN	Potassium	mg/L	1	2.6
L-ALPO-RO	1/20/99	RTN	Potassium	mg/L	1	6.2
L-ALPO-RO	1/20/99	RTN	Potassium	mg/L	1	7.4
L-ALPO-RO	2/8/99	RTN	Potassium	mg/L	1	6
L-ALPO-RO	2/8/99	RTN	Potassium	mg/L	1	4.5
L-ALPO-RO	4/8/99	RTN	Potassium	mg/L	1	1.2
L-ALPO-RO	4/8/99	RTN	Potassium	mg/L	0.2	2.9
L-ALPO-RO	11/8/99	DUP	Potassium	mg/L	1	5
L-ALPO-RO	11/8/99	RTN	Potassium	mg/L	1	4.5
L-ALPO-RO	2/14/00	RTN	Potassium	mg/L	1	7.4
L-ALPO-RO	3/8/00	RTN	Potassium	mg/L	1	4.6
L-GRNE-RO	11/10/93	RTN	Potassium	mg/L	<	1
L-GRNE-RO	1/24/94	RTN	Potassium	mg/L	1	2.2
L-GRNE-RO	4/25/94	RTN	Potassium	mg/L	1	1.2
L-GRNE-RO	11/5/94	RTN	Potassium	mg/L	1	3.3
L-GRNE-RO	3/2/95	RTN	Potassium	mg/L	1	2.4
L-GRNE-RO	5/13/95	RTN	Potassium	mg/L	1	1.6
L-GRNE-RO	12/11/95	RTN	Potassium	mg/L	<	1
L-GRNE-RO	1/16/96	DUP	Potassium	mg/L	1	1.6
L-GRNE-RO	1/16/96	RTN	Potassium	mg/L	1	1.9
L-GRNE-RO	4/1/96	RTN	Potassium	mg/L	0.5	6.4
L-GRNE-RO	5/15/96	RTN	Potassium	mg/L	1	2.4
L-GRNE-RO	10/29/96	RTN	Potassium	mg/L	0.1	2.1
L-GRNE-RO	1/15/97	RTN	Potassium	mg/L	0.1	4.6
L-GRNE-RO	1/15/97	RTN	Potassium	mg/L	1	1.5
L-GRNE-RO	1/15/97	RTN	Potassium	mg/L	1	6.5
L-GRNE-RO	12/8/97	RTN	Potassium	mg/L	1	1.7
L-GRNE-RO	12/8/97	RTN	Potassium	mg/L	1	2.3
L-GRNE-RO	2/12/98	RTN	Potassium	mg/L	1	1.3
L-GRNE-RO	2/12/98	RTN	Potassium	mg/L	1	4.6
L-GRNE-RO	3/31/98	RTN	Potassium	mg/L	<	1
L-GRNE-RO	3/31/98	RTN	Potassium	mg/L	0.2	1.4
L-GRNE-RO	11/30/98	RTN	Potassium	mg/L	<	1
L-GRNE-RO	11/30/98	RTN	Potassium	mg/L	1	2.3
L-GRNE-RO	1/20/99	RTN	Potassium	mg/L	1	4.2
L-GRNE-RO	1/20/99	RTN	Potassium	mg/L	1	1.5
L-GRNE-RO	2/8/99	DUP	Potassium	mg/L	1	2.7
L-GRNE-RO	2/8/99	DUP	Potassium	mg/L	1	1
L-GRNE-RO	2/8/99	RTN	Potassium	mg/L	0.2	1.8
L-GRNE-RO	2/8/99	RTN	Potassium	mg/L	1	1
L-GRNE-RO	4/8/99	RTN	Potassium	mg/L	1	1.1
L-GRNE-RO	4/8/99	RTN	Potassium	mg/L	0.2	1.8
L-GRNE-RO	11/8/99	RTN	Potassium	mg/L	1	5.7
L-GRNE-RO	2/14/00	RTN	Potassium	mg/L	1	2.8
L-GRNE-RO	3/8/00	RTN	Potassium	mg/L	1	1.2
L-WPDC-RO	11/10/93	RTN	Potassium	mg/L	1	4.3
L-WPDC-RO	1/24/94	RTN	Potassium	mg/L	1	1.6
L-WPDC-RO	2/7/94	RTN	Potassium	mg/L	1	1.4
L-WPDC-RO	4/25/94	RTN	Potassium	mg/L	1	1.7
L-WPDC-RO	11/5/94	RTN	Potassium	mg/L	1	2
L-WPDC-RO	11/5/94	RTN	Potassium	mg/L	1	3.8

L-WPDC-RO	12/14/84	RTN	Potassium	mg/L		1	1.3
L-WPDC-RO	3/2/85	RTN	Potassium	mg/L		1	1.2
L-WPDC-RO	5/13/85	RTN	Potassium	mg/L		1	1.3
L-WPDC-RO	12/11/85	RTN	Potassium	mg/L		1	2.4
L-WPDC-RO	1/16/86	RTN	Potassium	mg/L		1	1.7
L-WPDC-RO	4/1/86	RTN	Potassium	mg/L		2.5	6.7
L-WPDC-RO	5/15/86	DLP	Potassium	mg/L		1	2.3
L-WPDC-RO	5/15/86	RTN	Potassium	mg/L		1	3.1
L-WPDC-RO	10/29/86	RTN	Potassium	mg/L		0.1	7.2
L-WPDC-RO	1/15/87	RTN	Potassium	mg/L		0.1	4.3
L-WPDC-RO	1/15/87	RTN	Potassium	mg/L		0.1	4.1
L-WPDC-RO	5/23/87	RTN	Potassium	mg/L		0.1	5.2
L-WPDC-RO	11/15/87	RTN	Potassium	mg/L		1	1.6
L-WPDC-RO	11/15/87	RTN	Potassium	mg/L		1	3.3
L-WPDC-RO	12/8/87	RTN	Potassium	mg/L		1	2.8
L-WPDC-RO	12/8/87	RTN	Potassium	mg/L		1	3.5
L-WPDC-RO	2/12/88	RTN	Potassium	mg/L	<	1	1
L-WPDC-RO	2/12/88	RTN	Potassium	mg/L		1	2.6
L-WPDC-RO	3/31/88	RTN	Potassium	mg/L		1.2	1.2
L-WPDC-RO	3/31/88	RTN	Potassium	mg/L		0.2	1.7
L-WPDC-RO	11/30/88	RTN	Potassium	mg/L		1	1.8
L-WPDC-RO	11/30/88	RTN	Potassium	mg/L		1	2.4
L-WPDC-RO	1/20/89	RTN	Potassium	mg/L		1	4.8
L-WPDC-RO	1/20/89	RTN	Potassium	mg/L		1	4.8
L-WPDC-RO	2/8/89	RTN	Potassium	mg/L		0.2	3.1
L-WPDC-RO	2/8/89	RTN	Potassium	mg/L		1	1.7
L-WPDC-RO	4/8/89	DLP	Potassium	mg/L		1	2
L-WPDC-RO	4/8/89	RTN	Potassium	mg/L		1	1.4
L-WPDC-RO	4/8/89	RTN	Potassium	mg/L		0.2	2.4
L-WPDC-RO	11/8/89	RTN	Potassium	mg/L		1	3.7
L-WPDC-RO	2/14/00	RTN	Potassium	mg/L		1	5.4
L-WPDC-RO	3/8/00	RTN	Potassium	mg/L		1	2
L-ALPE-RO	5/27/90	RTN	Total Alkalinity (as CaCO3)	mg/L		0	55
L-ALPE-RO	12/15/90	RTN	Total Alkalinity (as CaCO3)	mg/L		0	40
L-ALPE-RO	2/4/91	RTN	Total Alkalinity (as CaCO3)	mg/L		0	34
L-ALPE-RO	3/1/91	RTN	Total Alkalinity (as CaCO3)	mg/L		0	280
L-ALPE-RO	3/10/91	RTN	Total Alkalinity (as CaCO3)	mg/L		0	53
L-ALPE-RO	10/26/91	RTN	Total Alkalinity (as CaCO3)	mg/L		0	60
L-ALPE-RO	12/27/91	RTN	Total Alkalinity (as CaCO3)	mg/L		1	40
L-ALPE-RO	1/5/92	RTN	Total Alkalinity (as CaCO3)	mg/L		1	30
L-ALPE-RO	1/28/92	RTN	Total Alkalinity (as CaCO3)	mg/L		1	30
L-ALPE-RO	2/11/92	RTN	Total Alkalinity (as CaCO3)	mg/L		1	220
L-ALPE-RO	3/5/92	RTN	Total Alkalinity (as CaCO3)	mg/L		1	40
L-ALPE-RO	10/29/92	RTN	Total Alkalinity (as CaCO3)	mg/L		1	47
L-ALPE-RO	1/6/93	RTN	Total Alkalinity (as CaCO3)	mg/L		1	200
L-ALPE-RO	2/8/93	RTN	Total Alkalinity (as CaCO3)	mg/L		1	330
L-ALPE-RO	3/25/93	DLP	Total Alkalinity (as CaCO3)	mg/L		1	320
L-ALPE-RO	3/25/93	RTN	Total Alkalinity (as CaCO3)	mg/L		1	320
L-ALPE-RO	11/10/93	RTN	Total Alkalinity (as CaCO3)	mg/L		1	63
L-ALPE-RO	1/24/94	RTN	Total Alkalinity (as CaCO3)	mg/L		1	280
L-ALPE-RO	4/25/94	RTN	Total Alkalinity (as CaCO3)	mg/L		1	9.5
L-ALPE-RO	11/5/94	RTN	Total Alkalinity (as CaCO3)	mg/L		1	16
L-ALPE-RO	3/2/95	RTN	Total Alkalinity (as CaCO3)	mg/L		1	130
L-ALPE-RO	5/13/95	DLP	Total Alkalinity (as CaCO3)	mg/L		1	38
L-ALPE-RO	5/13/95	RTN	Total Alkalinity (as CaCO3)	mg/L		1	42
L-ALPE-RO	12/11/95	RTN	Total Alkalinity (as CaCO3)	mg/L		1	21
L-ALPE-RO	1/16/96	RTN	Total Alkalinity (as CaCO3)	mg/L		1	160
L-ALPE-RO	4/1/96	RTN	Total Alkalinity (as CaCO3)	mg/L		1	35
L-ALPE-RO	5/15/96	RTN	Total Alkalinity (as CaCO3)	mg/L		1	39
L-ALPE-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L		1	26.2
L-ALPE-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L		1	27.8
L-ALPE-RO	1/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L		1	102
L-ALPE-RO	11/15/97	DLP	Total Alkalinity (as CaCO3)	mg/L		1	21
L-ALPE-RO	11/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L		1	21
L-ALPE-RO	12/8/97	RTN	Total Alkalinity (as CaCO3)	mg/L		1	330
L-ALPE-RO	2/12/98	RTN	Total Alkalinity (as CaCO3)	mg/L		1	98
L-ALPE-RO	3/31/98	RTN	Total Alkalinity (as CaCO3)	mg/L		5	338
L-ALPE-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L		5	20
L-ALPE-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L		5	93
L-ALPE-RO	1/20/99	DLP	Total Alkalinity (as CaCO3)	mg/L		5	355
L-ALPE-RO	1/20/99	DLP	Total Alkalinity (as CaCO3)	mg/L		5	358
L-ALPE-RO	1/20/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	336
L-ALPE-RO	1/20/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	339
L-ALPE-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	285
L-ALPE-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	292
L-ALPE-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	93
L-ALPE-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	95
L-ALPE-RO	11/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	43
L-ALPE-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L		5	120
L-ALPE-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L		5	118
L-ALPE-RO	3/8/00	RTN	Total Alkalinity (as CaCO3)	mg/L		5	243
L-ALPO-RO	12/11/95	RTN	Total Alkalinity (as CaCO3)	mg/L		1	180
L-ALPO-RO	1/16/96	RTN	Total Alkalinity (as CaCO3)	mg/L		1	100
L-ALPO-RO	4/1/96	RTN	Total Alkalinity (as CaCO3)	mg/L		1	47
L-ALPO-RO	5/15/96	RTN	Total Alkalinity (as CaCO3)	mg/L		1	36
L-ALPO-RO	10/29/96	DLP	Total Alkalinity (as CaCO3)	mg/L		1	185
L-ALPO-RO	10/29/96	DLP	Total Alkalinity (as CaCO3)	mg/L		1	181
L-ALPO-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L		1	181
L-ALPO-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L		1	182
L-ALPO-RO	1/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L		1	180
L-ALPO-RO	1/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L		1	180
L-ALPO-RO	12/8/97	RTN	Total Alkalinity (as CaCO3)	mg/L		1	120
L-ALPO-RO	2/12/98	RTN	Total Alkalinity (as CaCO3)	mg/L		1	282
L-ALPO-RO	3/31/98	DLP	Total Alkalinity (as CaCO3)	mg/L		5	314
L-ALPO-RO	3/31/98	RTN	Total Alkalinity (as CaCO3)	mg/L		5	308
L-ALPO-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L		5	226
L-ALPO-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L		5	226
L-ALPO-RO	1/20/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	194
L-ALPO-RO	1/20/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	194
L-ALPO-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	194
L-ALPO-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	182
L-ALPO-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L		1	24
L-ALPO-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L		5	25
L-ALPO-RO	1/8/99	DLP	Total Alkalinity (as CaCO3)	mg/L		1	150
L-ALPO-RO	1/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L		1	148
L-ALPO-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L		5	183
L-ALPO-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L		1	208
L-ALPO-RO	3/8/00	RTN	Total Alkalinity (as CaCO3)	mg/L		5	287
L-GRNE-RO	3/1/91	RTN	Total Alkalinity (as CaCO3)	mg/L		0	42
L-GRNE-RO	3/10/91	RTN	Total Alkalinity (as CaCO3)	mg/L		0	46
L-GRNE-RO	10/26/91	RTN	Total Alkalinity (as CaCO3)	mg/L		0	80

L-GNE-RO	11/17/91	RTN	Total Alkalinity (as CaCO3)	mg/L	0	60
L-GNE-RO	12/28/91	RTN	Total Alkalinity (as CaCO3)	mg/L	1	50
L-GNE-RO	1/5/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	40
L-GNE-RO	1/28/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	40
L-GNE-RO	2/11/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	150
L-GNE-RO	3/5/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	100
L-GNE-RO	12/8/92	DLP	Total Alkalinity (as CaCO3)	mg/L	1	56
L-GNE-RO	12/8/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	57
L-GNE-RO	1/6/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	170
L-GNE-RO	2/8/93	DLP	Total Alkalinity (as CaCO3)	mg/L	1	72
L-GNE-RO	2/8/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	82
L-GNE-RO	3/25/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	180
L-GNE-RO	6/4/93	DLP	Total Alkalinity (as CaCO3)	mg/L	5	140
L-GNE-RO	6/4/93	RTN	Total Alkalinity (as CaCO3)	mg/L	5	150
L-GNE-RO	11/10/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	35
L-GNE-RO	1/24/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	38
L-GNE-RO	4/25/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	38
L-GNE-RO	11/5/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	30
L-GNE-RO	3/2/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	42
L-GNE-RO	5/13/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	38
L-GNE-RO	12/11/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	51
L-GNE-RO	1/16/96	DLP	Total Alkalinity (as CaCO3)	mg/L	1	28
L-GNE-RO	1/16/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	30
L-GNE-RO	4/1/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	30
L-GNE-RO	5/15/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	34
L-GNE-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	22.7
L-GNE-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	22
L-GNE-RO	1/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	81.9
L-GNE-RO	11/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	29
L-GNE-RO	12/8/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	61
L-GNE-RO	2/12/98	RTN	Total Alkalinity (as CaCO3)	mg/L	1	92
L-GNE-RO	3/31/98	RTN	Total Alkalinity (as CaCO3)	mg/L	5	38
L-GNE-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L	5	24
L-GNE-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L	1	21
L-GNE-RO	1/20/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	57
L-GNE-RO	1/20/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	57
L-GNE-RO	2/8/99	DLP	Total Alkalinity (as CaCO3)	mg/L	5	50
L-GNE-RO	2/8/99	DLP	Total Alkalinity (as CaCO3)	mg/L	5	48
L-GNE-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	48
L-GNE-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	50
L-GNE-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	34
L-GNE-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	32
L-GNE-RO	11/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	43
L-GNE-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L	5	90
L-GNE-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L	1	90
L-GNE-RO	3/8/00	RTN	Total Alkalinity (as CaCO3)	mg/L	5	53
L-WPDC-RO	10/29/91	RTN	Total Alkalinity (as CaCO3)	mg/L	0	40
L-WPDC-RO	11/17/91	RTN	Total Alkalinity (as CaCO3)	mg/L	0	20
L-WPDC-RO	12/28/91	RTN	Total Alkalinity (as CaCO3)	mg/L	1	40
L-WPDC-RO	1/5/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	20
L-WPDC-RO	1/28/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	20
L-WPDC-RO	2/12/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	40
L-WPDC-RO	3/5/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	20
L-WPDC-RO	10/29/92	RTN	Total Alkalinity (as CaCO3)	mg/L	1	23
L-WPDC-RO	1/6/93	DLP	Total Alkalinity (as CaCO3)	mg/L	1	18
L-WPDC-RO	1/6/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	18
L-WPDC-RO	2/8/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	27
L-WPDC-RO	3/25/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	55
L-WPDC-RO	10/5/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	72
L-WPDC-RO	11/10/93	RTN	Total Alkalinity (as CaCO3)	mg/L	1	24
L-WPDC-RO	1/24/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	27
L-WPDC-RO	2/7/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	24
L-WPDC-RO	4/25/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	11
L-WPDC-RO	11/5/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	13
L-WPDC-RO	11/15/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	84
L-WPDC-RO	12/14/94	RTN	Total Alkalinity (as CaCO3)	mg/L	1	14
L-WPDC-RO	3/2/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	10
L-WPDC-RO	5/13/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	18
L-WPDC-RO	12/11/95	RTN	Total Alkalinity (as CaCO3)	mg/L	1	22
L-WPDC-RO	1/16/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	22
L-WPDC-RO	4/1/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	45
L-WPDC-RO	5/15/96	DLP	Total Alkalinity (as CaCO3)	mg/L	1	20
L-WPDC-RO	5/15/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	46
L-WPDC-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	44.8
L-WPDC-RO	10/29/96	RTN	Total Alkalinity (as CaCO3)	mg/L	1	39.9
L-WPDC-RO	1/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	85.2
L-WPDC-RO	1/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	84.4
L-WPDC-RO	5/23/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	46.3
L-WPDC-RO	11/15/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	21
L-WPDC-RO	12/8/97	RTN	Total Alkalinity (as CaCO3)	mg/L	1	89
L-WPDC-RO	2/12/98	RTN	Total Alkalinity (as CaCO3)	mg/L	1	26
L-WPDC-RO	3/31/98	RTN	Total Alkalinity (as CaCO3)	mg/L	5	44
L-WPDC-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L	5	84
L-WPDC-RO	11/30/98	RTN	Total Alkalinity (as CaCO3)	mg/L	5	50
L-WPDC-RO	1/20/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	138
L-WPDC-RO	1/20/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	134
L-WPDC-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	74
L-WPDC-RO	2/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	73
L-WPDC-RO	4/8/99	DLP	Total Alkalinity (as CaCO3)	mg/L	1	50
L-WPDC-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	42
L-WPDC-RO	4/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	34
L-WPDC-RO	11/8/99	RTN	Total Alkalinity (as CaCO3)	mg/L	5	72
L-WPDC-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L	5	114
L-WPDC-RO	2/14/00	RTN	Total Alkalinity (as CaCO3)	mg/L	5	109
L-WPDC-RO	3/8/00	RTN	Total Alkalinity (as CaCO3)	mg/L	5	88
L-ALPE-RO	11/10/93	RTN	Total dissolved solids (TDS)	mg/L	1	66
L-ALPE-RO	1/24/94	RTN	Total dissolved solids (TDS)	mg/L	1	1500
L-ALPE-RO	4/25/94	RTN	Total dissolved solids (TDS)	mg/L	1	82
L-ALPE-RO	11/5/94	RTN	Total dissolved solids (TDS)	mg/L	1	79
L-ALPE-RO	3/2/95	RTN	Total dissolved solids (TDS)	mg/L	1	590
L-ALPE-RO	5/13/95	DLP	Total dissolved solids (TDS)	mg/L	1	250
L-ALPE-RO	5/13/95	RTN	Total dissolved solids (TDS)	mg/L	1	250
L-ALPE-RO	12/11/95	RTN	Total dissolved solids (TDS)	mg/L	1	110
L-ALPE-RO	1/16/96	RTN	Total dissolved solids (TDS)	mg/L	4	800
L-ALPE-RO	4/1/96	RTN	Total dissolved solids (TDS)	mg/L	1	120
L-ALPE-RO	5/15/96	RTN	Total dissolved solids (TDS)	mg/L	1	110
L-ALPE-RO	10/29/96	RTN	Total dissolved solids (TDS)	mg/L	10	220
L-ALPE-RO	1/15/97	RTN	Total dissolved solids (TDS)	mg/L	10	490
L-ALPE-RO	11/15/97	DLP	Total dissolved solids (TDS)	mg/L	10	59
L-ALPE-RO	11/15/97	RTN	Total dissolved solids (TDS)	mg/L	10	62
L-ALPE-RO	12/8/97	RTN	Total dissolved solids (TDS)	mg/L	10	2420

L-ALPE-RO	2/12/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	380
L-ALPE-RO	3/31/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	1450
L-ALPE-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	61
L-ALPE-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	517
L-ALPE-RO	1/20/99	DLP	Total dissolved solids (TDS)	mg/L	1.0	2490
L-ALPE-RO	1/20/99	DLP	Total dissolved solids (TDS)	mg/L	1.0	2510
L-ALPE-RO	1/20/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	2460
L-ALPE-RO	1/20/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	2400
L-ALPE-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	1430
L-ALPE-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	1490
L-ALPE-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	398
L-ALPE-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	378
L-ALPE-RO	11/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	107
L-ALPE-RO	2/14/00	RTN	Total dissolved solids (TDS)	mg/L	1.0	504
L-ALPE-RO	3/8/00	RTN	Total dissolved solids (TDS)	mg/L	5.0	1040
L-ALPO-RO	12/11/95	RTN	Total dissolved solids (TDS)	mg/L	1	450
L-ALPO-RO	1/16/96	RTN	Total dissolved solids (TDS)	mg/L	2	340
L-ALPO-RO	4/1/96	RTN	Total dissolved solids (TDS)	mg/L	1	1100
L-ALPO-RO	5/15/96	RTN	Total dissolved solids (TDS)	mg/L	1	190
L-ALPO-RO	10/29/96	DLP	Total dissolved solids (TDS)	mg/L	1.0	785
L-ALPO-RO	10/29/96	RTN	Total dissolved solids (TDS)	mg/L	1.0	775
L-ALPO-RO	1/15/97	RTN	Total dissolved solids (TDS)	mg/L	1.0	890
L-ALPO-RO	11/15/97	RTN	Total dissolved solids (TDS)	mg/L	1.0	705
L-ALPO-RO	12/8/97	RTN	Total dissolved solids (TDS)	mg/L	1.0	412
L-ALPO-RO	2/12/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	1200
L-ALPO-RO	3/31/98	DLP	Total dissolved solids (TDS)	mg/L	1.0	1500
L-ALPO-RO	3/31/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	1480
L-ALPO-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	890
L-ALPO-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	837
L-ALPO-RO	1/20/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	895
L-ALPO-RO	1/20/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	980
L-ALPO-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	925
L-ALPO-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	940
L-ALPO-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	170
L-ALPO-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	161
L-ALPO-RO	11/8/99	DLP	Total dissolved solids (TDS)	mg/L	4	860
L-ALPO-RO	11/8/99	RTN	Total dissolved solids (TDS)	mg/L	5.0	775
L-ALPO-RO	2/14/00	RTN	Total dissolved solids (TDS)	mg/L	1.0	905
L-ALPO-RO	3/8/00	RTN	Total dissolved solids (TDS)	mg/L	1.00	1480
L-GRNE-RO	11/10/93	RTN	Total dissolved solids (TDS)	mg/L	1	85
L-GRNE-RO	1/24/94	RTN	Total dissolved solids (TDS)	mg/L	1	160
L-GRNE-RO	4/25/94	RTN	Total dissolved solids (TDS)	mg/L	1	140
L-GRNE-RO	11/5/94	RTN	Total dissolved solids (TDS)	mg/L	1	150
L-GRNE-RO	3/2/95	RTN	Total dissolved solids (TDS)	mg/L	1	170
L-GRNE-RO	5/13/95	RTN	Total dissolved solids (TDS)	mg/L	1	130
L-GRNE-RO	12/11/95	RTN	Total dissolved solids (TDS)	mg/L	1	74
L-GRNE-RO	1/16/96	DLP	Total dissolved solids (TDS)	mg/L	2	91
L-GRNE-RO	1/16/96	RTN	Total dissolved solids (TDS)	mg/L	1	100
L-GRNE-RO	4/1/96	RTN	Total dissolved solids (TDS)	mg/L	1	90
L-GRNE-RO	5/15/96	RTN	Total dissolved solids (TDS)	mg/L	1	150
L-GRNE-RO	10/29/96	RTN	Total dissolved solids (TDS)	mg/L	1.0	74
L-GRNE-RO	1/15/97	RTN	Total dissolved solids (TDS)	mg/L	1.0	190
L-GRNE-RO	11/15/97	RTN	Total dissolved solids (TDS)	mg/L	1.0	98
L-GRNE-RO	12/8/97	RTN	Total dissolved solids (TDS)	mg/L	1.0	169
L-GRNE-RO	2/12/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	134
L-GRNE-RO	3/31/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	125
L-GRNE-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	101
L-GRNE-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	100
L-GRNE-RO	1/20/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	164
L-GRNE-RO	1/20/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	163
L-GRNE-RO	2/8/99	DLP	Total dissolved solids (TDS)	mg/L	1.0	133
L-GRNE-RO	2/8/99	DLP	Total dissolved solids (TDS)	mg/L	1.0	151
L-GRNE-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	135
L-GRNE-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	119
L-GRNE-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	129
L-GRNE-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	145
L-GRNE-RO	11/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	202
L-GRNE-RO	2/14/00	RTN	Total dissolved solids (TDS)	mg/L	1.0	206
L-GRNE-RO	3/8/00	RTN	Total dissolved solids (TDS)	mg/L	1.0	113
L-WPDC-RO	11/10/93	RTN	Total dissolved solids (TDS)	mg/L	1	95
L-WPDC-RO	1/24/94	RTN	Total dissolved solids (TDS)	mg/L	1	44
L-WPDC-RO	2/7/94	RTN	Total dissolved solids (TDS)	mg/L	1	90
L-WPDC-RO	4/25/94	RTN	Total dissolved solids (TDS)	mg/L	1	55
L-WPDC-RO	11/5/94	RTN	Total dissolved solids (TDS)	mg/L	1	57
L-WPDC-RO	11/15/94	RTN	Total dissolved solids (TDS)	mg/L	1	140
L-WPDC-RO	12/14/94	RTN	Total dissolved solids (TDS)	mg/L	1	62
L-WPDC-RO	3/2/95	RTN	Total dissolved solids (TDS)	mg/L	1	40
L-WPDC-RO	5/13/95	RTN	Total dissolved solids (TDS)	mg/L	1	89
L-WPDC-RO	12/11/95	RTN	Total dissolved solids (TDS)	mg/L	1	85
L-WPDC-RO	1/16/96	RTN	Total dissolved solids (TDS)	mg/L	1	140
L-WPDC-RO	4/1/96	RTN	Total dissolved solids (TDS)	mg/L	1	190
L-WPDC-RO	5/15/96	DLP	Total dissolved solids (TDS)	mg/L	1	140
L-WPDC-RO	5/15/96	RTN	Total dissolved solids (TDS)	mg/L	1	150
L-WPDC-RO	10/29/96	RTN	Total dissolved solids (TDS)	mg/L	1.0	260
L-WPDC-RO	1/15/97	RTN	Total dissolved solids (TDS)	mg/L	1.0	335
L-WPDC-RO	1/15/97	RTN	Total dissolved solids (TDS)	mg/L	1.0	345
L-WPDC-RO	5/23/97	RTN	Total dissolved solids (TDS)	mg/L	1.0	174
L-WPDC-RO	11/15/97	RTN	Total dissolved solids (TDS)	mg/L	1.0	54
L-WPDC-RO	12/8/97	RTN	Total dissolved solids (TDS)	mg/L	1.0	203
L-WPDC-RO	2/12/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	91
L-WPDC-RO	3/31/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	143
L-WPDC-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	137
L-WPDC-RO	11/30/98	RTN	Total dissolved solids (TDS)	mg/L	1.0	95
L-WPDC-RO	1/20/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	497
L-WPDC-RO	1/20/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	483
L-WPDC-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	220
L-WPDC-RO	2/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	234
L-WPDC-RO	4/8/99	DLP	Total dissolved solids (TDS)	mg/L	1	170
L-WPDC-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	131
L-WPDC-RO	4/8/99	RTN	Total dissolved solids (TDS)	mg/L	1.0	129
L-WPDC-RO	11/8/99	RTN	Total dissolved solids (TDS)	mg/L	2.0	182
L-WPDC-RO	2/14/00	RTN	Total dissolved solids (TDS)	mg/L	1.0	380
L-WPDC-RO	3/8/00	RTN	Total dissolved solids (TDS)	mg/L	2.0	282
L-ALPE-RO	11/10/93	RTN	Total suspended solids (TSS)	mg/L	1	1700
L-ALPE-RO	1/24/94	RTN	Total suspended solids (TSS)	mg/L	1	89
L-ALPE-RO	4/25/94	RTN	Total suspended solids (TSS)	mg/L	1	120
L-ALPE-RO	11/5/94	RTN	Total suspended solids (TSS)	mg/L	1	33
L-ALPE-RO	5/13/95	DLP	Total suspended solids (TSS)	mg/L	1	96
L-ALPE-RO	5/13/95	RTN	Total suspended solids (TSS)	mg/L	1	120
L-ALPE-RO	12/11/95	RTN	Total suspended solids (TSS)	mg/L	2	200
L-ALPE-RO	4/1/96	RTN	Total suspended solids (TSS)	mg/L	1	500

L-ALPE-RO	5/15/96	RTN	Total suspended solids (TSS)	mg/L	1	640
L-ALPE-RO	10/29/96	RTN	Total suspended solids (TSS)	mg/L	0.5	143
L-ALPE-RO	1/15/97	RTN	Total suspended solids (TSS)	mg/L	0.5	26
L-ALPE-RO	11/15/97	DLP	Total suspended solids (TSS)	mg/L	0.5	158
L-ALPE-RO	11/15/97	RTN	Total suspended solids (TSS)	mg/L	0.5	155
L-ALPE-RO	12/8/97	RTN	Total suspended solids (TSS)	mg/L	0.5	46
L-ALPE-RO	2/12/98	RTN	Total suspended solids (TSS)	mg/L	0.5	370
L-ALPE-RO	3/31/98	RTN	Total suspended solids (TSS)	mg/L	0.5	179
L-ALPE-RO	11/30/98	RTN	Total suspended solids (TSS)	mg/L	3.4	63
L-ALPE-RO	1/20/99	DLP	Total suspended solids (TSS)	mg/L	2.5	16
L-ALPE-RO	1/20/99	RTN	Total suspended solids (TSS)	mg/L	1.2	7.8
L-ALPE-RO	2/8/99	RTN	Total suspended solids (TSS)	mg/L	2.5	95
L-ALPE-RO	4/8/99	RTN	Total suspended solids (TSS)	mg/L	2.5	64
L-ALPE-RO	11/8/99	RTN	Total suspended solids (TSS)	mg/L	5	29
L-ALPE-RO	1/11/00	DLP	Total suspended solids (TSS)	mg/L	5	122
L-ALPE-RO	1/11/00	RTN	Total suspended solids (TSS)	mg/L	5	114
L-ALPE-RO	2/14/00	RTN	Total suspended solids (TSS)	mg/L	2.5	36
L-ALPE-RO	3/8/00	RTN	Total suspended solids (TSS)	mg/L	2	43.7
L-ALPO-RO	12/11/95	RTN	Total suspended solids (TSS)	mg/L	2	1000
L-ALPO-RO	4/1/96	RTN	Total suspended solids (TSS)	mg/L	1	230
L-ALPO-RO	5/15/96	RTN	Total suspended solids (TSS)	mg/L	1	640
L-ALPO-RO	10/29/96	DLP	Total suspended solids (TSS)	mg/L	0.5	278
L-ALPO-RO	10/29/96	RTN	Total suspended solids (TSS)	mg/L	0.5	161
L-ALPO-RO	1/15/97	RTN	Total suspended solids (TSS)	mg/L	0.5	125
L-ALPO-RO	11/15/97	RTN	Total suspended solids (TSS)	mg/L	0.5	139
L-ALPO-RO	12/8/97	RTN	Total suspended solids (TSS)	mg/L	0.5	91
L-ALPO-RO	2/12/98	RTN	Total suspended solids (TSS)	mg/L	0.5	260
L-ALPO-RO	3/31/98	DLP	Total suspended solids (TSS)	mg/L	0.5	63
L-ALPO-RO	3/31/98	RTN	Total suspended solids (TSS)	mg/L	0.5	62
L-ALPO-RO	11/30/98	RTN	Total suspended solids (TSS)	mg/L	2.5	42
L-ALPO-RO	1/20/99	RTN	Total suspended solids (TSS)	mg/L	2.5	91
L-ALPO-RO	2/8/99	RTN	Total suspended solids (TSS)	mg/L	5	240
L-ALPO-RO	4/8/99	RTN	Total suspended solids (TSS)	mg/L	2.5	219
L-ALPO-RO	11/8/99	DLP	Total suspended solids (TSS)	mg/L	3	220
L-ALPO-RO	11/8/99	RTN	Total suspended solids (TSS)	mg/L	10	139
L-ALPO-RO	1/11/00	RTN	Total suspended solids (TSS)	mg/L	10	397
L-ALPO-RO	2/14/00	RTN	Total suspended solids (TSS)	mg/L	5	122
L-ALPO-RO	3/8/00	RTN	Total suspended solids (TSS)	mg/L	3	50.5
L-GRNE-RO	11/10/93	RTN	Total suspended solids (TSS)	mg/L	1	3300
L-GRNE-RO	1/24/94	RTN	Total suspended solids (TSS)	mg/L	1	230
L-GRNE-RO	4/25/94	RTN	Total suspended solids (TSS)	mg/L	1	530
L-GRNE-RO	11/5/94	RTN	Total suspended solids (TSS)	mg/L	4	4200
L-GRNE-RO	5/13/95	RTN	Total suspended solids (TSS)	mg/L	1	150
L-GRNE-RO	12/11/95	RTN	Total suspended solids (TSS)	mg/L	2	2300
L-GRNE-RO	4/1/96	RTN	Total suspended solids (TSS)	mg/L	1	380
L-GRNE-RO	5/15/96	RTN	Total suspended solids (TSS)	mg/L	1	700
L-GRNE-RO	10/29/96	RTN	Total suspended solids (TSS)	mg/L	0.5	2160
L-GRNE-RO	1/15/97	RTN	Total suspended solids (TSS)	mg/L	0.5	67.5
L-GRNE-RO	11/15/97	RTN	Total suspended solids (TSS)	mg/L	0.5	1150
L-GRNE-RO	12/8/97	RTN	Total suspended solids (TSS)	mg/L	0.5	174
L-GRNE-RO	2/12/98	RTN	Total suspended solids (TSS)	mg/L	0.5	748
L-GRNE-RO	3/31/98	RTN	Total suspended solids (TSS)	mg/L	0.5	69
L-GRNE-RO	11/30/98	RTN	Total suspended solids (TSS)	mg/L	3.4	131
L-GRNE-RO	1/20/99	RTN	Total suspended solids (TSS)	mg/L	5	206
L-GRNE-RO	2/8/99	DLP	Total suspended solids (TSS)	mg/L	5	311
L-GRNE-RO	2/8/99	RTN	Total suspended solids (TSS)	mg/L	1.9	66
L-GRNE-RO	4/8/99	RTN	Total suspended solids (TSS)	mg/L	1	35
L-GRNE-RO	11/8/99	RTN	Total suspended solids (TSS)	mg/L	3	213
L-GRNE-RO	1/11/00	RTN	Total suspended solids (TSS)	mg/L	5	603
L-GRNE-RO	2/14/00	RTN	Total suspended solids (TSS)	mg/L	2	51.8
L-GRNE-RO	3/8/00	RTN	Total suspended solids (TSS)	mg/L	2	26.2
L-WPDC-RO	11/10/93	RTN	Total suspended solids (TSS)	mg/L	1	940
L-WPDC-RO	1/24/94	RTN	Total suspended solids (TSS)	mg/L	1	95
L-WPDC-RO	2/7/94	RTN	Total suspended solids (TSS)	mg/L	1	34
L-WPDC-RO	4/25/94	RTN	Total suspended solids (TSS)	mg/L	1	470
L-WPDC-RO	11/5/94	RTN	Total suspended solids (TSS)	mg/L	1	210
L-WPDC-RO	11/15/94	RTN	Total suspended solids (TSS)	mg/L	1	420
L-WPDC-RO	12/14/94	RTN	Total suspended solids (TSS)	mg/L	1	600
L-WPDC-RO	5/13/95	RTN	Total suspended solids (TSS)	mg/L	1	210
L-WPDC-RO	12/11/95	RTN	Total suspended solids (TSS)	mg/L	1	403
L-WPDC-RO	4/1/96	RTN	Total suspended solids (TSS)	mg/L	1	650
L-WPDC-RO	5/15/96	DLP	Total suspended solids (TSS)	mg/L	1	720
L-WPDC-RO	5/15/96	RTN	Total suspended solids (TSS)	mg/L	1	620
L-WPDC-RO	10/29/96	RTN	Total suspended solids (TSS)	mg/L	0.5	75
L-WPDC-RO	1/15/97	RTN	Total suspended solids (TSS)	mg/L	0.5	21
L-WPDC-RO	5/23/97	RTN	Total suspended solids (TSS)	mg/L	0.5	152
L-WPDC-RO	11/15/97	RTN	Total suspended solids (TSS)	mg/L	0.5	204
L-WPDC-RO	12/8/97	RTN	Total suspended solids (TSS)	mg/L	0.5	121
L-WPDC-RO	2/12/98	RTN	Total suspended solids (TSS)	mg/L	0.5	158
L-WPDC-RO	3/31/98	RTN	Total suspended solids (TSS)	mg/L	0.5	54
L-WPDC-RO	11/30/98	RTN	Total suspended solids (TSS)	mg/L	2.5	54
L-WPDC-RO	1/20/99	RTN	Total suspended solids (TSS)	mg/L	2.5	40
L-WPDC-RO	2/8/99	RTN	Total suspended solids (TSS)	mg/L	2.5	52
L-WPDC-RO	4/8/99	DLP	Total suspended solids (TSS)	mg/L	3	54
L-WPDC-RO	4/8/99	RTN	Total suspended solids (TSS)	mg/L	2.5	84
L-WPDC-RO	11/8/99	RTN	Total suspended solids (TSS)	mg/L	5	94
L-WPDC-RO	1/11/00	RTN	Total suspended solids (TSS)	mg/L	5	98
L-WPDC-RO	2/14/00	RTN	Total suspended solids (TSS)	mg/L	2	33
L-WPDC-RO	3/8/00	RTN	Total suspended solids (TSS)	mg/L	3	61

Location	Sampled Date	Type	Analyte	Units	Los Value	Result	Results in Bq/L	Calcd Value	Error
Arroyo Seco									
L-ASS2-RO	11/15/97	RTN	Gross alpha	pCi/L	< 1.50E+00	1.50E+00	0.06	2.07E-01	7.30E-01
L-ASS2-RO	12/8/97	RTN	Gross alpha	pCi/L	< 1.80E+00	1.80E+00	0.06	4.30E-01	8.40E-01
L-ASS2-RO	2/12/98	RTN	Gross alpha	pCi/L	< 3.20E+00	3.20E+00	0.12	0.00E+00	1.20E+00
L-ASS2-RO	3/31/98	RTN	Gross alpha	pCi/L	< 2.50E+00	3.17E+00	0.12	3.17E+00	1.80E+00
L-ASS2-RO	11/30/98	RTN	Gross alpha	pCi/L	< 1.50E+00	1.50E+00	0.06	1.21E+00	8.50E-01
L-ASS2-RO	1/26/99	RTN	Gross alpha	pCi/L	< 1.40E+00	1.40E+00	0.05	3.94E-01	6.40E-01
L-ASS2-RO	2/8/99	RTN	Gross alpha	pCi/L	< 1.80E+00	1.80E+00	0.07	1.17E+00	9.90E-01
L-ASS2-RO	4/8/99	RTN	Gross alpha	pCi/L	< 2.00E+00	2.00E+00	0.07	1.03E+00	7.90E-01
L-ASS2-RO	11/11/00	RTN	Gross alpha	pCi/L	< 2.00E+00	2.00E+00	0.07	4.07E-01	3.81E-01
L-ASS2-RO	2/14/00	RTN	Gross alpha	pCi/L	< 2.00E+00	1.21E+01	0.45	1.21E+01	3.99E+00
L-ASS2-RO	3/8/00	RTN	Gross alpha	pCi/L	< 2.00E+00	2.00E+00	0.07	1.52E+00	1.51E+00
L-ASS2-RO	11/15/97	RTN	Gross alpha	pCi/L	< 1.80E+00	1.80E+00	0.07	1.74E+00	1.10E+00
L-ASW-RO	12/8/97	RTN	Gross alpha	pCi/L	< 1.70E+00	1.70E+00	0.06	1.40E+00	1.10E+00
L-ASW-RO	2/12/98	RTN	Gross alpha	pCi/L	< 2.90E+00	2.90E+00	0.11	1.08E+00	1.40E+00
L-ASW-RO	3/31/98	RTN	Gross alpha	pCi/L	< 2.00E+00	2.00E+00	0.07	0.00E+00	8.10E-01
L-ASW-RO	11/30/98	RTN	Gross alpha	pCi/L	< 1.10E+00	1.81E+00	0.07	1.81E+00	8.00E-01
L-ASW-RO	1/26/99	RTN	Gross alpha	pCi/L	< 1.20E+00	1.84E+00	0.07	1.84E+00	8.80E-01
L-ASW-RO	2/8/99	RTN	Gross alpha	pCi/L	< 1.90E+00	1.90E+00	0.07	0.00E+00	7.20E-01
L-ASW-RO	4/8/99	RTN	Gross alpha	pCi/L	< 2.00E+00	2.00E+00	0.07	1.67E-01	3.64E-01
L-ASW-RO	11/8/99	RTN	Gross alpha	pCi/L	< 2.00E+00	2.00E+00	0.07	6.34E-01	5.16E-01
L-ASW-RO	11/11/00	RTN	Gross alpha	pCi/L	< 2.00E+00	2.00E+00	0.07	8.51E-01	6.05E-01
L-ASW-RO	2/14/00	DLP	Gross alpha	pCi/L	< 2.00E+00	1.03E+01	0.36	1.03E+01	3.80E+00
L-ASW-RO	2/14/00	RTN	Gross alpha	pCi/L	< 2.00E+00	1.93E+01	0.71	1.93E+01	5.96E+00
L-ASW-RO	3/8/00	DLP	Gross alpha	pCi/L	< 2.00E+00	2.00E+00	0.07	9.54E-01	1.14E+00
L-ASW-RO	3/8/00	RTN	Gross alpha	pCi/L	< 2.00E+00	2.88E+00	0.11	2.88E+00	1.57E+00
L-ASS2-RO	11/15/97	RTN	Gross beta	pCi/L	< 5.90E+00	5.90E+00	0.22	4.49E+00	3.70E+00
L-ASS2-RO	12/8/97	RTN	Gross beta	pCi/L	< 7.20E+00	7.20E+00	0.27	3.49E+00	5.40E+00
L-ASS2-RO	2/12/98	RTN	Gross beta	pCi/L	< 4.20E+00	4.69E+00	0.17	4.69E+00	2.70E+00
L-ASS2-RO	3/31/98	RTN	Gross beta	pCi/L	< 6.30E+00	6.30E+00	0.23	4.82E+00	3.90E+00
L-ASS2-RO	11/30/98	RTN	Gross beta	pCi/L	< 2.80E+00	3.04E+00	0.11	3.04E+00	1.80E+00
L-ASS2-RO	1/26/99	RTN	Gross beta	pCi/L	< 3.90E+00	3.90E+00	0.14	9.48E-01	1.90E+00
L-ASS2-RO	2/8/99	RTN	Gross beta	pCi/L	< 4.10E+00	4.10E+00	0.15	3.28E+00	2.20E+00
L-ASS2-RO	4/8/99	RTN	Gross beta	pCi/L	< 3.00E+00	3.59E+00	0.13	3.59E+00	1.06E+00
L-ASS2-RO	11/11/00	RTN	Gross beta	pCi/L	< 3.00E+00	3.04E+00	0.11	3.04E+00	5.48E-01
L-ASS2-RO	2/14/00	RTN	Gross beta	pCi/L	< 3.00E+00	2.81E+01	1.04	2.81E+01	4.39E+00
L-ASS2-RO	3/8/00	RTN	Gross beta	pCi/L	< 3.00E+00	7.50E+00	0.28	7.50E+00	1.68E+00
L-ASW-RO	12/4/87	RTN	Gross beta	pCi/L	< 9.00E+00	4.00E+00	0.15	0.00E+00	2.00E+00
L-ASW-RO	11/15/97	RTN	Gross beta	pCi/L	< 4.80E+00	6.51E+00	0.24	6.51E+00	3.50E+00
L-ASW-RO	12/8/97	RTN	Gross beta	pCi/L	< 7.40E+00	7.40E+00	0.27	4.16E+00	5.50E+00
L-ASW-RO	2/12/98	RTN	Gross beta	pCi/L	< 6.10E+00	6.10E+00	0.23	4.12E+00	3.20E+00
L-ASW-RO	3/31/98	RTN	Gross beta	pCi/L	< 6.10E+00	6.10E+00	0.23	2.38E+00	3.10E+00
L-ASW-RO	11/30/98	RTN	Gross beta	pCi/L	< 2.80E+00	2.80E+00	0.10	2.15E+00	1.70E+00
L-ASW-RO	1/26/99	RTN	Gross beta	pCi/L	< 2.70E+00	3.37E+00	0.12	3.37E+00	1.80E+00
L-ASW-RO	2/8/99	RTN	Gross beta	pCi/L	< 4.40E+00	4.40E+00	0.16	2.99E+00	2.40E+00
L-ASW-RO	4/8/99	RTN	Gross beta	pCi/L	< 3.00E+00	3.00E+00	0.11	2.95E+00	9.64E-01
L-ASW-RO	11/8/99	RTN	Gross beta	pCi/L	< 3.00E+00	5.73E+00	0.21	5.73E+00	8.89E-01
L-ASW-RO	11/11/00	RTN	Gross beta	pCi/L	< 3.00E+00	5.12E+00	0.19	5.12E+00	8.19E-01
L-ASW-RO	2/14/00	DLP	Gross beta	pCi/L	< 3.00E+00	2.98E+01	1.10	2.98E+01	4.65E+00
L-ASW-RO	2/14/00	RTN	Gross beta	pCi/L	< 3.00E+00	3.14E+01	1.16	3.14E+01	4.98E+00
L-ASW-RO	3/8/00	DLP	Gross beta	pCi/L	< 3.00E+00	6.22E+00	0.23	6.22E+00	1.28E+00
L-ASW-RO	3/8/00	RTN	Gross beta	pCi/L	< 3.00E+00	5.24E+00	0.16	5.24E+00	1.15E+00
L-ASW-RO	2/12/98	RTN	Plutonium 238	pCi/L	< 1.00E-01	1.00E-01	0.00	7.10E-03	5.15E-02
L-ASW-RO	3/31/98	RTN	Plutonium 238	pCi/L	< 2.03E-03	2.03E-03	0.00	6.55E-04	1.41E-03
L-ASW-RO	3/31/98	RTN	Plutonium 238	pCi/g	< 1.33E-01	1.33E-01	0.00	2.95E-02	8.82E-02
L-ASW-RO	5/4/98	RTN	Plutonium 238	pCi/L	< 5.98E-03	8.57E-03	0.00	8.57E-03	5.82E-03
L-ASW-RO	5/4/98	RTN	Plutonium 238	pCi/L	< 1.02E-03	1.02E-03	0.00	4.32E-04	7.37E-04
L-ASW-RO	5/4/98	RTN	Plutonium 238	pCi/g	< 1.71E-03	1.71E-03	0.00	-9.92E-04	9.22E-04
L-ASW-RO	11/30/98	RTN	Plutonium 238	pCi/L	< 3.00E-02	3.00E-02	0.00	0.00E+00	3.00E-02
L-ASW-RO	1/26/99	RTN	Plutonium 238	pCi/L	< 2.29E-03	2.29E-03	0.00	6.88E-05	9.31E-04
L-ASW-RO	2/8/99	RTN	Plutonium 238	pCi/L	< 4.76E-03	4.76E-03	0.00	3.97E-05	2.77E-03
L-ASW-RO	4/8/99	RTN	Plutonium 238	pCi/L	< 1.73E-03	1.73E-03	0.00	0.00E+00	0.00E+00
L-ASW-RO	4/8/99	RTN	Plutonium 238	pCi/L	< 8.00E-03	8.00E-03	0.00	-2.32E-03	2.08E-03
L-ASW-RO	11/8/99	RTN	Plutonium 238	pCi/L	< 3.23E-03	3.23E-03	0.00	1.11E-03	2.07E-03
L-ASW-RO	11/8/99	RTN	Plutonium 238	pCi/g	< 7.91E-02	7.91E-02	0.00	-1.57E-02	2.99E-02
L-ASW-RO	11/8/99	RTN	Plutonium 238	pCi/L	< 7.09E-03	7.09E-03	0.00	1.41E-03	4.21E-03
L-ASW-RO	11/8/99	RTN	Plutonium 238	pCi/L	< 6.06E-03	6.06E-03	0.00	-7.02E-05	2.85E-03
L-ASW-RO	11/11/00	RTN	Plutonium 238	pCi/L	< 4.40E-03	4.40E-03	0.00	-8.72E-04	1.68E-03
L-ASW-RO	11/11/00	RTN	Plutonium 238	pCi/g	< 8.11E-02	8.11E-02	0.00	8.54E-04	4.21E-02
L-ASW-RO	11/11/00	RTN	Plutonium 238	pCi/L	< 8.48E-03	8.48E-03	0.00	3.44E-03	5.71E-03
L-ASW-RO	2/14/00	DLP	Plutonium 238	pCi/L	< 5.50E-03	5.50E-03	0.00	-3.53E-04	2.94E-03
L-ASW-RO	2/14/00	DLP	Plutonium 238	pCi/g	< 6.00E-03	6.00E-03	0.00	-9.03E-04	2.28E-03
L-ASW-RO	2/14/00	DLP	Plutonium 238	pCi/L	< 1.07E-02	1.07E-02	0.00	-1.87E-03	5.23E-03
L-ASW-RO	2/14/00	RTN	Plutonium 238	pCi/L	< 6.85E-03	6.85E-03	0.00	-4.55E-04	4.14E-03
L-ASW-RO	2/14/00	RTN	Plutonium 238	pCi/g	< 7.51E-03	7.51E-03	0.00	-1.22E-03	3.36E-03
L-ASW-RO	2/14/00	RTN	Plutonium 238	pCi/L	< 9.34E-03	9.34E-03	0.00	-8.21E-04	4.68E-03
L-ASW-RO	3/8/00	RTN	Plutonium 238	pCi/L	< 1.80E-01	1.80E-01	0.01	3.85E-02	1.16E-01
L-ASW-RO	3/8/00	RTN	Plutonium 238	pCi/L	< 5.20E-03	5.20E-03	0.00	-6.02E-05	2.45E-03
L-ASW-RO	3/8/00	RTN	Plutonium 238	pCi/L	< 9.78E-03	9.78E-03	0.00	-1.94E-03	3.69E-03
L-ASS2-RO	11/15/97	RTN	Tritium	pCi/L	< 3.44E+01	3.44E+01	1.27	3.44E+01	3.44E+01
L-ASS2-RO	12/8/97	RTN	Tritium	pCi/L	< 3.96E+01	3.96E+01	1.47	0.00E+00	1.00E+02
L-ASS2-RO	2/12/98	RTN	Tritium	pCi/L	< 0.00E+00	4.83E+01	1.79	4.83E+01	3.37E+01
L-ASS2-RO	3/31/98	RTN	Tritium	pCi/L	< 0.00E+00	6.14E+01	2.27	6.14E+01	3.43E+01
L-ASS2-RO	11/30/98	RTN	Tritium	pCi/L	< 5.97E+01	5.97E+01	2.21	5.93E+00	5.02E+00
L-ASS2-RO	1/26/99	RTN	Tritium	pCi/L	< 7.61E+01	7.61E+01	2.82	-2.44E+01	6.05E+01
L-ASS2-RO	2/8/99	RTN	Tritium	pCi/L	< 5.48E+01	3.80E+02	14.43	3.90E+02	8.06E+01
L-ASS2-RO	4/8/99	RTN	Tritium	pCi/L	< 8.58E+01	8.58E+01	3.17	-1.81E+01	6.74E+01
L-ASS2-RO	11/11/00	RTN	Tritium	pCi/L	< 8.02E+01	8.02E+01	2.97	-2.48E+00	6.46E+01
L-ASS2-RO	2/14/00	RTN	Tritium	pCi/L	< 6.76E+01	6.76E+01	2.50	-3.43E+00	5.40E+01
L-ASS2-RO	3/8/00	RTN	Tritium	pCi/L	< 6.99E+01	6.99E+01	2.59	-3.14E+01	5.45E+01
L-ASW-RO	11/15/97	RTN	Tritium	pCi/L	< 3.47E+01	3.47E+01	1.28	3.47E+01	3.47E+01
L-ASW-RO	12/8/97	DLP	Tritium	pCi/L	< 0.00E+00	5.49E+02	20.31	5.49E+02	5.87E+01
L-ASW-RO	12/8/97	RTN	Tritium	pCi/L	< 4.09E+01	4.09E+01	1.51	0.00E+00	1.00E+02
L-ASW-RO	12/8/97	SLE	Tritium	pCi/L	< 0.00E+00	5.01E+02	18.54	5.01E+02	5.78E+01
L-ASW-RO	2/12/98	RTN	Tritium	pCi/L	< 0.00E+00	4.95E+01	1.83	4.95E+01	3.37E+01

L-ASW-RO	3/31/98	RTN	Tritium	pCv/L	0.00E+00	3.58E+01	1.32	3.58E+01	3.58E+01
L-ASW-RO	11/30/98	RTN	Tritium	pCv/L	< 6.11E-01	6.11E+01	2.28	2.55E+01	4.96E+01
L-ASW-RO	1/28/99	RTN	Tritium	pCv/L	7.52E+01	6.91E+02	25.57	8.91E+02	8.52E+01
L-ASW-RO	2/8/99	MSC	Tritium	pCv/L	2.60E+02	1.40E+03	51.60	1.40E+03	1.40E+02
L-ASW-RO	2/8/99	RTN	Tritium	pCv/L	5.43E+01	1.03E+03	38.11	1.03E+03	8.07E+01
L-ASW-RO	4/8/99	RTN	Tritium	pCv/L	< 8.73E+01	8.73E+01	3.23	-1.90E+01	6.82E+01
L-ASW-RO	11/8/99	RTN	Tritium	pCv/L	< 7.30E+01	7.30E+01	2.70	5.12E+00	5.87E+01
L-ASW-RO	1/11/00	RTN	Tritium	pCv/L	< 8.05E+01	8.05E+01	2.98	3.49E+00	6.51E+01
L-ASW-RO	2/14/00	DLP	Tritium	pCv/L	< 6.77E+01	6.77E+01	2.50	5.98E+00	5.44E+01
L-ASW-RO	2/14/00	RTN	Tritium	pCv/L	< 6.90E+01	6.90E+01	2.55	6.80E+00	5.53E+01
L-ASW-RO	3/8/00	DLP	Tritium	pCv/L	< 6.92E+01	6.92E+01	2.58	1.55E+01	5.82E+01
L-ASW-RO	3/8/00	RTN	Tritium	pCv/L	< 6.95E+01	6.95E+01	2.57	9.90E+00	5.82E+01
L-ASW-RO	2/12/98	RTN	Plutonium 239+240	pCv/L	< 9.00E-02	9.00E-02	0.00	0.00E+00	4.52E-02
L-ASW-RO	3/31/98	RTN	Plutonium 239+240	pCv/L	< 2.55E-03	2.55E-03	0.00	-1.18E-03	1.30E-03
L-ASW-RO	3/31/98	RTN	Plutonium 239+240	pCv/g	< 1.33E-01	1.33E-01	0.00	4.28E-02	9.21E-02
L-ASW-RO	5/4/98	RTN	Plutonium 239+240	pCv/L	< 7.52E-03	7.52E-03	0.00	3.14E-03	5.54E-03
L-ASW-RO	5/4/98	RTN	Plutonium 239+240	pCv/L	< 1.02E-03	1.02E-03	0.00	5.34E-04	7.65E-04
L-ASW-RO	5/4/98	RTN	Plutonium 239+240	pCv/g	1.58E-03	3.90E-03	0.00	3.90E-03	1.72E-03
L-ASW-RO	1/26/99	RTN	Plutonium 239+240	pCv/L	< 2.29E-03	2.29E-03	0.00	4.67E-04	1.23E-03
L-ASW-RO	2/8/99	RTN	Plutonium 239+240	pCv/L	< 3.40E-03	3.40E-03	0.00	-5.57E-04	1.12E-03
L-ASW-RO	4/8/99	RTN	Plutonium 239+240	pCv/L	< 2.65E-03	2.65E-03	0.00	3.06E-04	1.14E-03
L-ASW-RO	4/8/99	RTN	Plutonium 239+240	pCv/L	< 7.02E-03	7.02E-03	0.00	1.94E-03	4.17E-03
L-ASW-RO	11/8/99	RTN	Plutonium 239+240	pCv/L	< 2.40E-03	2.40E-03	0.00	2.78E-04	1.03E-03
L-ASW-RO	11/8/99	RTN	Plutonium 239+240	pCv/g	< 3.43E-02	3.43E-02	0.00	1.04E-02	2.09E-02
L-ASW-RO	11/8/99	RTN	Plutonium 239+240	pCv/L	< 5.39E-03	5.39E-03	0.00	1.09E-03	2.87E-03
L-ASW-RO	11/8/99	RTN	Plutonium 239+240	pCv/L	< 4.85E-03	4.85E-03	0.00	2.66E-03	3.51E-03
L-ASW-RO	11/11/00	RTN	Plutonium 239+240	pCv/L	< 1.91E-03	1.91E-03	0.00	0.00E+00	0.00E+00
L-ASW-RO	1/11/00	RTN	Plutonium 239+240	pCv/g	< 7.78E-02	7.78E-02	0.00	3.59E-02	5.44E-02
L-ASW-RO	1/11/00	RTN	Plutonium 239+240	pCv/L	< 7.44E-03	7.44E-03	0.00	5.59E-03	6.02E-03
L-ASW-RO	2/14/00	DLP	Plutonium 239+240	pCv/L	< 4.58E-03	4.58E-03	0.00	-9.07E-04	1.73E-03
L-ASW-RO	2/14/00	DLP	Plutonium 239+240	pCv/g	< 2.74E-03	2.74E-03	0.00	8.33E-04	1.67E-03
L-ASW-RO	2/14/00	DLP	Plutonium 239+240	pCv/L	< 8.94E-03	8.94E-03	0.00	4.13E-03	6.27E-03
L-ASW-RO	2/14/00	RTN	Plutonium 239+240	pCv/L	< 4.11E-03	4.11E-03	0.00	2.02E-03	2.89E-03
L-ASW-RO	2/14/00	RTN	Plutonium 239+240	pCv/g	< 6.19E-03	6.19E-03	0.00	1.22E-03	3.50E-03
L-ASW-RO	2/14/00	RTN	Plutonium 239+240	pCv/L	< 7.88E-03	7.88E-03	0.00	2.10E-03	4.83E-03
L-ASW-RO	3/8/00	RTN	Plutonium 239+240	pCv/g	< 1.48E-01	1.48E-01	0.01	2.89E-02	8.64E-02
L-ASW-RO	3/8/00	RTN	Plutonium 239+240	pCv/L	< 2.37E-03	2.37E-03	0.00	0.00E+00	0.00E+00
L-ASW-RO	3/8/00	RTN	Plutonium 239+240	pCv/L	< 6.51E-03	6.51E-03	0.00	-5.38E-04	1.08E-03
Arroyo Los Positas									
L-ALPE-RO	11/15/97	DLP	Gross alpha	pCv/L	< 1.70E+00	1.70E+00	0.08	6.87E-01	9.80E-01
L-ALPE-RO	11/15/97	RTN	Gross alpha	pCv/L	< 1.70E+00	1.70E+00	0.08	1.10E-01	8.50E-01
L-ALPE-RO	12/8/97	RTN	Gross alpha	pCv/L	< 2.20E+00	2.20E+00	0.08	4.99E-01	1.30E+00
L-ALPE-RO	2/12/98	RTN	Gross alpha	pCv/L	< 2.40E+00	2.40E+00	0.08	2.19E-01	9.50E-01
L-ALPE-RO	3/31/98	RTN	Gross alpha	pCv/L	1.50E+00	1.87E+00	0.07	1.87E+00	1.20E+00
L-ALPE-RO	11/30/98	RTN	Gross alpha	pCv/L	2.90E+00	4.45E+00	0.16	4.45E+00	2.00E+00
L-ALPE-RO	1/20/99	RTN	Gross alpha	pCv/L	2.20E+00	2.90E+00	0.11	2.90E+00	1.40E+00
L-ALPE-RO	2/8/99	RTN	Gross alpha	pCv/L	< 7.10E+00	7.10E+00	0.26	4.33E+00	4.10E+00
L-ALPE-RO	4/8/99	FEA	Gross alpha	pCv/L	2.00E+00	2.08E+00	0.08	2.08E+00	1.50E+00
L-ALPE-RO	4/8/99	RTN	Gross alpha	pCv/L	< 2.00E+00	2.00E+00	0.07	1.04E+00	1.04E+00
L-ALPE-RO	11/8/99	RTN	Gross alpha	pCv/L	< 2.00E+00	2.00E+00	0.07	1.41E+00	7.68E-01
L-ALPE-RO	1/11/00	DLP	Gross alpha	pCv/L	2.00E+00	4.82E+00	0.18	4.82E+00	2.01E+00
L-ALPE-RO	1/11/00	RTN	Gross alpha	pCv/L	2.00E+00	5.01E+00	0.19	5.04E+00	2.51E+00
L-ALPE-RO	2/14/00	RTN	Gross alpha	pCv/L	< 2.00E+00	2.00E+00	0.07	1.08E+00	9.74E-01
L-ALPE-RO	3/8/00	RTN	Gross alpha	pCv/L	2.00E+00	2.55E+00	0.09	2.55E+00	2.08E+00
L-ALPO-RO	11/15/97	RTN	Gross alpha	pCv/L	< 3.10E+00	3.10E+00	0.11	1.82E+00	1.80E+00
L-ALPO-RO	12/8/97	RTN	Gross alpha	pCv/L	2.60E+00	2.95E+00	0.11	2.95E+00	1.70E+00
L-ALPO-RO	2/12/98	RTN	Gross alpha	pCv/L	6.10E+00	1.02E+01	0.38	1.02E+01	4.60E+00
L-ALPO-RO	3/31/98	DLP	Gross alpha	pCv/L	1.50E+00	4.52E+00	0.17	4.52E+00	1.20E+00
L-ALPO-RO	3/31/98	RTN	Gross alpha	pCv/L	1.50E+00	5.70E+00	0.21	5.70E+00	1.30E+00
L-ALPO-RO	11/30/98	RTN	Gross alpha	pCv/L	3.40E+00	5.27E+00	0.19	5.27E+00	2.30E+00
L-ALPO-RO	1/20/99	DLP	Gross alpha	pCv/L	< 2.20E+00	9.72E+00	0.38	9.72E+00	1.90E+00
L-ALPO-RO	1/20/99	RTN	Gross alpha	pCv/L	< 2.30E+00	2.30E+00	0.09	1.49E+00	1.40E+00
L-ALPO-RO	2/8/99	RTN	Gross alpha	pCv/L	3.30E+00	6.90E+00	0.28	6.90E+00	2.60E+00
L-ALPO-RO	4/8/99	RTN	Gross alpha	pCv/L	2.00E+00	4.11E+00	0.15	4.11E+00	2.04E+00
L-ALPO-RO	11/8/99	DLP	Gross alpha	pCv/L	2.00E+00	2.58E+00	0.10	2.58E+00	1.40E+00
L-ALPO-RO	11/8/99	RTN	Gross alpha	pCv/L	2.00E+00	8.24E+00	0.23	8.24E+00	2.65E+00
L-ALPO-RO	1/11/00	RTN	Gross alpha	pCv/L	2.00E+00	1.54E+01	0.57	1.54E+01	6.78E+00
L-ALPO-RO	2/14/00	RTN	Gross alpha	pCv/L	2.00E+00	6.01E+00	0.22	6.01E+00	2.71E+00
L-ALPO-RO	3/8/00	RTN	Gross alpha	pCv/L	2.00E+00	6.89E+00	0.25	6.89E+00	3.82E+00
L-GRNE-RO	11/15/97	RTN	Gross alpha	pCv/L	1.60E+00	4.17E+00	0.15	4.17E+00	1.40E+00
L-GRNE-RO	12/8/97	RTN	Gross alpha	pCv/L	< 1.90E+00	1.90E+00	0.07	1.42E+00	1.20E+00
L-GRNE-RO	2/12/98	RTN	Gross alpha	pCv/L	< 1.60E+00	1.60E+00	0.08	6.18E-01	7.60E-01
L-GRNE-RO	3/31/98	RTN	Gross alpha	pCv/L	< 1.50E+00	1.50E+00	0.06	6.39E-01	7.50E-01
L-GRNE-RO	11/30/98	RTN	Gross alpha	pCv/L	< 1.80E+00	1.60E+00	0.07	1.48E+00	9.70E-01
L-GRNE-RO	1/20/99	RTN	Gross alpha	pCv/L	1.90E+00	1.92E+00	0.06	1.92E+00	1.20E+00
L-GRNE-RO	2/8/99	DLP	Gross alpha	pCv/L	1.90E+00	5.88E+00	0.21	5.88E+00	1.70E+00
L-GRNE-RO	2/8/99	RTN	Gross alpha	pCv/L	< 1.60E+00	1.60E+00	0.08	1.29E+00	9.10E-01
L-GRNE-RO	4/8/99	RTN	Gross alpha	pCv/L	< 2.00E+00	2.00E+00	0.07	1.77E+00	1.15E+00
L-GRNE-RO	11/8/99	RTN	Gross alpha	pCv/L	2.00E+00	1.29E+01	0.48	1.29E+01	4.29E+00
L-GRNE-RO	1/11/00	RTN	Gross alpha	pCv/L	2.00E+00	1.85E+01	0.68	1.85E+01	7.66E+00
L-GRNE-RO	2/14/00	RTN	Gross alpha	pCv/L	< 2.00E+00	2.00E+00	0.07	8.86E-01	5.19E-01
L-GRNE-RO	3/8/00	RTN	Gross alpha	pCv/L	< 2.00E+00	2.00E+00	0.07	1.15E+00	5.17E-01
L-WPDC-RO	11/15/97	RTN	Gross alpha	pCv/L	< 1.70E+00	1.70E+00	0.08	1.05E+00	9.90E-01
L-WPDC-RO	12/8/97	RTN	Gross alpha	pCv/L	< 2.20E+00	2.20E+00	0.06	2.15E+00	1.40E+00
L-WPDC-RO	2/12/98	RTN	Gross alpha	pCv/L	< 1.40E+00	1.40E+00	0.05	5.46E-01	6.70E-01
L-WPDC-RO	3/31/98	RTN	Gross alpha	pCv/L	< 1.30E+00	1.30E+00	0.05	1.94E-01	5.30E-01
L-WPDC-RO	11/30/98	RTN	Gross alpha	pCv/L	< 1.70E+00	1.70E+00	0.08	6.18E-01	8.00E-01
L-WPDC-RO	1/20/99	RTN	Gross alpha	pCv/L	< 2.00E+00	2.00E+00	0.07	8.88E-01	1.20E+00
L-WPDC-RO	2/8/99	RTN	Gross alpha	pCv/L	< 2.20E+00	2.20E+00	0.08	1.19E+00	1.10E+00
L-WPDC-RO	4/8/99	RTN	Gross alpha	pCv/L	< 2.00E+00	2.00E+00	0.07	1.70E+00	1.24E+00
L-WPDC-RO	11/8/99	RTN	Gross alpha	pCv/L	< 2.00E+00	2.00E+00	0.07	1.78E+00	1.07E+00
L-WPDC-RO	1/11/00	RTN	Gross alpha	pCv/L	2.00E+00	2.02E+00	0.07	2.02E+00	9.91E-01
L-WPDC-RO	2/14/00	RTN	Gross alpha	pCv/L	< 2.00E+00	2.00E+00	0.07	1.81E+00	8.71E-01
L-WPDC-RO	3/8/00	RTN	Gross alpha	pCv/L	< 2.00E+00	2.00E+00	0.07	1.88E+00	1.13E+00
L-ALPE-RO	11/15/97	DLP	Gross beta	pCv/L	< 5.90E+00	5.90E+00	0.22	3.84E+00	3.70E+00
L-ALPE-RO	11/15/97	RTN	Gross beta	pCv/L	< 5.90E+00	5.90E+00	0.22	4.84E+00	3.70E+00

L-ALPE-RO	12/18/97	RTN	Gross beta	pCi/L	6.30E+00	1.03E+01	0.38	1.03E+01	4.10E+00
L-ALPE-RO	2/12/98	RTN	Gross beta	pCi/L	< 3.20E+00	3.20E+00	0.12	2.17E+00	2.00E+00
L-ALPE-RO	3/31/98	RTN	Gross beta	pCi/L	< 4.50E+00	4.50E+00	0.17	2.89E+00	1.10E+01
L-ALPE-RO	11/30/98	RTN	Gross beta	pCi/L	< 4.30E+00	4.30E+00	0.16	1.66E+00	2.10E+00
L-ALPE-RO	1/20/99	RTN	Gross beta	pCi/L	0.00E+00	9.12E+00	0.34	9.12E+00	8.00E+00
L-ALPE-RO	2/8/99	RTN	Gross beta	pCi/L	< 1.30E+01	1.30E+01	0.48	8.07E+00	7.70E+00
L-ALPE-RO	4/8/99	RTN	Gross beta	pCi/L	3.00E+00	6.16E+00	0.23	6.16E+00	1.50E+00
L-ALPE-RO	11/8/99	RTN	Gross beta	pCi/L	3.00E+00	4.38E+00	0.16	4.38E+00	7.77E-01
L-ALPE-RO	1/11/00	DLP	Gross beta	pCi/L	3.00E+00	9.11E+00	0.34	9.11E+00	1.48E+00
L-ALPE-RO	1/11/00	RTN	Gross beta	pCi/L	3.00E+00	9.42E+00	0.35	9.42E+00	1.67E+00
L-ALPE-RO	2/14/00	RTN	Gross beta	pCi/L	3.00E+00	7.51E+00	0.28	7.51E+00	1.51E+00
L-ALPE-RO	3/8/00	RTN	Gross beta	pCi/L	3.00E+00	7.28E+00	0.27	7.28E+00	2.02E+00
L-ALPO-RO	11/15/97	RTN	Gross beta	pCi/L	< 6.20E+00	6.20E+00	0.23	5.94E+00	4.00E+00
L-ALPO-RO	12/18/97	RTN	Gross beta	pCi/L	< 6.30E+00	6.30E+00	0.23	3.83E+00	3.90E+00
L-ALPO-RO	2/12/98	RTN	Gross beta	pCi/L	< 1.30E+01	1.30E+01	0.48	8.70E+00	7.90E+00
L-ALPO-RO	3/31/98	DLP	Gross beta	pCi/L	< 4.50E+00	4.50E+00	0.17	0.00E+00	1.00E+01
L-ALPO-RO	3/31/98	RTN	Gross beta	pCi/L	< 4.50E+00	4.50E+00	0.17	0.00E+00	1.00E+01
L-ALPO-RO	11/30/98	RTN	Gross beta	pCi/L	< 4.70E+00	4.70E+00	0.17	3.13E+00	2.50E+00
L-ALPO-RO	1/20/99	DLP	Gross beta	pCi/L	0.00E+00	1.62E+01	0.60	1.62E+01	8.60E+00
L-ALPO-RO	1/20/99	RTN	Gross beta	pCi/L	0.00E+00	6.03E+00	0.22	6.03E+00	4.00E+00
L-ALPO-RO	2/8/99	RTN	Gross beta	pCi/L	5.70E+00	7.55E+00	0.28	7.55E+00	3.70E+00
L-ALPO-RO	4/8/99	FEA	Gross beta	pCi/L	3.00E+00	1.16E+01	0.43	1.16E+01	2.14E+00
L-ALPO-RO	4/8/99	RTN	Gross beta	pCi/L	3.00E+00	1.01E+01	0.37	1.01E+01	1.95E+00
L-ALPO-RO	11/8/99	DLP	Gross beta	pCi/L	3.00E+00	8.88E+00	0.33	8.88E+00	1.90E+00
L-ALPO-RO	11/8/99	RTN	Gross beta	pCi/L	3.00E+00	9.30E+00	0.34	9.30E+00	2.16E+00
L-ALPO-RO	1/11/00	RTN	Gross beta	pCi/L	3.00E+00	1.41E+01	0.52	1.41E+01	3.12E+00
L-ALPO-RO	2/14/00	RTN	Gross beta	pCi/L	3.00E+00	9.08E+00	0.34	9.08E+00	2.20E+00
L-ALPO-RO	3/8/00	RTN	Gross beta	pCi/L	3.00E+00	7.01E+00	0.26	7.01E+00	2.58E+00
L-GRNE-RO	11/15/97	RTN	Gross beta	pCi/L	6.10E+00	7.37E+00	0.27	7.37E+00	3.90E+00
L-GRNE-RO	12/18/97	RTN	Gross beta	pCi/L	< 7.40E+00	7.40E+00	0.27	0.00E+00	5.30E+00
L-GRNE-RO	2/12/98	RTN	Gross beta	pCi/L	< 4.50E+00	4.50E+00	0.17	9.78E-01	2.20E+00
L-GRNE-RO	3/31/98	RTN	Gross beta	pCi/L	< 4.50E+00	4.50E+00	0.17	1.15E-01	2.10E+00
L-GRNE-RO	11/30/98	RTN	Gross beta	pCi/L	< 4.30E+00	4.30E+00	0.16	2.46E+00	2.20E+00
L-GRNE-RO	1/20/99	RTN	Gross beta	pCi/L	2.80E+00	4.95E+00	0.18	4.95E+00	1.90E+00
L-GRNE-RO	2/8/99	DLP	Gross beta	pCi/L	3.20E+00	1.08E+01	0.40	1.08E+01	2.40E+00
L-GRNE-RO	2/8/99	RTN	Gross beta	pCi/L	2.80E+00	3.25E+00	0.12	3.25E+00	1.80E+00
L-GRNE-RO	4/8/99	RTN	Gross beta	pCi/L	3.00E+00	3.67E+00	0.14	3.67E+00	1.08E+00
L-GRNE-RO	11/8/99	RTN	Gross beta	pCi/L	3.00E+00	1.77E+01	0.65	1.77E+01	3.07E+00
L-GRNE-RO	1/11/00	RTN	Gross beta	pCi/L	3.00E+00	1.99E+01	0.74	1.99E+01	3.51E+00
L-GRNE-RO	2/14/00	RTN	Gross beta	pCi/L	< 3.00E+00	3.00E+00	0.11	2.68E+00	5.78E-01
L-GRNE-RO	3/8/00	RTN	Gross beta	pCi/L	< 3.00E+00	3.00E+00	0.11	2.46E+00	5.17E-01
L-WPDC-RO	11/15/97	RTN	Gross beta	pCi/L	< 5.90E+00	5.90E+00	0.22	2.55E+00	3.60E+00
L-WPDC-RO	12/18/97	RTN	Gross beta	pCi/L	< 6.30E+00	6.30E+00	0.23	2.70E+00	3.70E+00
L-WPDC-RO	2/12/98	RTN	Gross beta	pCi/L	< 4.50E+00	4.50E+00	0.17	1.03E-01	2.10E+00
L-WPDC-RO	3/31/98	RTN	Gross beta	pCi/L	< 4.50E+00	4.50E+00	0.17	1.26E+00	2.20E+00
L-WPDC-RO	11/30/98	RTN	Gross beta	pCi/L	< 4.30E+00	4.30E+00	0.16	3.32E+00	2.30E+00
L-WPDC-RO	1/20/99	RTN	Gross beta	pCi/L	0.00E+00	5.61E+00	0.21	5.61E+00	2.10E+00
L-WPDC-RO	2/8/99	RTN	Gross beta	pCi/L	3.20E+00	4.31E+00	0.16	4.31E+00	2.00E+00
L-WPDC-RO	4/8/99	RTN	Gross beta	pCi/L	3.00E+00	6.08E+00	0.22	6.08E+00	1.38E+00
L-WPDC-RO	11/8/99	RTN	Gross beta	pCi/L	3.00E+00	6.40E+00	0.24	6.40E+00	1.20E+00
L-WPDC-RO	1/11/00	RTN	Gross beta	pCi/L	3.00E+00	5.36E+00	0.20	5.36E+00	8.52E-01
L-WPDC-RO	2/14/00	RTN	Gross beta	pCi/L	3.00E+00	6.78E+00	0.25	6.78E+00	1.30E+00
L-WPDC-RO	3/8/00	RTN	Gross beta	pCi/L	3.00E+00	5.46E+00	0.20	5.46E+00	1.06E+00
L-WPDC-RO	3/31/98	RTN	Plutonium 238	pCi/L	< 2.93E-03	2.93E-03	0.00	-1.31E-03	1.68E-03
L-WPDC-RO	3/31/98	RTN	Plutonium 238	pCi/g	< 1.91E-02	1.91E-02	0.00	1.47E-03	1.09E-02
L-WPDC-RO	5/4/98	RTN	Plutonium 238	pCi/L	< 3.89E-03	3.89E-03	0.00	3.22E-03	3.23E-03
L-WPDC-RO	5/4/98	RTN	Plutonium 238	pCi/L	< 1.87E-03	1.87E-03	0.00	-1.20E-04	1.17E-03
L-WPDC-RO	5/4/98	RTN	Plutonium 238	pCi/g	< 1.81E-02	1.81E-02	0.00	5.04E-03	1.34E-02
L-WPDC-RO	11/30/98	RTN	Plutonium 238	pCi/L	< 3.00E-02	3.00E-02	0.00	0.00E+00	3.00E-02
L-WPDC-RO	11/30/98	RTN	Plutonium 238	pCi/L	< 5.48E-03	5.48E-03	0.00	3.98E-03	4.42E-03
L-WPDC-RO	11/30/98	RTN	Plutonium 238	pCi/L	< 6.00E-03	6.00E-03	0.00	2.27E-03	3.83E-03
L-WPDC-RO	11/30/98	RTN	Plutonium 238	pCi/L	< 4.89E-03	4.89E-03	0.00	5.69E-04	2.11E-03
L-WPDC-RO	11/30/98	RTN	Plutonium 238	pCi/g	< 1.01E-01	1.01E-01	0.00	1.21E-02	5.12E-02
L-WPDC-RO	1/20/99	RTN	Plutonium 238	pCi/L	< 5.47E-03	5.47E-03	0.00	1.37E-03	3.28E-03
L-WPDC-RO	2/8/99	RTN	Plutonium 238	pCi/L	< 4.77E-03	4.77E-03	0.00	-1.28E-03	2.85E-03
L-WPDC-RO	4/8/99	RTN	Plutonium 238	pCi/L	< 3.05E-03	3.05E-03	0.00	8.83E-05	1.23E-03
L-WPDC-RO	4/8/99	RTN	Plutonium 238	pCi/L	< 7.49E-03	7.49E-03	0.00	2.58E-03	4.79E-03
L-WPDC-RO	11/8/99	RTN	Plutonium 238	pCi/L	< 2.84E-03	2.84E-03	0.00	1.24E-03	1.91E-03
L-WPDC-RO	11/8/99	RTN	Plutonium 238	pCi/g	< 1.33E-02	1.33E-02	0.00	-1.54E-03	6.04E-03
L-WPDC-RO	11/11/00	RTN	Plutonium 238	pCi/L	< 5.95E-03	5.95E-03	0.00	6.37E-04	3.62E-03
L-WPDC-RO	1/11/00	RTN	Plutonium 238	pCi/g	< 4.17E-02	4.17E-02	0.00	1.11E-02	2.58E-02
L-WPDC-RO	1/11/00	RTN	Plutonium 238	pCi/L	< 8.69E-03	8.69E-03	0.00	-1.72E-03	3.28E-03
L-WPDC-RO	2/14/00	RTN	Plutonium 238	pCi/L	< 4.49E-03	4.49E-03	0.00	5.71E-04	2.45E-03
L-WPDC-RO	2/14/00	RTN	Plutonium 238	pCi/g	< 1.31E-01	1.31E-01	0.00	-2.60E-02	4.95E-02
L-WPDC-RO	2/14/00	RTN	Plutonium 238	pCi/L	< 8.39E-03	8.39E-03	0.00	-9.72E-05	3.95E-03
L-WPDC-RO	3/8/00	RTN	Plutonium 238	pCi/g	< 2.23E-01	2.23E-01	0.01	-1.47E-02	1.03E-01
L-WPDC-RO	3/8/00	RTN	Plutonium 238	pCi/L	< 5.49E-03	5.49E-03	0.00	-6.36E-04	2.49E-03
L-WPDC-RO	3/8/00	RTN	Plutonium 238	pCi/L	< 8.49E-03	8.49E-03	0.00	2.26E-03	5.21E-03
L-WPDC-RO	3/31/98	RTN	Plutonium 239+240	pCi/L	< 2.71E-03	2.71E-03	0.00	-1.03E-03	1.53E-03
L-WPDC-RO	3/31/98	RTN	Plutonium 239+240	pCi/g	< 2.42E-02	2.42E-02	0.00	-1.96E-03	1.37E-03
L-WPDC-RO	5/4/98	RTN	Plutonium 239+240	pCi/L	< 3.64E-03	3.64E-03	0.00	1.98E-03	2.74E-03
L-WPDC-RO	5/4/98	RTN	Plutonium 239+240	pCi/L	< 1.17E-03	1.17E-03	0.00	2.40E-04	7.31E-04
L-WPDC-RO	5/4/98	RTN	Plutonium 239+240	pCi/g	< 7.28E-03	7.28E-03	0.00	7.09E-03	6.48E-03
L-WPDC-RO	11/30/98	RTN	Plutonium 239+240	pCi/L	< 6.45E-03	6.45E-03	0.00	-1.58E-03	1.59E-03
L-WPDC-RO	11/30/98	RTN	Plutonium 239+240	pCi/L	< 6.00E-03	6.00E-03	0.00	1.73E-04	2.42E-03
L-WPDC-RO	11/30/98	RTN	Plutonium 239+240	pCi/L	< 4.89E-03	4.89E-03	0.00	-4.04E-04	8.09E-04
L-WPDC-RO	11/30/98	RTN	Plutonium 239+240	pCi/g	< 5.28E-02	5.28E-02	0.00	0.00E+00	0.00E+00
L-WPDC-RO	1/20/99	RTN	Plutonium 239+240	pCi/L	< 4.20E-03	4.20E-03	0.00	-8.21E-04	9.50E-04
L-WPDC-RO	2/8/99	RTN	Plutonium 239+240	pCi/L	< 3.27E-03	3.27E-03	0.00	2.29E-03	2.87E-03
L-WPDC-RO	4/8/99	RTN	Plutonium 239+240	pCi/L	< 4.19E-03	4.19E-03	0.00	-1.54E-03	1.17E-03
L-WPDC-RO	4/8/99	RTN	Plutonium 239+240	pCi/L	< 5.56E-03	5.56E-03	0.00	6.44E-04	2.39E-03
L-WPDC-RO	11/8/99	RTN	Plutonium 239+240	pCi/L	< 1.48E-03	1.48E-03	0.00	1.80E-03	1.80E-03
L-WPDC-RO	11/8/99	RTN	Plutonium 239+240	pCi/g	< 1.06E-02	1.14E-02	0.00	1.14E-02	9.83E-03
L-WPDC-RO	1/11/00	RTN	Plutonium 239+240	pCi/L	< 4.82E-03	4.82E-03	0.00	3.18E-04	2.56E-03
L-WPDC-RO	1/11/00	RTN	Plutonium 239+240	pCi/g	< 1.90E-02	1.80E-02	0.00	5.79E-03	1.16E-02
L-WPDC-RO	1/11/00	RTN	Plutonium 239+240	pCi/L	< 5.78E-03	5.78E-03	0.00	-4.78E-04	9.56E-04
L-WPDC-RO	2/14/00	RTN	Plutonium 239+240	pCi/L	< 2.05E-03	2.05E-03	0.00	0.00E+00	0.00E+00

L-WPDC-RO	2/14/00	RTN	Plutonium 239+240	pCi/g	<	8.71E-02	8.71E-02	0.00		1.01E-02	3.75E-02
L-WPDC-RO	2/14/00	RTN	Plutonium 239+240	pCi/L	<	7.36E-03	7.36E-03	0.00		2.04E-03	4.37E-03
L-WPDC-RO	3/8/00	RTN	Plutonium 239+240	pCi/g	<	9.68E-02	9.68E-02	0.00		0.00E+00	0.00E+00
L-WPDC-RO	3/8/00	RTN	Plutonium 239+240	pCi/L	<	5.25E-03	5.25E-03	0.00		-1.73E-03	1.42E-03
L-WPDC-RO	3/8/00	RTN	Plutonium 239+240	pCi/L	<	7.45E-03	7.45E-03	0.00		5.60E-03	8.03E-03
									influent (ALPE)		
L-ALPE-RO	11/15/97	DJP	Tritium	pCi/L	<	3.30E+01	3.30E+01	1.22		3.30E+01	3.30E+01
L-ALPE-RO	11/15/97	RTN	Tritium	pCi/L	<	3.36E+01	3.36E+01	1.24		3.36E+01	3.36E+01
L-ALPE-RO	12/8/97	RTN	Tritium	pCi/L	<	4.17E+01	4.17E+01	1.54		0.00E+00	1.00E+02
L-ALPE-RO	2/12/98	RTN	Tritium	pCi/L	<	0.00E+00	6.49E+01	2.40		6.49E+01	4.78E+01
L-ALPE-RO	3/31/98	RTN	Tritium	pCi/L	<	0.00E+00	7.97E+01	2.95		7.97E+01	3.83E+01
L-ALPE-RO	11/30/98	RTN	Tritium	pCi/L	<	6.12E+01	9.37E+01	3.47		9.37E+01	5.34E+01
L-ALPE-RO	1/20/99	DJP	Tritium	pCi/L	<	6.14E+01	8.14E+01	2.27		-1.49E+01	4.83E+01
L-ALPE-RO	1/20/99	RTN	Tritium	pCi/L	<	6.62E+01	8.62E+01	2.45		8.47E+00	5.22E+01
L-ALPE-RO	2/8/99	RTN	Tritium	pCi/L	<	5.40E+01	1.89E+02	6.77		1.83E+02	5.20E+01
L-ALPE-RO	4/8/99	RTN	Tritium	pCi/L	<	8.34E+01	8.34E+01	3.09		7.18E+01	6.97E+01
L-ALPE-RO	11/8/99	RTN	Tritium	pCi/L	<	7.32E+01	1.27E+02	4.70		1.27E+02	6.41E+01
L-ALPE-RO	11/11/00	DJP	Tritium	pCi/L	<	8.11E+01	8.11E+01	3.00		-2.78E+01	6.44E+01
L-ALPE-RO	11/11/00	RTN	Tritium	pCi/L	<	8.05E+01	8.05E+01	2.98		6.00E+00	6.52E+01
L-ALPE-RO	2/14/00	RTN	Tritium	pCi/L	<	6.72E+01	6.72E+01	2.49		3.82E+01	5.56E+01
L-ALPE-RO	3/8/00	RTN	Tritium	pCi/L	<	7.17E+01	7.17E+01	2.65		4.08E+01	5.88E+01
L-ALPE-RO	11/15/97	RTN	Tritium	pCi/L	<	3.36E+01	3.36E+01	1.24		3.36E+01	3.36E+01
L-ALPE-RO	12/8/97	RTN	Tritium	pCi/L	<	4.22E+01	4.22E+01	1.56		0.00E+00	1.00E+02
L-ALPE-RO	2/12/98	RTN	Tritium	pCi/L	<	0.00E+00	8.28E+01	2.32		8.28E+01	3.44E+01
L-ALPE-RO	3/31/98	DJP	Tritium	pCi/L	<	0.00E+00	4.74E+01	1.75		4.74E+01	3.70E+01
L-ALPE-RO	3/31/98	RTN	Tritium	pCi/L	<	3.25E+01	3.25E+01	1.20		3.25E+01	3.25E+01
L-ALPE-RO	11/30/98	RTN	Tritium	pCi/L	<	6.13E+01	6.13E+01	2.27		1.49E+01	4.92E+01
L-ALPE-RO	1/20/99	RTN	Tritium	pCi/L	<	6.08E+01	6.08E+01	2.25		-1.75E+01	4.78E+01
L-ALPE-RO	2/8/99	RTN	Tritium	pCi/L	<	5.40E+01	2.20E+02	8.14		2.20E+02	5.33E+01
L-ALPE-RO	4/8/99	RTN	Tritium	pCi/L	<	8.66E+01	8.66E+01	3.20		7.51E+00	6.90E+01
L-ALPE-RO	11/8/99	DJP	Tritium	pCi/L	<	7.29E+01	7.29E+01	2.70		3.71E+00	5.65E+01
L-ALPE-RO	11/8/99	RTN	Tritium	pCi/L	<	7.39E+01	7.39E+01	2.73		5.77E+01	6.15E+01
L-ALPE-RO	11/11/00	RTN	Tritium	pCi/L	<	8.04E+01	8.04E+01	2.97		5.09E+01	6.67E+01
L-ALPE-RO	2/14/00	RTN	Tritium	pCi/L	<	6.86E+01	6.86E+01	2.54		2.93E+00	5.48E+01
L-ALPE-RO	3/8/00	RTN	Tritium	pCi/L	<	6.95E+01	8.85E+01	2.57		-6.90E+00	5.54E+01
L-GRNE-RO	11/15/97	RTN	Tritium	pCi/L	<	3.39E+01	3.39E+01	1.25		3.39E+01	3.39E+01
L-GRNE-RO	11/15/97	SLE	Tritium	pCi/L	<	3.33E+01	3.33E+01	1.23		3.33E+01	3.33E+01
L-GRNE-RO	12/8/97	RTN	Tritium	pCi/L	<	0.00E+00	9.06E+01	3.35		9.06E+01	4.42E+01
L-GRNE-RO	2/12/98	RTN	Tritium	pCi/L	<	0.00E+00	5.09E+01	1.88		5.09E+01	3.86E+01
L-GRNE-RO	3/31/98	RTN	Tritium	pCi/L	<	0.00E+00	6.48E+01	2.40		6.48E+01	3.45E+01
L-GRNE-RO	11/30/98	RTN	Tritium	pCi/L	<	4.33E+01	5.33E+01	1.87		5.33E+01	3.72E+01
L-GRNE-RO	1/20/99	RTN	Tritium	pCi/L	<	6.12E+01	5.03E+02	18.61		5.03E+02	6.84E+01
L-GRNE-RO	2/8/99	DJP	Tritium	pCi/L	<	5.40E+01	2.62E+03	98.94		2.62E+03	1.17E+02
L-GRNE-RO	2/8/99	RTN	Tritium	pCi/L	<	5.73E+01	1.18E+03	43.66		1.18E+03	8.75E+01
L-GRNE-RO	4/8/99	RTN	Tritium	pCi/L	<	8.59E+01	1.74E+02	6.44		1.74E+02	7.52E+01
L-GRNE-RO	11/8/99	RTN	Tritium	pCi/L	<	7.33E+01	8.48E+01	3.51		9.48E+01	6.28E+01
L-GRNE-RO	11/11/00	RTN	Tritium	pCi/L	<	8.03E+01	8.03E+01	2.97		7.25E+01	6.75E+01
L-GRNE-RO	2/14/00	RTN	Tritium	pCi/L	<	6.82E+01	6.82E+01	2.52		1.11E+01	5.50E+01
L-GRNE-RO	3/8/00	RTN	Tritium	pCi/L	<	6.94E+01	8.84E+01	2.57		6.33E+01	5.83E+01
L-WPDC-RO	11/15/97	RTN	Tritium	pCi/L	<	1.00E+02	1.99E+02	6.25		1.69E+02	4.07E+01
L-WPDC-RO	12/8/97	RTN	Tritium	pCi/L	<	0.00E+00	4.27E+02	15.80		4.27E+02	5.55E+01
L-WPDC-RO	1/29/98	RTN	Tritium	pCi/L	<	0.00E+00	3.32E+02	12.28		3.32E+02	3.72E+01
L-WPDC-RO	2/12/98	RTN	Tritium	pCi/L	<	0.00E+00	1.80E+02	6.86		1.80E+02	3.87E+01
L-WPDC-RO	3/31/98	RTN	Tritium	pCi/L	<	0.00E+00	2.08E+02	7.70		2.08E+02	4.24E+01
L-WPDC-RO	11/30/98	RTN	Tritium	pCi/L	<	4.33E+01	4.33E+01	1.80		3.09E+01	3.57E+01
L-WPDC-RO	1/20/99	RTN	Tritium	pCi/L	<	6.13E+01	3.54E+02	13.10		3.54E+02	6.33E+01
L-WPDC-RO	2/8/99	MSC	Tritium	pCi/L	<	2.60E+02	1.91E+03	70.67		1.91E+03	1.50E+02
L-WPDC-RO	2/8/99	RTN	Tritium	pCi/L	<	5.45E+01	1.58E+03	58.48		1.58E+03	9.53E+01
L-WPDC-RO	4/8/99	RTN	Tritium	pCi/L	<	8.58E+01	3.01E+02	11.14		3.01E+02	7.99E+01
L-WPDC-RO	11/8/99	RTN	Tritium	pCi/L	<	7.45E+01	1.02E+03	37.74		1.02E+03	9.54E+01
L-WPDC-RO	11/11/00	RTN	Tritium	pCi/L	<	8.01E+01	7.38E+02	27.23		7.38E+02	8.79E+01
L-WPDC-RO	2/14/00	RTN	Tritium	pCi/L	<	6.84E+01	4.17E+02	15.43		4.17E+02	7.07E+01
L-WPDC-RO	3/8/00	RTN	Tritium	pCi/L	<	6.95E+01	4.83E+02	17.87		4.83E+02	7.37E+01
L-WPDC-RO	4/17/00	RTN	Tritium	pCi/L	<	4.85E+01	4.85E+01	1.78		3.77E+01	4.03E+01