

Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

EVENT	LAB NUMBER	SITE	SAMPLE DESCRIPTION	MATRIX	DATE SAMPLED	TIME SAMPLED	DATE RECEIVED	ANALYTE NAME	RESULT	NUM QUAL	PROGRAM QUAL	LAB QUAL	REPORTING LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST	QC BATCH	MDL	DilFactor	PREP DATE	PREP INIT	PREP METH	BENCH	CASE NO	PROJECT ID	SAMPLER	REPORT DATE	
11		3	Cache Creek	FE	09/21/04	11:30		(PCB030)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		(PCB030)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		(PCB030)	0.0000	=			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		(PCB030)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		(PCB030)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		(PCB030)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		(PCB112)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		(PCB112)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		(PCB112)	0.0000	=			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		(PCB112)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		(PCB112)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		(PCB112)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		(PCB198)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		(PCB198)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		(PCB198)	0.0000	=			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		(PCB198)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		(PCB198)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		(PCB198)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		(TCMX)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		(TCMX)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		(TCMX)	0.0000	=			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		(TCMX)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		(TCMX)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		(TCMX)	0.0000	<			0	% Recovery		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		3	Cache Creek	FE	04/23/04	1020		2,4'-DDD	1.0000	<			0	ng/L					1					608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		2,4'-DDD	1.0000	<			0.00	ng/L					1					608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		2,4'-DDD	1.0000	<			0	ng/L					1					608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		2,4'-DDD	1.0000	<			0.00	ng/L					1					608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		2,4'-DDD	1.0000	<			0.00	ng/L					1					608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		2,4'-DDD	1.0000	<			0	ng/L					1					608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	2,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	2,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	2,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	2,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	2,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	2,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		2,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		2,4'-DDD	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		2	Ridge Cut	FE	08/20/04	0850		2,4'-DDD	73.0000	=			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		2,4'-DDD	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		2,4'-DDD	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		2,4'-DDD	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		2,4'-DDD	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		2,4'-DDD	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		2,4'-DDD	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		2,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		2,4'-DDD	0.0000	=			5	% Recovery	1	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		2,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		2,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		2,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		2,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		2,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		2,4'-DDE	1.0000	<			0	ng/L					1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		2,4'-DDE	1.0000	<			0.00	ng/L					1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		2,4'-DDE	1.0000	<			0	ng/L					1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		2,4'-DDE	1.0000	<			0.00	ng/L					1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		2,4'-DDE	1.0000	<			0.00	ng/L					1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		2,4'-DDE	1.0000	<			0	ng/L					1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		2,4'-DDE	1.0000	<			0.00	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		2,4'-DDE	63.0000	=			1	% Recovery														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		2,4'-DDE	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		2,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		2,4'-DDE	0.0000	=			5	% Recovery	1	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		2,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		2,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		12	Toe Drain	FE	09/21/04	11:30		2,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		2,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		2,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		2,4'-DDT	1.0000	<			0	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		2,4'-DDT	1.0000	<			0.00	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		2,4'-DDT	1.0000	<			0	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		2,4'-DDT	1.0000	<			0.00	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		2,4'-DDT	1.0000	<			0.00	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		2,4'-DDT	1.0000	<			0	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		2,4'-DDT	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		2,4'-DDT	63.0000	=			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		2,4'-DDT	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		2,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		2,4'-DDT	0.0000	=			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		2,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		2,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		2,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		2,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		2,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		4,4'-DDD	1.0000	<			0	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		4,4'-DDD	1.0000	<			0.00	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		4,4'-DDD	1.0000	<			0	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		4,4'-DDD	1.0000	<			0.00	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		4,4'-DDD	1.0000	<			0.00	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		4,4'-DDD	1.0000	<			0	ng/L					1						608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		4,4'-DDD	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		4,4'-DDD	92.0000	=			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		4,4'-DDD	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		4,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		4,4'-DDD	0.0000	=			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		4,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		4,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		4,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		4,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		4,4'-DDD	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		4,4'-DDE	1.0000	<			0	ng/L					1								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		4,4'-DDE	1.0000	<			0.00	ng/L					1								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		4,4'-DDE	1.0000	<			0	ng/L					1								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		4,4'-DDE	1.0000	<			0.00	ng/L					1								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		4,4'-DDE	1.0000	<			0.00	ng/L					1								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		4,4'-DDE	1.0000	<			0	ng/L					1								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	4,4'-DDE	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	4,4'-DDE	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8	2479b	2	Ridge Cut	FE	06/26/04	0838	06/29/04	4,4'-DDE	19.9000	=			5	ng/L	6/29/2004	16-Jul-04	S. Botero	2479-10112	1								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	4,4'-DDE	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	4,4'-DDE	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	4,4'-DDE	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		4,4'-DDE	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		4,4'-DDE	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		4,4'-DDE	70.0000	=			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		4,4'-DDE	6.2000	=			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		4,4'-DDE	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		4,4'-DDE	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		4,4'-DDE	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		11	Tule Canal - FD	FE	08/20/04	1100		4,4'-DDE	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		4,4'-DDE	5.0000	=			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		4,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		4,4'-DDE	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		4,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		4,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		4,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		4,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		4,4'-DDE	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		4,4'-DDT	1.0000	<			0	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		4,4'-DDT	1.0000	<			0.00	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		4,4'-DDT	1.0000	<			0	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		4,4'-DDT	1.0000	<			0.00	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		4,4'-DDT	1.0000	<			0.00	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		4,4'-DDT	1.0000	<			0	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		4,4'-DDT	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		4,4'-DDT	55.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		4,4'-DDT	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		4,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		4,4'-DDT	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		4,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		4,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		4,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		4,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		4,4'-DDT	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Aldicarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Aldicarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Aldicarb	0.4000	<			0.4	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Aldicarb	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Aldicarb	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Aldicarb	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Aldicarb	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Aldicarb	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Aldicarb	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Aldicarb	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Aldicarb	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Aldicarb	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Aldicarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Aldicarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Aldicarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Aldicarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Aldicarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Aldicarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Aldicarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Aldicarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Aldrin	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Aldrin	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Aldrin	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Aldrin	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Aldrin	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Aldrin	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Aldrin	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Aldrin	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Aldrin	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Aldrin	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Aldrin	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Aldrin	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Aldrin	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Aldrin	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Aldrin	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	309-00-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
6		3	Cache Creek	FE	04/23/04	1020		Aldrin	1.0000	<			0	ng/L						1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Aldrin	1.0000	<			0.00	ng/L						1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Aldrin	1.0000	<			0	ng/L						1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Aldrin	1.0000	<			0.00	ng/L						1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Aldrin	1.0000	<			0.00	ng/L						1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Aldrin	1.0000	<			0	ng/L						1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Aldrin	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Aldrin	53.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Aldrin	55.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Aldrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Aldrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Aldrin	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Aldrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Aldrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Aldrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Aldrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Aldrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		3	Cache Creek	FE	01/23/04	1046	01/23/04	Algae	100.0000	=			0.00	Cell Growth (%)	Toxicity	1/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004
3		0	Lab Control	FE	01/23/04		01/23/04	Algae	100.0000	=			0.00	Cell Growth (%)	Toxicity	1/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004
3		2	Ridge Cut	FE	01/23/04	0938	01/23/04	Algae	100.0000	=			0.00	Cell Growth (%)	Toxicity	1/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004
3		11	Tule Canal	FE	01/23/04	1300	01/23/04	Algae	100.0000	=			0.00	Cell Growth (%)	Toxicity	1/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004
3		4	Willow Slough	FE	01/23/04	1000	01/23/04	Algae	100.0000	=			0.00	Cell Growth (%)	Toxicity	1/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004
6		3	Cache Creek	FE	04/23/04	1020	04/23/04	Algae	100.0000	=			0.00	Cell Growth (%)											821	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		0	Lab Control	FE	04/23/04		04/23/04	Algae	100.0000	=			0.00	Cell Growth (%)											821	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/23/04	Algae	100.0000	=			0.00	Cell Growth (%)											821	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/23/04	Algae	100.0000	=			0.00	Cell Growth (%)											821	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/23/04	Algae	100.0000	=			0.00	Cell Growth (%)											821	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935	08/20/04	Algae	100.0000	=			0.00	Cell Growth (%)											821	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		0	Lab Control	FE	08/20/04		08/20/04	Algae	100.0000	=			0.00	Cell Growth (%)											821	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850	08/20/04	Algae	100.0000	=			0.00	Cell Growth (%)											821	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100	08/20/04	Algae	100.0000	=			0.00	Cell Growth (%)											821	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843	08/20/04	Algae	100.0000	=			0.00	Cell Growth (%)											821	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		3	Cache Creek	FE	09/21/04	11:30	09/21/04	Algae	100.0000	=			0.00	Cell Growth (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		0	Lab Control	FE	09/21/04		09/21/04	Algae	100.0000	=			0.00	Cell Growth (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00	09/21/04	Algae	100.0000	=			0.00	Cell Growth (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50	09/21/04	Algae	100.0000	=			0.00	Cell Growth (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/21/04	09:00	09/21/04	Algae	100.0000	=			0.00	Cell Growth (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	alpha-BHC	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	319-84-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	E010528-3	3	Cache Creek	FE	11/22/03	1035	11/22/03	Aluminum	1800.0000	=			200.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-6	6	Putah Creek	FE	11/22/03	1000	11/22/03	Aluminum	110.0000	=			20.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-1	2	Ridge Cut	FE	11/22/03	910	11/22/2003	Aluminum	1200.0000	=			200.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/03	Aluminum	10.0000	<			10.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/03	Aluminum	1700.0000	=			200.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-5	12	Toe Drain	FE	11/22/03	0910	11/22/03	Aluminum	1600.0000	=			200.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-4	11	Tule Canal	FE	11/22/03	1230	11/22/03	Aluminum	1800.0000	=			200.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-7	4	Willow Slough	FE	11/22/03	0900	11/22/03	Aluminum	1600.0000	=			200.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Aluminum	700.0000	=		J	100	ug/L	200.8	02/05/2004	SMD	A040098IMS	0.7	10	01/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Aluminum	230.0000	=		J	50	ug/L	200.8	02/05/2004	SMD	A040098IMS	0.7	5	01/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Aluminum	1500.0000	=			200	ug/L	200.8	02/05/2004	SMD	A040098IMS	0.7	20	01/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Aluminum	2600.0000	=			500	ug/L	200.8	02/06/2004	SMD	A040098IMS	0.7	50	01/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Aluminum	1700.0000	=			200	ug/L	200.8	02/05/2004	SMD	A040098IMS	0.7	20	01/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Aluminum	800.0000	=		J	100	ug/L	200.8	02/05/2004	SMD	A040098IMS	0.7	10	01/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Aluminum	600.0000	=			100	ug/L	200.8	02/05/2004	SMD	A040098IMS	0.7	10	01/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Aluminum	800.0000	=			0.25	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.04									



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Aluminum	3000.0000	=			50	ug/L	200.8	05/05/2004	SMD	A040493IMS	0.7	5	04/29/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Aluminum	1800.0000	=			15	ug/L	200.8	04/23/2004	SE	I040024CLR		5	04/23/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Aluminum	2800.0000	=			500	ug/L	200.8	07/02/2004	SMD	A040720IMS	0.7	50	06/30/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Aluminum	1800.0000	=			200	ug/L	200.8	07/02/2004	SMD	A040720IMS	0.7	20	06/30/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Aluminum	3300.0000	=			500	ug/L	200.8	07/02/2004	SMD	A040720IMS	0.7	50	06/30/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Aluminum	6000.0000	=			1000	ug/L	200.8	07/07/2004	SMD	A040720IMS	0.7	100	06/30/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Aluminum	2800.0000	=			500	ug/L	200.8	07/02/2004	SMD	A040720IMS	0.7	50	06/30/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Aluminum	1800.0000	=			200	ug/L	200.8	07/02/2004	SMD	A040720IMS	0.7	20	06/30/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Aluminum	1200.0000	=			200	ug/L	200.8	09/13/2004	SMD	A040936IMS	0.7	20	08/31/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Aluminum	140.0000	=			20	ug/L	200.8	09/13/2004	SMD	A040936IMS	0.7	2	08/31/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Aluminum	2100.0000	=			500	ug/L	200.8	09/13/2004	SMD	A040936IMS	0.7	50	08/31/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Aluminum	3200.0000	=			500	ug/L	200.8	09/13/2004	SMD	A040936IMS	0.7	50	08/31/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Aluminum	1300.0000	=		UL	200	ug/L	200.8	09/13/2004	SMD	A040936IMS	0.7	20	08/31/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-8	11	Tule Canal - FB	FE	08/20/04	1100	08/20/2004	Aluminum	1400.0000	=			200	ug/L	200.8	09/13/2004	SMD	A040936IMS	0.7	20	08/31/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Aluminum	1400.0000	=			200	ug/L	200.8	09/14/2004	SMD	A040958IMS	0.7	20	09/08/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Aluminum	2400.0000	=			500	ug/L	200.8	09/13/2004	SMD	A040936IMS	0.7	50	08/31/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Aluminum	500.0000	=			50	ug/L	200.8	09/30/2004	SMD	A041036IMS	0.7	5	09/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	0900	09/22/2004	Aluminum	70.0000	=			10	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.7	1	09/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Aluminum	700.0000	=			100	ug/L	200.8	09/30/2004	SMD	A041036IMS	0.7	10	09/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Aluminum	2800.0000	=			500	ug/L	200.8	09/30/2004	SMD	A041036IMS	0.7	50	09/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Aluminum	1800.0000	=			200	ug/L	200.8	09/30/2004	SMD	A041036IMS	0.7	20	09/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Aluminum	4100.0000	=			500	ug/L	200.8	09/30/2004	SMD	A041036IMS	0.7	50	09/27/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
1	E010528-3	3	Cache Creek	FE	11/22/03	1035	11/22/03	Aluminum, dissolved	10.0000	<			10.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-6	6	Putah Creek	FE	11/22/03	1000	11/22/03	Aluminum, dissolved	10.0000	<			10.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-1	2	Ridge Cut	FE	11/22/03	910	11/22/2003	Aluminum, dissolved	10.0000	<			10.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/03	Aluminum, dissolved	10.0000	<			10.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/03	Aluminum, dissolved	10.0000	<			10.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-5	12	Toe Drain	FE	11/22/03	0910	11/22/03	Aluminum, dissolved	10.0000	<			10.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-4	11	Tule Canal	FE	11/22/03	1230	11/22/03	Aluminum, dissolved	10.0000	<			10.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-7	4	Willow Slough	FE	11/22/03	0900	11/22/03	Aluminum, dissolved	10.0000	<			10.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.6	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.6	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Aluminum, dissolved	20.0000	=			10	ug/L	200.8	02/02/2004	SMD	A040097IMS	0.6	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Aluminum, dissolved	20.0000	=			10	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.6	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Aluminum, dissolved	10.0000	=			10	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.6	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.6	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	02/02/2004	SMD	A040097IMS	0.6	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Aluminum, dissolved	10.0000	=			10	ug/L	200.8	05/06/2004	SMD	A040493IMS	0.2	20	04/29/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Aluminum, dissolved	10.0000	=			10	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.2	1	04/29/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Aluminum, dissolved	10.0000	=			10	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.3	1	04/29/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Aluminum, dissolved	20.0000	=			10	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.04	1	04/29/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Aluminum, dissolved	20.0000	=			10	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.2	1	04/29/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Aluminum, dissolved	10.0000	=			10	ug/L	200.8	05/05/2004	SMD	A040493IMS	0.7	20	04/29/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Aluminum, dissolved	20.0000	=			10	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.6	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.6	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.6	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Aluminum, dissolved	20.0000	=			10	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.6	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.6	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.6	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.6	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.6	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.6	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Aluminum, dissolved	20.0000	=			10	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.6	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.6	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-8	11	Tule Canal - FB	FE	08/20/04	1100	08/20/2004	Aluminum, dissolved	10.0000	=			10	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.6	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.6	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.6	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.6	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	0900	09/22/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.6	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.6	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.6	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.6	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Aluminum, dissolved	10.0000	<			10	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.6	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Aminocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Aminocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Aminocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Aminocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10	AP74284	12	Toe Drain	FE	08/20/04	0920		Aminocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Aminocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Aminocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Aminocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Aminocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Antimony	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Antimony	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Antimony	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Antimony	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Antimony	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Antimony	0.4000	=		J	0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Antimony	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Antimony	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Antimony, dissolved	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Antimony, dissolved	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Antimony, dissolved	0.2000	=		J	0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Antimony, dissolved	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Antimony, dissolved	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Antimony, dissolved	0.4900	=		J	0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Antimony, dissolved	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Antimony, dissolved	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-36-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		12/18/2003		
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Aroclor 1016	5.0000	<			0.00	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Aroclor 1016	5.0000	<			0.00	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Aroclor 1016	5.0000	<			0.00	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Aroclor 1016	5.0000	<			0.00	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Aroclor 1016	5.0000	<			0.00	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Aroclor 1016	5.0000	<			0.00	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		3	Cache Creek	FE	08/20/04	0935		Aroclor 1016	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		6	Putah Creek	FE	08/20/04	0915		Aroclor 1016	10.0000	<			0.00	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Aroclor 1016	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		12	Toe Drain	FE	08/20/04	0920		Aroclor 1016	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal	FE	08/20/04	1100		Aroclor 1016	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FB	FE	08/20/04	1100		Aroclor 1016	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FD	FE	08/20/04	1100		Aroclor 1016	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		4	Willow Slough	FE	08/20/04	0843		Aroclor 1016	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		Aroclor 1016	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Aroclor 1016	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		Aroclor 1016	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		Aroclor 1016	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		11	Tule Canal	FE	09/21/04	09:50		Aroclor 1016	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Aroclor 1016	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Aroclor 1221	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Aroclor 1221	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Aroclor 1221	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Aroclor 1221	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Aroclor 1221	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Aroclor 1221	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Aroclor 1221	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Aroclor 1221	10.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Aroclor 1221	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Aroclor 1221	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Aroclor 1221	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Aroclor 1221	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Aroclor 1221	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Aroclor 1221	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Aroclor 1221	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Aroclor 1221	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Aroclor 1221	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Aroclor 1221	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Aroclor 1221	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Aroclor 1221	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Aroclor 1232	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Aroclor 1232	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Aroclor 1232	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Aroclor 1232	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Aroclor 1232	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Aroclor 1232	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Aroclor 1232	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Aroclor 1232	10.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Aroclor 1232	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Aroclor 1232	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Aroclor 1232	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Aroclor 1232	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Aroclor 1232	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Aroclor 1232	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Aroclor 1232	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Aroclor 1232	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Aroclor 1232	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		12	Toe Drain	FE	09/21/04	11:30		Aroclor 1232	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Aroclor 1232	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Aroclor 1232	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Aroclor 1242	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Aroclor 1242	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Aroclor 1242	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Aroclor 1242	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Aroclor 1242	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Aroclor 1242	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Aroclor 1242	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Aroclor 1242	10.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Aroclor 1242	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Aroclor 1242	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Aroclor 1242	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Aroclor 1242	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Aroclor 1242	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Aroclor 1242	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Aroclor 1242	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Aroclor 1242	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Aroclor 1242	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Aroclor 1242	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Aroclor 1242	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Aroclor 1242	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Aroclor 1248	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Aroclor 1248	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Aroclor 1248	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Aroclor 1248	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Aroclor 1248	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Aroclor 1248	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Aroclor 1248	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Aroclor 1248	10.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Aroclor 1248	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Aroclor 1248	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Aroclor 1248	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Aroclor 1248	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Aroclor 1248	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Aroclor 1248	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Aroclor 1248	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Aroclor 1248	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		2	Ridge Cut	FE	09/21/04	09:00		Aroclor 1248	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Aroclor 1248	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Aroclor 1248	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Aroclor 1248	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Aroclor 1254	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Aroclor 1254	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Aroclor 1254	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Aroclor 1254	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Aroclor 1254	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Aroclor 1254	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Aroclor 1254	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Aroclor 1254	10.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Aroclor 1254	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Aroclor 1254	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Aroclor 1254	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Aroclor 1254	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Aroclor 1254	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Aroclor 1254	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Aroclor 1254	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Aroclor 1254	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Aroclor 1254	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Aroclor 1254	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Aroclor 1254	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Aroclor 1254	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Aroclor 1260	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Aroclor 1260	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Aroclor 1260	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Aroclor 1260	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Aroclor 1260	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Aroclor 1260	5.0000	<			0.00	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Aroclor 1260	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Aroclor 1260	10.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Aroclor 1260	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Aroclor 1260	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Aroclor 1260	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Aroclor 1260	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Aroclor 1260	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Aroclor 1260	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Aroclor 1260	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



11		6	Putah Creek	FE	09/22/04	09:50		Aroclor 1260	20.0000	<			20	ng/L	10	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Aroclor 1260	20.0000	<			20	ng/L	10	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Aroclor 1260	20.0000	<			20	ng/L	10	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Aroclor 1260	20.0000	<			20	ng/L	10	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Aroclor 1260	20.0000	<			20	ng/L	10	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Arsenic	17.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-38-2							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Arsenic	14.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-38-2							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Arsenic	31.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-38-2							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Arsenic	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-38-2							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Arsenic	28.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-38-2							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Arsenic	17.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-38-2							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Arsenic	49.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-38-2							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Arsenic	52.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-38-2							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Arsenic, dissolved	9.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.14	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-38-2							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Arsenic, dissolved	16.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.14	1	11/28/2003	UKC	200.8 (F											



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Barban	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Barban	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Barban	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Barban	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Barban	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Barban	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Barban	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Barban	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Barban	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Barban	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Barban	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Barban	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	101-27-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Barban	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Barban	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Barban	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Barban	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Barban	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Barban	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Barban	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Barban	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Barban	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	BenomyI/Carbendazim	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	BenomyI/Carbendazim	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	BenomyI/Carbendazim	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	BenomyI/Carbendazim	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	BenomyI/Carbendazim	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	BenomyI/Carbendazim	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	BenomyI/Carbendazim	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



# Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

[illegible]



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	beta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.004	1	01/29/2004	JDC	EPA 608	ECD	319-85-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	beta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.004	1	01/29/2004	JDC	EPA 608	ECD	319-85-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	beta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.004	1	01/29/2004	JDC	EPA 608	ECD	319-85-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	beta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.004	1	01/29/2004	JDC	EPA 608	ECD	319-85-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	beta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.004	1	01/29/2004	JDC	EPA 608	ECD	319-85-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020		BHC-alpha	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		BHC-alpha	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		BHC-alpha	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		BHC-alpha	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		BHC-alpha	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		BHC-alpha	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		BHC-alpha	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		BHC-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		BHC-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		BHC-alpha	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		BHC-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		BHC-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		BHC-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		BHC-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		BHC-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		BHC-beta	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		BHC-beta	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		BHC-beta	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		BHC-beta	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		BHC-beta	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		BHC-beta	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		6	Putah Creek	FE	06/26/04	1040	06/29/04	BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		BHC-beta	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		BHC-beta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		BHC-beta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		BHC-beta	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		BHC-beta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		BHC-beta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		BHC-beta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		BHC-beta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		BHC-beta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		BHC-delta	1.0000	<			0	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		BHC-delta	1.0000	<			0.00	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		BHC-delta	1.0000	<			0	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		BHC-delta	1.0000	<			0.00	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		BHC-delta	1.0000	<			0.00	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		BHC-delta	1.0000	<			0	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		BHC-delta	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		4	Willow Slough	FE	08/20/04	0843		BHC-delta	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		BHC-delta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		BHC-delta	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		BHC-delta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		BHC-delta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		BHC-delta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		BHC-delta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		BHC-delta	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		BHC-gamma	1.0000	<			0	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		BHC-gamma	1.0000	<			0.00	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		BHC-gamma	1.0000	<			0	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		BHC-gamma	1.0000	<			0.00	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		BHC-gamma	1.0000	<			0.00	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		BHC-gamma	1.0000	<			0	ng/L					1					608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		BHC-gamma	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		BHC-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		BHC-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		BHC-gamma	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		BHC-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		BHC-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		BHC-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		BHC-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		BHC-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Bolstar (Sulprofos)	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Bolstar (Sulprofos)	20.0000	<			20	% Recovery	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Bolstar (Sulprofos)	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Bolstar (Sulprofos)	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		12	Toe Drain	FE	09/21/04	11:30		Bolstar (Sulprofos)	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		11	Tule Canal	FE	09/21/04	09:50		Bolstar (Sulprofos)	20.0000	<			20	ng/L	10	9/24/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		Bolstar (Sulprofos)	20.0000	<			20	ng/L	10	9/24/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		3	Cache Creek	FE	04/23/04	1020		Bolstar Sulprofos	10.0000	<			0	ng/L					10										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		6	Putah Creek	FE	04/23/04	1020		Bolstar Sulprofos	10.0000	<			0	ng/L					10										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		2	Ridge Cut	FE	04/23/04	0917		Bolstar Sulprofos	10.0000	<			0	ng/L					10										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		12	Toe Drain	FE	04/23/04	0930		Bolstar Sulprofos	10.0000	<			0	ng/L					10										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		11	Tule Canal	FE	04/23/04	1140		Bolstar Sulprofos	10.0000	<			0	ng/L					10										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		4	Willow Slough	FE	04/23/04	0930		Bolstar Sulprofos	10.0000	<			0	ng/L					10										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Bolstar Sulprofos	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Bolstar Sulprofos	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Bolstar Sulprofos	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Bolstar Sulprofos	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Bolstar Sulprofos	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Bolstar Sulprofos	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Bolstar Sulprofos	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Bolstar Sulprofos	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Bolstar Sulprofos	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Bolstar Sulprofos	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Bolstar Sulprofos	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Bolstar Sulprofos	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Bolstar Sulprofos	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Bolstar Sulprofos	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	E010528-3	3	Cache Creek	FE	11/22/03	1035	11/22/03	Boron	1700.0000	=			200.00	ug/L	200.8	1/15/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-6	6	Putah Creek	FE	11/22/03	1000	11/22/03	Boron	350.0000	=			50.00	ug/L	200.8	1/15/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-1	2	Ridge Cut	FE	11/22/03	910	11/22/03	Boron	250.0000	=			50.00	ug/L	200.8	1/15/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/03	Boron	10.0000	<			10.00	ug/L	200.8	1/15/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/03	Boron	280.0000	=			50.00	ug/L	200.8	1/15/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-5	12	Toe Drain	FE	11/22/03	0910	11/22/03	Boron	1700.0000	=			200.00	ug/L	200.8	1/15/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-4	11	Tule Canal	FE	11/22/03	1230	11/22/03	Boron	1100.0000	=			200.00	ug/L	200.8	1/15/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-7	4	Willow Slough	FE	11/22/03	0900	11/22/03	Boron	1300.0000	=			200.00	ug/L	200.8	1/15/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Boron	1400.0000	=			100	ug/L	6010B	02/04/2004		LM	A040123ICP	0.011	1	02/03/2004	UKC	200.2	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004			
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Boron	400.0000	=			100	ug/L	6010B	02/04/2004		LM	A040123ICP	0.011	1	02/03/2004	UKC	200.2	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004			
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Boron	200.0000	=			100	ug/L	6010B	02/04/2004		LM	A040123ICP	0.011	1	02/03/2004	UKC	200.2	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004			
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Boron	700.0000	=			100	ug/L	6010B	02/04/2004		LM	A040123ICP	0.011	1	02/03/2004	UKC	200.2	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004			
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Boron	800.0000	=			100	ug/L	6010B	02/04/2004		LM	A040123ICP	0.011	1	02/03/2004	UKC	200.2	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004			
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Boron	1700.0000	=			100	ug/L	6010B	02/04/2004		LM	A040123ICP	0.011	1	02/03/2004	UKC	200.2	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004			
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Boron	1700.0000	=			100	ug/L	6010B	02/04/2004		LM	A040123ICP	0.011	1	02/03/2004	UKC	200.2	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004			
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Boron	1700.0000	=			0.1	ug/L	300.0	04/24/2004		MYS	I040060IC	0.03	1	04/24/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004			



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Boron	390.0000	=			10	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.6	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Boron	910.0000	=			0.5	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.2	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Boron	550.0000	=			0.5	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.2	1	04/29/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Boron	550.0000	=			0.5	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.3	1	04/29/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Boron	1400.0000	=			1	ug/L	200.8	04/29/2004	SMD	A040483IMS	0.5	1	04/27/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Boron	550.0000	=			10	ug/L	200.8	07/09/2004	SMD	A040720IMS	0.2	10	06/30/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Boron	1400.0000	=			20	ug/L	200.8	07/09/2004	SMD	A040720IMS	0.2	20	06/30/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Boron	2700.0000	=			50	ug/L	200.8	07/09/2004	SMD	A040720IMS	0.2	50	06/30/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Boron	140.0000	=			5	ug/L	200.8	07/09/2004	SMD	A040720IMS	0.2	5	06/30/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Boron	1700.0000	=			20	ug/L	200.8	07/09/2004	SMD	A040720IMS	0.2	20	06/30/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Boron	1400.0000	=			20	ug/L	200.8	07/09/2004	SMD	A040720IMS	0.2	20	06/30/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Boron	1200.0000	=			20	ug/L	200.8	09/08/2004	SMD	A040936IMS	0.2	20	08/31/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Boron	840.0000	=			20	ug/L	200.8	09/08/2004	SMD	A040936IMS	0.2	20	08/31/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Boron	2400.0000	=			50	ug/L	200.8	09/08/2004	SMD	A040936IMS	0.2	50	08/31/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Boron	170.0000	=			5	ug/L	200.8	09/17/2004	SMD	A040936IMS	0.2	5	08/31/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Boron	1100.0000	=			20	ug/L	200.8	09/08/2004	SMD	A040936IMS	0.2	20	08/31/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-8	11	Tule Canal - FB	FE	08/20/04	1100	08/20/2004	Boron	1200.0000	=			20	ug/L	200.8	09/08/2004	SMD	A040936IMS	0.2	20	08/31/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Boron	1300.0000	=			20	ug/L	200.8	09/17/2004	SMD	A040958IMS	0.2	20	09/08/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Boron	1400.0000	=			20	ug/L	200.8	09/08/2004	SMD	A040936IMS	0.2	20	08/31/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Boron	2300.0000	=			50	ug/L	200.8	10/06/2004	SMD	A041036IMS	0.2	50	09/27/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	0900	09/22/2004	Boron	510.0000	=			10	ug/L	200.8	10/06/2004	SMD	A041036IMS	0.2	10	09/27/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Boron	1000.0000	=			20	ug/L	200.8	10/06/2004	SMD	A041036IMS	0.2	20	09/27/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Boron	1700.0000	=			20	ug/L	200.8	10/06/2004	SMD	A041036IMS	0.2	20	09/27/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Boron	1000.0000	=			20	ug/L	200.8	10/06/2004	SMD	A041036IMS	0.2	20	09/27/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Boron	1500.0000	=			20	ug/L	200.8	10/06/2004	SMD	A041036IMS	0.2	20	09/27/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
1	E010528-3	3	Cache Creek	FE	11/22/03	1035	11/22/03	Boron, dissolved	1600.0000	=			200.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-6	6	Putah Creek	FE	11/22/03	1000	11/22/03	Boron, dissolved	340.0000	=			50.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-1	2	Ridge Cut	FE	11/22/03	910	11/22/03	Boron, dissolved	260.0000	=			50.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/03	Boron, dissolved	10.0000	<			10.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/03	Boron, dissolved	260.0000	=			50.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-5	12	Toe Drain	FE	11/22/03	0910	11/22/03	Boron, dissolved	800.0000	=			100.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-4	11	Tule Canal	FE	11/22/03	1230	11/22/03	Boron, dissolved	1000.0000	=			100.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
1	E010528-7	4	Willow Slough	FE	11/22/03	0900	11/22/03	Boron, dissolved	1300.0000	=			200.00	ug/L	200.8	1/15/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/29/2004
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Boron, dissolved	1300.0000	=			100	ug/L	6010B	01/29/2004	LM	A040095ICP	0.011	1	01/27/2004	UKC	200.2 (Filtrate)	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Boron, dissolved	400.0000	=			100	ug/L	6010B	01/29/2004	LM	A040095ICP	0.011	1	01/27/2004	UKC	200.2 (Filtrate)	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Boron, dissolved	200.0000	=			100	ug/L	6010B	01/29/2004	LM	A040095ICP	0.011	1	01/27/2004	UKC	200.2 (Filtrate)	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Boron, dissolved	700.0000	=			100	ug/L	6010B	01/29/2004	LM	A040095ICP	0.011	1	01/27/2004	UKC	200.2 (Filtrate)	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Boron, dissolved	700.0000	=			100	ug/L	6010B	01/29/2004	LM	A040095ICP	0.011	1	01/27/2004	UKC	200.2 (Filtrate)	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Boron, dissolved	1500.0000	=			100	ug/L	6010B	01/29/2004	LM	A040095ICP	0.011	1	01/27/2004	UKC	200.2 (Filtrate)	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Boron, dissolved	1500.0000	=			100	ug/L	6010B	01/29/2004	LM	A040095ICP	0.011	1	01/27/2004	UKC	200.2 (Filtrate)	ICP	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Boron, dissolved	1700.0000	=			5	ug/L	130.2	04/28/2004	CD	I040011HAR	1.3	1	04/28/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Boron, dissolved	360.0000	=			0.5	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.2	1	04/29/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Boron, dissolved	880.0000	=			10	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.6	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Boron, dissolved	510.0000	=			1	ug/L	415.1	05/19/2004	MYS	I040025TOC	0.5	1	05/19/2004				DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Boron, dissolved	530.0000	=			10	ug/L	200.8	05/06/2004	SMD	A040493IMS	0.2	10	04/29/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Boron, dissolved	1300.0000	=			0.25	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.04	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Boron, dissolved	490.0000	=			5	ug/L	200.8	07/09/2004	SMD	A040728IMS	0.2	5	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Boron, dissolved	430.0000	=			5	ug/L	200.8	07/09/2004	SMD	A040728IMS	0.2	5	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Boron, dissolved	2700.0000	=			50	ug/L	200.8	07/09/2004	SMD	A040728IMS	0.2	50	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Boron, dissolved	130.0000	=			2	ug/L	200.8	07/09/2004	SMD	A040728IMS	0.2	2	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Boron, dissolved	1500.0000	=			20	ug/L	200.8	07/09/2004	SMD	A040728IMS	0.2	20	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Boron, dissolved	1300.0000	=			20	ug/L	200.8	07/09/2004	SMD	A040728IMS	0.2	20	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Boron, dissolved	1200.0000	=			20	ug/L	200.8	09/08/2004	SMD	A040927IMS	0.2	20	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Boron, dissolved	390.0000	=			5	ug/L	200.8	09/08/2004	SMD	A040927IMS	0.2	5	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Boron, dissolved	2200.0000	=			50	ug/L	200.8	09/08/2004	SMD	A040927IMS	0.2	50	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Boron, dissolved	140.0000	=			5	ug/L	200.8	09/08/2004	SMD	A040927IMS	0.2	5	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Boron, dissolved	1100.0000	=			20	ug/L	200.8	09/08/2004	SMD	A040927IMS	0.2	20	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-8	11	Tule Canal - FB	FE	08/20/04	1100	08/20/2004	Boron, dissolved	3.0000	=			1	ug/L	200.8	09/08/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Boron, dissolved	950.0000	=			10	ug/L	200.8	09/08/2004	SMD	A040927IMS	0.2	10	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Boron, dissolved	1400.0000	=			20	ug/L	200.8	09/08/2004	SMD	A040927IMS	0.2	20	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Boron, dissolved	2400.0000	=			50	ug/L	200.8	10/06/2004	SMD	A041059IMS	0.2	50	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090738-1	6	Putah Creek	FE	09/22/04	0900	09/22/2004	Boron, dissolved	500.0000	=			5	ug/L	200.8	10/06/2004	SMD	A041059IMS	0.2	5	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Boron, dissolved	1400.0000	=			20	ug/L	200.8	10/06/2004	SMD	A041059IMS	0.2	20	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Boron, dissolved	1700.0000	=			20	ug/L	200.8	10/06/2004	SMD	A041059IMS	0.2	20	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Boron, dissolved	1000.0000	=			20	ug/L	200.8	10/06/2004	SMD	A041059IMS	0.2	20	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Boron, dissolved	1400.0000	=			20	ug/L	200.8	10/06/2004	SMD	A041059IMS	0.2	20	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Bromacil	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Bromacil	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Bromacil	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Bromacil	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Bromacil	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Bromacil	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Bromacil	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Bromacil	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Bromacil	0.4000	<			0.4	ug/L															



**Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006**

10	AP74278	3	Cache Creek	FE	08/20/04	0935		Bromacil	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Bromacil	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Bromacil	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Bromacil	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Bromacil	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Bromacil	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Bromacil	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Bromacil	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Cadmium	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Cadmium	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Cadmium	0.0500	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Cadmium	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Cadmium	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Cadmium	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Cadmium	0.0700	=		J	0.1	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Cadmium	0.0300	=		J	0.1	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Cadmium, dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Cadmium, dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Cadmium, dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Cadmium, dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Cadmium, dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Cadmium, dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Cadmium, dissolved	0.0500	=		J	0.1	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Cadmium, dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-43-9									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Carbaryl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Carbaryl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Carbaryl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Carbaryl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Carbaryl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Carbaryl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Carbaryl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Carbaryl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Carbaryl	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Carbaryl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Carbaryl	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Carbaryl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Carbaryl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Carbaryl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Carbaryl	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	63-25-2									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Carbaryl	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Carbaryl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Carbaryl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Carbaryl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Carbaryl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Carbaryl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Carbaryl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Carbaryl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Carbaryl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Carbofuran	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Carbofuran	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Carbofuran	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Carbofuran	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Carbofuran	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Carbofuran	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Carbofuran	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Carbofuran	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Carbofuran	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Carbofuran	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Carbofuran	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Carbofuran	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Carbofuran	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Carbofuran	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Carbofuran	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	1563-66-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Carbofuran	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Carbofuran	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Carbofuran	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Carbofuran	0.0700	<			0.07	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Carbofuran	0.0700	<			0.07	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Carbofuran	0.0700	<			0.07	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Carbofuran	0.0700	<			0.07	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Carbofuran	0.0700	<			0.07	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Carbofuran	0.0700	<			0.07	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Carbofuran	0.0700	<			0.07	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Carbofuran	0.0700	<			0.07	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Carbofuran	0.0700	<			0.07	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Carbofuran	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Carbofuran	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Carbofuran	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Carbofuran	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Carbofuran	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Carbofuran	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Carbofuran	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Carbofuran	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
3		3	Cache Creek	FE	01/23/04	1046	01/23/2004	Ceriodaphnia	36.6000	=			0.00	Reproduction (n/f)	Toxicity	1/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3		3	Cache Creek	FE	01/23/04	1046	01/23/2004	Ceriodaphnia	100.0000	=			0.00	Survival (%)	Toxicity	1/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3		0	Lab Control	FE	01/23/04		01/23/04	Ceriodaphnia	27.3000	=			0.00	Reproduction (n/f)	Toxicity	1/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3		0	Lab Control	FE	01/23/04		01/23/04	Ceriodaphnia	90.0000	=			0.00	Survival (%)	Toxicity	1/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3		2	Ridge Cut	FE	01/23/04	0938	01/23/04	Ceriodaphnia	34.3000	=			0.00	Reproduction (n/f)	Toxicity	1/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3		2	Ridge Cut	FE	01/23/04	0938	01/23/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)	Toxicity	1/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3		11	Tule Canal	FE	01/23/04	1300	01/23/04	Ceriodaphnia	34.3000	=			0.00	Reproduction (n/f)	Toxicity	1/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3		11	Tule Canal	FE	01/23/04	1300	01/23/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)	Toxicity	1/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3		4	Willow Slough	FE	01/23/04	1000	01/23/04	Ceriodaphnia	35.7000	=			0.00	Reproduction (n/f)	Toxicity	1/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3		4	Willow Slough	FE	01/23/04	1000	01/23/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)	Toxicity	1/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
6		3	Cache Creek	FE	04/23/04	1020		Ceriodaphnia	100.0000	=			0.00	Reproduction (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Ceriodaphnia	80.0000	=			0.00	Survival (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		0	Lab Control	FE	04/23/04			Ceriodaphnia	100.0000	=			0.00	Reproduction (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		0	Lab Control	FE	04/23/04			Ceriodaphnia	100.0000	=			0.00	Survival (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Ceriodaphnia	100.0000	=			0.00	Reproduction (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Ceriodaphnia	100.0000	=			0.00	Survival (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Ceriodaphnia	100.0000	=			0.00	Reproduction (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Ceriodaphnia	80.0000	=			0.00	Survival (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Ceriodaphnia	100.0000	=			0.00	Reproduction (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Ceriodaphnia	100.0000	=			0.00	Survival (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935	08/20/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		0	Lab Control	FE	08/20/04		08/20/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850	08/20/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)											821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		11	Tule Canal	FE	08/20/04	1100	08/20/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)									821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843	08/20/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)									821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30	09/21/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)									821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		0	Lab Control	FE	09/21/04		09/21/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)									821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00	09/21/04	Ceriodaphnia	90.0000	=			0.00	Survival (%)									821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50	09/21/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)									821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/21/04	09:00	09/21/04	Ceriodaphnia	100.0000	=			0.00	Survival (%)									821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Chlordane	0.0200	<			0.02	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.005	1	11/26/2003	EP/JC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Chlordane	0.0200	<			0.02	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.005	1	11/26/2003	EP/JC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Chlordane	0.0200	<			0.02	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.005	1	11/26/2003	EP/JC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Chlordane	0.0200	<			0.02	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.005	1	11/26/2003	EP/JC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Chlordane	0.0200	<			0.02	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.005	1	11/26/2003	EP/JC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Chlordane	0.0200	<			0.02	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.005	1	11/26/2003	EP/JC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Chlordane	0.0200	<			0.02	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.005	1	11/26/2003	EP/JC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Chlordane	0.0200	<			0.02	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.005	1	11/26/2003	EP/JC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Chlordane	0.0200	<			0.02	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.005	1	01/29/2004	JDC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Chlordane	0.0200	<			0.02	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.005	1	01/29/2004	JDC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Chlordane	0.0200	<			0.02	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.005	1	01/29/2004	JDC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Chlordane	0.0200	<			0.02	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.005	1	01/29/2004	JDC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Chlordane	0.0200	<			0.02	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.005	1	01/29/2004	JDC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Chlordane	0.0200	<			0.02	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.005	1	01/29/2004	JDC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Chlordane	0.0200	<			0.02	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.005	1	01/29/2004	JDC	EPA 608	ECD	57-74-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020		Chlordane-alpha	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Chlordane-alpha	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Chlordane-alpha	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Chlordane-alpha	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Chlordane-alpha	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Chlordane-alpha	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Chlordane-alpha	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Chlordane-alpha	70.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		11	Tule Canal	FE	08/20/04	1100		Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Chlordane-alpha	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Chlordane-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Chlordane-alpha	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Chlordane-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Chlordane-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Chlordane-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Chlordane-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Chlordane-alpha	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Chlordane-gamma	1.0000	<			0	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Chlordane-gamma	1.0000	<			0.00	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Chlordane-gamma	1.0000	<			0	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Chlordane-gamma	1.0000	<			0.00	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Chlordane-gamma	1.0000	<			0.00	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Chlordane-gamma	1.0000	<			0	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Chlordane-gamma	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Chlordane-gamma	65.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Chlordane-gamma	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Chlordane-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Chlordane-gamma	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Chlordane-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Chlordane-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Chlordane-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Chlordane-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Chlordane-gamma	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Chloroxuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Chloroxuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Chloroxuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Chloroxuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Chloroxuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Chloroxuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Chloroxuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Chloroxuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Chloroxuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Chlorpropham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Chlorpropham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Chlorpropham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Chlorpropham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Chlorpropham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Chlorpropham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Chlorpropham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Chlorpropham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.6	1	11/28/2003	EJP	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Chlorpropham	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Chlorpropham	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Chlorpropham	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Chlorpropham	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Chlorpropham	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Chlorpropham	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Chlorpropham	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.6	1	01/30/2004	JDC	EPA 632	HPLC	101-21-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Chlorpropham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Chlorpropham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Chlorpropham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Chlorpropham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Chlorpropham	3.5000	<			3.5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Chlorpropham	3.5000	<			3.5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Chlorpropham	3.5000	<			3.5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Chlorpropham	3.5000	<			3.5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Chlorpropham	3.5000	<			3.5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Chlorpropham	3.5000	<			3.5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Chlorpropham	3.5000	<			3.5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Chlorpropham	3.5000	<			3.5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Chlorpropham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Chlorpropham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Chlorpropham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Chlorpropham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Chlorpropham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Chlorpropham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Chlorpropham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Chlorpropham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Chlorpyrifos	5.0000	<			0	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Chlorpyrifos	5.0000	<			0	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Chlorpyrifos	42.9000	=			0	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Chlorpyrifos	5.0000	<			0	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Chlorpyrifos	5.0000	<			0	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Chlorpyrifos	5.0000	<			0	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Chlorpyrifos	5.0000	<			5	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8	2479b	6	Putah Creek	FE	06/26/04	1040	06/29/04	Chlorpyrifos	17.6000	=			10	ng/L	29-Jun-04	16-Jul-04	GC/MS #3 Agilent 6890/5973	2479-10112	5								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Chlorpyrifos	17.6000	=			5	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8	2479b	2	Ridge Cut	FE	06/26/04	0838	06/29/04	Chlorpyrifos	10.7000	=			10	ng/L	29-Jun-04	16-Jul-04	GC/MS #3 Agilent 6890/5973	2479-10112	5								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Chlorpyrifos	5.0000	<			5	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Chlorpyrifos	5.0000	<			5	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Chlorpyrifos	5.0000	<			5	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Chlorpyrifos	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Chlorpyrifos	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Chlorpyrifos	67.0000	=			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Chlorpyrifos	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Chlorpyrifos	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Chlorpyrifos	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Chlorpyrifos	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Chlorpyrifos	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Chlorpyrifos	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Chlorpyrifos	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		6	Putah Creek	FE	09/22/04	09:50		Chlorpyrifos	10.0000	<			10	% Recovery	5	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Chlorpyrifos	10.0000	<			10	ng/L	5	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Chlorpyrifos	10.0000	<			10	ng/L	5	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Chlorpyrifos	10.0000	<			10	ng/L	5	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Chlorpyrifos	10.0000	<			10	ng/L	5	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Chlorpyrifos	10.0000	<			10	ng/L	5	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
3		3	Cache Creek	FE	01/23/04	1046	01/23/2004	Chlorpyrifos Dursban	30.0000	<			0.00	ng/L	ELISA	1/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3		2	Ridge Cut	FE	01/23/04	0938	01/23/04	Chlorpyrifos Dursban	30.0000	<			0.00	ng/L	ELISA	1/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3		11	Tule Canal	FE	01/23/04	1300	01/23/04	Chlorpyrifos Dursban	30.0000	<			0.00	ng/L	ELISA	1/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3		4	Willow Slough	FE	01/23/04	1000	01/23/04	Chlorpyrifos Dursban	30.0000	<			0.00	ng/L	ELISA	1/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Chlorpyrifos Dursban	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	2921-88-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Chromium	8.5000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Chromium	3.9000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Chromium	4.1000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Chromium	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Chromium	5.6000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Chromium	7.8000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Chromium	6.5000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Chromium	7.2000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Chromium	3.8000	=			0.5	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.2	1	01/27/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-1	6	Putah Creek	FE	01/23/04	1110																								



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Chromium	2.3000	=			0.5	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.2	1	01/27/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Chromium	6.2000	=			0.5	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.2	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Chromium	6.0000	=			0.5	ug/L	200.8	05/06/2004	SMD	A040474IMS	0.2	10	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Chromium	7.5000	=			0.5	mg/L	130.2	04/28/2004	CD	I040011HAR	1.3	1	04/28/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Chromium	8.6000	=			0.5	ug/L	200.8	05/05/2004	SMD	A040493IMS	0.7	50	04/29/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Chromium	10.0000	=			0.5	ug/L	200.8	05/06/2004	SMD	A040474IMS	0.2	20	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Chromium	6.3000	=			0.5	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.2	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Chromium	13.0000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.2	1	06/30/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Chromium	6.2000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.2	1	06/30/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Chromium	15.0000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.2	1	06/30/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Chromium	19.0000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.2	1	06/30/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Chromium	10.0000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.2	1	06/30/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Chromium	5.9000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.2	1	06/30/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Chromium	6.6000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.2	1	08/31/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Chromium	2.3000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.2	1	08/31/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Chromium	8.5000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.2	1	08/31/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Chromium	12.0000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.2	1	08/31/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Chromium	5.3000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.2	1	08/31/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-8	11	Tule Canal - FB	FE	08/20/04	1100	08/20/2004	Chromium	5.6000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.2	1	08/31/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Chromium	4.9000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040958IMS	0.2	1	09/08/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Chromium	10.0000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.2	1	08/31/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Chromium	2.7000	=			0.5	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.2	1	09/27/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	0900	09/22/2004	Chromium	1.1000	=			0.5	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.2	1	09/27/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Chromium	2.8000	=			0.5	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.2	1	09/27/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Chromium	8.9000	=			0.5	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.2	1	09/27/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Chromium	6.0000	=			0.5	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.2	1	09/27/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Chromium	14.0000	=			0.5	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.2	1	09/27/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Chromium, dissolved	1.2000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Chromium, dissolved	4.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Chromium, dissolved	0.4000	=		J	0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Chromium, dissolved	0.4000	=		J	0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Chromium, dissolved	0.5000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Chromium, dissolved	0.8000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Chromium, dissolved	0.4900	=		J	0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Chromium, dissolved	1.6000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Chromium, dissolved	2.2000	=			0.5	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.2	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Chromium, dissolved	4.8000	=			0.5	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.2	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Chromium, dissolved	1.0000	=			0.5	ug/L	200.8	02/02/2004	SMD	A040097IMS	0.2	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Chromium, dissolved	1.3000	=			0.5	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.2	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Chromium, dissolved	2.1000	=			0.5	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.2	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Chromium, dissolved	2.2000	=			0.5	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.2	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Chromium, dissolved	2.5000	=			0.5	ug/L	200.8	02/02/2004	SMD	A040097IMS	0.2	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Chromium, dissolved	3.4000	=			0.5	ug/L	160.2	04/25/2004	LRU	B040117TSS		1	04/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Chromium, dissolved	4.5000	=			0.5	ug/L	200.8	04/29/2004	SMD	A040474IMS	0.2	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Chromium, dissolved	1.2000	=			0.5	ug/L	160.1	04/29/2004	NL	I040030TDS	1.8	1	04/29/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Chromium, dissolved	1.7000	=			0.5	ug/L	200.8	05/06/2004	SMD	A040491IMS	0.5	1	04/28/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Chromium, dissolved	1.3000	=			0.5	ug/L	415.1	05/19/2004	MYS	I040025TOC	0.5	1	05/19/2004				DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Chromium, dissolved	1.5000	=			0.5	ug/L	200.8	05/06/2004	SMD	A040493IMS	0.2	40	04/29/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Chromium, dissolved	1.1000	=			0.5	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.2	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Chromium, dissolved	3.1000	=			0.5	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.2	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Chromium, dissolved	2.5000	=			0.5	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.2	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Chromium, dissolved	1.1000	=			0.5	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.2	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Chromium, dissolved	1.2000	=			0.5	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.2	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Chromium, dissolved	1.4000	=			0.5	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.2	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Chromium, dissolved	1.4000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Chromium, dissolved	1.6000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Chromium, dissolved	0.9000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Chromium, dissolved	1.0000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Chromium, dissolved	1.7000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-8	11	Tule Canal - FB	FE	08/20/04	1100	08/20/2004	Chromium, dissolved	0.5000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Chromium, dissolved	1.6000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Chromium, dissolved	2.9000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Chromium, dissolved	1.1000	=			0.5	ug/L	200.8	10/07/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	0900	09/22/2004	Chromium, dissolved	1.9000	=			0.5	ug/L	200.8	10/07/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Chromium, dissolved	0.8000	=			0.5	ug/L	200.8	10/07/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Chromium, dissolved	0.8000	=			0.5	ug/L	200.8	10/07/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Chromium, dissolved	0.6000	=			0.5	ug/L	200.8	10/07/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Chromium, dissolved	1.2000	=			0.5	ug/L	200.8	10/07/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Color	35.0000	=			15	CU	SM2120B	11/24/2003	SE	I030060CLR		5	11/24/2003			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Color	20.0000	=			3	CU	SM2120B	11/24/2003	SE	I030060CLR		1	11/24/2003			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Color	70.0000</																			



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Color	65.0000	=			15	CU	SM2120B	01/24/2004	SE	I040007CLR		5	01/24/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Color	70.0000	=			15	CU	SM2120B	01/24/2004	SE	I040007CLR		5	01/24/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Color	40.0000	=			15	CU	SM2120B	01/24/2004	SE	I040007CLR		5	01/24/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Color	50.0000	=			15	CU	SM2120B	01/24/2004	SE	I040007CLR		5	01/24/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Color	28.0000	=			0.1	CU	300.0	04/24/2004	MYS	I040060IC	0.03	1	04/24/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Color	12.0000	=			0.5	CU	200.8	04/28/2004	SMD	A040474IMS	0.2	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Color	85.0000	=			1	CU	200.8	05/06/2004	SMD	A040491IMS	0.5	1	04/28/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Color	50.0000	=			1	CU	415.1	05/19/2004	MYS	I040025TOC	0.09	1	05/19/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Color	80.0000	=			0.5	CU	200.8	05/03/2004	SMD	A040493IMS	0.3	1	04/29/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Color	50.0000	=			10	CU	160.1	04/29/2004	NL	I040030TDS	1.8	1	04/29/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Color	120.0000	=			30	CU	SM2120B	06/28/2004	SE	I040034CLR		10	06/28/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Color	80.0000	=			30	CU	SM2120B	06/28/2004	SE	I040034CLR		10	06/28/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Color	150.0000	=			30	CU	SM2120B	06/28/2004	SE	I040034CLR		10	06/28/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Color	170.0000	=			30	CU	SM2120B	06/28/2004	SE	I040034CLR		10	06/28/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Color	130.0000	=			30	CU	SM2120B	06/28/2004	SE	I040034CLR		10	06/28/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Color	130.0000	=			30	CU	SM2120B	06/28/2004	SE	I040034CLR		10	06/28/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-2	7	Z Drain	FE	06/26/04	1130	06/26/2004	Color	140.0000	=			60	CU	SM2120B	06/29/2004	SE	I040035CLR		20	06/29/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
9	E070749-1	12	Toe Drain	FE	07/24/04	0915	07/24/2004	Color	175.0000	=			15	CU	SM2120B	07/24/2004	MYS	I040040CLR		5	07/24/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
9	E070749-3	11	Tule Canal	FE	07/24/04	1100	07/24/2004	Color	125.0000	=			15	CU	SM2120B	07/24/2004	MYS	I040040CLR		5	07/24/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
9	E070749-2	7	Z Drain	FE	07/24/04	1015	07/24/2004	Color	175.0000	=			15	CU	SM2120B	07/24/2004	MYS	I040040CLR		5	07/24/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Color	70.0000	=			6	CU	SM2120B	08/21/2004	BCP	I040047CLR		2	08/21/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Color	20.0000	=			3	CU	SM2120B	08/21/2004	BCP	I040047CLR		1	08/21/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Color	140.0000	=			12	CU	SM2120B	08/21/2004	BCP	I040047CLR		4	08/21/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Color	160.0000	=			15	CU	SM2120B	08/21/2004	BCP	I040047CLR		5	08/21/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Color	60.0000	=			15	CU	SM2120B	08/21/2004	BCP	I040047CLR		5	08/21/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Color	200.0000	=			30	CU	SM2120B	08/21/2004	BCP	I040047CLR		10	08/21/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-7	7	Z Drain	FE	08/20/04	1015	08/20/2004	Color	150.0000	=			30	CU	SM2120B	08/21/2004	BCP	I040047CLR		10	08/21/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Color	250.0000	=			150	CU	SM2120B	09/22/2004	SE	I040053CLR		50	09/22/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	0900	09/22/2004	Color	400.0000	=			150	CU	SM2120B	09/22/2004	SE	I040053CLR		50	09/22/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Color	200.0000	=			150	CU	SM2120B	09/22/2004	SE	I040053CLR		50	09/22/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Color	400.0000	=			150	CU	SM2120B	09/22/2004	SE	I040053CLR		50	09/22/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Color	200.0000	=			150	CU	SM2120B	09/22/2004	SE	I040053CLR		50	09/22/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Color	17.0000	=			3	CU	SM2120B	09/22/2004	SE	I040053CLR		1	09/22/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-5	7	Z Drain	FE	09/21/04	1140	09/21/2004	Color	400.0000	=			150	CU	SM2120B	09/22/2004	SE	I040053CLR		50	09/22/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
12	E080733-6	12	Toe Drain	FE	10/23/04	1306	10/23/04	Color	100.0000	=			0	CU	200.8	10/23/04	SMD	A040493IMS	0.3	1	04/29/2004	UKC		ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004
12	E080733-5	11	Tule Canal	FE	10/23/04	1010	10/23/04	Color	75.0000	=			0	CU	200.8	10/23/04	SMD	A040493IMS	0.3	1	04/29/2004	UKC		ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004
12	E070749-2	7	Z Drain	FE	10/23/04	1045	10/23/04	Color	180.0000	=			0	CU	200.8	10/23/04	SMD	A040493IMS	0.3	1	04/29/2004	UKC		ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Copper	5.2000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Copper	1.6000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Copper	4.2000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Copper	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Copper	5.1000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Copper	5.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Copper	7.7000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Copper	6.6000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Copper	3.5000	=			0.5	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.3	1	01/27/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Copper	1.8000	=			0.5	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.3	1	01/27/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Copper	5.9000	=			0.5	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.3	1	01/27/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Copper	7.4000	=			0.5	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.3	1	01/27/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Copper	6.0000	=			0.5	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.3	1	01/27/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Copper	4.6000	=			0.5	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.3	1	01/27/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Copper	4.1000	=			0.5	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.3	1	01/27/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Copper	3.0000	=			0.5	ug/L	SM2120B	04/23/2004	SE	I040024CLR		2	04/23/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Copper	2.8000	=			0.5	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.3	1	04/29/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Copper	8.2000	=			0.5	ug/L	415.1	05/19/2004	MYS	I040025TOC	0.5	1	05/19/2004				DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Copper	7.1000	=			0.5	ug/L	300.0	04/24/2004	MYS	I040060IC	0.03	1	04/24/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Copper	8.8000	=			0.5	ug/L	200.8	05/06/2004	SMD	A040493IMS	0.2	10	04/29/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Copper	5.3000	=			0.5	ug/L	160.2	04/25/2004	LRU	B040117TSS		2	04/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Copper	7.5000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.3	1	06/30/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Copper	5.1000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.3	1	06/30/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Copper	9.3000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.3	1	06/30/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Copper	12.0000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.3	1	06/30/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Copper	8.6000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.3	1	06/30/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Copper	5.3000	=			0.5	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.3	1	06/30/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Copper	4.6000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.3	1	08/31/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Copper	2.1000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.3	1	08/31/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Copper	7.2000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.3	1	08/31/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Copper	8.4000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.3	1	08/31/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Copper	5.1000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.3	1	08/31/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-8	11	Tule Canal - FB	FE	08/20/04	1100	08/20/2004	Copper	5.8000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.3	1	08/31/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04																							



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Copper, dissolved	1.9000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Copper, dissolved	2.4000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Copper, dissolved	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Copper, dissolved	2.1000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Copper, dissolved	2.4000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Copper, dissolved	3.1000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Copper, dissolved	3.4000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Copper, dissolved	1.6000	=			0.5	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.3	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Copper, dissolved	1.7000	=			0.5	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.3	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Copper, dissolved	2.5000	=			0.5	ug/L	200.8	02/02/2004	SMD	A040097IMS	0.3	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Copper, dissolved	2.8000	=			0.5	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.3	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Copper, dissolved	2.5000	=			0.5	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.3	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Copper, dissolved	3.2000	=			0.5	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.3	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Copper, dissolved	3.1000	=			0.5	ug/L	200.8	02/02/2004	SMD	A040097IMS	0.3	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Copper, dissolved	1.3000	=			0.5	ug/L	415.1	05/19/2004	MYS	I040025TOC	0.09	1	05/19/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Copper, dissolved	1.5000	=			0.5	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.3	1	04/29/2004	UKC	200.8	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Copper, dissolved	3.6000	=			0.5	ug/L	415.1	05/19/2004	MYS	I040025TOC	0.09	1	05/19/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Copper, dissolved	2.7000	=			0.5	ug/L	200.8	05/06/2004	SMD	A040493IMS	0.2	10	04/29/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Copper, dissolved	2.5000	=			0.5	ug/L	200.8	05/05/2004	SMD	A040493IMS	0.7	50	04/29/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Copper, dissolved	1.7000	=			0.5	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.2	1	04/29/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Copper, dissolved	1.7000	=			0.5	ug/L	200.8	07/12/2004	SMD	A040748IMS	0.2	1	07/09/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Copper, dissolved	1.6000	=			0.5	ug/L	200.8	07/12/2004	SMD	A040748IMS	0.2	1	07/09/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Copper, dissolved	2.2000	=			0.5	ug/L	200.8	07/12/2004	SMD	A040748IMS	0.2	1	07/09/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Copper, dissolved	2.5000	=			0.5	ug/L	200.8	07/12/2004	SMD	A040748IMS	0.2	1	07/09/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Copper, dissolved	2.7000	=			0.5	ug/L	200.8	07/12/2004	SMD	A040748IMS	0.2	1	07/09/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Copper, dissolved	1.8000	=			0.5	ug/L	200.8	07/12/2004	SMD	A040748IMS	0.2	1	07/09/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Copper, dissolved	1.8000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Copper, dissolved	1.7000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Copper, dissolved	2.5000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Copper, dissolved	2.8000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Copper, dissolved	2.4000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-8	11	Tule Canal - FB	FE	08/20/04	1100	08/20/2004	Copper, dissolved	1.2000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Copper, dissolved	2.3000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Copper, dissolved	3.3000	=			0.5	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.2	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Copper, dissolved	2.3000	=			0.5	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	0900	09/22/2004	Copper, dissolved	1.4000	=			0.5	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Copper, dissolved	2.0000	=			0.5	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Copper, dissolved	4.5000	=			0.5	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Copper, dissolved	2.3000	=			0.5	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Copper, dissolved	2.8000	=			0.5	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.2	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11		3	Cache Creek	FE	09/21/04	11:30		DCPA (Dacthal)	10.0000	<			10	ng/L	5	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		DCPA (Dacthal)	10.0000	<			10	ng/L	5	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		DCPA (Dacthal)	10.0000	<			10	ng/L	5	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		DCPA (Dacthal)	10.0000	<			10	ng/L	5	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		DCPA (Dacthal)	10.0000	<			10	ng/L	5	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		DCPA (Dacthal)	10.0000	<			10	ng/L	5	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		DCPA Dacthal	5.0000	<			0	ng/L					5				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		DCPA Dacthal	5.0000	<			0.00	ng/L					5				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		DCPA Dacthal	5.0000	<			0	ng/L					5				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		DCPA Dacthal	5.0000	<			0.00	ng/L					5				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		DCPA Dacthal	5.0000	<			0.00	ng/L					5				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		DCPA Dacthal	5.0000	<			0	ng/L					5				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		DCPA Dacthal	5.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		DCPA Dacthal	5.0000	<			5	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	delta-BHC	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	delta-BHC	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	delta-BHC	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	delta-BHC	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	delta-BHC	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	delta-BHC	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	delta-BHC	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	delta-BHC	0.0050	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	delta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	delta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	delta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	delta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	delta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	delta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	delta-BHC	0.0050	<			0.005	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	319-86-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
6		3	Cache Creek	FE	04/23/04	1020		Demeton	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		6	Putah Creek	FE	04/23/04	1020		Demeton	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		2	Ridge Cut	FE	04/23/04	0917		Demeton	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		12	Toe Drain	FE	04/23/04	0930		Demeton	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		11	Tule Canal	FE	04/23/04	1140		Demeton	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		4	Willow Slough	FE	04/23/04	0930		Demeton	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Demeton	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Demeton	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Demeton	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Demeton	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Demeton	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Demeton	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Demeton	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Demeton	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Demeton	65.0000	=			10	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Demeton	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Demeton	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Demeton	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Demeton	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Demeton	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Demeton	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Demeton	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Demeton	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Demeton	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Demeton	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Demeton	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Demeton	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Demeton - O and - S	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Demeton - O and - S	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Demeton - O and - S	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Demeton - O and - S	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Demeton - O and - S	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Demeton - O and - S	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Demeton - O and - S	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Demeton - O and - S	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Demeton - O and - S	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Demeton - O and - S	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Demeton - O and - S	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Demeton - O and - S	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Demeton - O and - S	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Demeton - O and - S	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Demeton - O and - S	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	8065-48-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Diazinon	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Diazinon	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Diazinon	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Diazinon	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Diazinon	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Diazinon	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Diazinon	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Diazinon	0.0500	<			0.05	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.04	1	11/26/2003	JC/EP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
3		3	Cache Creek	FE	01/23/04	1046	01/23/2004	Diazinon	35.0000	=			0.00	ng/L	ELISA	1/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Diazinon	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Diazinon	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3		2	Ridge Cut	FE	01/23/04	0938	01/23/04	Diazinon	32.0000	=			0.00	ng/L	ELISA	1/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Diazinon	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Diazinon	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3		11	Tule Canal	FE	01/23/04	1300	01/23/04	Diazinon	30.0000	<			0.00	ng/L	ELISA	1/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Diazinon	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3		4	Willow Slough	FE	01/23/04	1000	01/23/04	Diazinon	30.0000	<			0.00	ng/L	ELISA	1/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/2/2004	
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Diazinon	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Diazinon	0.0500	<			0.05	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.04	1	01/30/2004	EJP	EPA 614	NPD	333-41-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
6		3	Cache Creek	FE	04/23/04	1020		Diazinon	0.0500	<			0	ug/L						5				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Diazinon	0.0500	<			0	ug/L						5				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Diazinon	0.0500	<			0	ug/L						5				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Diazinon	0.0500	<			0	ug/L						5				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Diazinon	0.0500	<			0	ug/L						5				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Diazinon	0.0500	<			0	ug/L						5				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Diazinon	0.0500	<			5	ug/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Diazinon	0.0500	<			5	ug/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Diazinon	0.0500	<			5	ug/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Diazinon	0.0500	<			5	ug/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Diazinon	0.0500	<			5	ug/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Diazinon	0.0500	<			5	ug/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Diazinon	0.0500	<			5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Diazinon	0.0500	<			5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		2	Ridge Cut	FE	08/20/04	0850		Diazinon	66.0000	=			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Diazinon	0.0500	<			5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		12	Toe Drain	FE	08/20/04	0920		Diazinon	0.0500	<			5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal	FE	08/20/04	1100		Diazinon	0.0500	<			5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FB	FE	08/20/04	1100		Diazinon	0.0500	<			5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FD	FE	08/20/04	1100		Diazinon	0.0500	<			5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		4	Willow Slough	FE	08/20/04	0843		Diazinon	0.0500	<			5	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		Diazinon	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Diazinon	10.0000	<			10	% Recovery	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Diazinon	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		Diazinon	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		Diazinon	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		Diazinon	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		Diazinon	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		3	Cache Creek	FE	04/23/04	1020		Dichlorvos	1.0000	<			0	ng/L				10								614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Dichlorvos	1.0000	<			0	ng/L				10								614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Dichlorvos	1.0000	<			0	ng/L				10								614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Dichlorvos	1.0000	<			0	ng/L				10								614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Dichlorvos	1.0000	<			0	ng/L				10								614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Dichlorvos	1.0000	<			0	ng/L				10								614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Dichlorvos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Dichlorvos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Dichlorvos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Dichlorvos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Dichlorvos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Dichlorvos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		3	Cache Creek	FE	08/20/04	0935		Dichlorvos	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		6	Putah Creek	FE	08/20/04	0915		Dichlorvos	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Dichlorvos	74.0000	=			10	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Dichlorvos	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		12	Toe Drain	FE	08/20/04	0920		Dichlorvos	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal	FE	08/20/04	1100		Dichlorvos	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FB	FE	08/20/04	1100		Dichlorvos	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FD	FE	08/20/04	1100		Dichlorvos	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		4	Willow Slough	FE	08/20/04	0843		Dichlorvos	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		Dichlorvos	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Dichlorvos	20.0000	<			20	% Recovery	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Dichlorvos	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		Dichlorvos	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		12	Toe Drain	FE	09/21/04	11:30		Dichlorvos	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Dichlorvos	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Dichlorvos	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Dieldrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	60-57-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
6		3	Cache Creek	FE	04/23/04	1020		Dieldrin	1.0000	<			0	ng/L					1				608				YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Dieldrin	1.0000	<			0.00	ng/L					1				608				YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Dieldrin	1.0000	<			0	ng/L					1				608				YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Dieldrin	1.0000	<			0.00	ng/L					1				608				YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Dieldrin	1.0000	<			0.00	ng/L					1				608				YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Dieldrin	1.0000	<			0	ng/L					1				608				YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Dieldrin	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Dieldrin	75.0000	=			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Dieldrin	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		3	Cache Creek	FE	09/21/04	11:30		Dieldrin	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		6	Putah Creek	FE	09/22/04	09:50		Dieldrin	0.0000	=			5	% Recovery	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Dieldrin	5.0000	<			5	ng/L	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		Dieldrin	5.0000	<			5	ng/L	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		Dieldrin	5.0000	<			5	ng/L	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		Dieldrin	5.0000	<			5	ng/L	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		Dieldrin	5.0000	<			5	ng/L	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		3	Cache Creek	FE	04/23/04	1020		Dimethoate	5.0000	<			0	ng/L					5												614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Dimethoate	5.0000	<			0	ng/L					5												614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Dimethoate	5.0000	<			0	ng/L					5												614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Dimethoate	5.0000	<			0	ng/L					5												614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Dimethoate	5.0000	<			0	ng/L					5												614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Dimethoate	5.0000	<			0	ng/L					5												614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Dimethoate	5.0000	<			5	ng/L		29-Jun-04																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Dimethoate	5.0000	<			5	ng/L		29-Jun-04																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Dimethoate	5.0000	<			5	ng/L		29-Jun-04																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Dimethoate	5.0000	<			5	ng/L		29-Jun-04																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Dimethoate	5.0000	<			5	ng/L		29-Jun-04																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Dimethoate	5.0000	<			5	ng/L		29-Jun-04																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		3	Cache Creek	FE	08/20/04	0935		Dimethoate	5.0000	<			5	ng/L																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		6	Putah Creek	FE	08/20/04	0915		Dimethoate	5.0000	<			5	ng/L																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Dimethoate	70.0000	=			5	% Recovery																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Dimethoate	5.0000	<			5	ng/L																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		12	Toe Drain	FE	08/20/04	0920		Dimethoate	5.0000	<			5	ng/L																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal	FE	08/20/04	1100		Dimethoate	5.0000	<			5	ng/L																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FB	FE	08/20/04	1100		Dimethoate	5.0000	<			5	ng/L																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FD	FE	08/20/04	1100		Dimethoate	5.0000	<			5	ng/L																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		4	Willow Slough	FE	08/20/04	0843		Dimethoate	5.0000	<			5	ng/L																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		Dimethoate	10.0000	<			10	ng/L	5	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Dimethoate	10.0000	<			10	% Recovery	5	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Dimethoate	10.0000	<			10	ng/L	5	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Dimethoate	10.0000	<			10	ng/L	5	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Dimethoate	10.0000	<			10	ng/L	5	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Dimethoate	10.0000	<			10	ng/L	5	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Dimethoate	10.0000	<			10	ng/L	5	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Dissolved Organic Carbon	1.0000	<			1.00	mg/L	415.1	12/11/2003	MYS	I030043TOC	0.5	1	12/11/2003										DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Dissolved Organic Carbon	1.0000	<			1.00	mg/L	415.1	12/11/2003	MYS	I030043TOC	0.5	1	12/11/2003										DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Dissolved Organic Carbon	4.0000	=			1	mg/L	415.1	12/11/2003	MYS	I030043TOC	0.5	1	12/11/2003										DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Dissolved Organic Carbon	9.0000	=			1	mg/L	415.1	12/11/2003	MYS	I030043TOC	0.5	1	12/11/2003										DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Dissolved Organic Carbon	10.0000	=			1	mg/L	415.1	12/11/2003	MYS	I030043TOC	0.5	1	12/11/2003						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Dissolved Organic Carbon	6.0000	=			1	mg/L	415.1	12/11/2003	MYS	I030043TOC	0.5	1	12/11/2003						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Dissolved Organic Carbon	7.0000	=			1	mg/L	415.1	12/11/2003	MYS	I030043TOC	0.5	1	12/11/2003						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Dissolved Organic Carbon	6.0000	=			1	mg/L	415.1	02/10/2004	MYS	I040007TOC	0.5	1	02/10/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Dissolved Organic Carbon	4.0000	=			1	mg/L	415.1	02/10/2004	MYS	I040007TOC	0.5	1	02/10/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Dissolved Organic Carbon	8.0000	=			1	mg/L	415.1	02/10/2004	MYS	I040007TOC	0.5	1	02/10/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Dissolved Organic Carbon	8.0000	=			1	mg/L	415.1	02/10/2004	MYS	I040007TOC	0.5	1	02/10/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Dissolved Organic Carbon	7.0000	=			1	mg/L	415.1	02/10/2004	MYS	I040007TOC	0.5	1	02/10/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Dissolved Organic Carbon	7.0000	=			1	mg/L	415.1	02/10/2004	MYS	I040007TOC	0.5	1	02/10/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Dissolved Organic Carbon	10.0000	=			1	mg/L	415.1	02/10/2004	MYS	I040007TOC	0.5	1	02/10/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Dissolved Organic Carbon	4.0000	=			1	mg/L	200.8	04/28/2004	SMD	A040474IMS	0.2	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Dissolved Organic Carbon	5.0000	=			1	mg/L	SM2120B	04/23/2004	SE	I040024CLR		5	04/23/2004				PD	CDHS-00081			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Dissolved Organic Carbon	9.0000	=			1	ug/L	200.8	05/06/2004	SMD	A040474IMS	0.2	10	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Dissolved Organic Carbon	8.0000	=			1	mg/L	415.1	05/19/2004	MYS	I040025TOC	0.09	1	05/19/2004				TOC	7440-44-0			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Dissolved Organic Carbon	7.0000	=			1	ug/L	200.8	04/29/2004	SMD	A040483IMS	0.5	1	04/27/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Dissolved Organic Carbon	7.0000	=			1	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.04	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Dissolved Organic Carbon	4.0000	=			1	mg/L	415.1	07/06/2004	MYS	I040034TOC	0.5	1	07/06/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Dissolved Organic Carbon	4.0000	=			1	mg/L	415.1	07/12/2004	MYS	I040035TOC	0.5	1	07/12/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Dissolved Organic Carbon	4.0000	=			1	mg/L	415.1	07/06/2004	MYS	I040034TOC	0.5	1	07/06/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Dissolved Organic Carbon	4.0000	=			1	mg/L	415.1	07/12/2004	MYS	I040035TOC	0.5	1	07/12/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Dissolved Organic Carbon	6.0000	=			1	mg/L	415.1	07/06/2004	MYS	I040034TOC	0.5	1	07/06/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Dissolved Organic Carbon	8.0000	=			1	mg/L	415.1	07/06/2004	MYS	I040034TOC	0.5	1	07/06/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-2	7	Z Drain	FE	06/26/04	1130	06/26/2004	Dissolved Organic Carbon	9.0000	=			1	mg/L	415.1	07/06/2004	MYS	I040034TOC	0.5	1	07/06/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
9	E070749-1	12	Toe Drain	FE	07/24/04	0915	07/24/2004	Dissolved Organic Carbon	4.0000	=			1	mg/L	415.1	08/17/2004	MYS	I040039TOC	0.5	1	08/17/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004	
9	E070749-3	11	Tule Canal	FE	07/24/04	1100	07/24/2004	Dissolved Organic Carbon	7.0000	=			1	mg/L	415.1	08/17/2004	MYS	I040039TOC	0.5	1	08/17/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004	
9	E070749-2	7	Z Drain	FE	07/24/04	1015	07/24/2004	Dissolved Organic Carbon	8.0000	=			1	mg/L	415.1	08/17/2004	MYS	I040039TOC	0.5	1	08/17/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004	
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Dissolved Organic Carbon	6.0000	=			1	mg/L	415.1	09/02/2004	MYS	I040042TOC	0.5	1	09/02/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Dissolved Organic Carbon	6.0000	=			1	mg/L	415.1	09/02/2004	MYS	I040042TOC	0.5	1	09/02/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Dissolved Organic Carbon	9.0000	=			1	mg/L	415.1	09/02/2004	MYS	I040042TOC	0.5	1	09/02/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Dissolved Organic Carbon	6.0000	=			1	mg/L	415.1	09/02/2004	MYS	I040042TOC	0.5	1	09/02/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Dissolved Organic Carbon	9.0000	=			1	mg/L	415.1	09/02/2004	MYS	I040042TOC	0.5	1	09/02/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Dissolved Organic Carbon	8.0000	=			1	mg/L	415.1	09/02/2004	MYS	I040042TOC	0.5	1	09/02/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Dissolved Organic Carbon	9.0000	=			1	mg/L	415.1	09/02/2004	MYS	I040042TOC	0.5	1	09/02/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-7	7	Z Drain	FE	08/20/04	1015	08/20/2004	Dissolved Organic Carbon	10.0000	=			1	mg/L	415.1	09/02/2004	MYS	I040042TOC	0.5	1	09/02/2004						DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Dissolved Organic Carbon	10.0000	=			1	mg/L	415.1	09/29/2004	MYS	I040045TOC	0.5	1	09/29/2004										



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Dissolved Organic Carbon	13.0000	=			1	mg/L	415.1	09/30/2004	MYS	I040046TOC	0.5	1	09/30/2004					DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-5	7	Z Drain	FE	09/21/04	1140	09/21/2004	Dissolved Organic Carbon	11.0000	=			1	mg/L	415.1	10/07/2004	MYS	I040047TOC	0.5	1	10/07/2004					DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
12	E080733-6	12	Toe Drain	FE	10/23/04	1306	10/23/04	Dissolved Organic Carbon	3.6000	=			1	mg/l	415.1	10/23/04	MYS	I030043TOC	0.09	1	12/11/2003				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004	
12	E080733-5	11	Tule Canal	FE	10/23/04	1010	10/23/04	Dissolved Organic Carbon	19.0000	=			1	mg/l	415.1	10/23/04	MYS	I030043TOC	0.09	1	12/11/2003				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004	
12	E070749-2	7	Z Drain	FE	10/23/04	1045	10/23/04	Dissolved Organic Carbon	4.9000	=			1	mg/l	415.1	10/23/04	MYS	I030043TOC	0.09	1	12/11/2003				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004	
6		3	Cache Creek	FE	04/23/04	1020		Disulfoton	10.0000	<			0	ng/L					10								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		6	Putah Creek	FE	04/23/04	1020		Disulfoton	10.0000	<			0	ng/L					10								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		2	Ridge Cut	FE	04/23/04	0917		Disulfoton	10.0000	<			0	ng/L					10								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		12	Toe Drain	FE	04/23/04	0930		Disulfoton	10.0000	<			0	ng/L					10								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		11	Tule Canal	FE	04/23/04	1140		Disulfoton	10.0000	<			0	ng/L					10								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		4	Willow Slough	FE	04/23/04	0930		Disulfoton	10.0000	<			0	ng/L					10								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Disulfoton	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Disulfoton	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Disulfoton	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Disulfoton	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Disulfoton	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Disulfoton	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Disulfoton	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Disulfoton	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Disulfoton	72.0000	=			10	% Recovery														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Disulfoton	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Disulfoton	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Disulfoton	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Disulfoton	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Disulfoton	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Disulfoton	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Disulfoton	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Disulfoton	20.0000	<			20	% Recovery	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Disulfoton	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Disulfoton	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Disulfoton	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Disulfoton	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Disulfoton	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Disulfoton Di-Syston	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	298-04-4		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Disulfoton Di-Syston	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	298-04-4		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Disulfoton Di-Syston	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	298-04-4		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Disulfoton Di-Syston	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	298-04-4		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Disulfoton Di-Syston	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	298-04-4		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Disulfoton Di-Syston	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	298-04-4		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Disulfoton Di-Syston	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	298-04-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Disulfoton Di-Syston	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.3	1	11/26/2003	JC/EP	EPA 614	NPD	298-04-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Disulfoton Di-Syston	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	298-04-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Disulfoton Di-Syston	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	298-04-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Disulfoton Di-Syston	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	298-04-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Disulfoton Di-Syston	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	298-04-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Disulfoton Di-Syston	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	298-04-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Disulfoton Di-Syston	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	298-04-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Disulfoton Di-Syston	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.3	1	01/30/2004	EJP	EPA 614	NPD	298-04-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Diuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Diuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Diuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Diuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Diuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Diuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Diuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Diuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Diuron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Diuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Diuron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Diuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Diuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Diuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FD	FE	01/23/04	1000	01/23/2004	Diuron	0.5000	=		J	10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	330-54-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Diuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Diuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6	AP68905	2	Ridge Cut	FE	04/23/04	0917	04/24/04	Diuron	0.3000	=		J	0.4	ug/L		05/29/04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6	AP68910	12	Toe Drain	FE	04/23/04	0930	04/24/04	Diuron	0.5000	=		J	0.4	ug/L		05/29/04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6	AP68909	11	Tule Canal	FE	04/23/04	1140	04/24/04	Diuron	0.3000	=		J	0.4	ug/L		05/29/04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6	AP68907	4	Willow Slough	FE	04/23/04	0930	04/24/04	Diuron	0.8000	=		J	0.4	ug/L		05/05/04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Diuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Diuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838		Diuron	0.2000	=		J	0.4	ug/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Diuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200		Diuron	0.1000	=		J	0.4	ug/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900		Diuron	0.2000	=		J	0.4	ug/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Diuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Diuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Diuron	0.1000	=		J	0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10	AP74284	12	Toe Drain	FE	08/20/04	0920		Diuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Diuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Diuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Diuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Diuron	0.1000	<		J	0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		3	Cache Creek	FE	11/22/03	1040	11/22/2003	DO	7.8000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		6	Putah Creek	FE	11/22/03	1000	11/22/2003	DO	7.0000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		2	Ridge Cut	FE	11/22/03	0910	11/22/2003	DO	8.6000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		12	Toe Drain	FE	11/22/03	0910	11/22/2003	DO	5.5300	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		11	Tule Canal	FE	11/22/03	1230	11/22/2003	DO	4.0500	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		4	Willow Slough	FE	11/22/03	0900		DO	4.3700	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		10	Woodland R2	FE	11/22/03	1145		DO	8.6000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		9	Woodland R1	FE	11/22/03	1145		DO	8.5000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		5	YBWA	FE	11/22/03	1330		DO	5.3300	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		7	Z Drain	FE	11/22/03	1050		DO	6.8700	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		3	Cache Creek	FE	12/20/03	935		DO	9.2000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		6	Putah Creek	FE	12/20/03	1005		DO	14.5000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		2	Ridge Cut	FE	12/20/03	855		DO	8.5000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		11	Tule Canal	FE	12/20/03	855		DO	7.8500	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		4	Willow Slough	FE	12/20/03	930		DO	9.9000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		10	Woodland R2	FE	12/20/03	1105		DO	8.3400	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		9	Woodland R1	FE	12/20/03	1035		DO	8.4300	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		5	YBWA	FE	12/20/03	1005		DO	5.1100	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		7	Z Drain	FE	12/20/03	1045		DO	11.6000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		3	Cache Creek	FE	01/23/04	1058		DO	8.0700	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		6	Putah Creek	FE	01/23/04	1110		DO	8.0500	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		2	Ridge Cut	FE	01/23/04	0938		DO	8.2000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		12	Toe Drain	FE	01/23/04	1000		DO	6.7000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		11	Tule Canal	FE	01/23/04	1300		DO	7.2500	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		4	Willow Slough	FE	01/23/04	1000		DO	6.5000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		10	Woodland R2	FE	01/23/04	1218		DO	9.4000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		9	Woodland R1	FE	01/23/04	1218		DO	8.6000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		5	YBWA	FE	01/23/04	1400		DO	7.5700	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		7	Z Drain	FE	01/23/04	1205		DO	10.2400	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		3	Cache Creek	FE	02/21/04	930		DO	11.3400	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		1	Fremont Weir	FE	02/21/04	830		DO	9.2000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		6	Putah Creek	FE	02/21/04	840		DO	8.5000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		2	Ridge Cut	FE	02/21/04	850		DO	9.0500	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		8	Sacramento Weir	FE	02/21/04	940		DO	10.2000	=			0.00	mg/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

4		11	Tule Canal	FE	02/21/04	840		DO	8.8900	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		4	Willow Slough	FE	02/21/04	950		DO	4.8500	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		10	Woodland R2	FE	02/21/04	1015		DO	9.3300	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		9	Woodland R1	FE	02/21/04	1040		DO	9.4600	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		7	Z Drain	FE	02/21/04	940		DO	6.4100	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		3	Cache Creek	FE	03/27/04	905		DO	8.8800	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		6	Putah Creek	FE	03/27/04	945		DO	8.8000	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		2	Ridge Cut	FE	03/27/04	835		DO	8.7000	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		12	Toe Drain	FE	03/27/04	1050		DO	5.9500	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		11	Tule Canal	FE	03/27/04	1112		DO	6.0400	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		4	Willow Slough	FE	03/27/04	855		DO	5.5000	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		10	Woodland R2	FE	03/27/04	930		DO	8.6000	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		9	Woodland R1	FE	03/27/04	955		DO	5.5700	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		7	Z Drain	FE	03/27/04	1028		DO	10.3000	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		DO	4.6700	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		DO	6.8500	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		DO	5.0800	=	J		0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		DO	7.5700	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		DO	8.0100	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		DO	6.0600	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		10	Woodland R2	FE	04/23/04	11:22		DO	6.0100	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		9	Woodland R1	FE	04/23/04	11:07		DO	5.6000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		5	YBWA	FE	04/23/04	12:40		DO	4.8000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain	FE	04/23/04	12:40		DO	7.0800	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		3	Cache Creek	FE	05/22/04	10:40		DO	5.8000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		6	Putah Creek	FE	05/22/04	9:58		DO	7.6000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		2	Ridge Cut	FE	05/22/04	9:29		DO	6.2000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		12	Toe Drain	FE	05/22/04	9:50		DO	8.6000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		11	Tule Canal	FE	05/22/04	11:00		DO	8.1500	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		4	Willow Slough	FE	05/22/04	9:17		DO	3.6800	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		10	Woodland R2	FE	05/22/04	10:16		DO	6.2000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1	FE	05/22/04	10:34		DO	5.3000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		5	YBWA	FE	05/22/04	11:50		DO	6.7000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		7	Z Drain	FE	05/22/04	10:40		DO	6.2000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925		DO	5.3000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040		DO	9.9000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838		DO	4.2000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930		DO	7.5500	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200		DO	5.7000	=			0	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		4	Willow Slough	FE	06/26/04	0900		DO	3.8000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		10	Woodland R2	FE	06/26/04	10:16		DO	4.7000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		9	Woodland R1	FE	06/26/04	10:34		DO	4.2000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		5	YBWA	FE	06/26/04	11:50		DO	6.2000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		7	Z Drain	FE	06/26/04	1130		DO	7.0000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		3	Cache Creek	FE	07/24/04	9:53		DO	3.2000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		6	Putah Creek	FE	07/24/04	9:58		DO	4.1000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		2	Ridge Cut	FE	07/24/04	9:58		DO	2.1900	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		2	Ridge Cut	FE	08/20/04	9:29		DO	4.8000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		12	Toe Drain	FE	07/24/04	0915		DO	8.2300	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		11	Tule Canal	FE	07/24/04	1100		DO	4.3000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		4	Willow Slough	FE	07/24/04	9:17		DO	2.2200	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		10	Woodland R2	FE	07/24/04	10:16		DO	3.6400	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		9	Woodland R1	FE	07/24/04	10:34		DO	3.8200	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		5	YBWA	FE	07/24/04	11:50		DO	6.4000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		7	Z Drain	FE	07/24/04	1015		DO	4.6000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		DO	4.4000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		DO	2.0500	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		DO	8.4400	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		DO	4.3500	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		DO	0.0000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		10	Woodland R2	FE	08/20/04	1000		DO	4.8000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		9	Woodland R1	FE	08/20/04	1015		DO	3.0000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		5	YBWA	FE	08/20/04	1120		DO	8.2000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		7	Z Drain	FE	08/20/04	1015		DO	3.1000	=			0	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		DO	9.8500	=			0	mg/l													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		DO	7.2000	=			0	mg/l													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		DO	3.5400	=			0	mg/l													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		DO	6.7000	=			0	mg/l													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		DO	7.3000	=			0	mg/l													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		DO	6.5400	=			0	mg/l													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		10	Woodland R2	FE	09/22/04	1039		DO	6.8500	=			0	mg/l													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		9	Woodland R1	FE	09/22/04	955		DO	8.0000	=			0	mg/l													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		5	YBWA	FE	09/21/04	1115		DO	9.9500	=			0	mg/l													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		7	Z Drain	FE	09/22/04	1140		DO	8.8500	=			0	mg/l													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		3	Cache Creek	FE	10/23/04	910		DO	8.7000	=			0.00	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		6	Putah Creek	FE	10/23/04	910		DO	6.7100	=			0.00	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		2	Ridge Cut	FE	10/23/04	840		DO	4.1000	=			0.00	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		12	Toe Drain	FE	10/23/04	1306		DO	4.8000	=			0.00	mg/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

12		11	Tule Canal	FE	10/23/04	1010		DO	5.2000	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		4	Willow Slough	FE	10/23/04	1030		DO	4.2000	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		10	Woodland R2	FE	10/23/04	930		DO	6.3000	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		9	Woodland R1	FE	10/23/04	955		DO	7.9000	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		5	YBWA	FE	10/23/04	1020		DO	10.0300	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		7	Z Drain	FE	10/23/04	1045		DO	9.4500	=			0.00	mg/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	B031850C	3	Cache Creek	FE	11/22/03	1040	11/22/2003	E. Coli	70.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850G	6	Putah Creek	FE	11/22/03	1000	11/22/2003	E. Coli	20.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B02185A	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	E. Coli	20.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850B	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	E. Coli	20.0000	<		Hold time	0.00	MPN/100ml		11/22/2003	SP									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850K	12	Toe Drain	FE	11/22/03	0910	11/22/2003	E. Coli	40.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	B031850J	11	Tule Canal	FE	11/22/03	1230	11/22/2003	E. Coli	80.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	B031850F	4	Willow Slough	FE	11/22/03	0900	11/22/2003	E. Coli	1400.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850E	10	Woodland R2	FE	11/22/03	1145	11/22/2003	E. Coli	1700.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850D	9	Woodland R1	FE	11/22/03	1145	11/22/2003	E. Coli	1300.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850I	5	YBWA	FE	11/22/03	1330	11/22/2003	E. Coli	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	B031850H	7	Z Drain	FE	11/22/03	1050	11/22/2003	E. Coli	80.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2	B031988C	3	Cache Creek	FE	12/20/03	935	12/20/03	E. Coli	40.0000	=			0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988B	3	Cache Creek - FD	FE	12/20/03	935	12/20/03	E. Coli	40.0000	=			0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988E	6	Putah Creek	FE	12/20/03	1005	12/20/03	E. Coli	20.0000	=			0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988A	2	Ridge Cut	FE	12/20/03	855	12/20/03	E. Coli	20.0000	<			0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988I	11	Tule Canal	FE	12/20/03	855	12/20/03	E. Coli	20.0000	=			0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988D	4	Willow Slough	FE	12/20/03	930	12/20/03	E. Coli	50000.0000	=			0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988H	10	Woodland R2	FE	12/20/03	1105	12/20/03	E. Coli	20.0000	=			0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988G	9	Woodland R1	FE	12/20/03	1035	12/20/03	E. Coli	20.0000	=			0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988J	5	YBWA	FE	12/20/03	1005	12/20/03	E. Coli	20.0000	=			0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988F	7	Z Drain	FE	12/20/03	1045	12/20/03	E. Coli	5000.0000	=			0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
3	B040110B	3	Cache Creek	FE	01/23/04	1058	01/23/2004	E. Coli	17.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110E	6	Putah Creek	FE	01/23/04	1110	01/23/04	E. Coli	30.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110A	2	Ridge Cut	FE	01/23/04	0938	01/23/04	E. Coli	2.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110J	12	Toe Drain	FE	01/23/04	1000	01/23/04	E. Coli	1100.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110I	11	Tule Canal	FE	01/23/04	1300	01/23/04	E. Coli	11.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110C	4	Willow Slough	FE	01/23/04	1000	01/23/04	E. Coli	1700.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110K	4	Willow Slough - FD	FE	01/23/04	1005	01/23/04	E. Coli	3000.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110H	10	Woodland R2	FE	01/23/04	1218	01/23/04	E. Coli	50.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110G	9	Woodland R1	FE	01/23/04	1218	01/23/04	E. Coli	30.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110D	5	YBWA	FE	01/23/04	1400	01/23/04	E. Coli	50.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110F	7	Z Drain	FE	01/23/04	1205	01/23/04	E. Coli	21.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
4	B040279B	3	Cache Creek	FE	02/21/04	930	02/21/04	E. Coli	34.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

4	B040279I	1	Fremont Weir	FE	02/21/04	830	02/21/04	E. Coli	3000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279D	6	Putah Creek	FE	02/21/04	840	02/21/04	E. Coli	70.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279A	2	Ridge Cut	FE	02/21/04	850	02/21/04	E. Coli	2800.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279J	8	Sacramento Weir	FE	02/21/04	940	02/21/04	E. Coli	5000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279H	11	Tule Canal	FE	02/21/04	840	02/21/04	E. Coli	3000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279C	4	Willow Slough	FE	02/21/04	950	02/21/04	E. Coli	4000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279G	10	Woodland R2	FE	02/21/04	1015	02/21/04	E. Coli	17000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279F	9	Woodland R1	FE	02/21/04	1040	02/21/04	E. Coli	16000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279E	7	Z Drain	FE	02/21/04	940	02/21/04	E. Coli	2400.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
5	B040505B	3	Cache Creek	FE	03/27/04	905	03/27/04	E. Coli	20.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505F	6	Putah Creek - FB	FE	03/27/04	945	03/27/04	E. Coli	20.0000	<		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505B	2	Ridge Cut	FE	03/27/04	835	03/27/04	E. Coli	20.0000	<		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505L	2	Ridge Cut - LD	FE	03/27/04	835	03/27/04	E. Coli	20.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505K	12	Toe Drain	FE	03/27/04	1050	03/27/04	E. Coli	17000.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505J	11	Tule Canal	FE	03/27/04	1112	03/27/04	E. Coli	900.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505C	4	Willow Slough	FE	03/27/04	855	03/27/04	E. Coli	40.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505I	10	Woodland R2	FE	03/27/04	930	03/27/04	E. Coli	70.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505H	9	Woodland R1	FE	03/27/04	955	03/27/04	E. Coli	40.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505G	7	Z Drain	FE	03/27/04	1028	03/27/04	E. Coli	20.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
6		3	Cache Creek	FE	04/23/04	1020		E. Coli	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		E. Coli	40.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek - FB	FE	04/23/04	1020		E. Coli	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		E. Coli	22000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		E. Coli	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		E. Coli	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		E. Coli	70.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		10	Woodland R2	FE	04/23/04	11:22		E. Coli	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		9	Woodland R1	FE	04/23/04	11:07		E. Coli	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		5	YBWA	FE	04/23/04	12:40		E. Coli	40.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain	FE	04/23/04	12:40		E. Coli	11000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		3	Cache Creek	FE	05/22/04	10:40		E. Coli	3000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		6	Putah Creek	FE	05/22/04	9:58		E. Coli	1700.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		2	Ridge Cut	FE	05/22/04	9:29		E. Coli	3000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		12	Toe Drain	FE	05/22/04	9:50		E. Coli	40.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		11	Tule Canal	FE	05/22/04	11:00		E. Coli	2200.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		4	Willow Slough	FE	05/22/04	9:17		E. Coli	1400.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		10	Woodland R2	FE	05/22/04	10:16		E. Coli	1700.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1	FE	05/22/04	10:34		E. Coli	5000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1 - FD	FE	05/22/04	10:34		E. Coli	40.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

7		5	YBWA	FE	05/22/04	11:50		E. Coli	40.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		7	Z Drain	FE	05/22/04	10:40		E. Coli	6000.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925		E. Coli	22.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040		E. Coli	30.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838		E. Coli	1300.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930		E. Coli	23.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200		E. Coli	80.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900		E. Coli	1700.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		10	Woodland R2	FE	06/26/04	10:16		E. Coli	70.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		9	Woodland R1	FE	06/26/04	10:34		E. Coli	22.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		5	YBWA	FE	06/26/04	11:50		E. Coli	80.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		7	Z Drain	FE	06/26/04	1130		E. Coli	5000.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		3	Cache Creek	FE	07/24/04	9:53		E. Coli	1300.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		6	Putah Creek	FE	07/24/04	9:58		E. Coli	50.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		2	Ridge Cut	FE	07/24/04	9:29		E. Coli	50.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		12	Toe Drain	FE	07/24/04	0915		E. Coli	50.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		11	Tule Canal	FE	07/24/04	1100		E. Coli	30.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		4	Willow Slough	FE	07/24/04	9:17		E. Coli	8000.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		10	Woodland R2	FE	07/24/04	10:16		E. Coli	80.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		9	Woodland R1	FE	07/24/04	10:34		E. Coli	50.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		5	YBWA	FE	07/24/04	11:50		E. Coli	60.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		7	Z Drain	FE	07/24/04	1015		E. Coli	5000.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935	08/20/04	E. Coli	50.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		6	Putah Creek	FE	08/20/04	0915	08/20/04	E. Coli	13.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		2	Ridge Cut	FE	08/20/04	0850	08/20/04	E. Coli	30.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		12	Toe Drain	FE	08/20/04	0920	08/20/04	E. Coli	30.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100	08/20/04	E. Coli	80.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100	08/20/04	E. Coli	50.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843	08/20/04	E. Coli	3000.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		10	Woodland R2	FE	08/20/04	1000	08/20/04	E. Coli	17.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		9	Woodland R1	FE	08/20/04	1015	08/20/04	E. Coli	27.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		5	YBWA	FE	08/20/04	1120	08/20/04	E. Coli	17.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		7	Z Drain	FE	08/20/04	1015	08/20/04	E. Coli	30000.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30	09/21/04	E. Coli	1700.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		6	Putah Creek	FE	09/22/04	09:50	09/22/04	E. Coli	8.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		2	Ridge Cut	FE	09/21/04	09:00	09/21/04	E. Coli	60.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		12	Toe Drain	FE	09/21/04	11:30	09/21/04	E. Coli	50.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50	09/21/04	E. Coli	50.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00	09/22/04	E. Coli	800.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		10	Woodland R2	FE	09/22/04	1039	09/22/04	E. Coli	1000.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		9	Woodland R1	FE	09/22/04	955	09/22/04	E. Coli	1700.0000	=			0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		7	Z Drain	FE	09/21/04	1140	09/21/04	E. Coli	900.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		7	Z Drain - FD	FE	09/21/04	1140	09/21/04	E. Coli	11000.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		3	Cache Creek	FE	10/23/04	910	10/23/04	E. Coli	5000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		6	Putah Creek	FE	10/23/04	910	10/23/04	E. Coli	23.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		2	Ridge Cut	FE	10/23/04	840	10/23/04	E. Coli	50.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		12	Toe Drain	FE	10/23/04	1306	10/23/04	E. Coli	2200.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		12	Toe Drain - FD	FE	10/23/04	1306	10/23/04	E. Coli	2400.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		11	Tule Canal	FE	10/23/04	1010	10/23/04	E. Coli	1100.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		4	Willow Slough	FE	10/23/04	1030	10/23/04	E. Coli	11000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		10	Woodland R2	FE	10/23/04	930	10/23/04	E. Coli	80.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		9	Woodland R1	FE	10/23/04	955	10/23/04	E. Coli	50.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		5	YBWA	FE	10/23/04	1020	10/23/04	E. Coli	30.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		7	Z Drain	FE	10/23/04	1045	10/23/04	E. Coli	50.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		3	Cache Creek	FE	11/22/03	1040	11/22/2003	EC	562.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		6	Putah Creek	FE	11/22/03	1000	11/22/2003	EC	611.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		2	Ridge Cut	FE	11/22/03	0910	11/22/2003	EC	491.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		12	Toe Drain	FE	11/22/03	0910	11/22/2003	EC	827.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		11	Tule Canal	FE	11/22/03	1230	11/22/2003	EC	686.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		4	Willow Slough	FE	11/22/03	0900		EC	1596.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		10	Woodland R2	FE	11/22/03	1145		EC	896.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		9	Woodland R1	FE	11/22/03	1145		EC	513.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		5	YBWA	FE	11/22/03	1330		EC	760.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		7	Z Drain	FE	11/22/03	1050		EC	610.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		3	Cache Creek	FE	12/20/03	935		EC	570.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		6	Putah Creek	FE	12/20/03	1005		EC	522.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		2	Ridge Cut	FE	12/20/03	855		EC	491.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		11	Tule Canal	FE	12/20/03	855		EC	530.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		4	Willow Slough	FE	12/20/03	930		EC	1352.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		10	Woodland R2	FE	12/20/03	1105		EC	485.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		9	Woodland R1	FE	12/20/03	1035		EC	520.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		5	YBWA	FE	12/20/03	1005		EC	615.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		7	Z Drain	FE	12/20/03	1045		EC	764.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		3	Cache Creek	FE	01/23/04	1058		EC	585.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		6	Putah Creek	FE	01/23/04	1110		EC	514.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		2	Ridge Cut	FE	01/23/04	0938		EC	569.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		12	Toe Drain	FE	01/23/04	1000		EC	590.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		11	Tule Canal	FE	01/23/04	1300		EC	620.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3		4	Willow Slough	FE	01/23/04	1000		EC	1120.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		10	Woodland R2	FE	01/23/04	1218		EC	578.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		9	Woodland R1	FE	01/23/04	1218		EC	560.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		5	YBWA	FE	01/23/04	1400		EC	580.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		7	Z Drain	FE	01/23/04	1205		EC	797.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		3	Cache Creek	FE	02/21/04	930		EC	334.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		1	Fremont Weir	FE	02/21/04	830		EC	158.3000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		6	Putah Creek	FE	02/21/04	840		EC	359.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		2	Ridge Cut	FE	02/21/04	850		EC	319.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		8	Sacramento Weir	FE	02/21/04	940		EC	81.3000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		11	Tule Canal	FE	02/21/04	840		EC	210.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		4	Willow Slough	FE	02/21/04	950		EC	608.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		10	Woodland R2	FE	02/21/04	1015		EC	80.4000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		9	Woodland R1	FE	02/21/04	1040		EC	80.8000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		7	Z Drain	FE	02/21/04	940		EC	790.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		3	Cache Creek	FE	03/27/04	905		EC	602.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		6	Putah Creek	FE	03/27/04	945		EC	365.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		2	Ridge Cut	FE	03/27/04	835		EC	826.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		12	Toe Drain	FE	03/27/04	1050		EC	479.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		11	Tule Canal	FE	03/27/04	1112		EC	615.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		4	Willow Slough	FE	03/27/04	855		EC	1107.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		10	Woodland R2	FE	03/27/04	930		EC	789.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		9	Woodland R1	FE	03/27/04	955		EC	916.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		7	Z Drain	FE	03/27/04	1028		EC	1087.0000	=			0.00	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		EC	742.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		EC	583.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		EC	731.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		EC	473.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		EC	439.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		EC	890.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		10	Woodland R2	FE	04/23/04	11:22		EC	603.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		9	Woodland R1	FE	04/23/04	11:07		EC	498.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		5	YBWA	FE	04/23/04	12:40		EC	603.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain	FE	04/23/04	12:40		EC	698.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		3	Cache Creek	FE	05/22/04	10:40		EC	470.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		6	Putah Creek	FE	05/22/04	9:58		EC	504.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		2	Ridge Cut	FE	05/22/04	9:29		EC	923.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		12	Toe Drain	FE	05/22/04	9:50		EC	310.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		11	Tule Canal	FE	05/22/04	11:00		EC	895.0000	=			0	uS/cm													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

7		4	Willow Slough	FE	05/22/04	9:17		EC	640.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		10	Woodland R2	FE	05/22/04	10:16		EC	770.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1	FE	05/22/04	10:34		EC	564.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		5	YBWA	FE	05/22/04	11:50		EC	664.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		7	Z Drain	FE	05/22/04	10:40		EC	447.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925		EC	280.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040		EC	480.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838		EC	985.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930		EC	210.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200		EC	760.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900		EC	812.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		10	Woodland R2	FE	06/26/04	10:16		EC	817.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		9	Woodland R1	FE	06/26/04	10:34		EC	668.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		5	YBWA	FE	06/26/04	11:50		EC	592.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		7	Z Drain	FE	06/26/04	1130		EC	411.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		3	Cache Creek	FE	07/24/04	9:53		EC	675.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		6	Putah Creek	FE	07/24/04	9:58		EC	472.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		2	Ridge Cut	FE	07/24/04	9:29		EC	1109.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		12	Toe Drain	FE	07/24/04	0915		EC	193.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		11	Tule Canal	FE	07/24/04	1100		EC	823.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		4	Willow Slough	FE	07/24/04	9:17		EC	925.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		10	Woodland R2	FE	07/24/04	10:16		EC	842.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		9	Woodland R1	FE	07/24/04	10:34		EC	634.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		5	YBWA	FE	07/24/04	11:50		EC	361.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		7	Z Drain	FE	07/24/04	1015		EC	415.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		EC	555.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		EC	541.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		EC	964.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		EC	278.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		EC	840.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		EC	1267.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		10	Woodland R2	FE	08/20/04	1000		EC	614.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		9	Woodland R1	FE	08/20/04	1015		EC	545.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		5	YBWA	FE	08/20/04	1120		EC	732.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		7	Z Drain	FE	08/20/04	1015		EC	540.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		EC	802.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		EC	651.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		EC	888.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		EC	1013.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		11	Tule Canal	FE	09/21/04	09:50		EC	827.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		EC	917.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		10	Woodland R2	FE	09/22/04	1039		EC	640.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		9	Woodland R1	FE	09/22/04	955		EC	541.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		5	YBWA	FE	09/21/04	1115		EC	920.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		7	Z Drain	FE	09/22/04	1140		EC	595.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		3	Cache Creek	FE	10/23/04	910		EC	570.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		6	Putah Creek	FE	10/23/04	910		EC	421.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		2	Ridge Cut	FE	10/23/04	840		EC	688.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		12	Toe Drain	FE	10/23/04	1306		EC	260.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		11	Tule Canal	FE	10/23/04	1010		EC	752.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		4	Willow Slough	FE	10/23/04	1030		EC	775.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		10	Woodland R2	FE	10/23/04	930		EC	878.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		9	Woodland R1	FE	10/23/04	955		EC	665.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		5	YBWA	FE	10/23/04	1020		EC	830.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		7	Z Drain	FE	10/23/04	1045		EC	538.0000	=			0	uS/cm												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Endosulfan I	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	959-98-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Endosulfan II	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	33213-65-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Endosulfan Sulfate	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	1031-07-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020		Endosulfan Sulfate	0.0100	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Endosulfan Sulfate	0.0100	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Endosulfan Sulfate	0.0100	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Endosulfan Sulfate	0.0100	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Endosulfan Sulfate	0.0100	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Endosulfan Sulfate	0.0100	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Endosulfan Sulfate	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endosulfan Sulfate	94.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		11	Tule Canal	FE	08/20/04	1100		Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Endosulfan Sulfate	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Endosulfan Sulfate	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endosulfan Sulfate	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endosulfan Sulfate	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Endosulfan Sulfate	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Endosulfan Sulfate	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Endosulfan Sulfate	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Endosulfan Sulfate	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Endosulfan-I	1.0000	<			0	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Endosulfan-I	1.0000	<			0.00	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Endosulfan-I	1.0000	<			0	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Endosulfan-I	1.0000	<			0.00	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Endosulfan-I	1.0000	<			0.00	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Endosulfan-I	1.0000	<			0	ng/L					1						608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Endosulfan-I	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endosulfan-I	90.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Endosulfan-I	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Endosulfan-I	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endosulfan-I	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endosulfan-I	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Endosulfan-I	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Endosulfan-I	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Endosulfan-I	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Endosulfan-I	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		3	Cache Creek	FE	04/23/04	1020		Endosulfan-II	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Endosulfan-II	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Endosulfan-II	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Endosulfan-II	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Endosulfan-II	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Endosulfan-II	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Endosulfan-II	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endosulfan-II	75.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Endosulfan-II	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Endosulfan-II	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endosulfan-II	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endosulfan-II	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Endosulfan-II	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Endosulfan-II	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Endosulfan-II	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Endosulfan-II	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Endrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Endrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Endrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Endrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Endrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Endrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Endrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Endrin	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Endrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Endrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Endrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Endrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Endrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Endrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Endrin	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-20-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020		Endrin	0.0100	<			0	ng/L						1				608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Endrin	0.0100	<			0.00	ng/L						1				608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Endrin	0.0100	<			0	ng/L						1				608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Endrin	0.0100	<			0.00	ng/L						1				608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Endrin	0.0100	<			0.00	ng/L						1				608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Endrin	0.0100	<			0	ng/L						1				608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Endrin	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endrin	114.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Endrin	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Endrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endrin	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Endrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Endrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Endrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Endrin	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Endrin Aldehyde	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	7421-93-4	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
6		3	Cache Creek	FE	04/23/04	1020		Endrin Aldehyde	0.0100	<			0	ng/L						1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Endrin Aldehyde	0.0100	<			0.00	ng/L						1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Endrin Aldehyde	0.0100	<			0	ng/L						1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Endrin Aldehyde	0.0100	<			0.00	ng/L						1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Endrin Aldehyde	0.0100	<			0.00	ng/L						1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Endrin Aldehyde	0.0100	<			0	ng/L						1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Endrin Aldehyde	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endrin Aldehyde	72.0000	=			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Endrin Aldehyde	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Endrin Aldehyde	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endrin Aldehyde	0.0000	=			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endrin Aldehyde	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Endrin Aldehyde	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Endrin Aldehyde	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Endrin Aldehyde	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Endrin Aldehyde	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Endrin Ketone	10.0000	<			0.01	ng/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	53494-70-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Endrin Ketone	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endrin Ketone	87.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Endrin Ketone	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Endrin Ketone	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endrin Ketone	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Endrin Ketone	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Endrin Ketone	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Endrin Ketone	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Endrin Ketone	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Endrin Ketone	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Ethion	500.0000	<			500.0000	ng/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Ethion	500.0000	<			500.0000	ng/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Ethion	500.0000	<			500.0000	ng/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Ethion	500.0000	<			500.0000	ng/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Ethion	500.0000	<			500.0000	ng/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Ethion	500.0000	<			500.0000	ng/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Ethion	500.0000	<			500.0000	ng/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Ethion	500.0000	<			500.0000	ng/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Ethion	500.0000	<			500.0000	ng/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Ethion	500.0000	<			500.0000	ng/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Ethion	500.0000	<			500.0000	ng/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Ethion	500.0000	<			500.0000	ng/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Ethion	500.0000	<			500.0000	ng/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Ethion	500.0000	<			500.0000	ng/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Ethion	500.0000	<			500.0000	ng/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	563-12-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
11		3	Cache Creek	FE	09/21/04	11:30		Ethoprop (Ethoprofos)	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Ethoprop (Ethoprofos)	20.0000	<			20	% Recovery	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Ethoprop (Ethoprofos)	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Ethoprop (Ethoprofos)	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Ethoprop (Ethoprofos)	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Ethoprop (Ethoprofos)	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Ethoprop (Ethoprofos)	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Ethoprop Ethoprofos	10.0000	<			10	ng/L						10						YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Ethoprop Ethoprofos	10.0000	<			10	ng/L						10						YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Ethoprop Ethoprofos	10.0000	<			10	ng/L						10						YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Ethoprop Ethoprofos	10.0000	<			10	ng/L						10						YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Ethoprop Ethoprofos	10.0000	<			10	ng/L						10						YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Ethoprop Ethoprofos	10.0000	<			10	ng/L						10						YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Ethoprop Ethoprofos	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Ethoprop Ethoprofos	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Ethoprop Ethoprofos	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Ethoprop Ethoprofos	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Ethoprop Ethoprofos	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Ethoprop Ethoprofos	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Ethoprop Ethoprofos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Ethoprop Ethoprofos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Ethoprop Ethoprofos	78.0000	=			10	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Ethoprop Ethoprofos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Ethoprop Ethoprofos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Ethoprop Ethoprofos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Ethoprop Ethoprofos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Ethoprop Ethoprofos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Ethoprop Ethoprofos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Fathead Minnow	100.0000	=			0.00	Growth (%)									821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		3	Cache Creek	FE	04/23/04	1020		Fathead Minnow	100.0000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		0	Lab Control	FE	04/23/04			Fathead Minnow	100.0000	=			0.00	Growth (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		0	Lab Control	FE	04/23/04			Fathead Minnow	100.0000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Fathead Minnow	100.0000	=			0.00	Growth (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Fathead Minnow	72.5000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Fathead Minnow	100.0000	=			0.00	Growth (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Fathead Minnow	97.5000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Fathead Minnow	100.0000	=			0.00	Growth (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Fathead Minnow	77.5000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935	08/20/04	Fathead minnow	100.0000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		0	Lab Control	FE	08/20/04		08/20/04	Fathead minnow	100.0000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850	08/20/04	Fathead minnow	100.0000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100	08/20/04	Fathead minnow	100.0000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843	08/20/04	Fathead minnow	95.0000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30	09/21/04	Fathead minnow	92.5000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		0	Lab Control	FE	09/21/04		09/21/04	Fathead minnow	92.5000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00	09/21/04	Fathead minnow	82.5000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50	09/21/04	Fathead minnow	85.0000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/21/04	09:00	09/21/04	Fathead minnow	80.0000	=			0.00	Survival (%)								821			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	B031850C	3	Cache Creek	FE	11/22/03	1040	11/22/2003	Fecal Coliform	70.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850G	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B02185A	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850B	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Fecal Coliform	20.0000	<		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850K	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Fecal Coliform	40.0000	=		Hold time	0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	B031850J	11	Tule Canal	FE	11/22/03	1205	11/22/2003	Fecal Coliform	80.0000	=		Hold time	0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	B031850F	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Fecal Coliform	1400.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850E	10	Woodland R2	FE	11/22/03	1145	11/22/2003	Fecal Coliform	1700.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850D	9	Woodland R1	FE	11/22/03	1145	11/22/2003	Fecal Coliform	1300.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
1	B031850I	5	YBWA	FE	11/22/03	1330	11/22/2003	Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	B031850H	7	Z Drain	FE	11/22/03	1050	11/22/2003	Fecal Coliform	80.0000	=		Hold time	0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2	B031988C	3	Cache Creek	FE	12/20/03	935	12/20/03	Fecal Coliform	40.0000	=			0.00	MPN/100ml		12/20/2003	NK								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988B	3	Cache Creek - FD	FE	12/20/03	935	12/20/03	Fecal Coliform	40.0000	=			0.00	MPN/100ml		12/20/2003	NK								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988E	6	Putah Creek	FE	12/20/03	1005	12/20/03	Fecal Coliform	20.0000	=			0.00	MPN/100ml		12/20/2003	NK								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988A	2	Ridge Cut	FE	12/20/03	855	12/20/03	Fecal Coliform	20.0000	<			0.00	MPN/100ml		12/20/2003	NK								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988I	11	Tule Canal	FE	12/20/03	855	12/20/03	Fecal Coliform	20.0000	=			0.00	MPN/100ml		12/20/2003	NK								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988D	4	Willow Slough	FE	12/20/03	930	12/20/03	Fecal Coliform	50000.0000	=			0.00	MPN/100ml		12/20/2003	NK								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988H	10	Woodland R2	FE	12/20/03	1105	12/20/03	Fecal Coliform	40.0000	=			0.00	MPN/100ml		12/20/2003	NK								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988G	9	Woodland R1	FE	12/20/03	1035	12/20/03	Fecal Coliform	20.0000	=			0.00	MPN/100ml		12/20/2003	NK								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
2	B031988J	5	YBWA	FE	12/20/03	1005	12/20/03	Fecal Coliform	20.0000	=			0.00	MPN/100ml		12/20/2003	NK								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

2	B031988F	7	Z Drain	FE	12/20/03	1045	12/20/03	Fecal Coliform	5000.0000	=			0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003
3	B040110B	3	Cache Creek	FE	01/23/04	1058	01/23/2004	Fecal Coliform	50.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110E	6	Putah Creek	FE	01/23/04	1115	01/23/04	Fecal Coliform	50.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110A	2	Ridge Cut	FE	01/23/04	0938	01/23/04	Fecal Coliform	2.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110J	12	Toe Drain	FE	01/23/04	1000	01/23/04	Fecal Coliform	1100.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110I	11	Tule Canal	FE	01/23/04	1330	01/23/04	Fecal Coliform	17.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110C	4	Willow Slough	FE	01/23/04	1000	01/23/04	Fecal Coliform	1700.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110K	4	Willow Slough - FD	FE	01/23/04	1005	01/23/04	Fecal Coliform	3000.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110H	10	Woodland R2	FE	01/23/04	1218	01/23/04	Fecal Coliform	70.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110G	9	Woodland R1	FE	01/23/04	1218	01/23/04	Fecal Coliform	30.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110D	5	YBWA	FE	01/23/04	1400	01/23/04	Fecal Coliform	50.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110F	7	Z Drain	FE	01/23/04	1205	01/23/04	Fecal Coliform	50.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
4	B040279B	3	Cache Creek	FE	02/21/04	930	02/21/04	Fecal Coliform	34.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279I	1	Fremont Weir	FE	02/21/04	830	02/21/04	Fecal Coliform	3000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279D	6	Putah Creek	FE	02/21/04	840	02/21/04	Fecal Coliform	70.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279A	2	Ridge Cut	FE	02/21/04	850	02/21/04	Fecal Coliform	2800.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279J	8	Sacramento Weir	FE	02/21/04	940	02/21/04	Fecal Coliform	9000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279H	11	Tule Canal	FE	02/21/04	840	02/21/04	Fecal Coliform	5000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279C	4	Willow Slough	FE	02/21/04	950	02/21/04	Fecal Coliform	4000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279G	10	Woodland R2	FE	02/21/04	1015	02/21/04	Fecal Coliform	17000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279F	9	Woodland R1	FE	02/21/04	1040	02/21/04	Fecal Coliform	16000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279E	7	Z Drain	FE	02/21/04	940	02/21/04	Fecal Coliform	2400.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
5	B040505B	3	Cache Creek	FE	03/27/04	905	03/27/04	Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505D	6	Putah Creek	FE	03/27/04	945	03/27/04	Fecal Coliform	1100.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505F	6	Putah Creek - FB	FE	03/27/04	945	03/27/04	Fecal Coliform	20.0000	<		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505B	2	Ridge Cut	FE	03/27/04	835	03/27/04	Fecal Coliform	20.0000	<		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505L	2	Ridge Cut - LD	FE	03/27/04	835	03/27/04	Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505K	12	Toe Drain	FE	03/27/04	1050	03/27/04	Fecal Coliform	17000.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505J	11	Tule Canal	FE	03/27/04	1112	03/27/04	Fecal Coliform	9000.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505C	4	Willow Slough	FE	03/27/04	855	03/27/04	Fecal Coliform	40.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505I	10	Woodland R2	FE	03/27/04	930	03/27/04	Fecal Coliform	70.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505H	9	Woodland R1	FE	03/27/04	955	03/27/04	Fecal Coliform	40.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505G	7	Z Drain	FE	03/27/04	1028	03/27/04	Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
6		3	Cache Creek	FE	04/23/04	1020		Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Fecal Coliform	40.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek - FB	FE	04/23/04	1020		Fecal Coliform	22000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		4	Willow Slough	FE	04/23/04	0930		Fecal Coliform	70.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		10	Woodland R2	FE	04/23/04	11:22		Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		9	Woodland R1	FE	04/23/04	11:07		Fecal Coliform	20.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		5	YBWA	FE	04/23/04	12:40		Fecal Coliform	40.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain	FE	04/23/04	12:40		Fecal Coliform	11000.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		3	Cache Creek	FE	05/22/04	10:40		Fecal Coliform	3000.0000	=			0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		6	Putah Creek	FE	05/22/04	9:58		Fecal Coliform	1700.0000	=			0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		2	Ridge Cut	FE	05/22/04	9:29		Fecal Coliform	3000.0000	=			0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		12	Toe Drain	FE	05/22/04	9:50		Fecal Coliform	40.0000	=			0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		11	Tule Canal	FE	05/22/04	11:00		Fecal Coliform	2200.0000	=			0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		4	Willow Slough	FE	05/22/04	9:17		Fecal Coliform	1400.0000	=			0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		10	Woodland R2	FE	05/22/04	10:16		Fecal Coliform	1700.0000	=			0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1	FE	05/22/04	10:34		Fecal Coliform	8000.0000	=			0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1 - FD	FE	05/22/04	10:34		Fecal Coliform	40.0000	=			0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		5	YBWA	FE	05/22/04	11:50		Fecal Coliform	40.0000	=			0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		7	Z Drain	FE	05/22/04	10:40		Fecal Coliform	6000.0000	=			0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925		Fecal Coliform	80.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040		Fecal Coliform	1100.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838		Fecal Coliform	1300.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930		Fecal Coliform	23.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200		Fecal Coliform	80.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900		Fecal Coliform	3000.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		10	Woodland R2	FE	06/26/04	10:16		Fecal Coliform	1100.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		9	Woodland R1	FE	06/26/04	10:34		Fecal Coliform	1300.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		5	YBWA	FE	06/26/04	11:50		Fecal Coliform	80.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		7	Z Drain	FE	06/26/04	1130		Fecal Coliform	5000.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		3	Cache Creek	FE	07/24/04	9:53		Fecal Coliform	1300.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		6	Putah Creek	FE	07/24/04	9:58		Fecal Coliform	90.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		2	Ridge Cut	FE	07/24/04	9:29		Fecal Coliform	50.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		12	Toe Drain	FE	07/24/04	0915		Fecal Coliform	50.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		11	Tule Canal	FE	07/24/04	1100		Fecal Coliform	50.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		4	Willow Slough	FE	07/24/04	9:17		Fecal Coliform	13000.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		10	Woodland R2	FE	07/24/04	10:16		Fecal Coliform	80.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		9	Woodland R1	FE	07/24/04	10:34		Fecal Coliform	50.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		5	YBWA	FE	07/24/04	11:50		Fecal Coliform	60.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		7	Z Drain	FE	07/24/04	1015		Fecal Coliform	5000.0000	=		Hold time	0.00	MPN/100ml																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935	08/20/04	Fecal Coliform	50.0000	=			0.00	MPN/100ml		11/22/2003	SP														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		6	Putah Creek	FE	08/20/04	0915	08/20/04	Fecal Coliform	23.0000	=			0.00	MPN/100ml		11/22/2003	SP														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		2	Ridge Cut	FE	08/20/04	0850	08/20/04	Fecal Coliform	1700.0000	=			0.00	MPN/100ml		11/22/2003	SP														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		12	Toe Drain	FE	08/20/04	0920	08/20/04	Fecal Coliform	30.0000	=			0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100	08/20/04	Fecal Coliform	1700.0000	=			0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100	08/20/04	Fecal Coliform	80.0000	=			0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843	08/20/04	Fecal Coliform	3000.0000	=			0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		10	Woodland R2	FE	08/20/04	1000	08/20/04	Fecal Coliform	2400.0000	=			0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		9	Woodland R1	FE	08/20/04	1015	08/20/04	Fecal Coliform	3000.0000	=			0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		5	YBWA	FE	08/20/04	1120	08/20/04	Fecal Coliform	30.0000	=			0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		7	Z Drain	FE	08/20/04	1015	08/20/04	Fecal Coliform	30000.0000	=			0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30	09/21/04	Fecal Coliform	1700.0000	=			0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		6	Putah Creek	FE	09/22/04	09:50	09/22/04	Fecal Coliform	17.0000	=			0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		2	Ridge Cut	FE	09/21/04	09:00	09/21/04	Fecal Coliform	90.0000	=			0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		12	Toe Drain	FE	09/21/04	11:30	09/21/04	Fecal Coliform	50.0000	=			0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50	09/21/04	Fecal Coliform	5000.0000	=			0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00	09/22/04	Fecal Coliform	17000.0000	=			0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		10	Woodland R2	FE	09/22/04	1039	09/22/04	Fecal Coliform	1000.0000	=			0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		9	Woodland R1	FE	09/22/04	955	09/22/04	Fecal Coliform	2200.0000	=			0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		7	Z Drain	FE	09/21/04	1140	09/21/04	Fecal Coliform	14000.0000	=			0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		7	Z Drain - FD	FE	09/21/04	1140	09/21/04	Fecal Coliform	11000.0000	=			0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		3	Cache Creek	FE	10/23/04	910	10/23/04	Fecal Coliform	5000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		6	Putah Creek	FE	10/23/04	910	10/23/04	Fecal Coliform	23.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		2	Ridge Cut	FE	10/23/04	840	10/23/04	Fecal Coliform	50.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		12	Toe Drain	FE	10/23/04	1306	10/23/04	Fecal Coliform	5000.0000	=		Hold time	0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		12	Toe Drain - FD	FE	10/23/04	1306	10/23/04	Fecal Coliform	2400.0000	=		Hold time	0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		11	Tule Canal	FE	10/23/04	1010	10/23/04	Fecal Coliform	1100.0000	=		Hold time	0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		4	Willow Slough	FE	10/23/04	1030	10/23/04	Fecal Coliform	2400.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		10	Woodland R2	FE	10/23/04	930	10/23/04	Fecal Coliform	2400.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		9	Woodland R1	FE	10/23/04	955	10/23/04	Fecal Coliform	50.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		5	YBWA	FE	10/23/04	1020	10/23/04	Fecal Coliform	2200.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP								YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
12		7	Z Drain	FE	10/23/04	1045	10/23/04	Fecal Coliform	50.0000	=		Hold time	0.00	MPN/100ml											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Fenchlorophos (Ronne)	20.0000	<			20	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Fenchlorophos (Ronne)	20.0000	<			20	% Recovery	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Fenchlorophos (Ronne)	20.0000	<			20	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Fenchlorophos (Ronne)	20.0000	<			20	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Fenchlorophos (Ronne)	20.0000	<			20	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Fenchlorophos (Ronne)	20.0000	<			20	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Fenchlorophos (Ronne)	20.0000	<			20	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Fenchlorophos Ronnel	10.0000	<			0	ng/L					10					614	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Fenchlorophos Ronnel	10.0000	<			0	ng/L					10					614	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Fenchlorophos Ronnel	10.0000	<			0	ng/L					10					614	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		12	Toe Drain	FE	04/23/04	0930		Fenchlorophos Ronnel	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Fenchlorophos Ronnel	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Fenchlorophos Ronnel	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Fenchlorophos Ronnel	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Fenchlorophos Ronnel	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Fenchlorophos Ronnel	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Fenchlorophos Ronnel	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Fenchlorophos Ronnel	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Fenchlorophos Ronnel	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Fenchlorophos Ronnel	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Fenchlorophos Ronnel	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Fenchlorophos Ronnel	73.0000	=			10	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Fenchlorophos Ronnel	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Fenchlorophos Ronnel	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Fenchlorophos Ronnel	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Fenchlorophos Ronnel	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Fenchlorophos Ronnel	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Fenchlorophos Ronnel	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Fensulfothion	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Fensulfothion	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Fensulfothion	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Fensulfothion	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Fensulfothion	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Fensulfothion	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Fensulfothion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Fensulfothion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Fensulfothion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Fensulfothion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Fensulfothion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Fensulfothion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Fensulfothion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Fensulfothion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Fensulfothion	95.0000	=			10	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Fensulfothion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Fensulfothion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Fensulfothion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Fensulfothion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Fensulfothion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Fensulfothion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		3	Cache Creek	FE	09/21/04	11:30		Fensulfothion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Fensulfothion	20.0000	<			20	% Recovery	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Fensulfothion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		Fensulfothion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		Fensulfothion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		Fensulfothion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		Fensulfothion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		3	Cache Creek	FE	04/23/04	1020		Fenthion	10.0000	<			0	ng/L					10							614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Fenthion	10.0000	<			0	ng/L					10							614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Fenthion	10.0000	<			0	ng/L					10							614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Fenthion	10.0000	<			0	ng/L					10							614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Fenthion	10.0000	<			0	ng/L					10							614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Fenthion	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Fenthion	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Fenthion	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Fenthion	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Fenthion	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Fenthion	10.0000	<			10	ng/L		29-Jun-04												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		3	Cache Creek	FE	08/20/04	0935		Fenthion	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		6	Putah Creek	FE	08/20/04	0915		Fenthion	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Fenthion	72.0000	=			10	% Recovery														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Fenthion	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		12	Toe Drain	FE	08/20/04	0920		Fenthion	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal	FE	08/20/04	1100		Fenthion	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FB	FE	08/20/04	1100		Fenthion	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FD	FE	08/20/04	1100		Fenthion	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		4	Willow Slough	FE	08/20/04	0843		Fenthion	10.0000	<			10	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		Fenthion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Fenthion	20.0000	<			20	% Recovery	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Fenthion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		Fenthion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		Fenthion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		Fenthion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		Fenthion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Fenuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	101-42-8			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Fenuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	101-42-8			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Fenuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	101-42-8			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Fenuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	101-42-8			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Fenuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	101-42-8			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Fenuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	101-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Fenuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	101-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Fenuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	101-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Fenuron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	101-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Fenuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	101-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Fenuron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	101-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Fenuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	101-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Fenuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	101-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Fenuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	101-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Fenuron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	101-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Fenuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Fenuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Fenuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Fenuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Fenuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Fenuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Fenuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Fenuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Fenuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Flow	27.0000	=			0													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Flow	9.8900	=			0													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Flow	85.7000	=			0													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Flow	82.3000	=			0													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Flow	59.6000	=			0													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Flow	40.8000	=			0													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		10	Woodland R2	FE	04/23/04	11:22		Flow	107.0000	=			0													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		9	Woodland R1	FE	04/23/04	11:07		Flow	110.0000	=			0													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		5	YBWA	FE	04/23/04	12:40		Flow	101.0000	=			0													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		7	Z Drain	FE	04/23/04	12:40		Flow	23.9000	=			0													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Fluometuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2164-17-2	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Fluometuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2164-17-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Fluometuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2164-17-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Fluometuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2164-17-2	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Fluometuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2164-17-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Fluometuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2164-17-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Fluometuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2164-17-2	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Fluometuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2164-17-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Fluometuron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2164-17-2	WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Fluometuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2164-17-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Fluometuron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2164-17-2	WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Fluometuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2164-17-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Fluometuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2164-17-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Fluometuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2164-17-2	WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Fluometuron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2164-17-2	WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Fluometuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Fluometuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Fluometuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Fluometuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Fluometuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Fluometuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Fluometuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Fluometuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Fluometuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	58-89-9	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	58-89-9	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	gamma-BHC Lindane	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	58-89-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Hardness	230.0000	=			5	mg/L	130.2	12/02/2003	AL	I030034HAR	1.3	1	12/02/2003			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Hardness	220.0000	=			5	mg/L	130.2	12/02/2003	AL	I030034HAR	1.3	1	12/02/2003			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Hardness	180.0000	=			5	mg/L	130.2	12/02/2003	AL	I030034HAR	1.3	1	12/02/2003			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Hardness	180.0000	=			5	mg/L	130.2	12/02/2003	AL	I030034HAR	1.3	1	12/02/2003			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Hardness	240.0000	=			5	mg/L	130.2	12/02/2003	AL	I030034HAR	1.3	1	12/02/2003			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Hardness	200.0000	=			5	mg/L	130.2	12/02/2003	AL	I030034HAR	1.3	1	12/02/2003			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Hardness	390.0000	=			5	mg/L	130.2	12/02/2003	AL	I030034HAR	1.3	1	12/02/2003			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Hardness	240.0000	=			10	mg/L	130.2	02/10/2004	AL	I040004HAR	1.3	2	02/10/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Hardness	270.0000	=			10	mg/L	130.2	02/10/2004	AL	I040004HAR	1.3	2	02/10/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Hardness	190.0000	=			10	mg/L	130.2	02/10/2004	AL	I040004HAR	1.3	2	02/10/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Hardness	210.0000	=			10	mg/L	130.2	02/10/2004	AL	I040004HAR	1.3	2	02/10/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Hardness	220.0000	=			10	mg/L	130.2	02/10/2004	AL	I040004HAR	1.3	2	02/10/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Hardness	400.0000	=			10	mg/L	130.2	02/10/2004	AL	I040004HAR	1.3	2	02/10/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Hardness	390.0000	=			10	mg/L	130.2	02/10/2004	AL	I040004HAR	1.3	2	02/10/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Hardness	300.0000	=			1	mg/L	415.1	05/19/2004	MYS	I040025TOC	0.5	1	05/19/2004				DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Hardness	220.0000	=			1	mg/L	200.8	05/06/2004	SMD	A040491IMS	0.5	1	04/28/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Hardness	270.0000	=			1	mg/L	200.8	04/29/2004	SMD	A040483IMS	0.5	1	04/27/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Hardness	230.0000	=			10	mg/L	200.8	05/06/2004	SMD	A040474IMS	0.2	10	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Hardness	190.0000	=			6	mg/L	160.2	04/25/2004	LRU	B040117TSS		2	04/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Hardness	330.0000	=			10	mg/L	200.8	05/06/2004	SMD	A040493IMS	0.2	5	04/29/2004	UKC	200.8	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Hardness	140.0000	=			25	mg/L	130.2	07/19/2004	SE	I040018HAR	1.3	5	07/19/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Hardness	280.0000	=			25	mg/L	130.2	07/19/2004	SE	I040018HAR	1.3	5	07/19/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Hardness	390.0000	=			25	mg/L	130.2	07/19/2004	SE	I040018HAR	1.3	5	07/19/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Hardness	100.0000	=			25	mg/L	130.2	07/19/2004	SE	I040018HAR	1.3	5	07/19/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Hardness	290.0000	=			25	mg/L	130.2	07/19/2004	SE	I040018HAR	1.3	5	07/19/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Hardness	260.0000	=			25	mg/L	130.2	07/19/2004	SE	I040018HAR	1.3	5	07/19/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Hardness	260.0000	=			25	mg/L	130.2	09/01/2004	MYS	I040021HAR	1.3	5	09/01/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Hardness	250.0000	=			25	mg/L	130.2	09/01/2004	MYS	I040021HAR	1.3	5	09/01/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Hardness	660.0000	=			25	mg/L	130.2	09/01/2004	MYS	I040021HAR	1.3	5	09/01/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Hardness	160.0000	=			25	mg/L	130.2	09/01/2004	MYS	I040021HAR	1.3	5	09/01/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Hardness	280.0000	=			25	mg/L	130.2	09/01/2004	MYS	I040021HAR	1.3	5	09/01/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Hardness	390.0000	=			25	mg/L	130.2	09/01/2004	MYS	I040021HAR	1.3	5	09/01/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Hardness	340.0000	=			10	mg/L	130.2	09/28/2004	AL	I040022HAR	1.3	2	09/28/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	09:50	09/22/2004	Hardness	240.0000	=			10	mg/L	130.2	09/28/2004	AL	I040022HAR	1.3	2	09/28/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Hardness	280.0000	=			10	mg/L	130.2	09/28/2004	AL	I040022HAR	1.3	2	09/28/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Hardness	310.0000	=			10	mg/L	130.2	09/28/2004	AL	I040022HAR	1.3	2	09/28/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Hardness	250.0000	=			10	mg/L	130.2	09/28/2004	AL	I040022HAR	1.3	2	09/28/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Hardness	310.0000	=			10	mg/L	130.2	09/28/2004	AL	I040022HAR	1.3	2	09/28/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Heptachlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	76-44-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020		Heptachlor	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Heptachlor	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Heptachlor	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Heptachlor	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Heptachlor	1.0000	<			0.00	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Heptachlor	1.0000	<			0	ng/L					1				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Heptachlor	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Heptachlor	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Heptachlor	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Heptachlor	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Heptachlor	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Heptachlor	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Heptachlor	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



**Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006**

10		6	Putah Creek	FE	08/20/04	0915		Heptachlor	1.0000	<																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
----	--	---	-------------	----	----------	------	--	------------	--------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Heptachlor Epoxide	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Heptachlor Epoxide	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Heptachlor Epoxide	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Heptachlor Epoxide	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Heptachlor Epoxide	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Heptachlor Epoxide	73.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Heptachlor Epoxide	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Heptachlor Epoxide	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Heptachlor Epoxide	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Heptachlor Epoxide	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Heptachlor Epoxide	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Heptachlor Epoxide	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Heptachlor Epoxide	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Heptachlor Epoxide	0.0000	=			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Heptachlor Epoxide	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Heptachlor Epoxide	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Heptachlor Epoxide	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Heptachlor Epoxide	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Heptachlor Epoxide	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Lead	0.7000	=			0.25	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.04	1	11/28/2003	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Lead	0.1100	=	J		0.25	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.04	1	11/28/2003	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Lead	0.5300	=			0.25	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.04	1	11/28/2003	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Lead	0.2500	<			0.25	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.04	1	11/28/2003	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Lead	0.7200	=			0.25	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.04	1	11/28/2003	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Lead	0.6500	=			0.25	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.04	1	11/28/2003	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Lead	0.9100	=			0.25	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.04	1	11/28/2003	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Lead	0.8300	=			0.25	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.04	1	11/28/2003	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Lead	0.4000	=			0.25	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.04	1	01/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Lead	0.2000	=	J		0.25	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.04	1	01/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Lead	0.9800	=			0.25	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.04	1	01/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Lead	1.3000	=			0.25	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.04	1	01/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Lead	0.9100	=			0.25	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.04	1	01/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Lead	0.5300	=			0.25	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.04	1	01/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Lead	0.4400	=			0.25	ug/L	200.8	02/04/2004	SMD	A040098IMS	0.04	1	01/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Lead	0.3900	=			0.25	ug/L	200.8	05/03/2004	SMD	A040493IMS	0.04	1	04/29/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Lead	0.4100	=			0.25	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.6	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Lead	1.1000	=			0.25	ug/L	200.8	04/28/2004	CD	I040011HAR	1.3	1	04/28/2004			WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Lead	1.1000	=			0.25	ug/L	200.8	04/23/2004	SE	I040024CLR		2	04/23/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Lead	1.4000	=			100	ug/L	200.8	05/05/2004	SMD	A040493IMS	0.7	10	04/29/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Lead	1.2000	=			0.25	ug/L	200.8	04/25/2004	LRU	B040117TSS		1	04/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Lead	1.5000	=			0.25	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.04	1	06/30/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Lead	1.1000	=			0.25	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.04	1	06/30/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Lead	1.7000	=			0.25	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.04	1	06/30/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Lead	2.2000	=			0.25	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.04	1	06/30/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Lead	1.4000	=			0.25	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.04	1	06/30/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Lead	1.1000	=			0.25	ug/L	200.8	07/01/2004	SMD	A040720IMS	0.04	1	06/30/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Lead	0.6900	=			0.25	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.04	1	08/31/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Lead	0.2000	=		J	0.25	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.04	1	08/31/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Lead	1.4000	=			0.25	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.04	1	08/31/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Lead	1.3000	=			0.25	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.04	1	08/31/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Lead	0.7000	=			0.25	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.04	1	08/31/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-8	11	Tule Canal - FB	FE	08/20/04	1100	08/20/2004	Lead	0.8600	=			0.25	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.04	1	08/31/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Lead	0.6700	=			0.25	ug/L	200.8	09/10/2004	SMD	A040958IMS	0.04	1	09/08/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Lead	1.7000	=			0.25	ug/L	200.8	09/10/2004	SMD	A040936IMS	0.04	1	08/31/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Lead	0.5000	=			0.25	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.04	1	09/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	09:50	09/22/2004	Lead	0.1200	=		J	0.25	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.04	1	09/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Lead	0.4100	=			0.25	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.04	1	09/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Lead	1.3000	=			0.25	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.04	1	09/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Lead	0.9100	=			0.25	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.04	1	09/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Lead	2.3000	=			0.25	ug/L	200.8	09/29/2004	SMD	A041036IMS	0.04	1	09/27/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Lead, dissolved	0.0440	=		J	0.25	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Lead, dissolved	0.1300	=	EST	J	0.25	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Lead, dissolved	0.0460	=		J	0.25	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.04	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.04	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.04	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	02/02/2004	SMD	A040097IMS	0.04	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.04	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.04	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.04	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	02/02/2004	SMD	A040097IMS	0.04	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Lead, dissolved	0.2500	=			0.25	ug/L	200.8	04/23/2004	SE	I040024CLR		10	04/23/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Lead, dissolved	0.2500	=			0.25	ug/L	200.8	04/29/2004	NL	I040030TDS	1.8	1	04/29/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Lead, dissolved	0.2500	=			0.25	ug/L	200.8	04/25/2004	LRU	B040117TSS		2	04/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Lead, dissolved	0.2500	=			0.25	ug/L	200.8	05/19/2004	MYS	I040025TOC	0.5	1	05/19/2004					DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Lead, dissolved	0.2500	=			0.25	ug/L	200.8	05/19/2004	MYS	I040025TOC	0.09	1	05/19/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Lead, dissolved	0.2500	=			0.25	ug/L	200.8	04/28/2004	CD	I040011HAR	1.3	1	04/28/2004				WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.04	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.04	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.04	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.04	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.04	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	07/07/2004	SMD	A040728IMS	0.04	1	07/02/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004	
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.04	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.04	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.04	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.04	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.04	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-8	11	Tule Canal - FB	FE	08/20/04	1100	08/20/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.04	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.04	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	09/10/2004	SMD	A040927IMS	0.04	1	08/30/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.04	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090738-1	6	Putah Creek	FE	09/22/04	09:50	09/22/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.04	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.04	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.04	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.04	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Lead, dissolved	0.2500	<			0.25	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.04	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Linuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	330-55-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Linuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	330-55-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Linuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	330-55-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Linuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	330-55-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Linuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	330-55-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Linuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	330-55-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Linuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	330-55-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Linuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP							



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Linuron	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Linuron	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Linuron	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Linuron	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Linuron	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Linuron	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Linuron	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Linuron	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Linuron	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Linuron	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Linuron	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Linuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Linuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Linuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Linuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Linuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Linuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Linuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Linuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Malathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Malathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Malathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Malathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Malathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Malathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Malathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Malathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Malathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Malathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Malathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Malathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Malathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Malathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Malathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	121-75-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
6		3	Cache Creek	FE	04/23/04	1020		Malathion	5.0000	<			0	ng/L					5				614				YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Malathion	5.0000	<			0	ng/L					5				614				YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Malathion	5.0000	<			0	ng/L					5				614				YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Malathion	5.0000	<			0	ng/L					5				614				YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Malathion	5.0000	<			0	ng/L					5				614				YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		4	Willow Slough	FE	04/23/04	0930		Malathion	5.0000	<			0	ng/L					5					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Malathion	5.0000	<			5	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Malathion	5.0000	<			5	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Malathion	5.0000	<			5	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Malathion	5.0000	<			5	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Malathion	5.0000	<			5	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Malathion	5.0000	<			5	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Malathion	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Malathion	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Malathion	66.0000	=			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Malathion	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Malathion	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Malathion	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Malathion	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Malathion	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Malathion	5.0000	<			5	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Malathion	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Malathion	10.0000	<			10	% Recovery	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Malathion	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Malathion	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Malathion	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Malathion	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Malathion	10.0000	<			10	ng/L	5	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Merphos	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Merphos	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Merphos	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Merphos	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Merphos	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Merphos	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Merphos	10.0000	<			0	ng/L					10					614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Merphos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Merphos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Merphos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Merphos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Merphos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Merphos	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Merphos	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Merphos	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Merphos	74.0000	=			10	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		2	Ridge Cut	FE	08/20/04	0850		Merphos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Merphos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Merphos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Merphos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Merphos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Merphos	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Merphos	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Merphos	20.0000	<			20	% Recovery	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Merphos	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Merphos	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Merphos	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Merphos	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Merphos	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Methiocarb	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Methiocarb	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Methiocarb	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Methiocarb	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Methiocarb	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Methiocarb	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Methiocarb	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Methiocarb	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Methiocarb	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Methiocarb	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Methiocarb	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Methiocarb	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Methiocarb	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Methiocarb	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Methiocarb	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	2032-65-7	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Methiocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Methiocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Methiocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Methiocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Methiocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Methiocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Methiocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Methiocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Methiocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Methiocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Methiocarb	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Methiocarb	0.4000	<			0.4	ug/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Methiocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Methiocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Methiocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Methiocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Methiocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Methiocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Methiocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Methiocarb	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Methomyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Methomyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Methomyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Methomyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Methomyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Methomyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Methomyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Methomyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Methomyl	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Methomyl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Methomyl	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Methomyl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Methomyl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Methomyl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Methomyl	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	16752-77-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Methomyl	0.0700	=			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Methomyl	0.0700	<			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Methomyl	0.0700	<			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Methomyl	0.0700	<			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Methomyl	0.0700	<			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Methomyl	0.0700	<			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Methomyl	0.0700	<			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Methomyl	0.0700	<			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Methomyl	0.0700	<			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Methomyl	0.0700	<			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Methomyl	0.0700	<			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Methomyl	0.0700	<			0.07	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Methomyl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Methomyl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Methomyl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10	AP74284	12	Toe Drain	FE	08/20/04	0920		Methomyl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Methomyl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Methomyl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Methomyl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Methomyl	0.0700	<			0.07	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Methoxychlor	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	72-43-5			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020		Methoxychlor	1.0000	<			0	ng/L					1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Methoxychlor	1.0000	<			0.00	ng/L					1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Methoxychlor	1.0000	<			0	ng/L					1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Methoxychlor	1.0000	<			0.00	ng/L					1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Methoxychlor	1.0000	<			0.00	ng/L					1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Methoxychlor	1.0000	<			0	ng/L					1				608					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Methoxychlor	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Methoxychlor	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Methoxychlor	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Methoxychlor	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Methoxychlor	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Methoxychlor	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Methoxychlor	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Methoxychlor	1.0000	<			0.00	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Methoxychlor	63.0000	=			1	% Recovery														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Methoxychlor	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Methoxychlor	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Methoxychlor	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Methoxychlor	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		11	Tule Canal - FD	FE	08/20/04	1100		Methoxychlor	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		4	Willow Slough	FE	08/20/04	0843		Methoxychlor	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		Methoxychlor	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Methoxychlor	0.0000	=			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Methoxychlor	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		Methoxychlor	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		Methoxychlor	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		Methoxychlor	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		Methoxychlor	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		3	Cache Creek	FE	04/23/04	1020		Methyl Parathion	10.0000	<			0	ng/L					10							614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Methyl Parathion	10.0000	<			0	ng/L					10							614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Methyl Parathion	10.0000	<			0	ng/L					10							614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Methyl Parathion	10.0000	<			0	ng/L					10							614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Methyl Parathion	10.0000	<			0	ng/L					10							614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Methyl Parathion	10.0000	<			0	ng/L					10							614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Methyl Parathion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Methyl Parathion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Methyl Parathion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Methyl Parathion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Methyl Parathion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Methyl Parathion	10.0000	<			10	ng/L		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		3	Cache Creek	FE	08/20/04	0935		Methyl Parathion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		6	Putah Creek	FE	08/20/04	0915		Methyl Parathion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Methyl Parathion	93.0000	=			10	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Methyl Parathion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		12	Toe Drain	FE	08/20/04	0920		Methyl Parathion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal	FE	08/20/04	1100		Methyl Parathion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FB	FE	08/20/04	1100		Methyl Parathion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FD	FE	08/20/04	1100		Methyl Parathion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		4	Willow Slough	FE	08/20/04	0843		Methyl Parathion	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		Methyl Parathion	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Methyl Parathion	20.0000	<			20	% Recovery	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		Methyl Parathion	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		Methyl Parathion	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		Methyl Parathion	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		Methyl Parathion	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		Methyl Parathion	20.0000	<			20	ng/L	10	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1		3	Cache Creek	FE	11/22/03	1035	11/24/03	Methylmercury	0.2580	=			0.0005	ng/L	FGS-070	11/24/2003											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1		6	Putah Creek	FE	11/22/03	1035	11/24/03	Methylmercury	0.0750	=			0.0005	ng/L	FGS-070	11/24/2003											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1		2	Ridge Cut	FE	11/22/03	1035	11/24/03	Methylmercury	0.3180	=			0.0005	ng/L	FGS-070	11/24/2003												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1		2	Ridge Cut - FB	FE	11/22/03	0910	11/24/03	Methylmercury	0.0005	<			0.0005	ng/L	FGS-070	11/24/2003													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		2	Ridge Cut - FD	FE	11/22/03	0910	11/24/03	Methylmercury	0.0850	=			0.0005	ng/L	FGS-070	11/24/2003													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		12	Toe Drain	FE	11/22/03	0910	11/24/03	Methylmercury	0.1440	=			0.0005	ng/L	FGS-070	11/24/2003													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		11	Tule Canal	FE	11/22/03	1035	11/24/03	Methylmercury	0.2740	=			0.0005	ng/L	FGS-070	11/24/2003													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		4	Willow Slough	FE	11/22/03	0900	11/24/03	Methylmercury	0.3770	=			0.0005	ng/L	FGS-070	11/24/2003													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		3	Cache Creek	FE	01/23/04	1058	01/25/04	Methylmercury	1.0600	=			0.0005	ng/L	FGS-070	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		6	Putah Creek	FE	01/23/04	1110	01/25/04	Methylmercury	0.0730	=			0.0005	ng/L	FGS-070	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		2	Ridge Cut	FE	01/23/04	0938	01/25/04	Methylmercury	0.2640	=			0.0005	ng/L	FGS-070	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		12	Toe Drain	FE	01/23/04	1000	01/25/04	Methylmercury	0.8990	=			0.0005	ng/L	FGS-070	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		11	Tule Canal	FE	01/23/04	1330	01/25/04	Methylmercury	0.5110	=			0.0005	ng/L	FGS-070	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		4	Willow Slough	FE	01/23/04	1000	01/25/04	Methylmercury	0.2400	=			0.0005	ng/L	FGS-070	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		4	Willow Slough - FB	FE	01/23/04	1005	01/25/04	Methylmercury	0.0005	<			0.0005	ng/L	FGS-070	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		4	Willow Slough - FD	FE	01/23/04	1005	01/25/04	Methylmercury	0.2060	=			0.0005	ng/L	FGS-070	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
6		3	Cache Creek	FE	04/23/04	1020		Methylmercury	0.2590	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Methylmercury	0.1390	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Methylmercury	0.1810	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Methylmercury	0.2590	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Methylmercury	0.2720	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Methylmercury	0.2990	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain	FE	04/23/04	12:40		Methylmercury	0.4330	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain - FB	FE	04/23/04	12:40		Methylmercury	0.0250	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain - FD	FE	04/23/04	12:40		Methylmercury	0.3690	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925		Methylmercury	0.5840	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040		Methylmercury	0.3260	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838		Methylmercury	0.2970	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930		Methylmercury	0.2500	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200		Methylmercury	0.4270	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900		Methylmercury	0.2880	=			0.0005	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Methylmercury	0.5020	=		holdtime, 19.4 deg	0.0005	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Methylmercury	0.1960	=		holdtime, 19.4 deg	0.0005	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Methylmercury	0.5850	=		holdtime, 19.4 deg	0.0005	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Methylmercury	0.1370	=		holdtime, 19.4 deg	0.0005	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Methylmercury	0.4020	=		holdtime, 19.4 deg	0.0005	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Methylmercury	0.0008	=		holdtime, 19.4 deg	0.0005	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Methylmercury	0.5070	=		holdtime, 19.4 deg	0.0005	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Methylmercury	0.4420	=		holdtime, 19.4 deg	0.0005	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Methylmercury	0.2580	=			0.0005	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Methylmercury	0.1290	=			0.0005	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		2	Ridge Cut	FE	09/21/04	09:00		Methylmercury	0.1510	=			0.0005	ng/l	FGS-069																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		Methylmercury	0.2320	=			0.0005	ng/l	FGS-069																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Methylmercury	0.2160	=			0.0005	ng/l	FGS-069																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Methylmercury	0.2700	=			0.0005	ng/l	FGS-069																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Mevinphos (Phosdrin)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Mevinphos (Phosdrin)	20.0000	<			20	% Recovery	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Mevinphos (Phosdrin)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Mevinphos (Phosdrin)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Mevinphos (Phosdrin)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Mevinphos (Phosdrin)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Mevinphos (Phosdrin)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Mevinphos Phosdrin	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Mevinphos Phosdrin	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Mevinphos Phosdrin	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Mevinphos Phosdrin	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Mevinphos Phosdrin	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Mevinphos Phosdrin	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Mevinphos Phosdrin	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Mevinphos Phosdrin	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Mevinphos Phosdrin	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Mevinphos Phosdrin	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Mevinphos Phosdrin	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Mevinphos Phosdrin	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Mevinphos Phosdrin	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Mevinphos Phosdrin	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Mevinphos Phosdrin	73.0000	=			10	% Recovery																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Mevinphos Phosdrin	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Mevinphos Phosdrin	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Mevinphos Phosdrin	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Mevinphos Phosdrin	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Mevinphos Phosdrin	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Mevinphos Phosdrin	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Mexacarbate	0.8000	<			0.8	ug/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Mexacarbate	0.8000	<			0.8	ug/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Mexacarbate	0.8000	<			0.8	ug/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Mexacarbate	0.8000	<			0.8	ug/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Mexacarbate	0.8000	<			0.8	ug/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Mexacarbate	0.8000	<			0.8	ug/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Mexacarbate	0.8000	<			0.8	ug/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Mexacarbate	0.8000	<			0.8	ug/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN				
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Mexacarbate	0.8000	<			0.8	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Mexacarbate	0.8000	<			0.8	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Mexacarbate	0.8000	<			0.8	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Mexacarbate	0.8000	<			0.8	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Mexacarbate	0.8000	<			0.8	ug/L	EPA 8321A	9/3/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Mexacarbate	0.8000	<			0.8	ug/L	EPA 8321A	9/3/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Mexacarbate	0.8000	<			0.8	ug/L	EPA 8321A	9/3/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Mexacarbate	0.8000	<			0.8	ug/L	EPA 8321A	9/3/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Mexacarbate	0.8000	<			0.8	ug/L	EPA 8321A	9/3/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Mexacarbate	0.8000	<			0.8	ug/L	EPA 8321A	9/3/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Mexacarbate	0.8000	<			0.8	ug/L	EPA 8321A	9/3/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Mexacarbate	0.8000	<			0.8	ug/L	EPA 8321A	9/3/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		3	Cache Creek	FE	04/23/04	1020		Mirex	1.0000	<			0	ng/L							1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		6	Putah Creek	FE	04/23/04	1020		Mirex	1.0000	<			0.00	ng/L							1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		2	Ridge Cut	FE	04/23/04	0917		Mirex	1.0000	<			0	ng/L							1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		12	Toe Drain	FE	04/23/04	0930		Mirex	1.0000	<			0.00	ng/L							1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		11	Tule Canal	FE	04/23/04	1140		Mirex	1.0000	<			0.00	ng/L							1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		4	Willow Slough	FE	04/23/04	0930		Mirex	1.0000	<			0.00	ng/L							1							608		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		3	Cache Creek	FE	08/20/04	0935		Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		6	Putah Creek	FE	08/20/04	0915		Mirex	1.0000	<			0.00	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Mirex	83.0000	=			1	% Recovery																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		12	Toe Drain	FE	08/20/04	0920		Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal	FE	08/20/04	1100		Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FB	FE	08/20/04	1100		Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FD	FE	08/20/04	1100		Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		4	Willow Slough	FE	08/20/04	0843		Mirex	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		Mirex	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Mirex	0.0000	=			5	% Recovery	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Mirex	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Mirex	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Mirex	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		11	Tule Canal	FE	09/21/04	09:50		Mirex	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Mirex	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Monuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Monuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Monuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Monuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Monuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Monuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Monuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Monuron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Monuron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Monuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Monuron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Monuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Monuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Monuron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Monuron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	150-68-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Monuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Monuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Monuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Monuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Monuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Monuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Monuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Monuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Monuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Neburon	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.3	1	11/28/2003	EJP	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Neburon	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.3	1	11/28/2003	EJP	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Neburon	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.3	1	11/28/2003	EJP	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Neburon	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.3	1	11/28/2003	EJP	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Neburon	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.3	1	11/28/2003	EJP	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Neburon	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.3	1	11/28/2003	EJP	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Neburon	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.3	1	11/28/2003	EJP	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Neburon	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.3	1	11/28/2003	EJP	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Neburon	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.3	1	01/30/2004	JDC	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Neburon	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.3	1	01/30/2004	JDC	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Neburon	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.3	1	01/30/2004	JDC	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Neburon	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.3	1	01/30/2004	JDC	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Neburon	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.3	1	01/30/2004	JDC	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Neburon	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.3	1	01/30/2004	JDC	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Neburon	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.3	1	01/30/2004	JDC	EPA 632	HPLC	555-37-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Neburon	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Neburon	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Neburon	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Neburon	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Neburon	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Neburon	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Neburon	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Neburon	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Neburon	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Nickel	18.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Nickel	3.3000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Nickel	9.5000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Nickel	0.5000	<			0.50	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Nickel	12.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Nickel	16.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Nickel	14.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Nickel	22.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.2	1	11/28/2003	UKC	200.8	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Nickel, dissolved	3.6000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Nickel, dissolved	3.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Nickel, dissolved	3.9000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Nickel, dissolved	3.0000	=		J	0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Nickel, dissolved	4.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Nickel, dissolved	5.1000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Nickel, dissolved	4.8000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Nickel, dissolved	13.0000	=			0.5	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.2	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-02-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Nitrate as N	8.0000	=			0.1	mg/L	300.0	11/22/2003	MYS	I030196IC	0.03	1	11/22/2003			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Nitrate as N	13.0000	=			0.1	mg/L	300.0	11/22/2003	MYS	I030196IC	0.03	1	11/22/2003			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Nitrate as N	0.1000	<			0.10	mg/L	300.0	11/22/2003	MYS	I030196IC	0.03	1	11/22/2003			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Nitrate as N	0.1000	<			0.10	mg/L	300.0	11/22/2003	MYS	I030196IC	0.03	1	11/22/2003			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Nitrate as N	2.0000	=			0.1	mg/L	300.0	11/22/2003	MYS	I030196IC	0.03	1	11/22/2003			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Nitrate as N	10.0000	=			0.1	mg/L	300.0	11/22/2003	MYS	I030196IC	0.03	1	11/22/2003			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Nitrate as N	3.0000	=			0.1	mg/L	300.0	11/22/2003	MYS	I030196IC	0.03	1	11/22/2003			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Nitrate as N	5.4000	=			0.1	mg/L	300.0	01/23/2004	MYS	I040010IC	0.03	1	01/23/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Nitrate as N	1.3000	=			0.1	mg/L	300.0	01/23/2004	MYS	I040010IC	0.03	1	01/23/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Nitrate as N	1.1000	=			0.1	mg/L	300.0	01/23/2004	MYS	I040010IC	0.03	1	01/23/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Nitrate as N	0.8000	=			0.1	mg/L	300.0	01/23/2004	MYS	I040010IC	0.03	1	01/23/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Nitrate as N	0.3000	=			0.1	mg/L	300.0	01/23/2004	MYS	I040010IC	0.03	1	01/23/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Nitrate as N	0.1000	<			0.1	mg/L	300.0	01/23/2004	MYS	I040010IC	0.03	1	01/23/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Nitrate as N	2.5000	=			0.1	mg/L	300.0	01/23/2004	MYS	I040010IC	0.03	1	01/23/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Nitrate as N	3.5000	=			10	mg/L	160.1	04/29/2004	NL	I040030TDS	1.8	1	04/29/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Nitrate as N	1.7000	=			0.25	mg/L	200.8	05/03/2004	SMD	A040493IMS	0.04	1	04/29/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Nitrate as N	0.4000	=			1	mg/L	200.8	05/06/2004	SMD	A040491IMS	0.5	1	04/28/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Nitrate as N	0.5000	=			20	mg/L	200.8	05/06/2004	SMD	A040474IMS	0.2	20	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Nitrate as N	0.8000	=			0.5	mg/L	200.8	04/28/2004	SMD	A040474IMS	0.2	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-50-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Nitrate as N	0.1000	=			0.1	mg/L	300.0	04/23/2004	MYS	I040060IC	0.03	1	04/23/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Nitrate as N	0.1000	=			0.1	mg/L	300.0	06/27/2004	MYS	I040096IC	0.03	1	06/27/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Nitrate as N	0.9000	=			0.1	mg/L	300.0	06/27/2004	MYS	I040096IC	0.03	1	06/27/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Nitrate as N	1.7000	=			0.1	mg/L	300.0	06/27/2004	MYS	I040096IC	0.03	1	06/27/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Nitrate as N	0.2000	=			0.1	mg/L	300.0	06/27/2004	MYS	I040096IC	0.03	1	06/27/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Nitrate as N	1.0000	=			0.1	mg/L	300.0	06/27/2004	MYS	I040096IC	0.03	1	06/27/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Nitrate as N	0.5000	=			0.1	mg/L	300.0	06/27/2004	MYS	I040096IC	0.03	1	06/27/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Nitrate as N	0.1000	<			0.1	mg/L	300.0	08/21/2004	MYS	I040131IC	0.03	1	08/21/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Nitrate as N	0.7000	=			0.1	mg/L	300.0	08/21/2004	MYS	I040131IC	0.03	1	08/21/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Nitrate as N	0.1000	<			0.1	mg/L	300.0	08/21/2004	MYS	I040131IC	0.03	1	08/21/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Nitrate as N	0.1000	<			0.1	mg/L	300.0	08/21/2004	MYS	I040131IC	0.03	1	08/21/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Nitrate as N	0.8000	=			0.1	mg/L	300.0	08/21/2004	MYS	I040131IC	0.03	1	08/21/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Nitrate as N	0.8000	=			0.1	mg/L	300.0	08/21/2004	MYS	I040131IC	0.03	1	08/21/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Nitrate as N	0.4000	=			0.1	mg/L	300.0	08/21/2004	MYS	I040131IC	0.03	1	08/21/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Nitrate as N	1.4000	=			0.1	mg/L	300.0	09/22/2004	SE	I040152IC	0.03	1	09/22/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	09:50	09/22/2004	Nitrate as N	1.1000	=			0.1	mg/L	300.0	09/22/2004	SE	I040152IC	0.03	1	09/22/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Nitrate as N	0.4000	=			0.1	mg/L	300.0	09/22/2004	SE	I040152IC	0.03	1	09/22/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Nitrate as N	2.9000	=			0.1	mg/L	300.0	09/22/2004	SE	I040152IC	0.03	1	09/22/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Nitrate as N	1.3000	=			0.1	mg/L	300.0	09/22/2004	SE	I040152IC	0.03	1	09/22/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Nitrate as N	1.0000	=			0.1	mg/L	300.0	09/22/2004	SE	I040152IC	0.03	1	09/22/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Oryzalin	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Oryzalin	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Oryzalin	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Oryzalin	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Oryzalin	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Oryzalin	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Oryzalin	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Oryzalin	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Oryzalin	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Oxamyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.2	1	11/28/2003	EJP	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Oxamyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.2	1	11/28/2003	EJP	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Oxamyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.2	1	11/28/2003	EJP	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Oxamyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.2	1	11/28/2003	EJP	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Oxamyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.2	1	11/28/2003	EJP	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Oxamyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.2	1	11/28/2003	EJP	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Oxamyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.2	1	11/28/2003	EJP	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Oxamyl	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.2	1	11/28/2003	EJP	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Oxamyl	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.2	1	01/30/2004	JDC	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Oxamyl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.2	1	01/30/2004	JDC	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Oxamyl	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.2	1	01/30/2004	JDC	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Oxamyl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.2	1	01/30/2004	JDC	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Oxamyl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.2	1	01/30/2004	JDC	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Oxamyl	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.2	1	01/30/2004	JDC	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Oxamyl	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.2	1	01/30/2004	JDC	EPA 632	HPLC	23135-22-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Oxamyl	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Oxamyl	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Oxamyl	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Oxamyl	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Oxamyl	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Oxamyl	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Oxamyl	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Oxamyl	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Oxamyl	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004



# Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	p,p-DDD	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-54-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.002	1	11/26/2003	EP/JC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	p,p-DDE	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.002	1	01/29/2004	JDC	EPA 608	ECD	72-55-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.003	1	11/26/2003	EP/JC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	p,p-DDT	0.0100	<			0.01	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.003	1	01/29/2004	JDC	EPA 608	ECD	50-29-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Parathion Ethyl Parathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Parathion Ethyl Parathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Parathion Ethyl Parathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Parathion Ethyl Parathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Parathion Ethyl Parathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Parathion Ethyl Parathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Parathion Ethyl Parathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003



# Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Parathion Ethyl Parathion	0.5000	<			0.50	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Parathion Ethyl Parathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Parathion Ethyl Parathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Parathion Ethyl Parathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Parathion Ethyl Parathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Parathion Ethyl Parathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Parathion Ethyl Parathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Parathion Ethyl Parathion	0.5000	<			0.5	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	56-38-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Parathion methyl	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Parathion methyl	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Parathion methyl	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Parathion methyl	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Parathion methyl	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Parathion methyl	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Parathion methyl	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Parathion methyl	1.0000	<			1.00	ug/L	EPA 614	12/09/2003	MDT	T030273OPP	0.2	1	11/26/2003	JC/EP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Parathion methyl	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Parathion methyl	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Parathion methyl	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Parathion methyl	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Parathion methyl	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Parathion methyl	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Parathion methyl	1.0000	<			1	ug/L	EPA 614	02/13/2004	MDT	T040018OPP	0.2	1	01/30/2004	EJP	EPA 614	NPD	298-00-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	PCB 1016	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	PCB 1016	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	PCB 1016	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	PCB 1016	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	PCB 1016	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	PCB 1016	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	PCB 1016	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	PCB 1016	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	PCB 1016	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	PCB 1016	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	PCB 1016	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	PCB 1016	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	PCB 1016	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	PCB 1016	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	PCB 1016	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12674-11-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	PCB 1221	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.03	1	11/26/2003	EP/JC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003



**Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006**

1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	PCB 1221	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.03	1	11/26/2003	EP/JC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	PCB 1221	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.03	1	11/26/2003	EP/JC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	PCB 1221	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.03	1	11/26/2003	EP/JC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	PCB 1221	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.03	1	11/26/2003	EP/JC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	PCB 1221	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.03	1	11/26/2003	EP/JC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	PCB 1221	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.03	1	11/26/2003	EP/JC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	PCB 1221	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.03	1	11/26/2003	EP/JC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	PCB 1221	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.03	1	01/29/2004	JDC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	PCB 1221	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.03	1	01/29/2004	JDC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	PCB 1221	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.03	1	01/29/2004	JDC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	PCB 1221	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.03	1	01/29/2004	JDC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	PCB 1221	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.03	1	01/29/2004	JDC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	PCB 1221	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.03	1	01/29/2004	JDC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	PCB 1221	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.03	1	01/29/2004	JDC	EPA 608	ECD	11104-28-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	PCB 1232	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.04	1	11/26/2003	EP/JC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	PCB 1232	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.04	1	11/26/2003	EP/JC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	PCB 1232	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.04	1	11/26/2003	EP/JC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	PCB 1232	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.04	1	11/26/2003	EP/JC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	PCB 1232	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.04	1	11/26/2003	EP/JC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	PCB 1232	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.04	1	11/26/2003	EP/JC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	PCB 1232	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.04	1	11/26/2003	EP/JC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	PCB 1232	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.04	1	11/26/2003	EP/JC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	PCB 1232	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.04	1	01/29/2004	JDC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	PCB 1232	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.04	1	01/29/2004	JDC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	PCB 1232	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.04	1	01/29/2004	JDC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	PCB 1232	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.04	1	01/29/2004	JDC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	PCB 1232	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.04	1	01/29/2004	JDC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	PCB 1232	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.04	1	01/29/2004	JDC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	PCB 1232	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.04	1	01/29/2004	JDC	EPA 608	ECD	11141-16-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	PCB 1242	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	PCB 1242	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	PCB 1242	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	PCB 1242	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	PCB 1242	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	PCB 1242	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	PCB 1242	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	PCB 1242	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	PCB 1242	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	PCB 1242	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004



**Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006**

3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	PCB 1242	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	PCB 1242	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	PCB 1242	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	PCB 1242	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	PCB 1242	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	53469-21-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	PCB 1248	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	PCB 1248	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	PCB 1248	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	PCB 1248	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	PCB 1248	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	PCB 1248	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	PCB 1248	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	PCB 1248	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	PCB 1248	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	PCB 1248	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	PCB 1248	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	PCB 1248	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	PCB 1248	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	PCB 1248	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	PCB 1248	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	12672-29-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	PCB 1254	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.07	1	11/26/2003	EP/JC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	PCB 1254	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.07	1	11/26/2003	EP/JC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	PCB 1254	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.07	1	11/26/2003	EP/JC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	PCB 1254	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.07	1	11/26/2003	EP/JC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	PCB 1254	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.07	1	11/26/2003	EP/JC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	PCB 1254	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.07	1	11/26/2003	EP/JC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	PCB 1254	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.07	1	11/26/2003	EP/JC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	PCB 1254	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.07	1	11/26/2003	EP/JC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	PCB 1254	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.07	1	01/29/2004	JDC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	PCB 1254	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.07	1	01/29/2004	JDC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	PCB 1254	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.07	1	01/29/2004	JDC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	PCB 1254	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.07	1	01/29/2004	JDC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	PCB 1254	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.07	1	01/29/2004	JDC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	PCB 1254	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.07	1	01/29/2004	JDC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	PCB 1254	0.1000	<		0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.07	1	01/29/2004	JDC	EPA 608	ECD	11097-69-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	PCB 1260	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	PCB 1260	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	PCB 1260	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	PCB 1260	0.1000	<		0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	PCB 1260	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	PCB 1260	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	PCB 1260	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	PCB 1260	0.1000	<			0.10	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.05	1	11/26/2003	EP/JC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	PCB 1260	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	PCB 1260	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	PCB 1260	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	PCB 1260	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	PCB 1260	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	PCB 1260	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	PCB 1260	0.1000	<			0.1	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.05	1	01/29/2004	JDC	EPA 608	ECD	11096-82-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB018	71.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB018	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB018	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB018	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB018	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB018	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB018	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB018	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB018	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB028	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB028	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB028	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB028	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB028	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB028	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		3	Cache Creek	FE	08/20/04	0935		PCB028	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB028	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB028	72.0000	=			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB028	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB028	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB028	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB028	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB028	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB028	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB028	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB028	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB028	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB028	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB028	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB028	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB028	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB030	80.0000	=			5	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB030	78.0000	=			5	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB030	81.0000	=			5	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB030	67.0000	=			5	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB030	72.0000	=			5	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB030	78.0000	=			5	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB030	59.0000	=			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB030	59.0000	=			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB030	55.0000	=			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB030	60.0000	=			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB030	1.0000	<			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB030	1.0000	<			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB030	1.0000	<			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB030	1.0000	<			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB030	1.0000	<			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		2	Ridge Cut	FE	08/20/04	0850		PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB031	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB031	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB031	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB031	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB031	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB031	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB031	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB031	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB033	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB033	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB033	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB033	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB033	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB033	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB033	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB033	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB037	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB037	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB037	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB037	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB037	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB037	1.0000	<			1	ng/L														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN				
10		3	Cache Creek	FE	08/20/04	0935		PCB037	1.0000	<			1	ng/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		6	Putah Creek	FE	08/20/04	0915		PCB037	1.0000	<			1	ng/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		2	Ridge Cut	FE	08/20/04	0850		PCB037	65.0000	=			1	% Recovery															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		2	Ridge Cut	FE	08/20/04	0850		PCB037	1.0000	<			1	ng/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		12	Toe Drain	FE	08/20/04	0920		PCB037	1.0000	<			1	ng/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		11	Tule Canal	FE	08/20/04	1100		PCB037	1.0000	<			1	ng/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB037	1.0000	<			1	ng/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB037	1.0000	<			1	ng/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		4	Willow Slough	FE	08/20/04	0843		PCB037	1.0000	<			1	ng/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		3	Cache Creek	FE	09/21/04	11:30		PCB037	5.0000	<			5	ng/L	1	9/24/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		PCB037	5.0000	<			5	% Recovery	1	9/24/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		PCB037	5.0000	<			5	ng/L	1	9/24/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		PCB037	5.0000	<			5	ng/L	1	9/24/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		PCB037	5.0000	<			5	ng/L	1	9/24/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		PCB037	5.0000	<			5	ng/L	1	9/24/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		PCB037	5.0000	<			5	ng/L	1	9/24/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		3	Cache Creek	FE	08/20/04	0935		PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		6	Putah Creek	FE	08/20/04	0915		PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		PCB044	74.0000	=			1	% Recovery																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		12	Toe Drain	FE	08/20/04	0920		PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal	FE	08/20/04	1100		PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		4	Willow Slough	FE	08/20/04	0843		PCB044	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		PCB044	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB044	5.0000	<			5	% Recovery	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB044	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB044	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB044	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB044	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB044	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB049	72.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB049	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB049	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB049	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB049	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB049	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB049	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB049	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB049	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB052	73.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB052	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB052	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB052	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		6	Putah Creek	FE	09/22/04	09:50		PCB052	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB052	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB052	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB052	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB052	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB066	72.0000	=			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB066	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB066	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB066	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB066	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB066	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB066	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB066	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB066	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB070	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		11	Tule Canal - FD	FE	08/20/04	1100		PCB070	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB070	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB070	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB070	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB070	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB070	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB070	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB070	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB070	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB074	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB074	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB074	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB074	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB074	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB074	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB074	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB074	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB077	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB077	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB077	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB077	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB077	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB077	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB077	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB077	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB077	75.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		2	Ridge Cut	FE	08/20/04	0850		PCB077	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB077	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB077	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB077	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB077	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB077	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB077	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB077	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB077	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB077	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB077	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB077	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB077	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB081	67.0000	=			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB081	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB081	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB081	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB081	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB081	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB081	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB081	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB081	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB087	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB087	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB087	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB087	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB087	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB087	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB087	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB087	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB087	66.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB087	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB087	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB087	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB087	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB087	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB087	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB087	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB087	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB087	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB087	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB087	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB087	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB087	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB095	73.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB095	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB095	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB095	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB095	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB095	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB095	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB095	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB097	67.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB097	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB097	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB097	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB097	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB097	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB097	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB097	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB097	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB099	65.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB099	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB099	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB099	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		6	Putah Creek	FE	09/22/04	09:50		PCB099	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB099	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB099	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB099	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB099	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB101	71.0000	=			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB101	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB101	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB101	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB101	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB101	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB101	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB101	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB101	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB105	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		11	Tule Canal - FD	FE	08/20/04	1100		PCB105	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB105	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB105	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB105	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB105	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB105	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB105	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB105	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB105	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB110	72.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB110	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB110	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB110	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB110	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB110	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB110	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB110	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB110	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB112	73.0000	=			5	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB112	77.0000	=			5	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB112	73.0000	=			5	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB112	74.0000	=			5	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB112	70.0000	=			5	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB112	68.0000	=			5	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB112	74.0000	=			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB112	73.0000	=			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		2	Ridge Cut	FE	08/20/04	0850		PCB112	54.0000	=			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB112	75.0000	=			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB112	1.0000	<			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB112	1.0000	<			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB112	1.0000	<			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB112	1.0000	<			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB112	1.0000	<			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB114	73.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB114	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB114	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB114	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB114	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB114	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB114	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB114	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB114	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB118	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB118	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB118	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB118	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB118	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB118	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB118	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB118	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB118	73.0000	=			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB118	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		12	Toe Drain	FE	08/20/04	0920		PCB118	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB118	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB118	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB118	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB118	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB118	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB118	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB118	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB118	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB118	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB118	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB118	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB119	71.0000	=			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB119	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB119	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB119	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB119	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB119	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB119	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB119	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB119	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB123	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB123	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB123	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB123	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB123	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB123	1.0000	<			1	ng/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN				
10		3	Cache Creek	FE	08/20/04	0935		PCB123	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		6	Putah Creek	FE	08/20/04	0915		PCB123	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		2	Ridge Cut	FE	08/20/04	0850		PCB123	66.0000	=			1	% Recovery																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		2	Ridge Cut	FE	08/20/04	0850		PCB123	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		12	Toe Drain	FE	08/20/04	0920		PCB123	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		11	Tule Canal	FE	08/20/04	1100		PCB123	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB123	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB123	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		4	Willow Slough	FE	08/20/04	0843		PCB123	1.0000	<			1	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		3	Cache Creek	FE	09/21/04	11:30		PCB123	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		PCB123	5.0000	<			5	% Recovery	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		6	Putah Creek	FE	09/22/04	09:50		PCB123	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		2	Ridge Cut	FE	09/21/04	09:00		PCB123	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		12	Toe Drain	FE	09/21/04	11:30		PCB123	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		PCB123	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		PCB123	5.0000	<			5	ng/L	1	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		3	Cache Creek	FE	08/20/04	0935		PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		6	Putah Creek	FE	08/20/04	0915		PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		PCB126	1.0000	<			1	% Recovery																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		12	Toe Drain	FE	08/20/04	0920		PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal	FE	08/20/04	1100		PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		4	Willow Slough	FE	08/20/04	0843		PCB126	1.0000	<			1	ng/L																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		PCB126	5.0000	<			5	ng/L	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB126	5.0000	<			5	% Recovery	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB126	5.0000	<			5	ng/L	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB126	5.0000	<			5	ng/L	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB126	5.0000	<			5	ng/L	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB126	5.0000	<			5	ng/L	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB126	5.0000	<			5	ng/L	1	9/24/2004																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB128+167	1.0000	<			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB128+167	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB128+167	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB128+167	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB128+167	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB128+167	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB128+167	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB128+167	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB128+167	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB138	1.0000	<			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB138	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB138	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB138	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		6	Putah Creek	FE	09/22/04	09:50		PCB138	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB138	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB138	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB138	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB138	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB141	1.0000	<			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB141	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB141	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB141	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB141	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB141	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB141	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB141	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB141	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB149	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB149	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB149	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB149	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB149	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB149	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB149	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB149	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB149	1.0000	<			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB149	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB149	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB149	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		11	Tule Canal - FB	FE	08/20/04	1100		PCB149	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB149	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB149	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB149	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB149	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB149	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB149	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB149	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB149	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB151	1.0000	<			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB151	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB151	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB151	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB151	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB151	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB151	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB151	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB151	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		2	Ridge Cut	FE	08/20/04	0850		PCB153	1.0000	<			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB153	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB153	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB153	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB153	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB153	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB153	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB153	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB153	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB156	1.0000	<			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB156	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB156	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB156	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB156	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB156	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB156	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB156	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB156	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB157	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB157	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB157	1.0000	<			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		2	Ridge Cut	FE	08/20/04	0850		PCB157	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB157	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB157	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB157	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB157	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB157	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB157	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB157	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB157	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB157	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB157	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB157	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB157	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB158	1.0000	<			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB158	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB158	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB158	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB158	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB158	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB158	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB158	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB158	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB168+132	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB168+132	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB168+132	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB168+132	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB168+132	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB168+132	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB168+132	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB168+132	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB168+132	1.0000	<			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB168+132	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB168+132	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB168+132	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB168+132	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB168+132	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB168+132	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB168+132	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB168+132	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB168+132	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB168+132	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB168+132	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB168+132	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB168+132	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB169	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB169	1.0000	<			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB169	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB169	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB169	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB169	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB169	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB169	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB169	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		4	Willow Slough	FE	09/22/04	09:00		PCB169	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB170	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB170	1.0000	<			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB170	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB170	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB170	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB170	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB170	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB170	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB170	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB170	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB177	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB177	1.0000	<			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB177	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB177	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		6	Putah Creek	FE	09/22/04	09:50		PCB177	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB177	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB177	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB177	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB177	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB177	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB180	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB180	1.0000	<			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB180	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB180	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB180	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB180	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB180	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB180	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB180	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB180	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB183	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB183	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB183	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB183	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB183	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB183	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB183	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB183	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB183	1.0000	<			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB183	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB183	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		11	Tule Canal	FE	08/20/04	1100		PCB183	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB183	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB183	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB183	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB183	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB183	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB183	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB183	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB183	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB183	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB183	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB187	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB187	1.0000	<			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB187	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB187	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB187	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB187	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB187	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB187	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB187	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB187	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB189	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB189	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB189	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB189	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB189	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB189	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10		3	Cache Creek	FE	08/20/04	0935		PCB189	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB189	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB189	1.0000	<			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB189	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB189	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB189	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB189	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB189	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB189	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB189	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB189	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB189	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB189	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB189	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB189	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB189	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB194	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB194	1.0000	<			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB194	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB194	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB194	5.0000	<			5	% Recovery	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB194	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB194	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB194	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB194	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB194	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB198	65.0000	=			5	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB198	67.0000	=			5	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB198	66.0000	=			0.00	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB198	58.0000	=			5	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB198	70.0000	=			5	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB198	69.0000	=			5	% Recovery		29-Jun-04											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB198	84.0000	=			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB198	80.0000	=			0.00	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB198	72.0000	=			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB198	87.0000	=			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB198	1.0000	<			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB198	1.0000	<			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB198	1.0000	<			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB198	1.0000	<			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB198	1.0000	<			5	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB200	1.0000	<			0.00	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB200	1.0000	<			1	% Recovery													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB200	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB200	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB200	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB200	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB200	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB200	5.0000	<			5	ng/L	1	9/24/2004											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB200	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB201	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB201	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB201	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB201	1.0000	<			1	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB201	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB201	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB201	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB201	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB201	1.0000	<			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB201	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB201	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB201	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB201	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB201	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB201	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB201	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB201	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB201	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB201	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB201	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB201	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		PCB201	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		PCB206	1.0000	<			0.00	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB206	1.0000	<			1	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		PCB206	1.0000	<			1	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		PCB206	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB206	5.0000	<			5	% Recovery	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		PCB206	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		PCB206	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		PCB206	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		PCB206	5.0000	<			5	ng/L	1	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



# Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

[illegible]



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

4		7	Z Drain	FE	02/21/04	940		pH	8.2600	=				0.00	Standard Unit													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
5		3	Cache Creek	FE	03/27/04	905		pH	8.5000	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		6	Putah Creek	FE	03/27/04	945		pH	8.3500	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		2	Ridge Cut	FE	03/27/04	835		pH	8.3900	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		12	Toe Drain	FE	03/27/04	1050		pH	8.4700	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		11	Tule Canal	FE	03/27/04	1112		pH	8.6000	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		4	Willow Slough	FE	03/27/04	855		pH	7.9200	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		10	Woodland R2	FE	03/27/04	930		pH	8.4300	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		9	Woodland R1	FE	03/27/04	955		pH	8.4100	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		7	Z Drain	FE	03/27/04	1028		pH	8.7300	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		pH	8.5500	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		pH	8.0600	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		pH	8.4600	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		pH	8.0600	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		pH	8.1200	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		pH	8.0300	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		10	Woodland R2	FE	04/23/04	11:22		pH	8.4100	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		9	Woodland R1	FE	04/23/04	11:07		pH	8.2100	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		5	YBWA	FE	04/23/04	12:40		pH	8.2000	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain	FE	04/23/04	12:40		pH	8.1900	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		3	Cache Creek	FE	05/22/04	10:40		pH	8.4900	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		6	Putah Creek	FE	05/22/04	9:58		pH	8.4000	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		2	Ridge Cut	FE	05/22/04	9:29		pH	8.3900	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		12	Toe Drain	FE	05/22/04	9:50		pH	7.0800	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		11	Tule Canal	FE	05/22/04	11:00		pH	8.3500	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		4	Willow Slough	FE	05/22/04	9:17		pH	7.7500	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		10	Woodland R2	FE	05/22/04	10:16		pH	8.6000	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1	FE	05/22/04	10:34		pH	8.1000	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		5	YBWA	FE	05/22/04	11:50		pH	8.3000	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		7	Z Drain	FE	05/22/04	10:40		pH	7.8800	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925		pH	8.1600	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040		pH	8.4400	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838		pH	8.2100	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930		pH	7.9600	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200		pH	8.0400	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900		pH	7.5000	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		10	Woodland R2	FE	06/26/04	10:16		pH	8.2000	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		9	Woodland R1	FE	06/26/04	10:34		pH	8.6000	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		5	YBWA	FE	06/26/04	11:50		pH	7.9000	=				0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



# Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		7	Z Drain	FE	06/26/04	1130		pH	7.6100	=			0.00	Standard Unit														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
9		3	Cache Creek	FE	07/24/04	9:53		pH	8.0200	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		6	Putah Creek	FE	07/24/04	9:58		pH	8.7000	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		2	Ridge Cut	FE	07/24/04	9:29		pH	8.1200	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		12	Toe Drain	FE	07/24/04	0915		pH	7.9900	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		11	Tule Canal	FE	07/24/04	1100		pH	8.3000	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		4	Willow Slough	FE	07/24/04	9:17		pH	8.0200	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		10	Woodland R2	FE	07/24/04	10:16		pH	7.9000	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		9	Woodland R1	FE	07/24/04	10:34		pH	8.3600	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		5	YBWA	FE	07/24/04	11:50		pH	8.6700	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		7	Z Drain	FE	07/24/04	1015		pH	8.0100	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		pH	7.9700	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		pH	8.1400	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		pH	8.0700	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		pH	8.0100	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		pH	7.8600	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		pH	7.6000	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		10	Woodland R2	FE	08/20/04	1000		pH	7.7400	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		9	Woodland R1	FE	08/20/04	1015		pH	7.7200	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		5	YBWA	FE	08/20/04	1120		pH	8.3600	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		7	Z Drain	FE	08/20/04	1015		pH	7.7300	=			0.00	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		pH	8.5600	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		pH	8.7900	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		pH	7.7300	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		pH	8.1400	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		pH	8.0800	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		pH	7.7600	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		10	Woodland R2	FE	09/22/04	1039		pH	7.6600	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		9	Woodland R1	FE	09/22/04	955		pH	7.7000	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		5	YBWA	FE	09/21/04	1115		pH	8.6900	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		7	Z Drain	FE	09/22/04	1140		pH	7.9700	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		3	Cache Creek	FE	10/23/04	910		pH	8.5000	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		6	Putah Creek	FE	10/23/04	910		pH	8.2200	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		2	Ridge Cut	FE	10/23/04	840		pH	8.8000	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		12	Toe Drain	FE	10/23/04	1306		pH	7.1000	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		11	Tule Canal	FE	10/23/04	1010		pH	7.7000	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		4	Willow Slough	FE	10/23/04	1030		pH	7.8000	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		10	Woodland R2	FE	10/23/04	930		pH	8.1500	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		9	Woodland R1	FE	10/23/04	955		pH	8.2000	=			0	Standard Unit															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

12		5	YBWA	FE	10/23/04	1020		pH	8.4100	=			0	Standard Unit												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		7	Z Drain	FE	10/23/04	1045		pH	8.6500	=			0	Standard Unit												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Phorate	10.0000	<			0	ng/L					10					614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Phorate	10.0000	<			0	ng/L					10					614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Phorate	10.0000	<			0	ng/L					10					614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Phorate	10.0000	<			0	ng/L					10					614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Phorate	10.0000	<			0	ng/L					10					614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Phorate	10.0000	<			0	ng/L					10					614		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Phorate	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Phorate	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Phorate	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Phorate	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Phorate	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Phorate	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Phorate	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Phorate	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Phorate	67.0000	=			10	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Phorate	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Phorate	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Phorate	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Phorate	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Phorate	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Phorate	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Phorate	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Phorate	20.0000	<			20	% Recovery	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Phorate	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Phorate	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Phorate	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Phorate	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Phorate	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Propachlor	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Propachlor	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Propachlor	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Propachlor	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Propachlor	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Propachlor	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Propachlor	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Propachlor	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Propachlor	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Propham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Propham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Propham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Propham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Propham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Propham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Propham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Propham	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Propham	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Propham	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Propham	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Propham	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Propham	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Propham	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Propham	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	122-42-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Propham	3.5000	<			3.5	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Propham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10	AP74279	6	Putah Creek	FE	08/20/04	0915		Propham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Propham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Propham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Propham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Propham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Propham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Propham	3.5000	<			3.5	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Propoxur	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Propoxur	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Propoxur	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Propoxur	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Propoxur	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Propoxur	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Propoxur	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Propoxur	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.5	1	11/28/2003	EJP	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Propoxur	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Propoxur	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Propoxur	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Propoxur	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Propoxur	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Propoxur	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Propoxur	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.5	1	01/30/2004	JDC	EPA 632	HPLC	114-26-1			WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Propoxur	0.4000	<			0.4	ug/L															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Propoxur	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Propoxur	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Propoxur	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Propoxur	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Propoxur	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Propoxur	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Propoxur	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Propoxur	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Selenium	0.6000	=		J	1	ug/L	200.8	12/01/2003	SMD	A031265IMS	0.5	1	11/26/2003	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Selenium	0.8000	=		J	1	ug/L	200.8	12/01/2003	SMD	A031265IMS	0.5	1	11/26/2003	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Selenium	0.9700	=		J	1	ug/L	200.8	12/01/2003	SMD	A031265IMS	0.5	1	11/26/2003	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Selenium	1.0000	<			1.00	ug/L	200.8	12/01/2003	SMD	A031265IMS	0.5	1	11/26/2003	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Selenium	0.8000	=		J	1	ug/L	200.8	12/01/2003	SMD	A031265IMS	0.5	1	11/26/2003	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Selenium	0.7000	=		J	1	ug/L	200.8	12/01/2003	SMD	A031265IMS	0.5	1	11/26/2003	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Selenium	0.7000	=		J	1	ug/L	200.8	12/01/2003	SMD	A031265IMS	0.5	1	11/26/2003	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Selenium	3.0000	=			1	ug/L	200.8	12/01/2003	SMD	A031265IMS	0.5	1	11/26/2003	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Selenium	1.0000	<			1	ug/L	200.8	02/03/2004	SMD	A040099IMS	0.5	1	01/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Selenium	1.0000	<			1	ug/L	200.8	02/03/2004	SMD	A040099IMS	0.5	1	01/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Selenium	1.0000	<			1	ug/L	200.8	02/03/2004	SMD	A040099IMS	0.5	1	01/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Selenium	1.0000	<			1	ug/L	200.8	02/03/2004	SMD	A040099IMS	0.5	1	01/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Selenium	1.0000	=			1	ug/L	200.8	02/03/2004	SMD	A040099IMS	0.5	1	01/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Selenium	3.0000	=			1	ug/L	200.8	02/03/2004	SMD	A040099IMS	0.5	1	01/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Selenium	2.0000	=			1	ug/L	200.8	02/03/2004	SMD	A040099IMS	0.5	1	01/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Selenium	1.0000	=			1	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.2	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004		
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Selenium	0.9000	=		J	1	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.04	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004		
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Selenium	2.0000	=			1	ug/L	160.1	04/29/2004	NL	I040030TDS	1.8	1	04/29/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004		
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Selenium	1.0000	=			1	ug/L	200.8	04/29/2004	SMD	A040483IMS	0.5	1	04/27/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004		
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Selenium	2.0000	=			1	ug/L	415.1	05/19/2004	MYS	I040025TOC	0.5	1	05/19/2004				DOC	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004		
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Selenium	5.0000	=			1	ug/L	300.0	04/24/2004	MYS	I040060IC	0.03	1	04/24/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004		
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Selenium	1.0000	<			1	ug/L	200.8	07/06/2004	SMD	A040721IMS	0.5	1	06/30/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004		
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Selenium	2.0000	=			1	ug/L	200.8	07/06/2004	SMD	A040721IMS	0.5	1	06/30/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004		
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Selenium	5.0000	=			1	ug/L	200.8	07/06/2004	SMD	A040721IMS	0.5	1	06/30/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004		
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Selenium	1.0000	<			1	ug/L	200.8	07/06/2004	SMD	A040721IMS	0.5	1	06/30/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004		
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Selenium	1.0000	=			1	ug/L	200.8	07/06/2004	SMD	A040721IMS	0.5	1	06/30/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004		
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Selenium	2.0000	=			1	ug/L	200.8	07/06/2004	SMD	A040721IMS	0.5	1	06/30/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004		
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Selenium	2.0000	=			1	ug/L	200.8	09/10/2004	SMD	A040938IMS	0.5	1	08/31/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004		
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Selenium	0.8000	=		J	1	ug/L	200.8	09/10/2004	SMD	A040938IMS	0.5	1	08/31/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004		
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Selenium	5.0000	=			1	ug/L	200.8	09/10/2004	SMD	A040938IMS	0.5	1	08/31/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004		
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Selenium	0.6000	=		J	1	ug/L	200.8	09/10/2004	SMD	A040938IMS	0.5	1	08/31/2004	UKC	200.8							



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11	E090738-1	6	Putah Creek	FE	09/22/04	09:50	09/22/2004	Selenium	0.9000	=		J	1	ug/L	200.8	09/30/2004	SMD	A041037IMS	0.5	1	09/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Selenium	2.0000	=			1	ug/L	200.8	09/30/2004	SMD	A041037IMS	0.5	1	09/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Selenium	0.9800	=		J	1	ug/L	200.8	09/30/2004	SMD	A041037IMS	0.5	1	09/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Selenium	0.9800	=		J	1	ug/L	200.8	09/30/2004	SMD	A041037IMS	0.5	1	09/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Selenium	2.0000	=			1	ug/L	200.8	09/30/2004	SMD	A041037IMS	0.5	1	09/27/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Selenium, dissolved	0.5000	=		J	1	ug/L	200.8	12/01/2003	SMD	A031264IMS	0.5	1	11/26/2003	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Selenium, dissolved	1.0000	=			1	ug/L	200.8	12/01/2003	SMD	A031264IMS	0.5	1	11/26/2003	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Selenium, dissolved	0.7000	=		J	1	ug/L	200.8	12/01/2003	SMD	A031264IMS	0.5	1	11/26/2003	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Selenium, dissolved	1.0000	<			1.00	ug/L	200.8	12/01/2003	SMD	A031264IMS	0.5	1	11/26/2003	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Selenium, dissolved	0.7000	=		J	1	ug/L	200.8	12/01/2003	SMD	A031264IMS	0.5	1	11/26/2003	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Selenium, dissolved	1.0000	<			1.00	ug/L	200.8	12/01/2003	SMD	A031264IMS	0.5	1	11/26/2003	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Selenium, dissolved	0.7000	=		J	1	ug/L	200.8	12/01/2003	SMD	A031264IMS	0.5	1	11/26/2003	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Selenium, dissolved	2.0000	=			1	ug/L	200.8	12/01/2003	SMD	A031264IMS	0.5	1	11/26/2003	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Selenium, dissolved	2.0000	<			2	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.5	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Selenium, dissolved	2.0000	<			2	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.5	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Selenium, dissolved	2.0000	<			2	ug/L	200.8	02/02/2004	SMD	A040097IMS	0.5	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Selenium, dissolved	2.0000	<			2	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.5	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Selenium, dissolved	2.0000	<			2	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.5	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Selenium, dissolved	2.0000	=			2	ug/L	200.8	01/30/2004	SMD	A040097IMS	0.5	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Selenium, dissolved	3.0000	=			2	ug/L	200.8	02/02/2004	SMD	A040097IMS	0.5	1	01/27/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Selenium, dissolved	0.8000	=		J	0.5	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.2	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Selenium, dissolved	0.9000	=		J	1	ug/L	200.8	04/29/2004	SMD	A040483IMS	0.5	1	04/27/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Selenium, dissolved	2.0000	=			1	ug/L	415.1	05/19/2004	MYS	I040025TOC	0.09	1	05/19/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Selenium, dissolved	1.0000	=			0.1	ug/L	300.0	04/23/2004	MYS	I040060IC	0.03	1	04/23/2004			IC	NO3N	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Selenium, dissolved	1.0000	=			0.25	ug/L	200.8	04/28/2004	SMD	A040474IMS	0.04	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Selenium, dissolved	4.0000	=			10	ug/L	200.8	05/06/2004	SMD	A040474IMS	0.2	5	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-42-8	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Selenium, dissolved	0.5000	=		J	1	ug/L	200.8	06/30/2004	SMD	A040716IMS	0.5	1	06/29/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Selenium, dissolved	0.9500	=		J	1	ug/L	200.8	06/30/2004	SMD	A040716IMS	0.5	1	06/29/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Selenium, dissolved	6.0000	=			1	ug/L	200.8	06/30/2004	SMD	A040716IMS	0.5	1	06/29/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Selenium, dissolved	0.6000	=		J	1	ug/L	200.8	06/30/2004	SMD	A040716IMS	0.5	1	06/29/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Selenium, dissolved	2.0000	=			1	ug/L	200.8	06/30/2004	SMD	A040716IMS	0.5	1	06/29/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Selenium, dissolved	3.0000	=			1	ug/L	200.8	06/30/2004	SMD	A040716IMS	0.5	1	06/29/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Selenium, dissolved	0.9900	=		J	1	ug/L	200.8	09/10/2004	SMD	A040937IMS	0.5	1	08/31/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Selenium, dissolved	1.0000	<			1	ug/L	200.8	09/10/2004	SMD	A040937IMS	0.5	1	08/31/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Selenium, dissolved	4.0000	=			1	ug/L	200.8	09/10/2004	SMD	A040937IMS	0.5	1	08/31/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Selenium, dissolved	0.9000	=		J	1	ug/L	200.8	09/10/2004	SMD	A040937IMS	0.5	1	08/31/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Selenium, dissolved	1.0000	=			1	ug/L	200.8	09/10/2004	SMD	A040937IMS	0.5	1	08/31/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-8	11	Tule Canal - FB	FE	08/20/04	1100	08/20/2004	Selenium, dissolved	1.0000	<			1	ug/L	200.8	09/10/2004	SMD	A040937IMS	0.5	1	08/31/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Selenium, dissolved	2.0000	=			1	ug/L	200.8	09/10/2004	SMD	A040937IMS	0.5	1	08/31/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Selenium, dissolved	3.0000	=			1	ug/L	200.8	09/10/2004	SMD	A040937IMS	0.5	1	08/31/2004	UKC	200.8-ML (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Selenium, dissolved	2.0000	<			2	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.5	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	09:50	09/22/2004	Selenium, dissolved	2.0000	<			2	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.5	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Selenium, dissolved	2.0000	<			2	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.5	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Selenium, dissolved	2.0000	<			2	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.5	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Selenium, dissolved	2.0000	<			2	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.5	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Selenium, dissolved	2.0000	<			2	ug/L	200.8	10/05/2004	SMD	A041059IMS	0.5	1	10/01/2004	UKC	200.8 (Filtrate)	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Siduron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Siduron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Siduron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Siduron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Siduron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Siduron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Siduron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Siduron	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.4	1	11/28/2003	EJP	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Siduron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Siduron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Siduron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Siduron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Siduron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Siduron	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Siduron	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.4	1	01/30/2004	JDC	EPA 632	HPLC	1982-49-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Siduron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Siduron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Siduron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Siduron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Siduron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Siduron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Siduron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Siduron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Siduron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Silver	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.02	1	11/28/2003	UKC	200.8	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Silver	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.02	1	11/28/2003	UKC	200.8	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Silver	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.02	1	11/28/2003	UKC	200.8	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Silver	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.02	1	11/28/2003	UKC	200.8	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Silver	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.02	1	11/28/2003	UKC	200.8	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Silver	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.02	1	11/28/2003	UKC	200.8	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Silver	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.02	1	11/28/2003	UKC	200.8	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Silver	6.0000	=		J	0.1	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.02	1	11/28/2003	UKC	200.8	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Solids, Dissolved	340.0000	=			10	mg/L	160.1	11/22/2003	BCP	I030082TDS	1.8	1	11/22/2003			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Solids, Dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.02	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Solids, Dissolved	330.0000	=			10	mg/L	160.1	11/22/2003	BCP	I030082TDS	1.8	1	11/22/2003			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Solids, Dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.02	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Solids, Dissolved	340.0000	=			20	mg/L	160.1	11/22/2003	BCP	I030082TDS	1.8	2	11/22/2003			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Solids, Dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.02	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Solids, Dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.02	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Solids, Dissolved	340.0000	=			10	mg/L	160.1	11/22/2003	BCP	I030082TDS	1.8	1	11/22/2003			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Solids, Dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.02	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Solids, Dissolved	440.0000	=			10	mg/L	160.1	11/22/2003	BCP	I030082TDS	1.8	1	11/22/2003			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Solids, Dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.02	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Solids, Dissolved	460.0000	=			10	mg/L	160.1	11/22/2003	BCP	I030082TDS	1.8	1	11/22/2003			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Solids, Dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.02	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Solids, Dissolved	880.0000	=			20	mg/L	160.1	11/22/2003	BCP	I030082TDS	1.8	2	11/22/2003			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Solids, Dissolved	0.1000	<			0.10	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.02	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-22-4	WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003		
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Solids, Dissolved	350.0000	=			10	mg/L	160.1	01/27/2004	BCP	I040006TDS	1.8	1	01/27/2004			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Solids, Dissolved	330.0000	=			10	mg/L	160.1	01/27/2004	BCP	I040006TDS	1.8	1	01/27/2004			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Solids, Dissolved	370.0000	=			10	mg/L	160.1	01/27/2004	BCP	I040006TDS	1.8	1	01/27/2004			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Solids, Dissolved	360.0000	=			10	mg/L	160.1	01/27/2004	BCP	I040006TDS	1.8	1	01/27/2004			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Solids, Dissolved	360.0000	=			10	mg/L	160.1	01/27/2004	BCP	I040006TDS	1.8	1	01/27/2004			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Solids, Dissolved	740.0000	=			10	mg/L	160.1	01/27/2004	BCP	I040006TDS	1.8	1	01/27/2004			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Solids, Dissolved	760.0000	=			10	mg/L	160.1	01/27/2004	BCP	I040006TDS	1.8	1	01/27/2004			WL	CDHS-70300	WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004		
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Solids, Dissolved	380.0000	=			0.25	mg/L	200.8	05/03/2004	SMD	A040493IMS	0.04	1	04/29/2004	UKC	200.8							



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Solids, Dissolved	200.0000	=			20	mg/L	160.1	06/28/2004	NL	I040046TDS	1.8	2	06/28/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Solids, Dissolved	270.0000	=			10	mg/L	160.1	06/28/2004	NL	I040046TDS	1.8	1	06/28/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Solids, Dissolved	680.0000	=			20	mg/L	160.1	06/28/2004	NL	I040046TDS	1.8	2	06/28/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Solids, Dissolved	190.0000	=			20	mg/L	160.1	06/28/2004	NL	I040046TDS	1.8	2	06/28/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Solids, Dissolved	570.0000	=			20	mg/L	160.1	06/28/2004	NL	I040046TDS	1.8	2	06/28/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Solids, Dissolved	500.0000	=			20	mg/L	160.1	06/28/2004	NL	I040046TDS	1.8	2	06/28/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-2	7	Z Drain	FE	06/26/04	1130	06/26/2004	Solids, Dissolved	270.0000	=			20	mg/L	160.1	06/28/2004	NL	I040046TDS	1.8	2	06/28/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
9	E070749-1	12	Toe Drain	FE	07/24/04	0915	07/24/2004	Solids, Dissolved	160.0000	=			10	mg/L	160.1	07/28/2004	NL	I040055TDS	1.8	1	07/28/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
9	E070749-3	11	Tule Canal	FE	07/24/04	1100	07/24/2004	Solids, Dissolved	480.0000	=			10	mg/L	160.1	07/28/2004	NL	I040055TDS	1.8	1	07/28/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
9	E070749-2	7	Z Drain	FE	07/24/04	1015	07/24/2004	Solids, Dissolved	240.0000	=			10	mg/L	160.1	07/28/2004	NL	I040055TDS	1.8	1	07/28/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Solids, Dissolved	360.0000	=			10	mg/L	160.1	08/27/2004	NL	I040065TDS	1.8	1	08/27/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Solids, Dissolved	250.0000	=			10	mg/L	160.1	08/27/2004	NL	I040065TDS	1.8	1	08/27/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Solids, Dissolved	650.0000	=			10	mg/L	160.1	08/27/2004	NL	I040065TDS	1.8	1	08/27/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Solids, Dissolved	180.0000	=			10	mg/L	160.1	08/27/2004	NL	I040065TDS	1.8	1	08/27/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Solids, Dissolved	460.0000	=			10	mg/L	160.1	08/27/2004	NL	I040065TDS	1.8	1	08/27/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Solids, Dissolved	460.0000	=			10	mg/L	160.1	08/27/2004	NL	I040065TDS	1.8	1	08/27/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Solids, Dissolved	710.0000	=			10	mg/L	160.1	08/27/2004	NL	I040065TDS	1.8	1	08/27/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-7	7	Z Drain	FE	08/20/04	1015	08/20/2004	Solids, Dissolved	280.0000	=			10	mg/L	160.1	08/27/2004	NL	I040065TDS	1.8	1	08/27/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Solids, Dissolved	520.0000	=			10	mg/L	160.1	09/23/2004	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	09:50	09/22/2004	Solids, Dissolved	360.0000	=			10	mg/L	160.1	09/23/2004	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Solids, Dissolved	570.0000	=			10	mg/L	160.1	09/23/2004	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Solids, Dissolved	580.0000	=			10	mg/L	160.1	09/23/2004	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Solids, Dissolved	480.0000	=			10	mg/L	160.1	09/23/2004	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Solids, Dissolved	650.0000	=			10	mg/L	160.1	09/23/2004	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-5	7	Z Drain	FE	09/21/04	1140	09/21/2004	Solids, Dissolved	200.0000	=			10	mg/L	160.1	09/23/2004	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
12	E080733-6	12	Toe Drain	FE	10/23/04	1306	10/23/04	Solids, Dissolved	130.0000	=			10	mg/L	160.1	10/23/04	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004
12	E080733-5	11	Tule Canal	FE	10/23/04	1010	10/23/04	Solids, Dissolved	540.0000	=			10	mg/L	160.1	10/23/04	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004
12	E070749-2	7	Z Drain	FE	10/23/04	1045	10/23/04	Solids, Dissolved	340.0000	=			10	mg/L	160.1	10/23/04	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Solids, Suspended	46.0000	=			3	mg/L	160.2	11/24/2003	MYS	B030330TSS		1	11/24/2003			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Solids, Suspended	3.0000	<			3.00	mg/L	160.2	11/24/2003	MYS	B030330TSS		1	11/24/2003			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Solids, Suspended	69.0000	=	EST		3	mg/L	160.2	11/24/2003	MYS	B030330TSS		1	11/24/2003			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Solids, Suspended	26.0000	=			3	mg/L	160.2	11/24/2003	MYS	B030330TSS		1	11/24/2003			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Solids, Suspended	37.0000	=			3	mg/L	160.2	11/24/2003	MYS	B030330TSS		1	11/24/2003			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Solids, Suspended	42.0000	=			3	mg/L	160.2	11/24/2003	MYS	B030330TSS		1	11/24/2003			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Solids, Suspended	53.0000	=			3	mg/L	160.2	11/24/2003	MYS	B030330TSS		1	11/24/2003			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Solids, Suspended	40.0000	=			6	mg/L	160.2	01/25/2004	LRU	B040025TSS		2	01/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Solids, Suspended	9.0000	=			3	mg/L	160.2	01/25/2004	LRU	B040025TSS		1	01/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Solids, Suspended	46.0000	=			6	mg/L	160.2	01/25/2004	LRU	B040025TSS		2	01/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Solids, Suspended	66.0000	=			6	mg/L	160.2	01/25/2004	LRU	B040025TSS		2	01/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Solids, Suspended	50.0000	=			6	mg/L	160.2	01/25/2004	LRU	B040025TSS		2	01/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Solids, Suspended	40.0000	=			6	mg/L	160.2	01/25/2004	LRU	B040025TSS		2	01/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Solids, Suspended	35.0000	=			3	mg/L	160.2	01/25/2004	LRU	B040025TSS		1	01/25/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Solids, Suspended	25.0000	=			0.5	mg/L	200.8	04/28/2004	SMD	A040474IMS	0.2	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Solids, Suspended	12.0000	=			0.5	mg/L	200.8	04/28/2004	SMD	A040474IMS	0.2	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Solids, Suspended	76.0000	=			15	mg/L	SM2120B	04/23/2004	SE	I040024CLR		5	04/23/2004			PD	CDHS-00081	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Solids, Suspended	52.0000	=			500	mg/L	200.8	05/05/2004	SMD	A040493IMS	0.7	50	04/29/2004	UKC	200.8	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Solids, Suspended	80.0000	=			0.5	mg/L	200.8	05/03/2004	SMD	A040493IMS	0.2	1	04/29/2004	UKC	200.8	ICPMS	7440-47-3	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Solids, Suspended	58.0000	=			0.25	mg/L	200.8	05/03/2004	SMD	A040493IMS	0.04	1	04/29/2004	UKC	200.8	ICPMS	7439-92-1	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Solids, Suspended	62.0000	=			6	mg/L	160.2	06/28/2004	LRU	B040182TSS		2	06/28/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Solids, Suspended	14.0000	=			6	mg/L	160.2	06/28/2004	LRU	B040182TSS		2	06/28/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Solids, Suspended	88.0000	=			6	mg/L	160.2	06/28/2004	LRU	B040182TSS		2	06/28/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Solids, Suspended	96.0000	=			6	mg/L	160.2	06/28/2004	LRU	B040182TSS		2	06/28/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Solids, Suspended	80.0000	=			6	mg/L	160.2	06/28/2004	LRU	B040182TSS		2	06/28/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Solids, Suspended	32.0000	=			6	mg/L	160.2	06/28/2004	LRU	B040182TSS		2	06/28/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-2	7	Z Drain	FE	06/26/04	1130	06/26/2004	Solids, Suspended	94.0000	=			6	mg/L	160.2	06/28/2004	LRU	B040182TSS		2	06/28/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
9	E070749-1	12	Toe Drain	FE	07/24/04	0915	07/24/2004	Solids, Suspended	76.0000	=			3	mg/L	160.2	07/27/2004	BCP	B040211TSS		1	07/27/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
9	E070749-3	11	Tule Canal	FE	07/24/04	1100	07/24/2004	Solids, Suspended	45.0000	=			3	mg/L	160.2	07/27/2004	BCP	B040211TSS		1	07/27/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
9	E070749-2	7	Z Drain	FE	07/24/04	1015	07/24/2004	Solids, Suspended	82.0000	=			3	mg/L	160.2	07/27/2004	BCP	B040211TSS		1	07/27/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Solids, Suspended	16.0000	=			6	mg/L	160.2	08/23/2004	MYS	B040239TSS		2	08/23/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-1	6	Putah Creek	FE	08/20/04	0915	08/20/2004	Solids, Suspended	8.0000	=			3	mg/L	160.2	08/22/2004	LRU	B040238TSS		1	08/22/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-2	2	Ridge Cut	FE	08/20/04	0850	08/20/2004	Solids, Suspended	80.0000	=			3	mg/L	160.2	08/22/2004	LRU	B040238TSS		1	08/22/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Solids, Suspended	36.0000	=			6	mg/L	160.2	08/23/2004	MYS	B040239TSS		2	08/23/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Solids, Suspended	32.0000	=			6	mg/L	160.2	08/23/2004	MYS	B040239TSS		2	08/23/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Solids, Suspended	38.0000	=			6	mg/L	160.2	08/23/2004	MYS	B040239TSS		2	08/23/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Solids, Suspended	64.0000	=			6	mg/L	160.2	08/23/2004	MYS	B040239TSS		2	08/23/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-7	7	Z Drain	FE	08/20/04	1015	08/20/2004	Solids, Suspended	66.0000	=			6	mg/L	160.2	08/23/2004	MYS	B040239TSS		2	08/23/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Solids, Suspended	18.0000	=			6	mg/L	160.2	09/22/2004	KMC	B040269TSS		2	09/22/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-1	6	Putah Creek	FE	09/22/04	09:50	09/22/2004	Solids, Suspended	3.0000	<			3	mg/L	160.2	09/23/2004	KMC	B040270TSS		1	09/23/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Solids, Suspended	46.0000	=			6	mg/L	160.2	09/22/2004	KMC	B040269TSS		2	09/22/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Solids, Suspended	62.0000	=			6	mg/L	160.2	09/22/2004	KMC	B040269TSS		2	09/22/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Solids, Suspended	58.0000	=			6	mg/L	160.2	09/22/2004	KMC	B040269TSS		2	09/22/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Solids, Suspended	110.0000	=			6	mg/L	160.2	09/23/2004	KMC	B040270TSS		2	09/23/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
11	E090710-5	7	Z Drain	FE	09/21/04	1140	09/21/2004	Solids, Suspended	100.0000	=			6	mg/L	160.2	09/22/2004	KMC	B040269TSS		2	09/22/2004			BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004
12	E080733-6	12	Toe Drain	FE	10/23/04	1306	10/23/04	Solids, Suspended	54.0000	=			10	mg/L	160.1	10/23/04	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004
12	E080733-5	11	Tule Canal	FE	10/23/04	1010	10/23/04	Solids, Suspended	43.0000	=			10	mg/L	160.1	10/23/04	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004
12	E070749-2	7	Z Drain	FE	10/23/04	1045	10/23/04	Solids, Suspended	110.0000	=			10	mg/L	160.1	10/23/04	NL	I040070TDS	1.8	1	09/23/2004			WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Surrogate: Isoxaben	83.8000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Surrogate: Isoxaben	95.3000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Surrogate: Isoxaben	91.2000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Surrogate: Isoxaben	94.4000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Surrogate: Isoxaben	101.0000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Surrogate: Isoxaben	81.4000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Surrogate: Isoxaben	97.9000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Surrogate: Isoxaben	97.5000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Surrogate: Isoxaben	92.7000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Surrogate: Isoxaben	96.4000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Surrogate: Isoxaben	89.8000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Surrogate: Isoxaben	88.8000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Surrogate: Tributyl_phosphate	79.3000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Surrogate: Tributyl_phosphate	97.1000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Surrogate: Tributyl_phosphate	91.4000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Surrogate: Tributyl_phosphate	95.3000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Surrogate: Tributyl_phosphate	97.3000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Surrogate: Tributyl_phosphate	70.2000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Surrogate: Tributyl_phosphate	88.6000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Surrogate: Tributyl_phosphate	88.8000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Surrogate: Tributyl_phosphate	81.1000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Surrogate: Tributyl_phosphate	86.6000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Surrogate: Tributyl_phosphate	80.4000	<			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Surrogate: Tributyl_phosphate	79.8000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Surrogate: Triphenyl_phosphate	84.0000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Surrogate: Triphenyl_phosphate	98.9000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Surrogate: Triphenyl_phosphate	86.7000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Surrogate: Triphenyl_phosphate	94.3000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Surrogate: Triphenyl_phosphate	96.2000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Surrogate: Triphenyl_phosphate	71.4000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Surrogate: Triphenyl_phosphate	98.1000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Surrogate: Triphenyl_phosphate	97.0000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Surrogate: Triphenyl_phosphate	88.3000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Surrogate: Triphenyl_phosphate	94.1000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Surrogate: Triphenyl_phosphate	87.8000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Surrogate: Triphenyl_phosphate	82.0000	=			0	%												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Sweep	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Sweep	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Sweep	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Sweep	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Sweep	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Swept	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Swept	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Swept	10.0000	<			10.00	ug/L	EPA 632	12/08/2003	CWC	R030122CRB	0.8	1	11/28/2003	EJP	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Swept	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Swept	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Swept	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Swept	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Swept	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Swept	10.0000	<			10	ug/L	EPA 632	02/06/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Swept	10.0000	<			10	ug/L	EPA 632	02/07/2004	CWC	R040009CRB	0.8	1	01/30/2004	JDC	EPA 632	HPLC	1918-18-9	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	TCMX	77.0000	=			5	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	TCMX	68.0000	=			5	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	TCMX	78.0000	=			0.00	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	TCMX	49.0000	=			5	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	TCMX	65.0000	=			5	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	TCMX	77.0000	=			5	% Recovery		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		TCMX	48.0000	=			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		TCMX	48.0000	=			0.00	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		TCMX	40.0000	=			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		TCMX	53.0000	=			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		TCMX	1.0000	<			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		TCMX	1.0000	<			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		TCMX	1.0000	<			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		TCMX	1.0000	<			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		TCMX	1.0000	<			5	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020	04/24/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020	04/24/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917	04/24/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930	04/24/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140	04/24/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930	04/24/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	06/29/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	06/29/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	06/29/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	06/29/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	06/29/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	06/29/04	Tebuthiuron	0.4000	<			0.4	ug/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74278	3	Cache Creek	FE	08/20/04	0935		Tebuthiuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74279	6	Putah Creek	FE	08/20/04	0915		Tebuthiuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10	AP74277	2	Ridge Cut	FE	08/20/04	0850		Tebuthiuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74284	12	Toe Drain	FE	08/20/04	0920		Tebuthiuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74281	11	Tule Canal	FE	08/20/04	1100		Tebuthiuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74283	11	Tule Canal - FB	FE	08/20/04	1100		Tebuthiuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74282	11	Tule Canal - FD	FE	08/20/04	1100		Tebuthiuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10	AP74280	4	Willow Slough	FE	08/20/04	0843		Tebuthiuron	0.4000	<			0.4	ug/L	EPA 8321A	9/3/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		3	Cache Creek	FE	11/22/03	1035	11/22/2003	Temp	10.0000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		6	Putah Creek	FE	11/22/03	1000	11/22/2003	Temp	10.4000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Temp	10.0000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		12	Toe Drain	FE	11/22/03	0910	11/22/2003	Temp	12.2000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		11	Tule Canal	FE	11/22/03	1230		Temp	11.0000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		4	Willow Slough	FE	11/22/03	0900		Temp	9.8000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		10	Woodland R2	FE	11/22/03	1145		Temp	13.0000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		9	Woodland R1	FE	11/22/03	1145		Temp	10.8000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		5	YBWA	FE	11/22/03	1330		Temp	10.7000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		7	Z Drain	FE	11/22/03	1050		Temp	8.3000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		3	Cache Creek	FE	12/20/03	935		Temp	8.9000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		6	Putah Creek	FE	12/20/03	1005		Temp	9.4000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		2	Ridge Cut	FE	12/20/03	855		Temp	9.4000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		11	Tule Canal	FE	12/20/03	855		Temp	9.6000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		4	Willow Slough	FE	12/20/03	930		Temp	8.5000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		10	Woodland R2	FE	12/20/03	1105		Temp	9.4000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		9	Woodland R1	FE	12/20/03	1035		Temp	9.2000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		5	YBWA	FE	12/20/03	1005		Temp	9.5000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		7	Z Drain	FE	12/20/03	1045		Temp	10.0000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		3	Cache Creek	FE	01/23/04	1046		Temp	9.1000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		6	Putah Creek	FE	01/23/04	1110		Temp	8.8000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		2	Ridge Cut	FE	01/23/04	0938		Temp	9.5000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		12	Toe Drain	FE	01/23/04	1000		Temp	9.4000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		11	Tule Canal	FE	01/23/04	1300		Temp	9.5000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		4	Willow Slough	FE	01/23/04	1000		Temp	7.5000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		10	Woodland R2	FE	01/23/04	1218		Temp	9.7000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		9	Woodland R1	FE	01/23/04	1218		Temp	9.8000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		5	YBWA	FE	01/23/04	1400		Temp	9.1000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		7	Z Drain	FE	01/23/04	1205		Temp	9.0000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		3	Cache Creek	FE	02/21/04	930		Temp	11.2000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		1	Fremont Weir	FE	02/21/04	830		Temp	11.0000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		6	Putah Creek	FE	02/21/04	840		Temp	11.2000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		2	Ridge Cut	FE	02/21/04	850		Temp	12.5000	=			0.00	Cellius														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

4		8	Sacramento Weir	FE	02/21/04	940		Temp	11.9000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		11	Tule Canal	FE	02/21/04	840		Temp	7.6800	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		4	Willow Slough	FE	02/21/04	950		Temp	12.6000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		10	Woodland R2	FE	02/21/04	1015		Temp	11.5000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		9	Woodland R1	FE	02/21/04	1040		Temp	11.5000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		7	Z Drain	FE	02/21/04	940		Temp	11.4000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		3	Cache Creek	FE	03/27/04	905		Temp	14.5000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		6	Putah Creek	FE	03/27/04	945		Temp	12.5000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		2	Ridge Cut	FE	03/27/04	835		Temp	16.0000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		12	Toe Drain	FE	03/27/04	1050		Temp	10.3000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		11	Tule Canal	FE	03/27/04	1112		Temp	12.1000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		4	Willow Slough	FE	03/27/04	855		Temp	13.7000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		10	Woodland R2	FE	03/27/04	930		Temp	15.5000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		9	Woodland R1	FE	03/27/04	955		Temp	15.7000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		7	Z Drain	FE	03/27/04	1028		Temp	18.7000	=			0.00	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Temp	17.0000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Temp	17.3000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Temp	17.3000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Temp	17.0000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Temp	17.0000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Temp	17.0000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		10	Woodland R2	FE	04/23/04	11:22		Temp	16.1000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		9	Woodland R1	FE	04/23/04	11:07		Temp	15.3000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		5	YBWA	FE	04/23/04	12:40		Temp	16.1000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain	FE	04/23/04	12:40		Temp	16.0000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		3	Cache Creek	FE	05/22/04	10:40		Temp	20.5000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		6	Putah Creek	FE	05/22/04	9:58		Temp	20.3000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		2	Ridge Cut	FE	05/22/04	9:29		Temp	19.8000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		12	Toe Drain	FE	05/22/04	9:50		Temp	20.1000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		11	Tule Canal	FE	05/22/04	11:00		Temp	19.9000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		4	Willow Slough	FE	05/22/04	9:17		Temp	18.9000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		10	Woodland R2	FE	05/22/04	10:16		Temp	20.5000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1	FE	05/22/04	10:34		Temp	20.5000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		5	YBWA	FE	05/22/04	11:50		Temp	20.8000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		7	Z Drain	FE	05/22/04	10:40		Temp	17.1200	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925		Temp	22.8000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040		Temp	25.2000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838		Temp	23.6000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930		Temp	24.7000	=			0	Cellius												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		11	Tule Canal	FE	06/26/04	1200		Temp	23.7000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900		Temp	22.3000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		10	Woodland R2	FE	06/26/04	10:16		Temp	24.2000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		9	Woodland R1	FE	06/26/04	10:34		Temp	23.8000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		5	YBWA	FE	06/26/04	11:50		Temp	24.2000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		7	Z Drain	FE	06/26/04	1130		Temp	23.2000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		3	Cache Creek	FE	07/24/04	9:53		Temp	24.2000	=			0	Celcius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		6	Putah Creek	FE	07/24/04	9:58		Temp	25.0000	=			0	Celcius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		2	Ridge Cut	FE	07/24/04	9:29		Temp	23.9000	=			0	Celcius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		12	Toe Drain	FE	07/24/04	0915		Temp	24.3000	=			0	Celcius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		11	Tule Canal	FE	07/24/04	1100		Temp	25.4000	=			0	Celcius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		4	Willow Slough	FE	07/24/04	9:17		Temp	23.9000	=			0	Celcius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		10	Woodland R2	FE	07/24/04	10:16		Temp	23.9000	=			0	Celcius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		9	Woodland R1	FE	07/24/04	10:34		Temp	23.9000	=			0	Celcius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		5	YBWA	FE	07/24/04	11:50		Temp	25.0000	=			0	Celcius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		7	Z Drain	FE	07/24/04	1015		Temp	20.0000	=			0	Celcius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Temp	22.4000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Temp	24.2000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Temp	24.3000	=			0	Celcius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Temp	23.1000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Temp	23.6000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Temp	22.2000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		10	Woodland R2	FE	08/20/04	1000		Temp	24.1000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		9	Woodland R1	FE	08/20/04	1015		Temp	23.5000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		5	YBWA	FE	08/20/04	1120		Temp	24.4000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		7	Z Drain	FE	08/20/04	1015		Temp	20.1000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Temp	18.1000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Temp	18.0000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Temp	17.7000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Temp	21.3000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Temp	17.4000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Temp	18.1000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		10	Woodland R2	FE	09/22/04	1039		Temp	18.5000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		9	Woodland R1	FE	09/22/04	955		Temp	18.2000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		5	YBWA	FE	09/21/04	1115		Temp	18.5000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		7	Z Drain	FE	09/22/04	1140		Temp	16.9000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		3	Cache Creek	FE	10/23/04	910		Temp	15.0000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		6	Putah Creek	FE	10/23/04	910		Temp	15.1000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		2	Ridge Cut	FE	10/23/04	840		Temp	15.7000	=			0	Cellius													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

12		12	Toe Drain	FE	10/23/04	1306		Temp	15.7000	=			0	Cellus																		YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
12		11	Tule Canal	FE	10/23/04	1010		Temp	15.6000	=			0	Cellus																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		4	Willow Slough	FE	10/23/04	1030		Temp	14.5000	=			0	Cellus																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		10	Woodland R2	FE	10/23/04	930		Temp	16.1000	=			0	Cellus																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		9	Woodland R1	FE	10/23/04	955		Temp	15.3000	=			0	Cellus																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		5	YBWA	FE	10/23/04	1020		Temp	15.3000	=			0	Cellus																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		7	Z Drain	FE	10/23/04	1045		Temp	14.5000	=			0	Cellus																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Tetrachlorvinphos (Stirofos)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Tetrachlorvinphos (Stirofos)	20.0000	<			20	% Recovery	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Tetrachlorvinphos (Stirofos)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Tetrachlorvinphos (Stirofos)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Tetrachlorvinphos (Stirofos)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Tetrachlorvinphos (Stirofos)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Tetrachlorvinphos (Stirofos)	20.0000	<			20	ng/L	10	9/24/2004																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Tetrachlorvinphos Stirofos	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Tetrachlorvinphos Stirofos	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Tetrachlorvinphos Stirofos	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Tetrachlorvinphos Stirofos	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Tetrachlorvinphos Stirofos	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Tetrachlorvinphos Stirofos	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Tetrachlorvinphos Stirofos	10.0000	<			0	ng/L					10														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L		29-Jun-04																	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Tetrachlorvinphos Stirofos	110.0000	=			10	% Recovery																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Tetrachlorvinphos Stirofos	10.0000	<			10	ng/L																			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Thallium	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-28-0							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Thallium	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-28-0							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Thallium	8.0000	=		J	0.1	ng/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-28-0							YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Thallium	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Thallium	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Thallium	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Thallium	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Thallium	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031269IMS	0.03	1	11/28/2003	UKC	200.8	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Thallium, dissolved	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031271IMS	0.03	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Thallium, dissolved	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031271IMS	0.03	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Thallium, dissolved	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031271IMS	0.03	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Thallium, dissolved	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031271IMS	0.03	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Thallium, dissolved	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031271IMS	0.03	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Thallium, dissolved	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031271IMS	0.03	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Thallium, dissolved	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031271IMS	0.03	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Thallium, dissolved	100.0000	<			0.10	ng/L	200.8	12/03/2003	SMD	A031271IMS	0.03	1	11/28/2003	UKC	200.8 (Filtrate)	ICPMS	7440-28-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
6		3	Cache Creek	FE	04/23/04	1020		Tokuthion	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Tokuthion	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Tokuthion	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Tokuthion	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Tokuthion	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Tokuthion	10.0000	<			0	ng/L					10				614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Tokuthion	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Tokuthion	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Tokuthion	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Tokuthion	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Tokuthion	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Tokuthion	10.0000	<			10	ng/L		29-Jun-04										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Tokuthion	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Tokuthion	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Tokuthion	73.0000	=			10	% Recovery												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Tokuthion	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Tokuthion	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Tokuthion	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Tokuthion	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Tokuthion	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Tokuthion	10.0000	<			10	ng/L												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Tokuthion	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Tokuthion	20.0000	<			20	% Recovery	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Tokuthion	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Tokuthion	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Tokuthion	20.0000	<			20	ng/L	10	9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		11	Tule Canal	FE	09/21/04	09:50		Tokuthion	20.0000	<			20	ng/L	10	9/24/2004												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		4	Willow Slough	FE	09/22/04	09:00		Tokuthion	20.0000	<			20	ng/L	10	9/24/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1	B031850C	3	Cache Creek	FE	11/22/03	1040	11/22/2003	Total Coliform	8000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003	
1	B031850G	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Total Coliform	40.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003	
1	B02185A	2	Ridge Cut	FE	11/22/03	920	11/22/2003	Total Coliform	2700.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003	
1	B031850B	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Total Coliform	5000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003	
1	B031850K	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Total Coliform	1700.0000	=		Hold time	0.00	MPN/100ml															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1	B031850J	11	Tule Canal	FE	11/22/03	1205	11/22/2003	Total Coliform	8000.0000	=		Hold time	0.00	MPN/100ml															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1	B031850F	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Total Coliform	30000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003	
1	B031850E	10	Woodland R2	FE	11/22/03	1145	11/22/2003	Total Coliform	50000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003	
1	B031850D	9	Woodland R1	FE	11/22/03	1145	11/22/2003	Total Coliform	3000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003	
1	B031850I	5	YBWA	FE	11/22/03	1330	11/22/2003	Total Coliform	2300.0000	=		Hold time	0.00	MPN/100ml															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1	B031850H	7	Z Drain	FE	11/22/03	1050	11/22/2003	Total Coliform	8000.0000	=		Hold time	0.00	MPN/100ml															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
2	B031988C	3	Cache Creek	FE	12/20/03	935	12/20/03	Total Coliform	7000.0000	=			0.00	MPN/100ml		12/20/2003	NK												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003	
2	B031988B	3	Cache Creek - FD	FE	12/20/03	935	12/20/03	Total Coliform	2100.0000	=			0.00	MPN/100ml		12/20/2003	NK												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003	
2	B031988E	6	Putah Creek	FE	12/20/03	1005	12/20/03	Total Coliform	1700.0000	=			0.00	MPN/100ml		12/20/2003	NK												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003	
2	B031988A	2	Ridge Cut	FE	12/20/03	855	12/20/03	Total Coliform	1700.0000	=			0.00	MPN/100ml		12/20/2003	NK												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003	
2	B031988I	11	Tule Canal	FE	12/20/03	855	12/20/03	Total Coliform	3000.0000	=			0.00	MPN/100ml		12/20/2003	NK												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003	
2	B031988D	4	Willow Slough	FE	12/20/03	930	12/20/03	Total Coliform	50000.0000	=			0.00	MPN/100ml		12/20/2003	NK												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003	
2	B031988H	10	Woodland R2	FE	12/20/03	1105	12/20/03	Total Coliform	1700.0000	=			0.00	MPN/100ml		12/20/2003	NK												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003	
2	B031988G	9	Woodland R1	FE	12/20/03	1035	12/20/03	Total Coliform	2600.0000	=			0.00	MPN/100ml		12/20/2003	NK												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003	
2	B031988J	5	YBWA	FE	12/20/03	1005	12/20/03	Total Coliform	1700.0000	=			0.00	MPN/100ml		12/20/2003	NK												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003	
2	B031988F	7	Z Drain	FE	12/20/03	1045	12/20/03	Total Coliform	1700.0000	=			0.00	MPN/100ml		12/20/2003	NK												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/30/2003	
3	B040110B	3	Cache Creek	FE	01/23/04	1046	01/23/04	Total Coliform	2200.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110E	6	Putah Creek	FE	01/23/04	1110	01/23/04	Total Coliform	80.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110A	2	Ridge Cut	FE	01/23/04	0938	01/23/04	Total Coliform	21.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110J	12	Toe Drain	FE	01/23/04	1000	01/23/04	Total Coliform	17000.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110I	11	Tule Canal	FE	01/23/04	1330	01/23/04	Total Coliform	9000.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110C	4	Willow Slough	FE	01/23/04	1000	01/23/04	Total Coliform	9000.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110K	4	Willow Slough - FD	FE	01/23/04	1005	01/23/04	Total Coliform	6000.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110H	10	Woodland R2	FE	01/23/04	1218	01/23/04	Total Coliform	1100.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110G	9	Woodland R1	FE	01/23/04	1218	01/23/04	Total Coliform	1400.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110D	5	YBWA	FE	01/23/04	1400	01/23/04	Total Coliform	1100.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
3	B040110F	7	Z Drain	FE	01/23/04	1205	01/23/04	Total Coliform	1700.0000	=		Hold time	0.00	MPN/100ml		01/23/04	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/30/2004
4	B040279B	3	Cache Creek	FE	02/21/04	930	02/21/04	Total Coliform	1200.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279I	1	Fremont Weir	FE	02/21/04	830	02/21/04	Total Coliform	5000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279D	6	Putah Creek	FE	02/21/04	840	02/21/04	Total Coliform	3500.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279A	2	Ridge Cut	FE	02/21/04	850	02/21/04	Total Coliform	16000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279J	8	Sacramento Weir	FE	02/21/04	940	02/21/04	Total Coliform	11000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

4	B040279H	11	Tule Canal	FE	02/21/04	840	02/21/04	Total Coliform	17000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279C	4	Willow Slough	FE	02/21/04	950	02/21/04	Total Coliform	160000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279G	10	Woodland R2	FE	02/21/04	1015	02/21/04	Total Coliform	90000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279F	9	Woodland R1	FE	02/21/04	1040	02/21/04	Total Coliform	30000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
4	B040279E	7	Z Drain	FE	02/21/04	940	02/21/04	Total Coliform	3000.0000	=		Hold time	0.00	MPN/100ml		12/20/2003	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/27/2004
5	B040505B	3	Cache Creek	FE	03/27/04	905	03/27/04	Total Coliform	6000.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505D	6	Putah Creek	FE	03/27/04	945	03/27/04	Total Coliform	8000.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505F	6	Putah Creek - FB	FE	03/27/04	945	03/27/04	Total Coliform	20.0000	<		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505B	2	Ridge Cut	FE	03/27/04	835	03/27/04	Total Coliform	40.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505L	2	Ridge Cut - LD	FE	03/27/04	835	03/27/04	Total Coliform	1700.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505K	12	Toe Drain	FE	03/27/04	1050	03/27/04	Total Coliform	160000.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505J	11	Tule Canal	FE	03/27/04	1112	03/27/04	Total Coliform	170000.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505C	4	Willow Slough	FE	03/27/04	855	03/27/04	Total Coliform	11000.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505I	10	Woodland R2	FE	03/27/04	930	03/27/04	Total Coliform	9000.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505H	9	Woodland R1	FE	03/27/04	955	03/27/04	Total Coliform	5000.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
5	B040505G	7	Z Drain	FE	03/27/04	1028	03/27/04	Total Coliform	13000.0000	=		Hold time	0.00	MPN/100ml		3/27/2004	NK									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	4/2/2004
6		3	Cache Creek	FE	04/23/04	1020		Total Coliform	5000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Total Coliform	8000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek - FB	FE	04/23/04	1020		Total Coliform	20.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Total Coliform	17000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Total Coliform	3000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Total Coliform	2200.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Total Coliform	30000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		10	Woodland R2	FE	04/23/04	11:22		Total Coliform	3000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		9	Woodland R1	FE	04/23/04	11:07		Total Coliform	5000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		5	YBWA	FE	04/23/04	12:40		Total Coliform	3000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain	FE	04/23/04	12:40		Total Coliform	17000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		3	Cache Creek	FE	05/22/04	10:40		Total Coliform	17000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		6	Putah Creek	FE	05/22/04	9:58		Total Coliform	24000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		2	Ridge Cut	FE	05/22/04	9:29		Total Coliform	17000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		12	Toe Drain	FE	05/22/04	9:50		Total Coliform	24000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		11	Tule Canal	FE	05/22/04	11:00		Total Coliform	33000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		4	Willow Slough	FE	05/22/04	9:17		Total Coliform	80000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		10	Woodland R2	FE	05/22/04	10:16		Total Coliform	17000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1	FE	05/22/04	10:34		Total Coliform	160000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1 - FD	FE	05/22/04	10:34		Total Coliform	8800.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		5	YBWA	FE	05/22/04	11:50		Total Coliform	3000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		7	Z Drain	FE	05/22/04	10:40		Total Coliform	220000.0000	=			0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925		Total Coliform	50000.0000	=		Hold time	0.00	MPN/100ml												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		6	Putah Creek	FE	06/26/04	1040		Total Coliform	3000.0000	=		Hold time	0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		2	Ridge Cut	FE	06/26/04	0838		Total Coliform	22000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930		Total Coliform	5000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200		Total Coliform	8100.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900		Total Coliform	17000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		10	Woodland R2	FE	06/26/04	10:16		Total Coliform	30000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		9	Woodland R1	FE	06/26/04	10:34		Total Coliform	17000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		5	YBWA	FE	06/26/04	11:50		Total Coliform	24000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		7	Z Drain	FE	06/26/04	1130		Total Coliform	160000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		3	Cache Creek	FE	07/24/04	9:53		Total Coliform	7500.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		6	Putah Creek	FE	07/24/04	9:58		Total Coliform	24000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		2	Ridge Cut	FE	07/24/04	9:29		Total Coliform	160000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		12	Toe Drain	FE	07/24/04	0915		Total Coliform	17000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		11	Tule Canal	FE	07/24/04	1100		Total Coliform	50000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		4	Willow Slough	FE	07/24/04	9:17		Total Coliform	50000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		10	Woodland R2	FE	07/24/04	10:16		Total Coliform	24000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		9	Woodland R1	FE	07/24/04	10:34		Total Coliform	5000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		5	YBWA	FE	07/24/04	11:50		Total Coliform	13000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		7	Z Drain	FE	07/24/04	1015		Total Coliform	90000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935	08/20/04	Total Coliform	16000.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		6	Putah Creek	FE	08/20/04	0915	08/20/04	Total Coliform	2800.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		2	Ridge Cut	FE	08/20/04	0850	08/20/04	Total Coliform	16000.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		12	Toe Drain	FE	08/20/04	0920	08/20/04	Total Coliform	8000.0000	=			0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100	08/20/04	Total Coliform	30000.0000	=			0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100	08/20/04	Total Coliform	30000.0000	=			0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843	08/20/04	Total Coliform	30000.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		10	Woodland R2	FE	08/20/04	1000	08/20/04	Total Coliform	30000.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		9	Woodland R1	FE	08/20/04	1015	08/20/04	Total Coliform	90000.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
10		5	YBWA	FE	08/20/04	1120	08/20/04	Total Coliform	3500.0000	=			0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		7	Z Drain	FE	08/20/04	1015	08/20/04	Total Coliform	160000.0000	=			0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30	09/21/04	Total Coliform	28000.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		6	Putah Creek	FE	09/22/04	09:50	09/22/04	Total Coliform	2300.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		2	Ridge Cut	FE	09/21/04	09:00	09/21/04	Total Coliform	22000.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		12	Toe Drain	FE	09/21/04	11:30	09/21/04	Total Coliform	5000.0000	=			0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50	09/21/04	Total Coliform	28000.0000	=			0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00	09/22/04	Total Coliform	30000.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		10	Woodland R2	FE	09/22/04	1039	09/22/04	Total Coliform	3500.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		9	Woodland R1	FE	09/22/04	955	09/22/04	Total Coliform	90000.0000	=			0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003
11		7	Z Drain	FE	09/21/04	1140	09/21/04	Total Coliform	36000.0000	=			0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		7	Z Drain - FD	FE	09/21/04	1140	09/21/04	Total Coliform	55000.0000	=			0.00	MPN/100ml													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN					
12		3	Cache Creek	FE	10/23/04	910	10/23/04	Total Coliform	17000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003			
12		6	Putah Creek	FE	10/23/04	910	10/23/04	Total Coliform	3000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003			
12		2	Ridge Cut	FE	10/23/04	840	10/23/04	Total Coliform	3000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003			
12		12	Toe Drain	FE	10/23/04	1306	10/23/04	Total Coliform	16000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN				
12		12	Toe Drain - FD	FE	10/23/04	1306	10/23/04	Total Coliform	30000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN				
12		11	Tule Canal	FE	10/23/04	1010	10/23/04	Total Coliform	16000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN				
12		4	Willow Slough	FE	10/23/04	1030	10/23/04	Total Coliform	50000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003			
12		10	Woodland R2	FE	10/23/04	930	10/23/04	Total Coliform	5000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003			
12		9	Woodland R1	FE	10/23/04	955	10/23/04	Total Coliform	5000.0000	=		Hold time	0.00	MPN/100ml		11/22/2003	SP											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/9/2003			
12		5	YBWA	FE	10/23/04	1020	10/23/04	Total Coliform	50000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN				
12		7	Z Drain	FE	10/23/04	1045	10/23/04	Total Coliform	90000.0000	=		Hold time	0.00	MPN/100ml														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN				
6		3	Cache Creek	FE	04/23/04	1020		Total Detectable DDTs	0.0000	<			0	ng/l												608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
6		6	Putah Creek	FE	04/23/04	1020		Total Detectable DDTs	0.0000	<			0.00	ng/l													608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		2	Ridge Cut	FE	04/23/04	0917		Total Detectable DDTs	0.0000	<			0	ng/l														608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Total Detectable DDTs	0.0000	<			0.00	ng/l														608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Total Detectable DDTs	0.0000	<			0.00	ng/l														608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Total Detectable DDTs	0.0000	<			0	ng/l														608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Total Detectable DDTs	0.0000	=			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Total Detectable DDTs	0.0000	<			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Total Detectable DDTs	19.9000	=			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Total Detectable DDTs	0.0000	<			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Total Detectable DDTs	0.0000	<			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Total Detectable DDTs	0.0000	<			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		3	Cache Creek	FE	08/20/04	0935		Total Detectable DDTs	0.0000	<			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		6	Putah Creek	FE	08/20/04	0915		Total Detectable DDTs	0.0000	<			0.00	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		2	Ridge Cut	FE	08/20/04	0850		Total Detectable DDTs	6.2000	=			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		12	Toe Drain	FE	08/20/04	0920		Total Detectable DDTs	0.0000	<			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		11	Tule Canal	FE	08/20/04	1100		Total Detectable DDTs	0.0000	<			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		11	Tule Canal - FB	FE	08/20/04	1100		Total Detectable DDTs	0.0000	<			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		11	Tule Canal - FD	FE	08/20/04	1100		Total Detectable DDTs	0.0000	<			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
10		4	Willow Slough	FE	08/20/04	0843		Total Detectable DDTs	5.0000	=			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		3	Cache Creek	FE	09/21/04	11:30		Total Detectable DDTs	0.0000	=			0	ng/L		9/24/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		6	Putah Creek	FE	09/22/04	09:50		Total Detectable DDTs	0.0000	=			0	ng/L		9/24/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		2	Ridge Cut	FE	09/21/04	09:00		Total Detectable DDTs	0.0000	=			0	ng/L		9/24/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		12	Toe Drain	FE	09/21/04	11:30		Total Detectable DDTs	0.0000	=			0	ng/L		9/24/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		11	Tule Canal	FE	09/21/04	09:50		Total Detectable DDTs	0.0000	=			0	ng/L		9/24/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		4	Willow Slough	FE	09/22/04	09:00		Total Detectable DDTs	0.0000	=			0	ng/L		9/24/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Total Detectable PCBs	0.0000	<			0	ng/l															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Total Detectable PCBs	0.0000	<			0.00	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Total Detectable PCBs	0.0000	<			0	ng/l												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Total Detectable PCBs	0.0000	=			0	ng/L		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Total Detectable PCBs	0.0000	=			0	ng/L		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Total Detectable PCBs	0.0000	=			0	ng/L		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Total Detectable PCBs	0.0000	=			0	ng/L		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Total Detectable PCBs	0.0000	=			0	ng/L		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Total Detectable PCBs	0.0000	=			0	ng/L		9/24/2004										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		3	Cache Creek	FE	11/22/03	1035	11/22/2003	Total Mercury	15.4000	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1		6	Putah Creek	FE	11/22/03	1000	11/22/2003	Total Mercury	1.3900	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1		2	Ridge Cut	FE	11/22/03	0910	11/24/03	Total Mercury	3.9600	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1		2	Ridge Cut - FB	FE	11/22/03	0910	11/24/03	Total Mercury	0.1500	<			0.15	ng/l	FGS-070	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1		2	Ridge Cut - FD	FE	11/22/03	0910	11/24/03	Total Mercury	3.6100	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1		12	Toe Drain	FE	11/22/03	0910	11/22/2003	Total Mercury	8.6800	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1		11	Tule Canal	FE	11/22/03	1230	11/24/03	Total Mercury	8.0800	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1		4	Willow Slough	FE	11/22/03	0900	11/24/03	Total Mercury	9.3500	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1		10	Woodland R2	FE	11/22/03	1145	11/24/03	Total Mercury	8.5500	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1		9	Woodland R1	FE	11/22/03	1145	11/24/03	Total Mercury	5.1400	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1		5	YBWA	FE	11/22/03	1330	11/24/03	Total Mercury	7.9800	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1		7	Z Drain	FE	11/22/03	1050	11/24/03	Total Mercury	6.2700	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
2		3	Cache Creek	FE	12/20/03	935	12/22/03	Total Mercury	13.3000	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004
2		3	Cache Creek - FB	FE	12/20/03	935	12/22/03	Total Mercury	0.3500	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004
2		3	Cache Creek - FD	FE	12/20/03	935	12/22/03	Total Mercury	12.3000	<			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004
2		6	Putah Creek	FE	12/20/03	1005	12/22/03	Total Mercury	2.7100	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004
2		2	Ridge Cut	FE	12/20/03	855	12/22/03	Total Mercury	3.0600	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004
2		11	Tule Canal	FE	12/20/03	855	12/22/03	Total Mercury	8.3900	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004
2		11	Tule Canal - MSMDS	FE	12/20/03	855	12/22/03	Total Mercury	8.0500	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004
2		4	Willow Slough	FE	12/20/03	930	12/22/03	Total Mercury	7.8800	=			0.15	ng/l	FGS-069	11/24/2003										YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

2		10	Woodland R2	FE	12/20/03	1105	12/22/03	Total Mercury	5.2500	=			0.15	ng/l	FGS-069	11/24/2003													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004
2		9	Woodland R1	FE	12/20/03	1035	12/22/03	Total Mercury	4.9900	=			0.15	ng/l	FGS-069	11/24/2003													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004
2		5	YBWA	FE	12/20/03	1005	12/22/03	Total Mercury	10.9000	=			0.15	ng/l	FGS-069	11/24/2003													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004
2		7	Z Drain	FE	12/20/03	1045	12/22/03	Total Mercury	6.6900	=			0.15	ng/l	FGS-069	11/24/2003													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	1/21/2004
3		3	Cache Creek	FE	01/23/04	1046	01/25/04	Total Mercury	12.1000	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		6	Putah Creek	FE	01/23/04	1110	01/25/04	Total Mercury	3.3500	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		2	Ridge Cut	FE	01/23/04	0938	01/25/04	Total Mercury	4.7400	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		12	Toe Drain	FE	01/23/04	1000	01/25/04	Total Mercury	19.1000	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		11	Tule Canal	FE	01/23/04	1330	01/25/04	Total Mercury	12.2000	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		4	Willow Slough	FE	01/23/04	1000	01/25/04	Total Mercury	4.1000	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		4	Willow Slough - FB	FE	01/23/04	1005	01/25/04	Total Mercury	0.1600	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		4	Willow Slough - FD	FE	01/23/04	1005	01/25/04	Total Mercury	4.8400	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		10	Woodland R2	FE	01/23/04	1218	01/25/04	Total Mercury	8.7000	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		9	Woodland R1	FE	01/23/04	1218	01/25/04	Total Mercury	6.5200	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		5	YBWA	FE	01/23/04	1400	01/25/04	Total Mercury	12.0000	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
3		7	Z Drain	FE	01/23/04	1205	01/25/04	Total Mercury	4.7400	=			0.15	ng/l	FGS-069	01/25/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	2/17/2004
4		3	Cache Creek	FE	02/21/04	930	02/23/04	Total Mercury	33.8000	=			0.15	ng/l	FGS-069	2/23/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
4		1	Fremont Weir	FE	02/21/04	830	02/23/04	Total Mercury	25.0000	=			0.15	ng/l	FGS-069	2/23/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
4		6	Putah Creek	FE	02/21/04	840	02/23/04	Total Mercury	16.7000	=			0.15	ng/l	FGS-069	2/23/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
4		2	Ridge Cut	FE	02/21/04	850	02/23/04	Total Mercury	10.4000	=			0.15	ng/l	FGS-069	2/23/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
4		8	Sacramento Weir	FE	02/21/04	940	02/23/04	Total Mercury	18.1000	=			0.15	ng/l	FGS-069	2/23/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
4		11	Tule Canal	FE	02/21/04	840	02/23/04	Total Mercury	40.9000	=			0.15	ng/l	FGS-069	2/23/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
4		4	Willow Slough	FE	02/21/04	950	02/23/04	Total Mercury	11.4000	=			0.15	ng/l	FGS-069	2/23/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
4		10	Woodland R2	FE	02/21/04	1015	02/23/04	Total Mercury	30.1000	=			0.15	ng/l	FGS-069	2/23/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
4		9	Woodland R1	FE	02/21/04	1040	02/23/04	Total Mercury	37.3000	=			0.15	ng/l	FGS-069	2/23/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
4		7	Z Drain	FE	02/21/04	940	02/23/04	Total Mercury	5.9800	=			0.15	ng/l	FGS-069	2/23/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
5		3	Cache Creek	FE	03/27/04	905	02/23/04	Total Mercury	10.9000	=			0.15	ng/l	FGS-069	03/22/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
5		6	Putah Creek	FE	03/27/04	945	02/23/04	Total Mercury	3.3000	=			0.15	ng/l	FGS-069	03/22/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
5		6	Putah Creek - FB	FE	03/27/04	945	02/23/04	Total Mercury	0.0150	<			0.15	ng/l	FGS-069	03/22/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
5		6	Putah Creek - FB	FE	03/27/04	945	02/23/04	Total Mercury	3.6900	=			0.15	ng/l	FGS-069	03/22/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
5		2	Ridge Cut	FE	03/27/04	835	02/23/04	Total Mercury	5.5900	=			0.15	ng/l	FGS-069	03/22/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
5		12	Toe Drain	FE	03/27/04	1050	02/23/04	Total Mercury	8.1200	=			0.15	ng/l	FGS-069	03/22/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
5		11	Tule Canal	FE	03/27/04	1112	02/23/04	Total Mercury	11.7000	=			0.15	ng/l	FGS-069	03/22/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
5		4	Willow Slough	FE	03/27/04	855	02/23/04	Total Mercury	7.3600	=			0.15	ng/l	FGS-069	03/22/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
5		10	Woodland R2	FE	03/27/04	930	02/23/04	Total Mercury	9.9100	=			0.15	ng/l	FGS-069	03/22/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
5		9	Woodland R1	FE	03/27/04	955	02/23/04	Total Mercury	6.2800	=			0.15	ng/l	FGS-069	03/22/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
5		7	Z Drain	FE	03/27/04	1028	02/23/04	Total Mercury	5.5400	=			0.15	ng/l	FGS-069	03/22/04													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	3/19/2004
6		3	Cache Creek	FE	04/23/04	1020		Total Mercury	6.2920	=			0.15	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Total Mercury	5.7070	=			0.15	ng/l	FGS-069														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

6		2	Ridge Cut	FE	04/23/04	0917		Total Mercury	5.7070	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Total Mercury	12.8380	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Total Mercury	10.2670	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Total Mercury	7.6950	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		10	Woodland R2	FE	04/23/04	11:22		Total Mercury	9.7990	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		9	Woodland R1	FE	04/23/04	11:07		Total Mercury	8.7000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		5	YBWA	FE	04/23/04	12:40		Total Mercury	9.7980	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain	FE	04/23/04	12:40		Total Mercury	4.0480	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain - FB	FE	04/23/04	12:40		Total Mercury	0.6640	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain - FD	FE	04/23/04	12:40		Total Mercury	3.9840	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		3	Cache Creek	FE	05/22/04	10:40		Total Mercury	22.8000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		6	Putah Creek	FE	05/22/04	9:58		Total Mercury	9.6400	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		2	Ridge Cut	FE	05/22/04	9:29		Total Mercury	14.9000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		12	Toe Drain	FE	05/22/04	9:50		Total Mercury	26.8000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		11	Tule Canal	FE	05/22/04	11:00		Total Mercury	18.6000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		4	Willow Slough	FE	05/22/04	9:17		Total Mercury	14.9000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		10	Woodland R2	FE	05/22/04	10:16		Total Mercury	11.9000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1	FE	05/22/04	10:34		Total Mercury	14.5000	=		EST	0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1 - FB	FE	05/22/04	10:34		Total Mercury	0.6000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1 - FD	FE	05/22/04	10:34		Total Mercury	8.6400	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		5	YBWA	FE	05/22/04	11:50		Total Mercury	29.9000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		7	Z Drain	FE	05/22/04	10:40		Total Mercury	10.1000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925		Total Mercury	25.2000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040		Total Mercury	7.6800	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838		Total Mercury	27.1000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930		Total Mercury	25.4000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200		Total Mercury	16.8000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900		Total Mercury	10.9000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		10	Woodland R2	FE	06/26/04	10:16		Total Mercury	9.6100	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		9	Woodland R1	FE	06/26/04	10:34		Total Mercury	11.2000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		10	Woodland R2 - FB	FE	06/26/04	10:34		Total Mercury	0.3300	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		10	Woodland R2 - FD	FE	06/26/04	10:34		Total Mercury	9.5100	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		5	YBWA	FE	06/26/04	11:50		Total Mercury	43.0000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		7	Z Drain	FE	06/26/04	1130		Total Mercury	14.9000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		3	Cache Creek	FE	07/24/04	9:53		Total Mercury	12.6000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		6	Putah Creek	FE	07/24/04	9:58		Total Mercury	3.1100	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		2	Ridge Cut	FE	07/24/04	9:29		Total Mercury	11.8000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		12	Toe Drain	FE	07/24/04	0915		Total Mercury	19.2000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		12	Toe Drain - FD	FE	07/24/04	0915		Total Mercury	20.6000	=			0.15	ng/l	FGS-069											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

9		11	Tule Canal	FE	07/24/04	1100		Total Mercury	10.0000	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		11	Tule Canal - FB	FE	07/24/04	1100		Total Mercury	0.2200	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		4	Willow Slough	FE	07/24/04	9:17		Total Mercury	12.3000	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		10	Woodland R2	FE	07/24/04	10:16		Total Mercury	8.2800	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		9	Woodland R1	FE	07/24/04	10:34		Total Mercury	9.3500	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		5	YBWA	FE	07/24/04	11:50		Total Mercury	18.3000	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		7	Z Drain	FE	07/24/04	1015		Total Mercury	11.1000	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Total Mercury	15.9000	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Total Mercury	5.8600	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Total Mercury	10.3000	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Total Mercury	15.5000	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Total Mercury	10.2000	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Total Mercury	0.2300	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Total Mercury	11.1000	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Total Mercury	15.5000	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		10	Woodland R2	FE	08/20/04	1000		Total Mercury	8.5000	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		9	Woodland R1	FE	08/20/04	1015		Total Mercury	8.5000	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		5	YBWA	FE	08/20/04	1120		Total Mercury	22.0000	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		7	Z Drain	FE	08/20/04	1015		Total Mercury	11.5000	=		holdtime, 19.4 deg	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Total Mercury	7.1600	=		UL	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Total Mercury	2.2500	=		UL	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Total Mercury	4.2900	=		UL	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Total Mercury	15.0000	=		UL	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Total Mercury	9.4100	=		UL	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Total Mercury	17.8000	=		UL	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		10	Woodland R2	FE	09/22/04	1039		Total Mercury	13.0000	=		UL	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		9	Woodland R1	FE	09/22/04	955		Total Mercury	14.7000	=		UL	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		5	YBWA	FE	09/22/04	1115		Total Mercury	14.4000	=		UL	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		7	Z Drain	FE	09/21/04	1140		Total Mercury	12.1000	=		UL	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		7	Z Drain - FB	FE	09/21/04	1140		Total Mercury	0.4900	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		7	Z Drain - FD	FE	09/21/04	1140		Total Mercury	13.2000	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		3	Cache Creek	FE	10/23/04	910		Total Mercury	12.6000	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		6	Putah Creek	FE	10/23/04	910		Total Mercury	3.3500	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		2	Ridge Cut	FE	10/23/04	840		Total Mercury	6.0700	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		12	Toe Drain	FE	10/23/04	1306		Total Mercury	14.1000	=		EST	0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		11	Toe Drain - FB	FE	10/23/04	1306		Total Mercury	0.3300	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		11	Toe Drain - FD	FE	10/23/04	1306		Total Mercury	29.1000	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		11	Tule Canal	FE	10/23/04	1010		Total Mercury	8.1700	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		4	Willow Slough	FE	10/23/04	1030		Total Mercury	9.6600	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

12		10	Woodland R2	FE	10/23/04	930		Total Mercury	7.2800	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		9	Woodland R1	FE	10/23/04	955		Total Mercury	6.1200	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		5	YBWA	FE	10/23/04	1020		Total Mercury	8.3700	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		7	Z Drain	FE	10/23/04	1045		Total Mercury	9.9400	=			0.15	ng/l	FGS-069												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Total Organic Carbon	3.0000	=			1	mg/l	415.1	12/11/2003	MYS	I030043TOC	0.09	1	12/11/2003				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Total Organic Carbon	2.0000	=			1	mg/l	415.1	12/11/2003	MYS	I030043TOC	0.09	1	12/11/2003				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Total Organic Carbon	4.0000	=			1	mg/l	415.1	12/11/2003	MYS	I030043TOC	0.09	1	12/11/2003				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Total Organic Carbon	4.0000	=			1	mg/l	415.1	12/11/2003	MYS	I030043TOC	0.09	1	12/11/2003				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Total Organic Carbon	11.0000	=			1	mg/l	415.1	12/11/2003	MYS	I030043TOC	0.09	1	12/11/2003				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Total Organic Carbon	4.0000	=			1	mg/l	415.1	12/11/2003	MYS	I030043TOC	0.09	1	12/11/2003				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Total Organic Carbon	8.0000	=			1	mg/l	415.1	12/11/2003	MYS	I030043TOC	0.09	1	12/11/2003				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Total Organic Carbon	3.0000	=			1	mg/l	415.1	02/10/2004	MYS	I040007TOC	0.09	1	02/10/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Total Organic Carbon	5.0000	=			1	mg/l	415.1	02/10/2004	MYS	I040007TOC	0.09	1	02/10/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Total Organic Carbon	9.0000	=			1	mg/l	415.1	02/10/2004	MYS	I040007TOC	0.09	1	02/10/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Total Organic Carbon	7.0000	=			1	mg/l	415.1	02/10/2004	MYS	I040007TOC	0.09	1	02/10/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Total Organic Carbon	9.0000	=			1	mg/l	415.1	02/10/2004	MYS	I040007TOC	0.09	1	02/10/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Total Organic Carbon	15.0000	=			1	mg/l	415.1	02/10/2004	MYS	I040007TOC	0.09	1	02/10/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Total Organic Carbon	8.0000	=			1	mg/l	415.1	02/10/2004	MYS	I040007TOC	0.09	1	02/10/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004
6	E040816-2	3	Cache Creek	FE	04/23/04	1020	04/23/2004	Total Organic Carbon	5.0000	=			5	mg/l	130.2	04/28/2004	CD	I040011HAR	1.3	1	04/28/2004				WC	HARD	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-4	6	Putah Creek	FE	04/23/04	1020	04/23/2004	Total Organic Carbon	6.0000	=			1	mg/l	200.8	05/06/2004	SMD	A040491IMS	0.5	1	04/28/2004	UKC	200.8	ICPMS	7782-49-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
6	E040816-3	2	Ridge Cut	FE	04/23/04	0917	04/23/2004	Total Organic Carbon	10.0000	=			10	mg/l	200.8	04/28/2004	SMD	A040474IMS	0.6	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
6	E040816-6	12	Toe Drain	FE	04/23/04	0930	04/23/2004	Total Organic Carbon	6.0000	=			10	mg/l	200.8	04/28/2004	SMD	A040474IMS	0.6	1	04/26/2004	UKC	200.8 (Filtrate)	ICPMS	7429-90-5	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004	
6	E040816-5	11	Tule Canal	FE	04/23/04	1140	04/23/2004	Total Organic Carbon	8.0000	=			10	mg/l	160.1	04/29/2004	NL	I040030TDS	1.8	1	04/29/2004				WL	CDHS-70300	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
6	E040816-1	4	Willow Slough	FE	04/23/04	0930	04/23/2004	Total Organic Carbon	8.0000	=			6	mg/l	160.2	04/25/2004	LRU	B040117TSS		2	04/25/2004				BL	TSS	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	05/25/2004
8	E060868-4	3	Cache Creek	FE	06/26/04	0925	06/26/2004	Total Organic Carbon	3.0000	=			1	mg/l	415.1	07/06/2004	MYS	I040034TOC	0.09	1	07/06/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-6	6	Putah Creek	FE	06/26/04	1040	06/26/2004	Total Organic Carbon	5.0000	=			1	mg/l	415.1	07/12/2004	MYS	I040035TOC	0.09	1	07/12/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-5	2	Ridge Cut	FE	06/26/04	0838	06/26/2004	Total Organic Carbon	4.0000	=			1	mg/l	415.1	07/06/2004	MYS	I040034TOC	0.09	1	07/06/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-7	12	Toe Drain	FE	06/26/04	0930	06/26/2004	Total Organic Carbon	5.0000	=			1	mg/l	415.1	07/12/2004	MYS	I040035TOC	0.09	1	07/12/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-1	11	Tule Canal	FE	06/26/04	1200	06/26/2004	Total Organic Carbon	7.0000	=			1	mg/l	415.1	07/06/2004	MYS	I040034TOC	0.09	1	07/06/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-3	4	Willow Slough	FE	06/26/04	0900	06/26/2004	Total Organic Carbon	8.0000	=			1	mg/l	415.1	07/06/2004	MYS	I040034TOC	0.09	1	07/06/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
8	E060868-2	7	Z Drain	FE	06/26/04	1130	06/26/2004	Total Organic Carbon	9.0000	=			1	mg/l	415.1	07/06/2004	MYS	I040034TOC	0.09	1	07/06/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	07/21/2004
9	E070749-1	12	Toe Drain	FE	07/24/04	0915	07/24/2004	Total Organic Carbon	3.0000	=			1	mg/l	415.1	08/17/2004	MYS	I040039TOC	0.09	1	08/17/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
9	E070749-3	11	Tule Canal	FE	07/24/04	1100	07/24/2004	Total Organic Carbon	6.0000	=			1	mg/l	415.1	08/17/2004	MYS	I040039TOC	0.09	1	08/17/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
9	E070749-2	7	Z Drain	FE	07/24/04	1015	07/24/2004	Total Organic Carbon	9.0000	=			1	mg/l	415.1	08/17/2004	MYS	I040039TOC	0.09	1	08/17/2004				TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
10	E080733-3	3	Cache Creek	FE	08/20/04	0935	08/20/2004	Total Organic Carbon	4.0000	=			1	mg/l	415.1	09/02/2004													



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

10	E080733-9	11	Tule Canal - FD	FE	08/20/04	1100	08/20/2004	Total Organic Carbon	9.0000	=			1	mg/l	415.1	09/02/2004	MYS	I040042TOC	0.09	1	09/02/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-4	4	Willow Slough	FE	08/20/04	0843	08/20/2004	Total Organic Carbon	11.0000	=			1	mg/l	415.1	09/02/2004	MYS	I040042TOC	0.09	1	09/02/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
10	E080733-7	7	Z Drain	FE	08/20/04	1015	08/20/2004	Total Organic Carbon	10.0000	=			1	mg/l	415.1	09/02/2004	MYS	I040042TOC	0.09	1	09/02/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004	
11	E090710-4	3	Cache Creek	FE	09/21/04	11:30	09/21/2004	Total Organic Carbon	8.0000	=			1	mg/l	415.1	09/29/2004	MYS	I040045TOC	0.09	1	09/29/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090738-1	6	Putah Creek	FE	09/22/04	09:50	09/22/2004	Total Organic Carbon	10.0000	=			1	mg/l	415.1	09/30/2004	MYS	I040046TOC	0.09	1	09/30/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-3	2	Ridge Cut	FE	09/21/04	09:00	09/21/2004	Total Organic Carbon	8.0000	=			1	mg/l	415.1	09/29/2004	MYS	I040045TOC	0.09	1	09/29/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Total Organic Carbon	11.0000	=			1	mg/l	415.1	09/29/2004	MYS	I040045TOC	0.09	1	09/29/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Total Organic Carbon	9.0000	=			1	mg/l	415.1	09/29/2004	MYS	I040045TOC	0.09	1	09/29/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090738-2	4	Willow Slough	FE	09/22/04	09:00	09/22/2004	Total Organic Carbon	12.0000	=			1	mg/l	415.1	09/30/2004	MYS	I040046TOC	0.09	1	09/30/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-5	7	Z Drain	FE	09/21/04	1140	09/21/2004	Total Organic Carbon	8.0000	=			1	mg/l	415.1	09/30/2004	MYS	I040046TOC	0.09	1	09/30/2004			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
12	E080733-6	12	Toe Drain	FE	10/23/04	1306	10/23/04	Total Organic Carbon	8.0000	=			1	mg/l	415.1	10/23/04	MYS	I030043TOC	0.09	1	12/11/2003			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004	
12	E080733-5	11	Tule Canal	FE	10/23/04	1010	10/23/04	Total Organic Carbon	13.0000	=			1	mg/l	415.1	10/23/04	MYS	I030043TOC	0.09	1	12/11/2003			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004	
12	E070749-2	7	Z Drain	FE	10/23/04	1045	10/23/04	Total Organic Carbon	10.0000	=			1	mg/l	415.1	10/23/04	MYS	I030043TOC	0.09	1	12/11/2003			TOC	7440-44-0	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Toxaphene	0.5000	<			0.50	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.4	1	11/26/2003	EP/JC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Toxaphene	0.5000	<			0.50	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.4	1	11/26/2003	EP/JC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Toxaphene	0.5000	<			0.50	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.4	1	11/26/2003	EP/JC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Toxaphene	0.5000	<			0.50	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.4	1	11/26/2003	EP/JC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Toxaphene	0.5000	<			0.50	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.4	1	11/26/2003	EP/JC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Toxaphene	0.5000	<			0.50	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.4	1	11/26/2003	EP/JC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Toxaphene	0.5000	<			0.50	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.4	1	11/26/2003	EP/JC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Toxaphene	0.5000	<			0.50	ug/L	EPA 608	12/02/2003	MDT	T030272OCP	0.4	1	11/26/2003	EP/JC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003	
3	E010788-5	3	Cache Creek	FE	01/23/04	1046	01/23/2004	Toxaphene	0.5000	<			0.5	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.4	1	01/29/2004	JDC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-1	6	Putah Creek	FE	01/23/04	1110	01/23/2004	Toxaphene	0.5000	<			0.5	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.4	1	01/29/2004	JDC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-7	2	Ridge Cut	FE	01/23/04	0938	01/23/2004	Toxaphene	0.5000	<			0.5	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.4	1	01/29/2004	JDC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-3	12	Toe Drain	FE	01/23/04	1000	01/23/2004	Toxaphene	0.5000	<			0.5	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.4	1	01/29/2004	JDC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-4	11	Tule Canal	FE	01/23/04	1300	01/23/2004	Toxaphene	0.5000	<			0.5	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.4	1	01/29/2004	JDC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-2	4	Willow Slough	FE	01/23/04	1000	01/23/2004	Toxaphene	0.5000	<			0.5	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.4	1	01/29/2004	JDC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
3	E010788-6	4	Willow Slough - FB	FE	01/23/04	1000	01/23/2004	Toxaphene	0.5000	<			0.5	ug/L	EPA 608	02/09/2004	ECM	T040017OCP	0.4	1	01/29/2004	JDC	EPA 608	ECD	8001-35-2	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	02/17/2004	
6		3	Cache Creek	FE	04/23/04	1020		Toxaphene	10.0000	<			0	ng/L						10				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Toxaphene	10.0000	<			0.00	ng/L						10				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Toxaphene	10.0000	<			0	ng/L						10				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Toxaphene	10.0000	<			0.00	ng/L						10				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Toxaphene	10.0000	<			0.00	ng/L						10				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Toxaphene	10.0000	<			0.00	ng/L						10				608			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Toxaphene	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Toxaphene	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Toxaphene	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Toxaphene	10.0000	<			10	ng/L													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Toxaphene	10.0000	<			10	ng/L												</			



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Toxaphene	10.0000	<			10	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Toxaphene	10.0000	<			10	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Toxaphene	10.0000	<			10	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Toxaphene	10.0000	<			10	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Toxaphene	10.0000	<			10	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Toxaphene	10.0000	<			10	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		Toxaphene	10.0000	<			10	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		Toxaphene	10.0000	<			10	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Toxaphene	10.0000	<			10	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Toxaphene	50.0000	<			50	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Toxaphene	50.0000	<			50	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Toxaphene	50.0000	<			50	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Toxaphene	50.0000	<			50	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Toxaphene	50.0000	<			50	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Toxaphene	50.0000	<			50	ng/L	10	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		trans-Nonachlor	1.0000	<			0	ng/L					1					608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		trans-Nonachlor	1.0000	<			0.00	ng/L					1					608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		trans-Nonachlor	1.0000	<			0	ng/L					1					608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		trans-Nonachlor	1.0000	<			0.00	ng/L					1					608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		trans-Nonachlor	1.0000	<			0.00	ng/L					1					608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		trans-Nonachlor	1.0000	<			0.00	ng/L					1					608	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		trans-Nonachlor	80.0000	=			1	% Recovery											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FB	FE	08/20/04	1100		trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal - FD	FE	08/20/04	1100		trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		trans-Nonachlor	1.0000	<			1	ng/L											YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		trans-Nonachlor	5.0000	<			5	ng/L	1	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		trans-Nonachlor	0.0000	=			5	% Recovery	1	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		trans-Nonachlor	5.0000	<			5	ng/L	1	9/24/2004									YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11		2	Ridge Cut	FE	09/21/04	09:00		trans-Nonachlor	5.0000	<			5	ng/L	1	9/24/2004													YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN			
11		12	Toe Drain	FE	09/21/04	11:30		trans-Nonachlor	5.0000	<			5	ng/L	1	9/24/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		11	Tule Canal	FE	09/21/04	09:50		trans-Nonachlor	5.0000	<			5	ng/L	1	9/24/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		4	Willow Slough	FE	09/22/04	09:00		trans-Nonachlor	5.0000	<			5	ng/L	1	9/24/2004														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		3	Cache Creek	FE	04/23/04	1020		Trichloronate	10.0000	<			0	ng/L					10								614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		6	Putah Creek	FE	04/23/04	1020		Trichloronate	10.0000	<			0	ng/L					10								614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		2	Ridge Cut	FE	04/23/04	0917		Trichloronate	10.0000	<			0	ng/L					10								614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		12	Toe Drain	FE	04/23/04	0930		Trichloronate	10.0000	<			0	ng/L					10								614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		11	Tule Canal	FE	04/23/04	1140		Trichloronate	10.0000	<			0	ng/L					10								614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
6		4	Willow Slough	FE	04/23/04	0930		Trichloronate	10.0000	<			0	ng/L					10								614			YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		3	Cache Creek	FE	06/26/04	0925	29-Jun-04	Trichloronate	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		6	Putah Creek	FE	06/26/04	1040	29-Jun-04	Trichloronate	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		2	Ridge Cut	FE	06/26/04	0838	29-Jun-04	Trichloronate	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		12	Toe Drain	FE	06/26/04	0930	29-Jun-04	Trichloronate	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		11	Tule Canal	FE	06/26/04	1200	29-Jun-04	Trichloronate	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
8		4	Willow Slough	FE	06/26/04	0900	29-Jun-04	Trichloronate	10.0000	<			10	ng/L		29-Jun-04														YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		3	Cache Creek	FE	08/20/04	0935		Trichloronate	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		6	Putah Creek	FE	08/20/04	0915		Trichloronate	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Trichloronate	71.0000	=			10	% Recovery																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		2	Ridge Cut	FE	08/20/04	0850		Trichloronate	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		12	Toe Drain	FE	08/20/04	0920		Trichloronate	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal	FE	08/20/04	1100		Trichloronate	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FB	FE	08/20/04	1100		Trichloronate	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		11	Tule Canal - FD	FE	08/20/04	1100		Trichloronate	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
10		4	Willow Slough	FE	08/20/04	0843		Trichloronate	10.0000	<			10	ng/L																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
11		3	Cache Creek	FE	09/21/04	11:30		Trichloronate	20.0000	<			20	ng/L	10	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Trichloronate	20.0000	<			20	% Recovery	10	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Trichloronate	20.0000	<			20	ng/L	10	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Trichloronate	20.0000	<			20	ng/L	10	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Trichloronate	20.0000	<			20	ng/L	10	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Trichloronate	20.0000	<			20	ng/L	10	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Trichloronate	20.0000	<			20	ng/L	10	9/24/2004															YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		3	Cache Creek	FE	11/22/03	1035	11/22/2003	Turbidity	148.0000	=			0.00	NTU																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1		6	Putah Creek	FE	11/22/03	1000	11/22/2003	Turbidity	3.3800	=			0.00	NTU																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1		2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Turbidity	40.0000	=			0.00	NTU																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1		12	Toe Drain	FE	11/22/03	0910	11/22/2003	Turbidity	47.7000	=			0.00	NTU																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1		11	Tule Canal	FE	11/22/03	1230		Turbidity	46.0000	=			0.00	NTU																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1		4	Willow Slough	FE	11/22/03	0900		Turbidity	57.6000	=			0.00	NTU																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		
1		10	Woodland R2	FE	11/22/03	1145		Turbidity	37.0000	=			0.00	NTU																YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN		



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

1		9	Woodland R1	FE	11/22/03	1145		Turbidity	20.5000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		5	YBWA	FE	11/22/03	1330		Turbidity	29.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
1		7	Z Drain	FE	11/22/03	1050		Turbidity	44.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		3	Cache Creek	FE	12/20/03	935		Turbidity	34.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		6	Putah Creek	FE	12/20/03	1005		Turbidity	14.5000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		2	Ridge Cut	FE	12/20/03	855		Turbidity	48.8000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		11	Tule Canal	FE	12/20/03	855		Turbidity	26.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		4	Willow Slough	FE	12/20/03	930		Turbidity	9.9000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		10	Woodland R2	FE	12/20/03	1105		Turbidity	47.9000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		9	Woodland R1	FE	12/20/03	1035		Turbidity	42.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		5	YBWA	FE	12/20/03	1005		Turbidity	31.7000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
2		7	Z Drain	FE	12/20/03	1045		Turbidity	11.6000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		3	Cache Creek	FE	01/23/04	1046		Turbidity	32.3000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		6	Putah Creek	FE	01/23/04	1110		Turbidity	9.2000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		2	Ridge Cut	FE	01/23/04	0938		Turbidity	79.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		12	Toe Drain	FE	01/23/04	1000		Turbidity	94.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		11	Tule Canal	FE	01/23/04	1300		Turbidity	91.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		4	Willow Slough	FE	01/23/04	1000		Turbidity	30.4000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		10	Woodland R2	FE	01/23/04	1218		Turbidity	65.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		9	Woodland R1	FE	01/23/04	1218		Turbidity	65.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		5	YBWA	FE	01/23/04	1400		Turbidity	28.7000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
3		7	Z Drain	FE	01/23/04	1205		Turbidity	30.8000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		3	Cache Creek	FE	02/21/04	930		Turbidity	28.4000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		1	Fremont Weir	FE	02/21/04	830		Turbidity	42.1000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		6	Putah Creek	FE	02/21/04	840		Turbidity	32.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		2	Ridge Cut	FE	02/21/04	850		Turbidity	37.1000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		8	Sacramento Weir	FE	02/21/04	940		Turbidity	151.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		11	Tule Canal	FE	02/21/04	840		Turbidity	261.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		4	Willow Slough	FE	02/21/04	950		Turbidity	81.2000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		10	Woodland R2	FE	02/21/04	1015		Turbidity	278.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		9	Woodland R1	FE	02/21/04	1040		Turbidity	221.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
4		7	Z Drain	FE	02/21/04	940		Turbidity	48.4000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		3	Cache Creek	FE	03/27/04	905		Turbidity	33.8000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		6	Putah Creek	FE	03/27/04	945		Turbidity	6.2000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		2	Ridge Cut	FE	03/27/04	835		Turbidity	61.9000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		12	Toe Drain	FE	03/27/04	1050		Turbidity	39.9000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		11	Tule Canal	FE	03/27/04	1112		Turbidity	48.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		4	Willow Slough	FE	03/27/04	855		Turbidity	39.1000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		10	Woodland R2	FE	03/27/04	930		Turbidity	77.4000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

5		9	Woodland R1	FE	03/27/04	955		Turbidity	81.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
5		7	Z Drain	FE	03/27/04	1028		Turbidity	39.0000	=			0.00	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		3	Cache Creek	FE	04/23/04	1020		Turbidity	27.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		6	Putah Creek	FE	04/23/04	1020		Turbidity	9.8900	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		2	Ridge Cut	FE	04/23/04	0917		Turbidity	85.7000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		12	Toe Drain	FE	04/23/04	0930		Turbidity	82.3000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		11	Tule Canal	FE	04/23/04	1140		Turbidity	59.6000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		4	Willow Slough	FE	04/23/04	0930		Turbidity	40.8000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		10	Woodland R2	FE	04/23/04	11:22		Turbidity	107.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		9	Woodland R1	FE	04/23/04	11:07		Turbidity	110.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		5	YBWA	FE	04/23/04	12:40		Turbidity	101.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
6		7	Z Drain	FE	04/23/04	12:40		Turbidity	23.9000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		3	Cache Creek	FE	05/22/04	10:40		Turbidity	63.8000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		6	Putah Creek	FE	05/22/04	9:58		Turbidity	17.4000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		2	Ridge Cut	FE	05/22/04	9:29		Turbidity	121.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		12	Toe Drain	FE	05/22/04	9:50		Turbidity	216.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		11	Tule Canal	FE	05/22/04	11:00		Turbidity	154.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		4	Willow Slough	FE	05/22/04	9:17		Turbidity	69.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		10	Woodland R2	FE	05/22/04	10:16		Turbidity	63.6000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		9	Woodland R1	FE	05/22/04	10:34		Turbidity	107.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		5	YBWA	FE	05/22/04	11:50		Turbidity	201.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
7		7	Z Drain	FE	05/22/04	10:40		Turbidity	63.3000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		3	Cache Creek	FE	06/26/04	0925		Turbidity	106.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		6	Putah Creek	FE	06/26/04	1040		Turbidity	78.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		2	Ridge Cut	FE	06/26/04	0838		Turbidity	99.8000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		12	Toe Drain	FE	06/26/04	0930		Turbidity	116.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		11	Tule Canal	FE	06/26/04	1200		Turbidity	118.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		4	Willow Slough	FE	06/26/04	0900		Turbidity	101.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		10	Woodland R2	FE	06/26/04	10:16		Turbidity	50.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		9	Woodland R1	FE	06/26/04	10:34		Turbidity	69.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		5	YBWA	FE	06/26/04	11:50		Turbidity	89.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
8		7	Z Drain	FE	06/26/04	1130		Turbidity	123.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		3	Cache Creek	FE	07/24/04	9:53		Turbidity	106.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		6	Putah Creek	FE	07/24/04	9:58		Turbidity	4.6000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		2	Ridge Cut	FE	07/24/04	9:29		Turbidity	205.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		12	Toe Drain	FE	07/24/04	0915		Turbidity	286.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		11	Tule Canal	FE	07/24/04	1100		Turbidity	116.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		4	Willow Slough	FE	07/24/04	9:17		Turbidity	117.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		10	Woodland R2	FE	07/24/04	10:16		Turbidity	116.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

9		9	Woodland R1	FE	07/24/04	10:34		Turbidity	116.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		5	YBWA	FE	07/24/04	11:50		Turbidity	240.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9		7	Z Drain	FE	07/24/04	1015		Turbidity	146.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		3	Cache Creek	FE	08/20/04	0935		Turbidity	50.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		6	Putah Creek	FE	08/20/04	0915		Turbidity	11.2000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		2	Ridge Cut	FE	08/20/04	0850		Turbidity	76.9000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		12	Toe Drain	FE	08/20/04	0920		Turbidity	143.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		11	Tule Canal	FE	08/20/04	1100		Turbidity	50.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		4	Willow Slough	FE	08/20/04	0843		Turbidity	78.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		10	Woodland R2	FE	08/20/04	1000		Turbidity	51.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		9	Woodland R1	FE	08/20/04	1015		Turbidity	37.6000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		5	YBWA	FE	08/20/04	1120		Turbidity	96.9000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
10		7	Z Drain	FE	08/20/04	1015		Turbidity	96.3000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		3	Cache Creek	FE	09/21/04	11:30		Turbidity	24.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		6	Putah Creek	FE	09/22/04	09:50		Turbidity	62.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		2	Ridge Cut	FE	09/21/04	09:00		Turbidity	34.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		12	Toe Drain	FE	09/21/04	11:30		Turbidity	92.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		11	Tule Canal	FE	09/21/04	09:50		Turbidity	78.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		4	Willow Slough	FE	09/22/04	09:00		Turbidity	223.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		10	Woodland R2	FE	09/22/04	1039		Turbidity	62.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		9	Woodland R1	FE	09/22/04	955		Turbidity	88.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		5	YBWA	FE	09/21/04	1115		Turbidity	42.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
11		7	Z Drain	FE	09/22/04	1140		Turbidity	120.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		3	Cache Creek	FE	10/23/04	910		Turbidity	38.4000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		6	Putah Creek	FE	10/23/04	910		Turbidity	12.1000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		2	Ridge Cut	FE	10/23/04	840		Turbidity	35.1000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		12	Toe Drain	FE	10/23/04	1306		Turbidity	136.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		11	Tule Canal	FE	10/23/04	1010		Turbidity	68.6000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		4	Willow Slough	FE	10/23/04	1030		Turbidity	97.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		10	Woodland R2	FE	10/23/04	930		Turbidity	24.8000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		9	Woodland R1	FE	10/23/04	955		Turbidity	22.3000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		5	YBWA	FE	10/23/04	1020		Turbidity	46.3000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
12		7	Z Drain	FE	10/23/04	1045		Turbidity	231.0000	=			0	NTU												YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	
9	E070749-1	12	Toe Drain	FE	07/24/04	0915	07/24/2004	Ultraviolet Absorption at 254nm	0.0790	=			0	ABS/CM	SM5910B	07/24/2004	MYS	I040001UV		1	07/24/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
9	E070749-3	11	Tule Canal	FE	07/24/04	1100	07/24/2004	Ultraviolet Absorption at 254nm	0.1530	=			0	ABS/CM	SM5910B	07/24/2004	MYS	I040001UV		1	07/24/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
9	E070749-2	7	Z Drain	FE	07/24/04	1015	07/24/2004	Ultraviolet Absorption at 254nm	0.2160	=			0	ABS/CM	SM5910B	07/24/2004	MYS	I040001UV		1	07/24/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	08/20/2004
10	E080733-6	12	Toe Drain	FE	08/20/04	0920	08/20/2004	Ultraviolet Absorption at 254nm	0.0890	=			0	ABS/CM	SM5910B	08/21/2004	MYS	I040002UV		1	08/21/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-5	11	Tule Canal	FE	08/20/04	1100	08/20/2004	Ultraviolet Absorption at 254nm	0.1740	=			0	ABS/CM	SM5910B	08/21/2004	MYS	I040002UV		1	08/21/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004
10	E080733-7	7	Z Drain	FE	08/20/04	1015	08/20/2004	Ultraviolet Absorption at 254nm	0.2560	=			0	ABS/CM	SM5910B	08/21/2004	MYS	I040002UV		1	08/21/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	09/21/2004



Yolo Bypass Surface Water Quality Data 2003-2004 FINAL June 2006

11	E090710-1	12	Toe Drain	FE	09/21/04	11:30	09/21/2004	Ultraviolet Absorption at 254nm	0.1960	=			0	ABS/CM	SM5910B	09/23/2004	MYS	I040003UV		1	09/23/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-2	11	Tule Canal	FE	09/21/04	09:50	09/21/2004	Ultraviolet Absorption at 254nm	0.1450	=			0	ABS/CM	SM5910B	09/23/2004	MYS	I040003UV		1	09/23/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
11	E090710-5	7	Z Drain	FE	09/21/04	1140	09/21/2004	Ultraviolet Absorption at 254nm	0.2930	=			0	ABS/CM	SM5910B	09/23/2004	MYS	I040003UV		1	09/23/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	10/11/2004	
12	E080733-6	12	Toe Drain	FE	10/23/04	1306	10/23/04	Ultraviolet Absorption at 254nm	0.8600	=			0	ABS/CM	SM5910B	10/23/04	MYS	I040002UV		1	08/21/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004	
12	E080733-5	11	Tule Canal	FE	10/23/04	1010	10/23/04	Ultraviolet Absorption at 254nm	0.1600	=			0	ABS/CM	SM5910B	10/23/04	MYS	I040002UV		1	08/21/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004	
12	E070749-2	7	Z Drain	FE	10/23/04	1045	10/23/04	Ultraviolet Absorption at 254nm	0.1300	=			0	ABS/CM	SM5910B	10/23/04	MYS	I040001UV		1	07/24/2004					YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/20/2004	
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Zinc	9.0000	=			2	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Zinc	5.0000	=			2	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Zinc	5.0000	=			2	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Zinc	4.0000	=		J	1	ug/L	200.8	12/04/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Zinc	7.0000	=			2	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Zinc	6.0000	=			2	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Zinc	9.0000	=			2	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Zinc	9.0000	=			2	ug/L	200.8	12/03/2003	SMD	A031269IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-3	3	Cache Creek	FE	11/22/03	1035	11/22/2003	Zinc, dissolved	0.3000	=		J	1	ug/L	200.8	12/11/2003	SMD	A031271IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-6	6	Putah Creek	FE	11/22/03	1000	11/22/2003	Zinc, dissolved	4.0000	=			2	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-1	2	Ridge Cut	FE	11/22/03	0910	11/22/2003	Zinc, dissolved	1.0000	<			1.00	ug/L	200.8	12/11/2003	SMD	A031271IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-8	2	Ridge Cut - FB	FE	11/22/03	0910	11/22/2003	Zinc, dissolved	1.0000	<			1.00	ug/L	200.8	12/11/2003	SMD	A031271IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-2	2	Ridge Cut - FD	FE	11/22/03	0910	11/22/2003	Zinc, dissolved	1.0000	=			1	ug/L	200.8	12/11/2003	SMD	A031271IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-5	12	Toe Drain	FE	11/22/03	0910	11/22/2003	Zinc, dissolved	1.0000	<			1.00	ug/L	200.8	12/11/2003	SMD	A031271IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-4	11	Tule Canal	FE	11/22/03	1230	11/22/2003	Zinc, dissolved	0.8000	=		J	1	ug/L	200.8	12/11/2003	SMD	A031271IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003
1	D110736-7	4	Willow Slough	FE	11/22/03	0900	11/22/2003	Zinc, dissolved	2.0000	=			2	ug/L	200.8	12/03/2003	SMD	A031271IMS	0.3	1	11/28/2003	UKC			ICPMS	7440-66-6	YOLO BYPASS WATERSHED PLANNING	CHRIS ERICHSEN	12/18/2003