

453

VWRA NPDES Receiving Water Monitoring Stations

		Upstream @ Narrows				A-N 1 hr Obj		A-N 4 day Obj		Nitrate-N	Downs	
		pH	Temp °C	Ammonia-N	Nitrate-N	nonids	Not Pre	monids	Not Pres	Objective	pH	Temp °C
2001	JUL	8.1	26.7	0.1	0.2	4.0		0.7	1.1		7.8	21.7
2001	AUG											
2001	SEP											
2001	OCT	7.7	17.9	0.1	0.2	9.2		2.1	1.1		7.5	17.8
2001	NOV											
2001	DEC											
2002	JAN	7.55	8.8	<0.03	1.8	12.1		2.2	1.1		7.29	11.6
2002	FEB											
2002	MAR											
2002	APR	7.69	13.3	<0.1	<2.0	9.5		2.1	1.1		7.43	12.5
2002	MAY											
2002	JUN											
2002	JUL	7.8	26.9	0.1	0.2	6.8		1.1	1.1		7.8	23.3
2002	AUG											
2002	SEP											
2002	OCT	7.43	16	<0.1	<0.2	13.3		2.1	1.1		7.52	16.5
2002	NOV											
2002	DEC											
2003	JAN	7.7	12.4	0.1	0.2	9.5		2.2	1.1		8.4	10.3
2003	FEB											
2003	MAR											
2003	APR	7.49	12.3	<0.1	<0.2	12.7		2.2	1.1		7.48	11.5
2003	MAY											
2003	JUN											
2003	JUL	7.36	26.3	<0.1	<0.2	12.8		1.3	1.1		7.3	23.8
2003	AUG											
2003	SEP											
2003	OCT	6.7	19.7	<0.1	<0.2	22.4		2.0	1.1		6.4	19.9
2003	NOV											
2003	DEC											
2004	JAN	7.9	7.4	0.1	0.2	7.1		1.6	1.1		7.7	9.2

stream	A-N 1 hr	A-N 4 day	Nitrate-N	Objective
Ammonia-N	Nitrate-N	onids Not P	onids Not P	
0.1	1.7	7.8	1.6	1.1
0.1	1.5	12.1	2.1	1.1
<0.03	4.1	15.9	2.2	1.1
<0.1	3.6	13.6	2.1	1.1
0.1	1.6	7.8	1.4	1.1
<0.1	2.2	11.9	2.1	1.1
0.1	4.3	2.4	0.5	1.1
<0.1	3.1	12.9	2.2	1.1
<0.1	1.3	14.9	1.6	1.1
<0.1	1.9	24.4	2.0	1.1
0.1	4.4	9.7	2.2	1.1