

Kit Carson Creek

Source	Source Desc	Sample Date	Total Dissolved Solids	Units
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	1200	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	24-May-99	1270	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Jun-99	1240	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	22-Feb-00	640	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	29-Feb-00	1160	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	6-Mar-00	694	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	13-Mar-00	1210	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Mar-00	1260	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	3-Apr-00	1300	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	10-Apr-00	416	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	18-Apr-00	505	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	8-Jan-01	1350	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	29-Jan-01	939	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	20-Feb-01	1030	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	12-Mar-01	950	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	2-Apr-01	1310	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	23-Apr-01	870	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	14-May-01	1290	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	4-Jun-01	1320	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	25-Jun-01	1310	mg/L
HGW_KCC3	Hodges Wtrshd Kit Carson Cr at Sunset Dr	16-Jul-01	1340	mg/L

*Date Cut -off

Avg = 1035.22
 Std Dev = 298.18
 Median = 1180
 17 of 18 (94%) > 500mg/L

Kit Carson TDS 1997 Aug 2001

Kit Carson Creek

File Name: J:\LIMSUSER\vrnkcc3solids2000.csv					
San Diego Water Quality Laboratory					
WQL					
Report By: RKF					
Report Date: December 15, 2000 6:30 AM					
Report Selection Criteria					
Analysis IN ('MF_ENTERO','MF_FC','MPN_TC','NITRITE_AUTO','PH_ALK_MAN','PHOS_P_TOT_AUTO','SOLIDS_TDS','SOLIDS_TSS','TKN_AUTO','TOC','TURBIDITY')					
Reportable(1/0) = 1					
Sample Date BETWEEN '01-Jan-1996' AND '15-Dec-2000'					
Source IN ('HGW_KCC3')					
Test Type IN ('SAMP')					
Report Options					
Equal_Weight_Samples=Y					
Equal_Weight_Days=N					
Apply_Less_Than=Y					
Non_Detect_Mdl_Factor=NULL					
Concatenate_Cells_Calculation=Y					
Quote_Strings=Y					
Strip_Internal=N					
Print_Comments=N					
Output Specification					
	Source Desc				
	Sample Date				
	Analyte				
	Avg Units				
	Avg Qualifier				
	Avg Value				
Report Data					
Number of result records queried: 63					
Number of summary records found: 53					
Source Desc	Sample Date	Analyte	Avg Units	Avg Qualifier	Avg Value
Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	ALKALINITY_PART	MG/L	0.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	24-May-99	ALKALINITY_PART	MG/L	0.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Jun-99	ALKALINITY_PART	MG/L	0.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	ALKALINITY_TOT	MG/L	340.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	24-May-99	ALKALINITY_TOT	MG/L	349.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Jun-99	ALKALINITY_TOT	MG/L	354.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	ENTEROCOCCUS	CFU/100ML	86.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Jun-99	ENTEROCOCCUS	CFU/100ML	92.000	✓
Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	F_COLIFORM	CFU/100ML	151.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Jun-99	F_COLIFORM	CFU/100ML	2600.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	NITRITE	MG/L	0.073	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	24-May-99	NITRITE	MG/L	0.052	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	22-Feb-00	NITRITE	MG/L	0.109	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Mar-00	NITRITE	MG/L	0.082	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	3-Apr-00	NITRITE	MG/L	0.039	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	10-Apr-00	NITRITE	MG/L	0.036	✓
Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	T_COLIFORM	/100 ML	3000.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Jun-99	T_COLIFORM	/100 ML	16000.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	TDS	MG/L	1200.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	24-May-99	TDS	MG/L	1270.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Jun-99	TDS	MG/L	1240.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	22-Feb-00	TDS	MG/L	640.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	29-Feb-00	TDS	MG/L	1160.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	6-Mar-00	TDS	MG/L	694.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	13-Mar-00	TDS	MG/L	1210.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Mar-00	TDS	MG/L	1260.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	3-Apr-00	TDS	MG/L	1300.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	10-Apr-00	TDS	MG/L	416.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	18-Apr-00	TDS	MG/L	505.000	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	TKN	MG/L	0.419	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	24-May-99	TKN	MG/L	0.542	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Jun-99	TKN	MG/L	0.884	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	22-Feb-00	TKN	MG/L	1.430	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	29-Feb-00	TKN	MG/L	0.672	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	6-Mar-00	TKN	MG/L	1.110	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	13-Mar-00	TKN	MG/L	0.611	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Mar-00	TKN	MG/L	0.602	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	3-Apr-00	TKN	MG/L ND		
Hodges Wtrshd Kit Carson Cr at Sunset Dr	10-Apr-00	TKN	MG/L	0.457	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	18-Apr-00	TKN	MG/L	1.390	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	TOC	MG/L	6.770	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	24-May-99	TOC	MG/L	4.700	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Jun-99	TOC	MG/L	5.430	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	29-Feb-00	TOC	MG/L	4.850	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	13-Mar-00	TOC	MG/L	4.990	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Mar-00	TOC	MG/L	4.140	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	10-Apr-00	TOC	MG/L	3.690	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	18-Apr-00	TOC	MG/L	17.600	✓
Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	TSS	MG/L	3.300	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	24-May-99	TSS	MG/L	< 2.500	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	26-Apr-99	TURBIDITY	NTU	0.800	✓
Hodges Wtrshd Kit Carson Cr at Sunset Dr	24-May-99	TURBIDITY	NTU	1.370	
Hodges Wtrshd Kit Carson Cr at Sunset Dr	21-Jun-99	TURBIDITY	NTU	0.510	

std =
500 mg/L

avg = 990

Kit Carson

File Name: J:\LIMSUSER\rvk\kCC3500SERIES2000.csv													
San Diego Water Quality Laboratory													
WQL													
Report By: RKF													
Report Date: December 15, 2000 6:57 AM													
Report Selection Criteria													
Analysis like 'EPA5%'													
Raw Value IS NOT NULL													
Reportable(1/0) = 1													
Sample Date BETWEEN '01-Jan-1996' AND '15-Dec-2000'													
Source IN ('HWG_KCC3')													
Test Type IN ('SAMP')													
Report Options													
Equal_Weight_Samples=Y													
Equal_Weight_Days=N													
Apply_Less_Than=Y													
Non_Detect_Mdl_Factor=NULL													
Concatenate_Cells_Calculation=Y													
Quote_Strings=Y													
Strip_Internal=N													
Print_Comments=N													
Output Specification													
Source Desc													
Sample Date													
Analyte													
Avg Units													
Avg Qualifier													
Avg Value													
Report Data													
Number of result records queried: 16													
Number of summary records found: 16													
Source	Sample Date	Analyte	Avg Units	Avg Qualifier	Avg Value								
Hodges	6-Mar-00	2ETH_PHTHALATE	UG/L	0.260		✓							
Hodges	13-Mar-00	2ETH_PHTHALATE	UG/L	0.345		✓							
Hodges	22-Feb-00	4_NITROPHENOL	UG/L <	10.000		✓							
Hodges	21-Mar-00	4_NITROPHENOL	UG/L <	10.000		✓							
Hodges	18-Apr-00	4_NITROPHENOL	UG/L <	10.000		✓							
Hodges	22-Feb-00	5CHLOROPHENOL	UG/L	2.400		✓							
Hodges	6-Mar-00	5CHLOROPHENOL	UG/L	1.670		✓							
Hodges	13-Mar-00	B2_ETHXPHTHALAT	UG/L	0.320		✓							
Hodges	18-Apr-00	B2_ETHXPHTHALAT	UG/L	2.370		✓							
Hodges	21-Mar-00	BENZO_GHI_PERYL	UG/L	0.209		✓							
Hodges	26-Apr-99	CHLOROFORM	UG/L	0.208		✓							
Hodges	18-Apr-00	FLUORENE	UG/L	0.462		✓							
Hodges	21-Mar-00	MTBE	UG/L	0.265		✓							
Hodges	22-Feb-00	PICLORAM	UG/L <	5.000		✓							
Hodges	18-Apr-00	PICLORAM	UG/L <	5.000		✓							
Hodges	21-Mar-00	SIMAZINE	UG/L	0.652		✓							
QC Limits													
Source	Sample Date	Analyte	Begin Date	End Date	Metric	Test Type	Recover	Value(%)	LCL	LWL	UWL	UCL	Assessr

Kit Carson Creek
905.?

File Name: J:\LIMSUSER\rkf\kCC3500SERIES2000.csv
San Diego Water Quality Laboratory
WQL

Report By: RKF
Report Date: December 15, 2000 6:57 AM

Report Selection Criteria
Analysis like 'EPA5%'
Raw Value IS NOT NULL
Reportable(1/0) = 1
Sample Date BETWEEN '01-Jan-1996' AND '15-Dec-2000'
Source IN ('HGW_KCC3')
Test Type IN ('SAMP')

Report Options
Equal_Weight_Samples=Y
Equal_Weight_Days=N
Apply_Less_Than=Y
Non_Detect_Mdl_Factor=NULL
Concatenate_Cells_Calculation=Y
Quote_Strings=Y
Strip_Internal=N
Print_Comments=N

Output Specification

Source Desc
Sample Date
Analyte
Avg Units
Avg Qualifier
Avg Value

Report Data

Number of result records queried: 16
Number of summary records found: 16
Source Desc Sample Date Analyte Avg Units-Avg Qualifier-Avg Value
Hodges Wt 6-Mar-00 2ETH_PHT UG/L 0.260
Hodges Wt 6-Mar-00 5CHLORO UG/L 1.670
Hodges Wt 13-Mar-00 2ETH_PHT UG/L 0.345
Hodges Wt 13-Mar-00 B2_ETHXF UG/L 0.320
Hodges Wt 18-Apr-00 4_NITROP UG/L < 10.000

Hodges Wt 18-Apr-00	B2_ETHXF	UG/L	2.370
Hodges Wt 18-Apr-00	FLUORENI	UG/L	0.462
Hodges Wt 18-Apr-00	PICLORAM	UG/L <	5.000
Hodges Wt 21-Mar-00	4_NITROP	UG/L <	10.000
Hodges Wt 21-Mar-00	BENZO_GI	UG/L	0.209
Hodges Wt 21-Mar-00	MTBE	UG/L	0.265
Hodges Wt 21-Mar-00	SIMAZINE	UG/L	0.652
Hodges Wt 22-Feb-00	4_NITROP	UG/L <	10.000
Hodges Wt 22-Feb-00	5CHLORO	UG/L	2.400
Hodges Wt 22-Feb-00	PICLORAM	UG/L <	5.000
Hodges Wt 26-Apr-99	CHLOROF	UG/L	0.208

QC Limits

Source	De	Sample	Da	Analyte	Begin Date	End Date	Metric	Test Type	Recovery	Value(%)	LCL	LWL	UWL	UCL	Assessment
--------	----	--------	----	---------	------------	----------	--------	-----------	----------	----------	-----	-----	-----	-----	------------

File Name: J:\LIMSUSER\rk\Kcc3solids2000.csv
San Diego Water Quality Laboratory
WQL

Report By: RKF
Report Date: December 15, 2000 6:30 AM

Report Selection Criteria
Analysis IN ('MF_ENTERO','MF_FC','MPN_TC','NITRITE_AUTO','PH_ALK_MAN','PHOS_P_TOT_AUTO','SOLIDS_TDS','SOLIDS_TSS','TKN_AUTO','TOC','TURBIDITY')
Reportable(1/0) = 1
Sample Date BETWEEN '01-Jan-1996' AND '15-Dec-2000'
Source IN ('HGW_KCC3')
Test Type IN ('SAMP')

Report Options
Equal_Weight_Samples=Y
Equal_Weight_Days=N
Apply_Less_Than=Y
Non_Detect_Mdl_Factor=NULL
Concatenate_Cells_Calculation=Y
Quote_Strings=Y
Strip_Internal=N
Print_Comments=N

Output Specification
Source Desc
Sample Date
Analyte
Avg Units
Avg Qualifier
Avg Value

Report Data
Number of result records queried: 63
Number of summary records found: 53

Source Desc	Sample Date	Analyte	Avg Units	Avg Qualifier	Avg Value
Hodges WI	3-Apr-00	NITRITE	MG/L		0.039
Hodges WI	3-Apr-00	TDS	MG/L		1300.000
Hodges WI	3-Apr-00	TKN	MG/L	ND	
Hodges WI	6-Mar-00	TDS	MG/L		694.000
Hodges WI	6-Mar-00	TKN	MG/L		1.110
Hodges WI	10-Apr-00	NITRITE	MG/L		0.036
Hodges WI	10-Apr-00	TDS	MG/L		416.000
Hodges WI	10-Apr-00	TKN	MG/L		0.457
Hodges WI	10-Apr-00	TOC	MG/L		3.690
Hodges WI	13-Mar-00	TDS	MG/L		1210.000

Hodges WI	13-Mar-00	TKN	MG/L	0.611
Hodges WI	13-Mar-00	TOC	MG/L	4.990
Hodges WI	18-Apr-00	TDS	MG/L	505.000
Hodges WI	18-Apr-00	TKN	MG/L	1.390
Hodges WI	18-Apr-00	TOC	MG/L	17.600
Hodges WI	21-Jun-99	ALKALINITY_PART	MG/L	0.000
Hodges WI	21-Jun-99	ALKALINITY_TOT	MG/L	354.000
Hodges WI	21-Jun-99	ENTEROCOCCUS	CFU/100ML	92.000
Hodges WI	21-Jun-99	F_COLIFORM	CFU/100ML	2600.000
Hodges WI	21-Jun-99	TDS	MG/L	1240.000
Hodges WI	21-Jun-99	TKN	MG/L	0.884
Hodges WI	21-Jun-99	TOC	MG/L	5.430
Hodges WI	21-Jun-99	TURBIDITY	NTU	0.510
Hodges WI	21-Jun-99	T_COLIFORM	/100 ML	16000.000
Hodges WI	21-Mar-00	NITRITE	MG/L	0.082
Hodges WI	21-Mar-00	TDS	MG/L	1260.000
Hodges WI	21-Mar-00	TKN	MG/L	0.602
Hodges WI	21-Mar-00	TOC	MG/L	4.140
Hodges WI	22-Feb-00	NITRITE	MG/L	0.109
Hodges WI	22-Feb-00	TDS	MG/L	640.000
Hodges WI	22-Feb-00	TKN	MG/L	1.430
Hodges WI	24-May-99	ALKALINITY_PART	MG/L	0.000
Hodges WI	24-May-99	ALKALINITY_TOT	MG/L	349.000
Hodges WI	24-May-99	NITRITE	MG/L	0.052
Hodges WI	24-May-99	TDS	MG/L	1270.000
Hodges WI	24-May-99	TKN	MG/L	0.542
Hodges WI	24-May-99	TOC	MG/L	4.700
Hodges WI	24-May-99	TSS	MG/L <	2.500
Hodges WI	24-May-99	TURBIDITY	NTU	1.370
Hodges WI	26-Apr-99	ALKALINITY_PART	MG/L	0.000
Hodges WI	26-Apr-99	ALKALINITY_TOT	MG/L	340.000
Hodges WI	26-Apr-99	ENTEROCOCCUS	CFU/100ML	86.000
Hodges WI	26-Apr-99	F_COLIFORM	CFU/100ML	151.000
Hodges WI	26-Apr-99	NITRITE	MG/L	0.073
Hodges WI	26-Apr-99	TDS	MG/L	1200.000
Hodges WI	26-Apr-99	TKN	MG/L	0.419
Hodges WI	26-Apr-99	TOC	MG/L	6.770
Hodges WI	26-Apr-99	TSS	MG/L	3.300
Hodges WI	26-Apr-99	TURBIDITY	NTU	0.800
Hodges WI	26-Apr-99	T_COLIFORM	/100 ML	3000.000
Hodges WI	29-Feb-00	TDS	MG/L	1160.000
Hodges WI	29-Feb-00	TKN	MG/L	0.672
Hodges WI	29-Feb-00	TOC	MG/L	4.850

QC Limits

Source De	Sample Date	Analyte	Begin Date	End Date	Metric	Test Type	Recovery	Value(%)	LCL	LWL	UWL	UCL	Assessment
-----------	-------------	---------	------------	----------	--------	-----------	----------	----------	-----	-----	-----	-----	------------

City of SD

File Name: J:\LIMSUSER\rkf\Kcc3solids2000.csv
San Diego Water Quality Laboratory
WQL

Report By: RKF
Report Date: December 15, 2000 6:30 AM

Report Selection Criteria

Analysis IN ('MF_ENTERO','MF_FC','MPN_TC','NITRITE_AUTO','PH_ALK_MAN','PHOS_P_TOT_AUTO','SOLIDS_TDS','SOLIDS_TSS','TKN_AUTO','TOC','TURBIDITY')
Reportable(1/0) = 1
Sample Date BETWEEN '01-Jan-1996' AND '15-Dec-2000'
Source IN ('HWK_KCC3')
Test Type IN ('SAMP')

Report Options

Equal_Weight_Samples=Y
Equal_Weight_Days=N
Apply_Less_Than=Y
Non_Detect_Mdl_Factor=NULL
Concatenate_Cells_Calculation=Y
Quote_Strings=Y
Strip_Internal=N
Print_Comments=N

Output Specification

Source Desc
Sample Date
Analyte
Avg Units
Avg Qualifier
Avg Value

Report Data

Number of result records queried: 63
Number of summary records found: 53

Source De:	Sample Date	Analyte	Avg Units-Avg Qualifier-Avg Value
Hodges WI	3-Apr-00	NITRITE	MG/L 0.039
Hodges WI	3-Apr-00	TDS	MG/L 1300.000
Hodges WI	3-Apr-00	TKN	MG/L ND
Hodges WI	6-Mar-00	TDS	MG/L 694.000
Hodges WI	6-Mar-00	TKN	MG/L 1.110
Hodges WI	10-Apr-00	NITRITE	MG/L 0.036

Hodges WI	10-Apr-00	TDS	MG/L	416.000
Hodges WI	10-Apr-00	TKN	MG/L	0.457
Hodges WI	10-Apr-00	TOC	MG/L	3.690
Hodges WI	13-Mar-00	TDS	MG/L	1210.000
Hodges WI	13-Mar-00	TKN	MG/L	0.611
Hodges WI	13-Mar-00	TOC	MG/L	4.990
Hodges WI	18-Apr-00	TDS	MG/L	505.000
Hodges WI	18-Apr-00	TKN	MG/L	1.390
Hodges WI	18-Apr-00	TOC	MG/L	17.600
Hodges WI	21-Jun-99	ALKALINITY_PART	MG/L	0.000
Hodges WI	21-Jun-99	ALKALINITY_TOT	MG/L	354.000
Hodges WI	21-Jun-99	ENTEROCOCCUS	CFU/100ML	92.000
Hodges WI	21-Jun-99	F_COLIFORM	CFU/100ML	2600.000
Hodges WI	21-Jun-99	TDS	MG/L	1240.000
Hodges WI	21-Jun-99	TKN	MG/L	0.884
Hodges WI	21-Jun-99	TOC	MG/L	5.430
Hodges WI	21-Jun-99	TURBIDITY	NTU	0.510
Hodges WI	21-Jun-99	T_COLIFORM	/100 ML	16000.000
Hodges WI	21-Mar-00	NITRITE	MG/L	0.082
Hodges WI	21-Mar-00	TDS	MG/L	1260.000
Hodges WI	21-Mar-00	TKN	MG/L	0.602
Hodges WI	21-Mar-00	TOC	MG/L	4.140
Hodges WI	22-Feb-00	NITRITE	MG/L	0.109
Hodges WI	22-Feb-00	TDS	MG/L	640.000
Hodges WI	22-Feb-00	TKN	MG/L	1.430
Hodges WI	24-May-99	ALKALINITY_PART	MG/L	0.000
Hodges WI	24-May-99	ALKALINITY_TOT	MG/L	349.000
Hodges WI	24-May-99	NITRITE	MG/L	0.052
Hodges WI	24-May-99	TDS	MG/L	1270.000
Hodges WI	24-May-99	TKN	MG/L	0.542
Hodges WI	24-May-99	TOC	MG/L	4.700
Hodges WI	24-May-99	TSS	MG/L <	2.500
Hodges WI	24-May-99	TURBIDITY	NTU	1.370
Hodges WI	26-Apr-99	ALKALINITY_PART	MG/L	0.000
Hodges WI	26-Apr-99	ALKALINITY_TOT	MG/L	340.000
Hodges WI	26-Apr-99	ENTEROCOCCUS	CFU/100ML	86.000
Hodges WI	26-Apr-99	F_COLIFORM	CFU/100ML	151.000
Hodges WI	26-Apr-99	NITRITE	MG/L	0.073
Hodges WI	26-Apr-99	TDS	MG/L	1200.000
Hodges WI	26-Apr-99	TKN	MG/L	0.419
Hodges WI	26-Apr-99	TOC	MG/L	6.770
Hodges WI	26-Apr-99	TSS	MG/L	3.300

Hodges WI	26-Apr-99	TURBIDITY	NTU	0.800
Hodges WI	26-Apr-99	T_COLIFORM	/100 ML	3000.000
Hodges WI	29-Feb-00	TDS	MG/L	1160.000
Hodges WI	29-Feb-00	TKN	MG/L	0.672
Hodges WI	29-Feb-00	TOC	MG/L	4.850

QC Limits

Source De:	Sample Date	Analyte	Begin Date	End Date	Metric	Test Type	Recovery	Value(%)	LCL	LWL	UWL	UCL	Assessme
------------	-------------	---------	------------	----------	--------	-----------	----------	----------	-----	-----	-----	-----	----------

nt

File Name: J:\LIMSUSER\rkfk\kCC3500SERIES2000.csv
San Diego Water Quality Laboratory
WQL

Report By: RKF
Report Date: December 15, 2000 6:57 AM

Report Selection Criteria
Analysis like 'EPA5%'
Raw Value IS NOT NULL
Reportable(1/0) = 1
Sample Date BETWEEN '01-Jan-1996' AND '15-Dec-2000'
Source IN ('HGW_KCC3')
Test Type IN ('SAMP')

Report Options
Equal_Weight_Samples=Y
Equal_Weight_Days=N
Apply_Less_Than=Y
Non_Detect_Mdl_Factor=NULL
Concatenate_Cells_Calculation=Y
Quote_Strings=Y
Strip_Internal=N
Print_Comments=N

Output Specification

Source Desc
Sample Date
Analyte
Avg Units
Avg Qualifier
Avg Value

Report Data

Number of result records queried: 16
Number of summary records found: 16
Source Desc Sample Date Analyte Avg Units-Avg Qualifier-Avg Value
Hodges WI 6-Mar-00 2ETH_PHI UG/L 0.260
Hodges WI 6-Mar-00 5CHLORO UG/L 1.670
Hodges WI 13-Mar-00 2ETH_PHI UG/L 0.345
Hodges WI 13-Mar-00 B2_ETHXF UG/L 0.320
Hodges WI 18-Apr-00 4_NITROP UG/L < 10.000

Hodges Wt 18-Apr-00 B2_ETHXF UG/L 2.370
 Hodges Wt 18-Apr-00 FLUORENI UG/L 0.462
 Hodges Wt 18-Apr-00 PICLORAM UG/L < 5.000
 Hodges Wt 21-Mar-00 4_NITROP UG/L < 10.000
 Hodges Wt 21-Mar-00 BENZO_GI UG/L 0.209
 Hodges Wt 21-Mar-00 MTBE UG/L 0.265
 Hodges Wt 21-Mar-00 SIMAZINE UG/L 0.652
 Hodges Wt 22-Feb-00 4_NITROP UG/L < 10.000
 Hodges Wt 22-Feb-00 5CHLORO UG/L 2.400
 Hodges Wt 22-Feb-00 PICLORAM UG/L < 5.000
 Hodges Wt 26-Apr-99 CHLOROF UG/L 0.208

QC Limits

Source De:	Sample Da	Analyte	Begin Date	End Date	Metric	Test Type	Recovery	Value(%)	LCL	LWL	UWL	UCL	Assessment
------------	-----------	---------	------------	----------	--------	-----------	----------	----------	-----	-----	-----	-----	------------