

San Diego County 2004 Beach Closure & Advisory Report

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event			
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance
1 Agua Hedionda Lagoon, Carlsbad	Magdalena Ecke, YMCA park	3/28/2004	3/31/2004	400	4	0.3030	Closure	SSO root blockage	45	sewage, untreated
2 All beaches in San Diego County	All county beaches	1/3/2004	1/6/2004	0	3	0.0000	General Advisory	Rain	unk	urban runoff, wet
3 All beaches in San Diego County	All county beaches	2/3/2004	2/6/2004	0	3	0.0000	General Advisory	Rain	unk	urban runoff, wet
4 All beaches in San Diego County	All county beaches	2/19/2004	2/29/2004	0	10	0.0000	General Advisory	Rain	unk	urban runoff, wet
5 All beaches in San Diego County	All county beaches	3/2/2004	3/5/2004	0	3	0.0000	General Advisory	Rain	unk	urban runoff, wet
6 All beaches in San Diego County	All county beaches	4/2/2004	4/5/2004	0	3	0.0000	General Advisory	Rain	unk	urban runoff, wet
7 Central and south county recreational waters	coast from Torrey Pines south to US/Mexico border	4/17/2004	4/20/2004	0	3	0.0000	General Advisory	Rain	unk	urban runoff, wet
8 All beaches in San Diego County	All county beaches	10/17/2004	10/23/2004	0	6	0.0000	General Advisory	Rain	unk	urban runoff, wet
9 All beaches in San Diego County	All county beaches	10/27/2004	10/30/2004	0	3	0.0000	General Advisory	Rain	unk	urban runoff, wet
10 All beaches in San Diego County	All county beaches	11/9/2004	11/10/2004	0	1	0.0000	General Advisory	Rain	unk	urban runoff, wet
11 All beaches in San Diego County	All county beaches	11/21/2004	11/24/2004	0	3	0.0000	General Advisory	Rain	unk	urban runoff, wet
12 All beaches in San Diego County	All county beaches	11/28/2004	12/1/2004	0	3	0.0000	General Advisory	Rain	unk	urban runoff, wet
13 All beaches in San Diego County	All county beaches	12/5/2004	12/9/2004	0	4	0.0000	General Advisory	Rain	unk	urban runoff, wet
14 All beaches in San Diego County	All county beaches	12/28/2004	12/31/2004	0	3	0.0000	General Advisory	Rain	unk	urban runoff, wet

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event				
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance	
15	Carlsbad City beach	Buena Vista Lagoon outlet	6/21/2004	6/24/2004	300	3	0.1705	Advisory	Excavation or flushing of outlet	unk	urban runoff, dry
16	Carlsbad, Carlsbad State Beach	Warm Water Jetty	10/14/2004	10/16/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
17	Carlsbad, South Carlsbad State Beach	Batiquitos Lagoon outlet	10/21/2004	10/24/2004	900	3	0.5114	Closure	SSO Infiltration	3000	sewage contaminated runoff
18	Carlsbad, South Carlsbad State Beach	Encina Creek outlet	1/14/2004	1/17/2004	10000	3	5.6818	Advisory	SSO Line break	472,500	reclaimed water
19	Carlsbad, South Carlsbad State Beach	Encina Creek outlet	11/3/2004	11/4/2004	1200	1	0.2273	Closure	SSO Vandalism - rocks	625	sewage, untreated
20	Coronado beaches and Silver Strand SB	Silver Strand SB and all of Coronado shoreline	2/23/2004	2/28/2004	16800	5	15.9091	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
21	Coronado beaches and Silver Strand SB	Silver Strand SB and all of Coronado shoreline	3/2/2004	3/4/2004	16800	2	6.3636	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
22	Coronado beaches and Silver Strand SB	Silver Strand SB and all of Coronado shoreline	10/19/2004	10/25/2004	16800	6	19.0909	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
23	Coronado beaches and Silver Strand SB	Silver Strand SB and all of Coronado shoreline	10/27/2004	11/1/2004	16800	5	15.9091	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
24	Coronado beaches and Silver Strand SB	Silver Strand SB and all of Coronado shoreline	12/6/2004	12/10/2004	16800	4	12.7273	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
25	Coronado beaches and Silver Strand SB	Silver Strand SB and all of Coronado shoreline	12/28/2004	12/31/2004	16800	3	9.5455	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
26	Del Mar, San Dieguito River Beach	San Dieguito River outlet	5/22/2004	5/25/2004	300	3	0.1705	Advisory	Bacterial standards violation	0	unknown
27	Del Mar, San Dieguito River Beach	San Dieguito River outlet	5/28/2004	5/31/2004	300	3	0.1705	Advisory	Bacterial standards violation	0	unknown
28	Del Mar, San Dieguito River Beach	San Dieguito River outlet	6/24/2004	6/25/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event				
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance	
29	Del Mar, San Dieguito River Beach	San Dieguito River outlet	7/7/2004	7/9/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
30	Del Mar, San Dieguito River Beach	San Dieguito River outlet	7/24/2004	7/26/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
31	Encinitas, Cardiff State Beach	San Elijo Lagoon outlet/ Cardiff Reef	1/7/2004	1/8/2004	300	1	0.0568	Advisory	Precautionary	unk	<i>suspected source</i> - urban runoff
32	Encinitas, Cardiff State Beach	San Elijo Lagoon outlet/ Cardiff Reef	3/21/2004	3/26/2004	2600	5	2.4621	Closure	SSO maintenance related	5000	sewage, secondary treatment
33	Encinitas, Cardiff State Beach	San Elijo Lagoon outlet/ Cardiff Reef	3/28/2004	3/30/2004	600	2	0.2273	Closure	SSO lateral line	200	sewage, untreated
34	Encinitas, Cardiff State Beach	San Elijo Lagoon outlet/ Cardiff Reef	5/3/2004	5/7/2004	600	4	0.4545	Advisory	Excavation or flushing of outlet	unk	urban runoff, dry
35	Encinitas, Cardiff State Beach	San Elijo Lagoon outlet to Seaside Park	10/29/2004	11/5/2004	5000	7	6.6288	Closure	SSO Pump station failure	43,700	sewage, untreated
36	Encinitas, Moonlight Beach	Cottonwood Creek outlet	2/15/2004	2/16/2004	600	1	0.1136	Closure	SSO grease blockage	450	sewage, untreated
37	Encinitas, Moonlight Beach	Cottonwood Creek outlet	4/13/2004	4/15/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
38	Encinitas, Moonlight Beach	Cottonwood Creek outlet	8/3/2004	8/4/2004	600	1	0.1136	Advisory	Complaint	unk	unknown
39	Encinitas, Moonlight Beach	Cottonwood Creek outlet	8/5/2004	8/7/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
40	Encinitas, Moonlight Beach	Cottonwood Creek outlet	8/19/2004	8/23/2004	300	4	0.2273	Advisory	Bacterial standards violation	0	unknown
41	Encinitas, Moonlight Beach	Cottonwood Creek outlet	9/30/2004	10/2/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
42	Encinitas, Moonlight Beach	Cottonwood Creek outlet	10/15/2004	10/17/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
43	Encinitas, Moonlight Beach	Cottonwood Creek outlet	10/17/2004	10/25/2004	750	8	1.1364	Closure	SSO Line break	1950	sewage, untreated
44	Encinitas, Swami's Park	Swami's	9/30/2004	10/2/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event				
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance	
45	Encinitas, Swami's Park	Swami's	10/14/2004	10/16/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
46	Imperial Beach City Beach	all of Imperial Beach shoreline	2/22/2004	3/9/2004	7000	16	21.2121	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
47	Imperial Beach City Beach	all of Imperial Beach shoreline	4/4/2003	4/8/2004	7000	4	5.3030	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
48	Imperial Beach City Beach	south end of Seacoast Dr to Palm Ave	4/30/2004	5/3/2004	5000	3	2.8409	Closure	SSO Line break in Mexico	750,000	sewage, untreated
49	Imperial Beach City Beach	Imperial Beach Pier	8/30/2004	8/31/2004	200	1	0.0379	Closure	SSO Lateral - debris blockage	60	sewage, untreated
50	Imperial Beach City Beach	all of Imperial Beach shoreline	10/17/2004	10/26/2004	7000	9	11.9318	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
51	Imperial Beach City Beach	all of Imperial Beach shoreline	10/27/2004	11/4/2004	7000	8	10.6061	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
52	Imperial Beach City Beach	all of Imperial Beach shoreline	11/8/2004	11/18/2004	7000	10	13.2576	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
53	Imperial Beach City Beach	all of Imperial Beach shoreline	11/22/2004	11/26/2004	7000	4	5.3030	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
54	Imperial Beach City Beach	all of Imperial Beach shoreline	12/6/2004	12/10/2004	7000	4	5.3030	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
55	Imperial Beach City Beach	all of Imperial Beach shoreline	12/15/2004	12/16/2004	7000	1	1.3258	Closure	Conditions indicate contamination	unk	sewage contaminated runoff, Tijuana R
56	Imperial Beach City Beach	Imperial Beach Pier	12/27/2004	12/28/2004	400	1	0.0758	Closure	SSO Debris blockage	75	sewage, untreated

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event				
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance	
57	Imperial Beach City Beach	all of Imperial Beach shoreline	12/28/2004	12/31/2004	7000	3	3.9773	Closure	Rain	unk	sewage contaminated runoff, Tijuana R
58	Oceanside City Beach	Wisconsin Street	8/23/2004	8/24/2004	600	1	0.1136	Advisory	SSO Maintenance related	38000	reclaimed water
59	Oceanside, Buccaneer Beach	Loma Alta Creek outlet	2/26/2004	3/5/2004	1200	7	1.5909	Closure	SSO infiltration	875	sewage contaminated runoff
60	Oceanside, Buccaneer Beach	Loma Alta Creek outlet	10/20/2004	10/29/2004	900	9	1.5341	Closure	SSO Infiltration	600	sewage contaminated runoff
61	Oceanside, Buccaneer Beach	Loma Alta Creek outlet	10/29/2004	11/3/2004	900	5	0.8523	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
62	Oceanside, Buccaneer Beach	Loma Alta Creek outlet	11/12/2004	12/2/2004	300	20	1.1364	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
63	Oceanside, Buccaneer Beach	Loma Alta Creek outlet	12/17/2004	12/21/2004	300	4	0.2273	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
63.1	Oceanside, Buccaneer Beach		12/21/2004	12/23/2004	600	2	0.2273	<i>same event as above</i>	extension of advisory		
64	Oceanside, Harbor Beach	south jetty, San Luis Rey River outlet	3/7/2004	3/9/2004	300	2	0.1136	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
65	Oceanside, Harbor Beach	south jetty, San Luis Rey River outlet	3/19/2004	3/27/2004	300	8	0.4545	Advisory	Bacterial standards violation	0	unknown
66	Oceanside, Harbor Beach	south jetty, San Luis Rey River outlet	4/2/2004	5/18/2004	300	46	2.6136	Advisory	Bacterial standards violation	0	unknown
67	Oceanside, Harbor Beach	south jetty, San Luis Rey River outlet	8/2/2004	8/6/2004	900	4	0.6818	Advisory	Excavation or flushing of outlet	unk	urban runoff, dry
68	Oceanside, Harbor Beach	south jetty, San Luis Rey River outlet	10/12/2004	10/14/2004	600	2	0.2273	Advisory	Excavation or flushing of outlet	unk	urban runoff, dry
69	Oceanside, Harbor Beach	south jetty, San Luis Rey River outlet	10/26/2004	12/2/2004	300	37	2.1023	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
70	San Diego Bay, Chula Vista	Bayside Park (J Street)	4/29/2004	4/30/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
71	San Diego Bay, Chula Vista	Bayside Park (J Street)	7/28/2004	8/8/2004	600	11	1.2500	Closure	SSO Lateral - root blockage	17,400	sewage, untreated
72	San Diego Bay, Chula Vista	Bayside Park (J Street)	9/15/2004	9/17/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event				
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance	
73	San Diego Bay Chula Vista	Bayside Park (J Street)	10/26/2004	11/3/2004	300	8	0.4545	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
74	San Diego Bay, Coronado	Tidelands Park	4/10/2004	4/13/2004	300	3	0.1705	Advisory	Bacterial standards violation	0	unknown
75	San Diego Bay, Coronado	Tidelands Park	5/7/2004	5/24/2004	300	17	0.9659	Advisory	Bacterial standards violation	0	unknown
76	San Diego Bay Coronado	Tidelands Park	7/2/2004	7/14/2004	300	12	0.6818	Advisory	Bacterial standards violation	0	unknown
77	San Diego Bay Coronado	Tidelands Park	10/26/2004	11/3/2004	300	8	0.4545	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
78	San Diego Bay, Coronado	Tidelands Park	2/23/2004	2/24/2004	300	1	0.0568	Closure	SSO rock blockage	4,610,006	sewage, untreated
78.1	San Diego Bay, multiple jurisdictions	all recreational waters in San Diego Bay	2/24/2004	2/26/2004	5200	2	1.9697	<i>same event as above</i>			
78.2	San Diego Bay, multiple jurisdictions	all except Shelter Is, Glorietta Bay and Silver Strand bayside	2/26/2004	2/27/2004	2500	1	0.4735	<i>same event as above</i>			
78.3	San Diego Bay, multiple jurisdictions	all except Shelter Is, Glorietta Bay, Silver Strand bayside, and Spanish Landing	2/27/2004	2/29/2004	2000	2	0.7576	<i>same event as above</i>			
79	San Diego Bay, S.D.	Bessemer St	5/7/2004	5/10/2004	300	3	0.1705	Advisory	Bacterial standards violation	0	unknown
80	San Diego Bay, S.D.	Bessemer St	5/30/2004	5/31/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
81	San Diego Bay, S.D.	Shelter Is shoreline park	6/17/2004	6/19/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
82	San Diego Bay, S.D.	Shelter Is shoreline park	8/6/2004	8/8/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
83	San Diego Bay, S.D.	Shelter Is shoreline park	8/18/2004	8/23/2004	300	5	0.2841	Advisory	Bacterial standards violation	0	unknown

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event				
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance	
84	San Diego Bay, S.D.	Shelter Island, Kellogg St to Owen St.	2/12/2004	2/15/2004	1200	3	0.6818	Closure	SSO pump station failure	3500	sewage, untreated
84.1	San Diego Bay, S.D.	McCall to Owen St	2/15/2004	2/18/2004	300	3	0.1705	<i>same event as above</i>			
85	San Diego Bay, S.D.	Spanish Landing	8/6/2004	8/8/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
86	San Diego Bay, S.D.	Spanish Landing	9/22/2004	9/23/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
87	San Diego, Mission Bay	Bahia Point swim area	9/22/2004	9/24/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
88	San Diego, Mission Bay	Bahia Point swim area	10/8/2004	10/12/2004	300	4	0.2273	Advisory	Bacterial standards violation	0	unknown
89	San Diego, Mission Bay	Balboa Ct.	4/8/2004	4/9/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
90	San Diego, Mission Bay	beach at Visitor's Cntr	4/8/2004	4/9/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
91	San Diego, Mission Bay	beach at Visitor's Cntr	4/15/2004	6/18/2004	300	64	3.6364	Advisory	Bacterial standards violation	0	unknown
92	San Diego, Mission Bay	beach at Visitor's Cntr	7/28/2004	9/8/2004	300	42	2.3864	Advisory	Bacterial standards violation	0	unknown
93	San Diego, Mission Bay	Bonita Cove eastern shore	8/26/2004	8/30/2004	900	4	0.6818	Advisory	Bacterial standards violation	0	unknown
94	San Diego, Mission Bay	Bonita Cove eastern shore	9/9/2004	9/11/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
95	San Diego, Mission Bay	Bonita Cove eastern shore	9/29/2004	10/1/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
96	San Diego, Mission Bay	Campland swimming beach	4/8/2004	4/9/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
97	San Diego, Mission Bay	Campland swimming beach	6/23/2004	6/25/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
98	San Diego, Mission Bay	Campland swimming beach	8/6/2004	8/20/2004	300	14	0.7955	Advisory	Bacterial standards violation	0	unknown

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event				
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance	
99	San Diego, Mission Bay	Campland swimming beach	10/6/2004	10/8/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
100	San Diego, Mission Bay	Campland swimming beach	10/17/2004	10/27/2004	300	10	0.5682	Advisory	Bacterial standards violation	0	unknown
101	San Diego, Mission Bay	Campland swimming beach	11/4/2004	11/12/2004	300	8	0.4545	Advisory	Bacterial standards violation	0	unknown
102	San Diego, Mission Bay	comfort sta N of Leisure	10/13/2004	10/27/2004	300	14	0.7955	Advisory	Bacterial standards violation	0	unknown
103	San Diego, Mission Bay	Crown Point, near storm drain	4/8/2004	4/9/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
104	San Diego, Mission Bay	De Anza Cove swim area	7/8/2004	7/9/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
105	San Diego, Mission Bay	De Anza Cove swim area	9/29/2004	10/1/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
106	San Diego, Mission Bay	Leisure Lagoon swim area	10/13/2004	10/15/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
107	San Diego, Mission Bay	N Crown Pt next to Wildlife Refuge	6/30/2004	7/6/2004	300	6	0.3409	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
108	San Diego, Mission Bay	N Crown Pt next to Wildlife Refuge	8/25/2004	8/27/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
109	San Diego, Mission Bay	All recreational waters in east Mission Bay	10/27/2004	11/4/2004	7920	8	12.0000	Closure	SSO Infiltration	9975	sewage contaminated runoff
110	San Diego, Mission Bay	Santa Clara Cove, S end	8/13/2004	8/14/2004	600	1	0.1136	Advisory	Excavation or flushing of outlet	3000	urban runoff, dry
111	San Diego, Mission Bay	Ski Beach, Vacation Isle	7/8/2004	7/9/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
112	San Diego, Mission Bay	Ski Beach, Vacation Isle	9/8/2004	9/10/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event				
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance	
113	San Diego, Mission Bay	Ski Beach, Vacation Isle	6/3/2004	6/4/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
114	San Diego, Mission Bay	Tecolote Shores swim area	10/13/2004	10/17/2004	300	4	0.2273	Advisory	Bacterial standards violation	0	unknown
115	San Diego, Mission Bay	Ventura Cove	6/10/2004	6/11/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
116	San Diego, Mission Bay	Whiting Ct Catamaran	6/30/2004	7/2/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
117	San Diego, Ocean Beach	Bermuda Ave	9/30/2004	10/1/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
118	San Diego, Ocean Beach	Bermuda Ave	11/17/2004	11/25/2004	300	8	0.4545	Advisory	Bacterial standards violation	0	unknown
119	San Diego, Ocean Beach	Dog Beach/ San Diego River outlet	4/8/2004	4/13/2004	300	5	0.2841	Advisory	Bacterial standards violation	0	unknown
120	San Diego, Ocean Beach	Dog Beach/ San Diego River outlet	5/6/2004	5/10/2004	300	4	0.2273	Advisory	Bacterial standards violation	0	unknown
121	San Diego, Ocean Beach	Dog Beach/ San Diego River outlet	5/19/2004	5/21/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
122	San Diego, Ocean Beach	Dog Beach/ San Diego River outlet	9/3/2004	9/8/2004	300	5	0.2841	Advisory	Bacterial standards violation	0	unknown
123	San Diego, Ocean Beach	Dog Beach/ San Diego River outlet	9/18/2004	9/20/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
124	San Diego, Ocean Beach	Dog Beach/ San Diego River outlet	10/15/2004	10/17/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
125	San Diego, Ocean Beach	Dog Beach/ San Diego River outlet	10/21/2004	10/26/2004	600	5	0.5682	Closure	SSO Root blockage	19,470	sewage, untreated
125.1	San Diego, Mission Beach	south jetty to Capistrano Place, Mission Beach	10/22/2004	10/25/2004	600	3	0.3409	<i>same event as above</i>	extension of closure		
125.2	San Diego, Ocean Beach	Stub Jetty south to Avalanche jetty	10/22/2004	10/25/2004	300	3	0.1705	<i>same event as above</i>	extension of closure		
126	San Diego, Ocean Beach	Dog Beach/ San Diego River outlet	11/1/2004	11/3/2004	300	2	0.1136	Advisory	Bacterial standards violation	unk	<i>suspected source - urban runoff</i>

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event				
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance	
127	San Diego, Ocean Beach	Dog Beach/ San Diego River outlet	12/11/2004	12/14/2004	300	3	0.1705	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
128	San Diego, Ocean Beach	O.B. pier @ Narrangaset	6/15/2004	6/16/2004	300	1	0.0568	Advisory	complaint	0	unknown
129	San Diego, Ocean Beach	O.B. Pier, north side	2/7/2004	2/10/2004	500	3	0.2841	Closure	SSO pump station failure	50	sewage, untreated
130	San Diego, Ocean Beach	O.B. Pier, north side	2/25/2004	2/27/2004	500	2	0.1894	Closure	SSO power failure	100	sewage, untreated
131	San Diego, Ocean Beach	O.B. Pier, north side	3/31/2004	4/2/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
132	San Diego, Ocean Beach	O.B. Pier, north side	5/30/2004	5/31/2004	600	1	0.1136	Closure	SSO maintenance related	60	sewage, untreated
133	San Diego, Ocean Beach	Stub Jetty, south side	1/20/2004	1/21/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
134	San Diego, La Jolla	Coast Blvd gazebo	4/14/2004	4/16/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
135	San Diego, La Jolla	Coast Blvd gazebo	10/5/2004	10/12/2004	300	7	0.3977	Advisory	Bacterial standards violation	0	unknown
136	San Diego, La Jolla	La Jolla Cove	12/23/2004	12/26/2004	600	3	0.3409	Closure	SSO Lateral - debris blockage	400	sewage, untreated
137	San Diego, La Jolla	Nicholson Pt. 'Hospitals' south to Marine St.	1/5/2004	1/9/2004	5200	4	3.9394	Closure	SSO Line break	4575	sewage, untreated
138	San Diego, La Jolla	Ravina - s.Nicholson Pt 'Horseshoes'	4/28/2004	4/30/2004	300	2	0.1136	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
139	San Diego, La Jolla	South Casa Beach, Children's Pool	1/1/2004	12/31/2004	300	365	20.7386	Advisory, chronic	Marine mammals	unk	Harbor seal excrement
140	San Diego, La Jolla Shores	Ave De La Playa	5/5/2004	5/7/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
141	San Diego, La Jolla Shores	Ave De La Playa	6/16/2004	6/17/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
142	San Diego, La Jolla Shores	Ave De La Playa	8/10/2004	8/12/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
143	San Diego, La Jolla Shores	Ave De La Playa	9/28/2004	9/30/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event				
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance	
144	San Diego, Pt Loma, Sunset Cliffs and Ocean Beach	Lighthouse to Dog Beach, O.B.	10/27/2004	11/1/2004	25000	5	23.6742	Closure	SSO Infiltration	1,875,447	sewage contaminated runoff
145	San Diego, Sunset Cliffs Park	Rockslide/ Luscomb's	10/18/2004	10/20/2004	600	2	0.2273	Closure	SSO Lateral - debris blockage	160	sewage, untreated
146	San Diego, Torrey Pines State Beach	Los Penasquitos Lagoon outlet	2/7/2004	2/10/2004	300	3	0.1705	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
147	San Diego, Tourmaline Surf Park/ Pacific Beach	P.B. Point, near cove outlet	4/14/2004	4/16/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
148	San Diego, Tourmaline Surf Park/ Pacific Beach	P.B. Point, near cove outlet	4/23/2004	4/24/2004	300	1	0.0568	Advisory	Bacterial standards violation	0	unknown
149	San Diego, Tourmaline Surf Park/ Pacific Beach	P.B. Point, near cove outlet	6/5/2004	6/9/2004	300	4	0.2273	Advisory	Bacterial standards violation	0	unknown
150	San Diego, Tourmaline Surf Park/ Pacific Beach	P.B. Point, near cove outlet	6/16/2004	6/19/2004	300	3	0.1705	Advisory	Bacterial standards violation	0	unknown
151	San Diego, Tourmaline Surf Park/ Pacific Beach	P.B. Point, near cove outlet	6/26/2004	7/3/2004	300	8	0.4545	Advisory	Bacterial standards violation	0	unknown
152	San Diego, Tourmaline Surf Park/ Pacific Beach	P.B. Point, near cove outlet	7/20/2004	11/17/2004	300	120	6.8182	Advisory	Bacterial standards violation	0	unknown
153	San Diego, Tourmaline Surf Park/ Pacific Beach	Palisades north to P.B. Point	12/31/2004	12/31/2004	5280	1	1.0000	Closure	SSO Root blockage	8,950	sewage, untreated
154	San Diego, Tourmaline Surf Park/ Pacific Beach	Tourmaline drain outlet	8/27/2004	9/4/2004	900	8	1.3636	Advisory	Bacterial standards violation	0	unknown
155	San Diego, Windansea Beach	Bonair	9/2/2004	9/4/2004	400	2	0.1515	Advisory	Excavation or flushing of outlet	5000	urban runoff, dry
156	San Diego, Windansea Beach	Playa Del Norte	12/14/2004	12/16/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event				
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance	
157	Solana Beach	Fletcher Cove, near outlet	6/8/2004	6/10/2004	300	2	0.1136	Advisory	Bacterial standards violation	unk	<i>suspected source</i> - urban runoff
158	Solana Beach	Seascape, near outlet	3/20/2004	3/24/2004	2000	4	1.5152	Closure	SSO lateral line	2700	sewage, untreated
159	Tijuana Slough Nat'l Wildlife Refuge Shoreline	Tijuana Rivermouth	5/26/2004	5/28/2004	300	2	0.1136	Advisory	Bacterial standards violation	0	unknown
160	Tijuana Slough NWRS and Border Field State Park	ocean shoreline from U.S./ Mexico border to south end of Seacoast Dr	1/1/2004	5/13/2004	5200	133	130.985	Closure, chronic	Rain	unk	sewage contaminated runoff, Tijuana R
161	Tijuana Slough NWRS and Border Field State Park	ocean shoreline from U.S./ Mexico border to south end of Seacoast Dr	10/17/2004	12/22/2004	5200	66	65.0000	Closure, chronic	Rain	unk	sewage contaminated runoff, Tijuana R
162	Tijuana Slough NWRS and Border Field State Park	Tijuana Rivermouth	12/22/2004	12/28/2004	600	6	0.6818	Closure, chronic	reduction of closure distance	unk	sewage contaminated runoff, Tijuana R
163	Tijuana Slough NWRS and Border Field State Park	ocean shoreline from U.S./ Mexico border to south end of Seacoast Dr	12/28/2004	12/31/2004	5200	3	2.9545	Closure, chronic	Rain	unk	sewage contaminated runoff, Tijuana R

Location, duration, and extent of DEH notification							Type of notification and cause of contamination event			
Beach	Location	Beginning	Ending	Length posted (ft.)	Duration (days)	BMDs	Event Type	Cause	Volume spilled (gal)	Substance

							Calendar year summary				
<u>Event tally</u>							<u>Duration (days)</u>				
Closures (sewage)			42				Closure days			203	
Advisories			103				Advisory days			651	
exceedances		92									
complaints		2									
excavation/ flushing of outlet		6									
reclaimed water spill		2									
precautionary		1									
General Advisories			13				General Advisory days			48	
										902	
										chronic advisory and closure days	573

Note:

Chronic days and events are not tallied with other events because normal protocols to remove signs are not followed at these locations. Although sample results at chronic locations may occasionally be within state standards, the presence of known, on-going sources of contamination require these beaches to remain posted under an advisory or closure to protect public health.

For accurate comparisons of yearly beach closure and advisory data, see the *San Diego County 2004 Beach Closure and Advisory Report*. This report uses the Beach Mile Day unit to compare closures on a year to year basis, and advisories due to bacterial exceedances during the AB411 period (April - October).