

(30d)

fldRound	fldWell	fldMatrix	fldNewName	fldMethod	fldWell1	fldUnits	fldDL	fldSampleDate	fldSampleMonth
03	01	surface water	Zinc	EPA 200.7	ND	mg/L	0.01	5/26/98	5
09	01	surface water	Zinc	GEN.MINERAL.	ND	mg/L	0.03	12/6/99	12
08	01	surface water	Zinc	GEN.MINERAL	ND	mg/L	0.03	9/28/99	9
01	01	surface water	Zinc	EPA 200.7	0.037	mg/L	0.0100	12/9/97	12
06	01	surface water	Zinc	EPA 200.7	NS	mg/L	0.01	2/10/99	2
10	01	surface water	Zinc	GEN.-MINERALS	ND	mg/L	0.01	3/7/00	3
11	01	surface water	Zinc	GEN.-MINERALS	ND	mg/L	0.01	6/1/00	6
02	01	surface water	Zinc	EPA 200.7	ND	mg/L	0.03	3/3/98	3
07	01	surface water	Zinc	EPA 200.7	ND	mg/L	0.02	5/11/99	5
05	01	surface water	Zinc	EPA 200.7	ND	mg/L	0.01	11/9/98	11
04	01	surface water	Zinc	EPA 200.7	ND	mg/L	0.01	8/4/98	8
10	01	surface water	Total Organic Carbon	415.1	7.7	mg/L	0.1	3/7/00	3
11	01	surface water	Total Organic Carbon	415.1	5.8	mg/L	0.5	6/1/00	6
05	01	surface water	Total Organic Carbon	SW415.1	5.85	mg/L	1	11/9/98	11
01	01	surface water	Total Organic Carbon	SW415.1	6.21	mg/L	1.00	12/9/97	12
09	01	surface water	Total Organic Carbon	415.1	0.9	mg/L	0.5	12/6/99	12
07	01	surface water	Total Organic Carbon	SW415.1	2.13	mg/L	1	5/11/99	5
06	01	surface water	Total Organic Carbon	SW415.1	6.37	mg/L	1	2/10/99	2
04	01	surface water	Total Organic Carbon	EPA 415.1	2.87	mg/L	1	8/4/98	8
02	01	surface water	Total Organic Carbon	EPA 415.1	5.87	mg/L	1	3/3/98	3
03	01	surface water	Total Organic Carbon	EPA 415.1	8.06	mg/L	1	5/26/98	5
08	01	surface water	Total Organic Carbon	415.1	20.3	mg/L	0.5	9/28/99	9
06	01	surface water	Total Dissolved Solids	EPA 160.1	771	mg/L	10	2/10/99	2
11	01	surface water	Total Dissolved Solids	GEN.-MINERALS	877	mg/L	5	6/1/00	6
03	01	surface water	Total Dissolved Solids	EPA 160.1	764	mg/L	10	5/26/98	5
02	01	surface water	Total Dissolved Solids	EPA 160.1	680	mg/L	10	3/3/98	3
01	01	surface water	Total Dissolved Solids	EPA 160.1	432	mg/L	10.0	12/9/97	12
05	01	surface water	Total Dissolved Solids	EPA 160.1	963	mg/L	10	11/9/98	11
07	01	surface water	Total Dissolved Solids	EPA 160.1	787	mg/L	10	5/11/99	5
09	01	surface water	Total Dissolved Solids	GEN.MINERAL.	1010	mg/L	10	12/6/99	12
08	01	surface water	Total Dissolved Solids	GEN.MINERAL	785	mg/L	10	9/28/99	9
10	01	surface water	Total Dissolved Solids	GEN.-MINERALS	538	mg/L	5	3/7/00	3
04	01	surface water	Total Dissolved Solids	EPA 160.1	846	mg/L	10	8/4/98	8
07	01	surface water	Total Coliform	9221	>23	mpn/100ml	2	5/11/99	5
06	01	surface water	Total Coliform	9221	>1600	mpn/100ml	2	2/10/99	2
08	01	surface water	Total Coliform	9221	900	mpn/100ml	2	9/28/99	9
01	01	surface water	Total Coliform	MTF	>1600	mpn/100ml	2	12/9/97	12
02	01	surface water	Total Coliform	MTF	>1600	mpn/100ml	2	3/3/98	3
04	01	surface water	Total Coliform	MTF	>1600	mpn/100ml	2	8/4/98	8

fldRound	fldWell	fldMatrix	fldNewName	fldMethod	fldWell1	fldUnits	fldDL	fldSampleDate	fldSampleMonth
09	01	surface water	Total Coliform	9221	1600	mpn/100ml	2	12/6/99	12
05	01	surface water	Total Coliform	MTF	>1600	mpn/100ml	2	11/9/98	11
03	01	surface water	Total Coliform	MTF	>1600	mpn/100ml	2	5/26/98	5
10	01	surface water	Total Coliform	MPN(T)	>1,600	MPN/100 m	3.0	3/7/00	3
11	01	surface water	Total Coliform	MPN(T)	1,600	MPN/100 m	2	6/1/00	6
05	01	surface water	Surfactants (MBAS)	EPA 425.1	ND	mg/L	0.1	11/9/98	11
06	01	surface water	Surfactants (MBAS)	EPA 425.1	NS	mg/L	0.1	2/10/99	2
04	01	surface water	Surfactants (MBAS)	EPA 425.1	ND	mg/L	0.1	8/4/98	8
02	01	surface water	Surfactants (MBAS)	EPA 425.1	0.112	mg/L	0.1	3/3/98	3
03	01	surface water	Surfactants (MBAS)	EPA 425.1	ND	mg/L	0.1	5/26/98	5
01	01	surface water	Surfactants (MBAS)	EPA 425.1	ND	mg/L	0.100	12/9/97	12
07	01	surface water	Surfactants (MBAS)	EPA 425.1	0.116	mg/L	0.1	5/11/99	5
11	01	surface water	Surfactants (MBAS)	GEN.-MINERALS	ND	mg/L	0.03	6/1/00	6
10	01	surface water	Surfactants (MBAS)	GEN.-MINERALS	ND	mg/L	0.03	3/7/00	3
09	01	surface water	Surfactants (MBAS)	GEN.MINERAL.	ND	mg/L	0.05	12/6/99	12
08	01	surface water	Surfactants (MBAS)	GEN.MINERAL	ND	mg/L	0.05	9/28/99	9
02	01	surface water	Sulfate	EPA 300.0	179	mg/L	4	3/3/98	3
10	01	surface water	Sulfate	GEN.-MINERALS	117	mg/L	5	3/7/00	3
06	01	surface water	Sulfate	EPA 375.4	222	mg/L	5	2/10/99	2
05	01	surface water	Sulfate	EPA 375.4	294	mg/L	5	11/9/98	11
09	01	surface water	Sulfate	GEN.MINERAL.	285	mg/L	10	12/6/99	12
04	01	surface water	Sulfate	EPA 375.4	292	mg/L	50	8/4/98	8
01	01	surface water	Sulfate	EPA 300.0	131	mg/L	10.0	12/9/97	12
07	01	surface water	Sulfate	EPA 375.4	247	mg/L	50	5/11/99	5
03	01	surface water	Sulfate	EPA 300.0	197	mg/L	50	5/26/98	5
11	01	surface water	Sulfate	GEN.-MINERALS	231	mg/L	5	6/1/00	6
08	01	surface water	Sulfate	GEN.MINERAL	214	mg/L	10	9/28/99	9
06	01	surface water	Sodium	EPA 200.7	92.3	mg/L	0.3	2/10/99	2
03	01	surface water	Sodium	EPA 200.7	99.9	mg/L	0.3	5/26/98	5
11	01	surface water	Sodium	GEN.-MINERALS	109	mg/L	0.25	6/1/00	6
05	01	surface water	Sodium	EPA 200.7	111	mg/L	0.3	11/9/98	11
07	01	surface water	Sodium	EPA 200.7	106	mg/L	0.3	5/11/99	5
01	01	surface water	Sodium	EPA 200.7	62.4	mg/L	0.300	12/9/97	12
10	01	surface water	Sodium	GEN.-MINERALS	59.7	mg/L	0.25	3/7/00	3
09	01	surface water	Sodium	GEN.MINERAL.	101	mg/L	0.5	12/6/99	12
04	01	surface water	Sodium	EPA 200.7	108	mg/L	0.3	8/4/98	8
08	01	surface water	Sodium	GEN.MINERAL	94.2	mg/L	0.5	9/28/99	9
02	01	surface water	Sodium	EPA 200.7	100	mg/L	4	3/3/98	3
09	01	surface water	Potassium	GEN.MINERAL.	3.5	mg/L	1.0	12/6/99	12

fldRound	fldWell	fldMatrix	fldNewName	fldMethod	fldWell1	fldUnits	fldDL	fldSampleDate	fldSampleMont
07	01	surface water	Potassium	EPA 200.7	3.26	mg/L	1	5/11/99	5
01	01	surface water	Potassium	EPA 200.7	6.47	mg/L	0.300	12/9/97	12
08	01	surface water	Potassium	GEN.MINERAL	3.9	mg/L	1.0	9/28/99	9
02	01	surface water	Potassium	EPA 200.7	4	mg/L	2	3/3/98	3
03	01	surface water	Potassium	EPA 200.7	4.75	mg/L	0.3	5/26/98	5
06	01	surface water	Potassium	EPA 200.7	4.63	mg/L	1	2/10/99	2
11	01	surface water	Potassium	GEN.-MINERALS	3.7	mg/L	0.5	6/1/00	6
05	01	surface water	Potassium	EPA 200.7	7.14	mg/L	0.3	11/9/98	11
04	01	surface water	Potassium	EPA 200.7	4.47	mg/L	0.3	8/4/98	8
10	01	surface water	Potassium	GEN.-MINERALS	4.0	mg/L	0.5	3/7/00	3
02	01	surface water	Phosphorus	EPA 365.1	0.481	mg/L	0.01	3/3/98	3
03	01	surface water	Phosphorus	EPA 365.1	0.263	mg/L	0.01	5/26/98	5
04	01	surface water	Phosphorus	EPA 365.1	0.04	mg/L	0.01	8/4/98	8
06	01	surface water	Phosphorus	EPA 365.1	0.165	mg/L	0.01	2/10/99	2
05	01	surface water	Phosphorus	EPA 365.1	0.188	mg/L	0.01	11/9/98	11
07	01	surface water	Phosphorus	EPA 365.1	0.076	mg/L	0.01	5/11/99	5
01	01	surface water	Phosphorus	EPA 365.1	0.27	mg/L	0.01	12/9/97	12
06	01	surface water	Phosphate	365.2	NS	mg/L	0.3	2/10/99	2
09	01	surface water	Phosphate	365.2	ND	mg/L	0.3	12/6/99	12
08	01	surface water	Phosphate	365.2	ND	mg/L	0.3	9/28/99	9
07	01	surface water	Phosphate	EPA 365.2	NS	mg/L	0.3	5/11/99	5
10	01	surface water	Phosphate	365.2	1.2	mg/L	0.30	3/7/00	3
03	01	surface water	Phosphate	EPA 365.2	NS	mg/L	0.3	5/26/98	5
02	01	surface water	Phosphate	365.2	NS	mg/L	0.3	3/3/98	3
11	01	surface water	Phosphate	365.2	ND	mg/L	0.30	6/1/00	6
04	01	surface water	Phosphate	365.2	NS	mg/L	0.3	8/4/98	8
05	01	surface water	Phosphate	EPA 365.2	NS	mg/L	0.3	11/9/98	11
01	01	surface water	Phosphate	EPA 365.2	NS	mg/L	0.3	12/9/97	12
01	01	surface water	pH	EPA 150.1	7.85	pH units	2.0-12.5	12/9/97	12
03	01	surface water	pH	EPA 150.1	8.07	pH units	2.5-12.0	5/26/98	5
02	01	surface water	pH	EPA 150.1	8.19	pH units	2.0-12.5	3/3/98	3
10	01	surface water	pH	GEN.-MINERALS	8.02	mg/L	0.01	3/7/00	3
04	01	surface water	pH	EPA 150.1	8.29	pH units	2.5-12.0	8/4/98	8
09	01	surface water	pH	GEN.MINERAL	7.83	pH units	1.00	12/6/99	12
06	01	surface water	pH	EPA 150.1	8.09	pH units		2/10/99	2
11	01	surface water	pH	GEN.-MINERALS	7.31	mg/L	0.01	6/1/00	6
10	01	surface water	pH	GEN.-MINERALS	8.02	mg/L	0.01	3/7/00	3
08	01	surface water	pH	GEN.MINERAL	8.05	pH units	1.00	9/28/99	9
08	01	surface water	pH	GEN.MINERAL	8.05	pH units	1.00	9/28/99	9

fldRound	fldWell	fldMatrix	fldNewName	fldMethod	fldWell1	fldUnits	fldDL	fldSampleDate	fldSampleMont
11	01	surface water	pH	GEN-MINERALS	7.31	mg/L	0.01	6/1/00	6
09	01	surface water	pH	GEN.MINERAL.	7.83	pH units	1.00	12/6/99	12
07	01	surface water	pH	EPA 150.1	7.95	pH units	2.5-12.0	5/11/99	5
07	01	surface water	Oil and Grease	EPA 413.1	ND	mg/L	1.02	5/11/99	5
08	01	surface water	Oil and Grease	413.1	ND	mg/L	1.0	9/28/99	9
10	01	surface water	Oil and Grease	413.1	ND	mg/L	0.5	3/7/00	3
03	01	surface water	Oil and Grease	EPA 413.1	ND	mg/L	1	5/26/98	5
10	01	surface water	Oil and Grease	413.1	ND	mg/L	0.5	3/7/00	3
11	01	surface water	Oil and Grease	413.1	ND	mg/L	0.5	6/1/00	6
05	01	surface water	Oil and Grease	EPA 413.1	ND	mg/L	1	11/9/98	11
06	01	surface water	Oil and Grease	EPA 413.1	NS	mg/L	1	2/10/99	2
09	01	surface water	Oil and Grease	413.1	ND	mg/L	1.0	12/6/99	12
09	01	surface water	Oil and Grease	413.1	ND	mg/L	1.0	12/6/99	12
02	01	surface water	Oil and Grease	EPA 413.1	ND	mg/L	0.962	3/3/98	3
04	01	surface water	Oil and Grease	EPA 413.1	ND	mg/L	1.03	8/4/98	8
11	01	surface water	Oil and Grease	413.1	ND	mg/L	0.5	6/1/00	6
01	01	surface water	Oil and Grease	EPA 413.1	ND	mg/L	1.18	12/9/97	12
08	01	surface water	Oil and Grease	413.1	ND	mg/L	1.0	9/28/99	9
10	01	surface water	Nitrogen	351.3	0.09J	mg/L	0.05	3/7/00	3
07	01	surface water	Nitrogen	EPA 351.2	0.59	mg/L	0.4	5/11/99	5
05	01	surface water	Nitrogen	EPA 351.2	1.36	mg/L	0.1	11/9/98	11
06	01	surface water	Nitrogen	EPA 351.2	NS	mg/L	0.1	2/10/99	2
06	01	surface water	Nitrogen	EPA 351.2	NS	mg/L	0.1	2/10/99	2
09	01	surface water	Nitrogen	EPA 351.2	NS	mg/L	0.1	12/6/99	12
03	01	surface water	Nitrogen	EPA 351.2	0.7	mg/Kg	0.5	5/26/98	5
06	01	surface water	Nitrogen	EPA 351.2	NS	mg/L	0.1	2/10/99	2
02	01	surface water	Nitrogen	EPA 351.2	NS	mg/L	0.1	3/3/98	3
09	01	surface water	Nitrogen	EPA 351.2	NS	mg/L	0.1	12/6/99	12
08	01	surface water	Nitrogen	351.3	0.5	mg/L	0.1	9/28/99	9
02	01	surface water	Nitrogen	EPA 351.2	NS	mg/L	0.1	3/3/98	3
04	01	surface water	Nitrogen	EPA 351.2	NS	mg/L	0.1	8/4/98	8
04	01	surface water	Nitrogen	EPA 351.2	NS	mg/L	0.1	8/4/98	8
01	01	surface water	Nitrogen	EPA 351.2	0.379	mg/L	0.100	12/9/97	12
04	01	surface water	Nitrogen	EPA 351.2	NS	mg/L	0.1	8/4/98	8
02	01	surface water	Nitrogen	EPA 351.2	NS	mg/L	0.1	3/3/98	3
08	01	surface water	Nitrite	GEN.MINERAL	ND	mg/L	0.02	9/28/99	9
09	01	surface water	Nitrite	GEN.MINERAL.	ND	mg/L	0.02	12/6/99	12
10	01	surface water	Nitrate-N	352.1	15.5	mg/L	0.05	3/7/00	3
07	01	surface water	Nitrate-N	353.2-354.1	1.83	mg/L	0.05	5/11/99	5

fldRound	fldWell	fldMatrix	fldNewName	fldMethod	fldWell1	fldUnits	fldDL	fldSampleDate	fldSampleMonth
06	01	surface water	Nitrate-N	353.2-354.1	4.76	mg/L	0.05	2/10/99	2
09	01	surface water	Nitrate-N	GEN.MINERAL.	3.2	mg/L	0.1	12/6/99	12
02	01	surface water	Nitrate-N	EPA 300.0	3.6	mg/L	2	3/3/98	3
08	01	surface water	Nitrate-N	GEN.MINERAL	1.7	mg/L	0.1	9/28/99	9
03	01	surface water	Nitrate-N	EPA 300.0	4.58	mg/L	0.5	5/26/98	5
11	01	surface water	Nitrate-N	GEN.-MINERALS	1.5	mg/L	0.05	6/1/00	6
01	01	surface water	Nitrate-N	EPA 300.0	1.94	mg/L	0.500	12/9/97	12
04	01	surface water	Nitrate-N	EPA 353.2	2.27	mg/L	0.1	8/4/98	8
05	01	surface water	Nitrate-N	353.2-354.1	4.2	mg/L	0.05	11/9/98	11
09	01	surface water	Mercury	EPA 245.1	NS	mg/L	0.0002	12/6/99	12
01	01	surface water	Mercury	SW7470	ND	mg/L	0.000200	12/9/97	12
10	01	surface water	Mercury	6010/7000	ND	mg/L	0.0002	3/7/00	3
11	01	surface water	Mercury	6010/7000	NS	mg/L	0.0002	6/1/00	6
05	01	surface water	Mercury	SW7470A	ND	mg/L	0.0002	11/9/98	11
08	01	surface water	Mercury	{6010/7000}	ND	mg/L	0.0002	9/28/99	9
03	01	surface water	Mercury	7470	ND	mg/L	0.0002	5/26/98	5
04	01	surface water	Mercury	EPA 245.1	NS	mg/L	0.0002	8/4/98	8
07	01	surface water	Mercury	EPA 245.1	ND	mg/L	0.0002	5/11/99	5
02	01	surface water	Mercury	EPA 245.1	NS	mg/L	0.0002	3/3/98	3
06	01	surface water	Mercury	EPA 245.1	NS	mg/L	0.0002	2/10/99	2
09	01	surface water	Manganese	GEN.MINERAL.	0.04	mg/L	0.01	12/6/99	12
08	01	surface water	Manganese	GEN.MINERAL	0.02	mg/L	0.01	9/28/99	9
01	01	surface water	Manganese	EPA-200.7	0.252	mg/L	0.0100	12/9/97	12
04	01	surface water	Manganese	EPA 200.7	0.0776	mg/L	0.01	8/4/98	8
07	01	surface water	Manganese	EPA 200.7	0.0274	mg/L	0.01	5/11/99	5
03	01	surface water	Manganese	EPA 200.7	0.024	mg/L	0.01	5/26/98	5
11	01	surface water	Manganese	GEN.-MINERALS	0.04	mg/L	0.005	6/1/00	6
05	01	surface water	Manganese	EPA 200.7	0.143	mg/L	0.01	11/9/98	11
06	01	surface water	Manganese	EPA 200.7	0.0454	mg/L	0.01	2/10/99	2
10	01	surface water	Manganese	GEN.-MINERALS	0.03	mg/L	0.005	3/7/00	3
02	01	surface water	Manganese	EPA 200.7	0.06	mg/L	0.01	3/3/98	3
04	01	surface water	Magnesium	EPA 200.7	49	mg/L	0.2	8/4/98	8
09	01	surface water	Magnesium	GEN.MINERAL.	56.9	mg/L	0.5	12/6/99	12
02	01	surface water	Magnesium	EPA 200.7	34	mg/L	0.1	3/3/98	3
08	01	surface water	Magnesium	GEN.MINERAL	37.5	mg/L	0.5	9/28/99	9
05	01	surface water	Magnesium	EPA 200.7	50.9	mg/L	0.2	11/9/98	11
03	01	surface water	Magnesium	EPA 200.7	40.8	mg/L	0.2	5/26/98	5
11	01	surface water	Magnesium	GEN.-MINERALS	44.1	mg/L	0.2	6/1/00	6
10	01	surface water	Magnesium	GEN.-MINERALS	25.2	mg/L	0.20	3/7/00	3

fldRound	fldWell	fldMatrix	fldNewName	fldMethod	fldWell1	fldUnits	fldDL	fldSampleDate	fldSampleMonth
07	01	surface water	Magnesium	EPA 200.7	38.9	mg/L	0.2	5/11/99	5
06	01	surface water	Magnesium	EPA 200.7	40.7	mg/L	0.2	2/10/99	2
01	01	surface water	Magnesium	EPA 200.7	27.3	mg/L	0.200	12/9/97	12
06	01	surface water	Lead	EPA 239.2	NS	mg/L	0.001	2/10/99	2
05	01	surface water	Lead	EPA 239.2	ND	mg/L	0.001	11/9/98	11
10	01	surface water	Lead	6010/7000	ND	mg/L	0.005	3/7/00	3
01	01	surface water	Lead	EPA 200.7	ND	mg/L	0.0200	12/9/97	12
04	01	surface water	Lead	EPA 239.2	ND	mg/L	0.001	8/4/98	8
03	01	surface water	Lead	EPA 239.2	ND	mg/L	0.001	5/26/98	5
07	01	surface water	Lead	EPA 239.2	ND	mg/L	0.001	5/11/99	5
09	01	surface water	Lead	{6010/7000}	ND	mg/L	0.05	12/6/99	12
11	01	surface water	Lead	6010BSCAN	ND	mg/L	0.005	6/1/00	6
08	01	surface water	Lead	{6010/7000}	ND	mg/L	0.1	9/28/99	9
02	01	surface water	Lead	EPA 239.2	ND	mg/L	0.015	3/3/98	3
10	01	surface water	Iron	GEN.-MINERALS	ND	mg/L	0.03	3/7/00	3
11	01	surface water	Iron	GEN.-MINERALS	ND	mg/L	0.03	6/1/00	6
03	01	surface water	Iron	EPA 200.7	0.134	mg/L	0.05	5/26/98	5
06	01	surface water	Iron	EPA 200.7	0.932	mg/L	0.05	2/10/99	2
05	01	surface water	Iron	EPA 200.7	1.48	mg/L	0.05	11/9/98	11
04	01	surface water	Iron	EPA 200.7	0.149	mg/L	0.05	8/4/98	8
01	01	surface water	Iron	EPA 200.7	9.89	mg/L	0.0500	12/9/97	12
07	01	surface water	Iron	EPA 200.7	ND	mg/L	0.05	5/11/99	5
08	01	surface water	Iron	GEN.MINERAL	ND	mg/L	0.05	9/28/99	9
02	01	surface water	Iron	EPA 200.7	0.9	mg/L	0.1	3/3/98	3
09	01	surface water	Iron	GEN.MINERAL.	0.06	mg/L	0.05	12/6/99	12
05	01	surface water	Hydroxide	SM406	ND	mg/L	0.5	11/9/98	11
01	01	surface water	Hydroxide	SM406	ND	mg/L	1.00	12/9/97	12
09	01	surface water	Hydroxide	GEN.MINERAL.	ND	mg/L	2	12/6/99	12
02	01	surface water	Hydroxide	SM406	ND	mg/L	0.5	3/3/98	3
04	01	surface water	Hydroxide	HYDROXID	ND	mg/L	0.5	8/4/98	8
11	01	surface water	Hydroxide	GEN.-MINERALS	ND	mg/L	0.5	6/1/00	6
08	01	surface water	Hydroxide	GEN.MINERAL	ND	mg/L	0.5	9/28/99	9
07	01	surface water	Hydroxide	SM406C	ND	mg/L	0.5	5/11/99	5
03	01	surface water	Hydroxide	HYDROXID	ND	mg/L	0.5	5/26/98	5
06	01	surface water	Hydroxide	SM406C	NS	mg/L	0.5	2/10/99	2
10	01	surface water	Hydroxide	GEN.-MINERALS	ND	mg/L	0.5	3/7/00	3
06	01	surface water	Hardness (CaCO3)	EPA 130.2	460	mg/L	1	2/10/99	2
07	01	surface water	Hardness (CaCO3)	EPA 130.2	376	mg/L	2	5/11/99	5
05	01	surface water	Hardness (CaCO3)	EPA 130.2	570	mg/L	1	11/9/98	11

fldRound	fldWell	fldMatrix	fldNewName	fldMethod	fldWell1	fldUnits	fldDL	fldSampleDate	fldSampleMon
04	01	surface water	Hardness (CaCO3)	EPA 130.2	483	mg/L	5	8/4/98	8
01	01	surface water	Hardness (CaCO3)	EPA 130.2	259	mg/L	10.0	12/9/97	12
02	01	surface water	Hardness (CaCO3)	EPA 130.2	348	mg/L	10	3/3/98	3
09	01	surface water	Hardness (CaCO3)	GEN.MINERAL.	564	mg/L	2	12/6/99	12
08	01	surface water	Hardness (CaCO3)	GEN.MINERAL	400	mg/L	2	9/28/99	9
11	01	surface water	Hardness (CaCO3)	GEN.-MINERALS	424	mg/L	1	6/1/00	6
03	01	surface water	Hardness (CaCO3)	EPA 130.2	344	mg/L	5	5/26/98	5
10	01	surface water	Hardness (CaCO3)	GEN.-MINERALS	278	mg/L	1	3/7/00	3
09	01	surface water	Fluoride	GEN.MINERAL.	0.4	mg/L	0.2	12/6/99	12
11	01	surface water	Fluoride	GEN.-MINERALS	0.6	mg/L	0.1	6/1/00	6
02	01	surface water	Fluoride	EPA 300.0	0.29	mg/L	0.2	3/3/98	3
04	01	surface water	Fluoride	EPA 340.2	0.319	mg/L	0.1	8/4/98	8
10	01	surface water	Fluoride	GEN.-MINERALS	0.4	mg/L	0.1	3/7/00	3
08	01	surface water	Fluoride	GEN.MINERAL	0.4	mg/L	0.1	9/28/99	9
05	01	surface water	Fluoride	EPA 340.2	0.336	mg/L	0.1	11/9/98	11
03	01	surface water	Fluoride	EPA 300.0	0.301	mg/L	0.2	5/26/98	5
06	01	surface water	Fluoride	EPA 340.2	0.297	mg/L	0.1	2/10/99	2
01	01	surface water	Fluoride	EPA 300.0	ND	mg/L	0.200	12/9/97	12
07	01	surface water	Fluoride	EPA 340.2	0.326	mg/L	0.1	5/11/99	5
08	01	surface water	Fecal Coliform	9221	130	mpn/100ml	2	9/28/99	9
05	01	surface water	Fecal Coliform	MTF	>1600	mpn/100ml	2	11/9/98	11
01	01	surface water	Fecal Coliform	MTF	>1600	mpn/100ml	2	12/9/97	12
07	01	surface water	Fecal Coliform	9221	>23	mpn/100ml	2	5/11/99	5
09	01	surface water	Fecal Coliform	9221	30	mpn/100ml	2	12/6/99	12
06	01	surface water	Fecal Coliform	9221	900	mpn/100ml	2	2/10/99	2
02	01	surface water	Fecal Coliform	MTF	140	mpn/100ml	2	3/3/98	3
04	01	surface water	Fecal Coliform	MTF	110	mpn/100ml	2	8/4/98	8
11	01	surface water	Fecal Coliform	MPN(F)	130	MPN/mL	2	6/1/00	6
10	01	surface water	Fecal Coliform	MPN(F)	240	MPN/100 m	2	3/7/00	3
03	01	surface water	Fecal Coliform	MTF	60	mpn/100ml	2	5/26/98	5
09	01	surface water	Cyanide (Total)	EPA 335.2	NS	mg/L	0.005	12/6/99	12
06	01	surface water	Cyanide (Total)	EPA 335.2	NS	mg/L	0.005	2/10/99	2
09	01	surface water	Cyanide (Total)	EPA 335.2	NS	mg/L	0.005	12/6/99	12
06	01	surface water	Cyanide (Total)	EPA 335.2	NS	mg/L	0.005	2/10/99	2
04	01	surface water	Cyanide (Total)	EPA 335.2	NS	mg/L	0.005	8/4/98	8
11	01	surface water	Cyanide (Total)	335.2	NS	mg/L	0.01	6/1/00	6
01	01	surface water	Cyanide (Total)	EPA 335.2	ND	mg/L	0.00500	12/9/97	12
04	01	surface water	Cyanide (Total)	EPA 335.2	NS	mg/L	0.005	8/4/98	8
02	01	surface water	Cyanide (Total)	EPA 335.2	NS	mg/L	0.005	3/3/98	3


<b>fldRound</b>	<b>fldWell</b>	<b>fldMatrix</b>	<b>fldNewName</b>	<b>fldMethod</b>	<b>fldWellID</b>	<b>fldUnits</b>	<b>fldDL</b>	<b>fldSampleDate</b>	<b>fldSampleMonth</b>
03	01	surface water	Cyanide (Total)	EPA 335.2	ND	mg/L	0.005	5/26/98	5
05	01	surface water	Cyanide (Total)	EPA 335.2	ND	mg/L	0.005	11/9/98	11
07	01	surface water	Cyanide (Total)	EPA 335.2	ND	mg/L	0.005	5/11/99	5
08	01	surface water	Cyanide (Total)	335.2	ND	mg/L	0.01	9/28/99	9
10	01	surface water	Cyanide (Total)	335.2	ND	mg/L	0.01	3/7/00	3
02	01	surface water	Cyanide (Total)	EPA 335.2	NS	mg/L	0.005	3/3/98	3
09	01	surface water	Copper	GEN.MINERAL.	0.03	mg/L	0.02	12/6/99	12
08	01	surface water	Copper	GEN.MINERAL	ND	mg/L	0.02	9/28/99	9
05	01	surface water	Copper	EPA 200.7	ND	mg/L	0.005	11/9/98	11
01	01	surface water	Copper	EPA 200.7	0.007	mg/L	0.00500	12/9/97	12
10	01	surface water	Copper	GEN.-MINERALS	ND	mg/L	0.005	3/7/00	3
11	01	surface water	Copper	GEN.-MINERALS	ND	mg/L	0.005	6/1/00	6
03	01	surface water	Copper	EPA 200.7	ND	mg/L	0.005	5/26/98	5
07	01	surface water	Copper	EPA 200.7	ND	mg/L	0.005	5/11/99	5
04	01	surface water	Copper	EPA 200.7	ND	mg/L	0.005	8/4/98	8
02	01	surface water	Copper	EPA 200.7	ND	mg/L	0.02	3/3/98	3
06	01	surface water	Copper	EPA 200.7	NS	mg/L	0.005	2/10/99	2
08	01	surface water	Conductivity	GEN.MINERAL	1230	umhos/cm	10	9/28/99	9
06	01	surface water	Conductivity	EPA 120.1	1180	umhos/cm	1	2/10/99	2
07	01	surface water	Conductivity	EPA 120.1	1230	umhos/cm	1	5/11/99	5
05	01	surface water	Conductivity	EPA 120.1	1410	umhos/cm	1	11/9/98	11
11	01	surface water	Conductivity	GEN.-MINERALS	1,350	mg/L	5	6/1/00	6
10	01	surface water	Conductivity	GEN.-MINERALS	842	mg/L	5	3/7/00	3
09	01	surface water	Conductivity	GEN.MINERAL	1510	umhos/cm	10	12/6/99	12
04	01	surface water	Conductivity	EPA 120.1	1280	umhos/cm	1	8/4/98	8
01	01	surface water	Conductivity	EPA 120.1	849	umhos/cm	1.00	12/9/97	12
02	01	surface water	Conductivity	EPA 120.1	1016	umhos/cm	1	3/3/98	3
03	01	surface water	Conductivity	EPA 120.1	1070	umhos/cm	1	5/26/98	5
10	01	surface water	Chloride	GEN.-MINERALS	102	mg/L	0.5	3/7/00	3
07	01	surface water	Chloride	EPA 325.3	135	mg/L	1	5/11/99	5
05	01	surface water	Chloride	EPA 325.3	176	mg/L	1	11/9/98	11
01	01	surface water	Chloride	EPA 300.0	147	mg/L	10.0	12/9/97	12
09	01	surface water	Chloride	GEN.MINERAL.	188	mg/L	1	12/6/99	12
08	01	surface water	Chloride	GEN.MINERAL	147	mg/L	1	9/28/99	9
03	01	surface water	Chloride	EPA 300.0	189	mg/L	50	5/26/98	5
10	01	surface water	Chloride	GEN.-MINERALS	102	mg/L	0.5	3/7/00	3
11	01	surface water	Chloride	GEN.-MINERALS	176	mg/L	0.5	6/1/00	6
08	01	surface water	Chloride	GEN.MINERAL	147	mg/L	1	9/28/99	9
11	01	surface water	Chloride	GEN.-MINERALS	176	mg/L	0.5	6/1/00	6

<b>fldRound</b>	<b>fldWell</b>	<b>fldMatrix</b>	<b>fldNewName</b>	<b>fldMethod</b>	<b>fldWell</b>	<b>fldUnits</b>	<b>fldDL</b>	<b>fldSampleDate</b>	<b>fldSampleMont</b>
04	01	surface water	Chloride	EPA 325.3	162	mg/L	1	8/4/98	8
02	01	surface water	Chloride	EPA 300.0	120	mg/L	20	3/3/98	3
09	01	surface water	Chloride	GEN.MINERAL.	188	mg/L	1	12/6/99	12
06	01	surface water	Chloride	EPA 325.3	136	mg/L	1	2/10/99	2
02	01	surface water	Carbonate	SM406	2.3	mg/L	0.5	3/3/98	3
03	01	surface water	Carbonate	CARBONAT	1.94	mg/L	0.5	5/26/98	5
04	01	surface water	Carbonate	CARBONAT	3.53	mg/L	0.5	8/4/98	8
05	01	surface water	Carbonate	SM406	1.43	mg/L	0.5	11/9/98	11
07	01	surface water	Carbonate	SM406	1.84	mg/L	0.5	5/11/99	5
10	01	surface water	Carbonate	GEN.-MINERALS	ND	mg/L	0.5	3/7/00	3
08	01	surface water	Carbonate	GEN:MINERAL	ND	mg/L	0.5	9/28/99	9
11	01	surface water	Carbonate	GEN.-MINERALS	ND	mg/L	0.5	6/1/00	6
09	01	surface water	Carbonate	GEN.MINERAL.	ND	mg/L	2	12/6/99	12
01	01	surface water	Carbonate	SM406	ND	mg/L	1.00	12/9/97	12
06	01	surface water	Carbonate	SM406	2.55	mg/L	0.5	2/10/99	2
08	01	surface water	Calcium	GEN.MINERAL	81.4	mg/L	0.5	9/28/99	9
09	01	surface water	Calcium	GEN.MINERAL.	120	mg/L	0.5	12/6/99	12
02	01	surface water	Calcium	EPA 200.7	90	mg/L	0.2	3/3/98	3
04	01	surface water	Calcium	EPA 200.7	99.7	mg/L	0.1	8/4/98	8
01	01	surface water	Calcium	EPA 200.7	71.4	mg/L	0.100	12/9/97	12
06	01	surface water	Calcium	EPA 200.7	89.1	mg/L	0.1	2/10/99	2
10	01	surface water	Calcium	GEN.-MINERALS	61.4	mg/L	0.10	3/7/00	3
11	01	surface water	Calcium	GEN.-MINERALS	92.0	mg/L	0.1	6/1/00	6
07	01	surface water	Calcium	EPA 200.7	87.4	mg/L	0.1	5/11/99	5
03	01	surface water	Calcium	EPA 200.7	92.3	mg/L	0.1	5/26/98	5
05	01	surface water	Calcium	EPA 200.7	118	mg/L	0.1	11/9/98	11
07	01	surface water	Boron	EPA 200.7	0.215	mg/L	0.1	5/11/99	5
02	01	surface water	Boron	EPA 200.7	ND	mg/L	0.5	3/3/98	3
03	01	surface water	Boron	6010A	ND	mg/L	0.5	5/26/98	5
06	01	surface water	Boron	EPA 200.7	0.19	mg/L	0.1	2/10/99	2
05	01	surface water	Boron	EPA 200.7	0.244	mg/L	0.1	11/9/98	11
01	01	surface water	Boron	6010A	ND	mg/L	0.5	12/9/97	12
08	01	surface water	Boron	SM-4500-B	0.2	mg/L	0.2	9/28/99	9
09	01	surface water	Boron	SM-4500-B	ND	mg/L	0.2	12/6/99	12
10	01	surface water	Boron	SM-4500B	ND	mg/L	0.1	3/7/00	3
04	01	surface water	Boron	EPA 200.7	0.219	mg/L	0.1	8/4/98	8
11	01	surface water	Boron	SM-4500B	0.3	mg/L	0.1	6/1/00	6
01	01	surface water	Biochemical Oxygen Dem	EPA 405.1	2.5	mg/L	2.00	12/9/97	12
10	01	surface water	Biochemical Oxygen Dem	405.1	ND	mg/L	2	3/7/00	3


fldRound	fldWell	fldMatrix	fldNewName	fldMethod	fldWell1	fldUnits	fldDL	fldSampleDate	fldSampleMonth
04	01	surface water	Biochemical Oxygen Dem	EPA 405.1	NS	mg/L	2	8/4/98	8
11	01	surface water	Biochemical Oxygen Dem	405.1	NS	mg/L	2	6/1/00	6
05	01	surface water	Biochemical Oxygen Dem	EPA 405.1	2.14	mg/L	2	11/9/98	11
02	01	surface water	Biochemical Oxygen Dem	EPA 405.1	NS	mg/L	2	3/3/98	3
08	01	surface water	Biochemical Oxygen Dem	405.1	ND	mg/L	2	9/28/99	9
03	01	surface water	Biochemical Oxygen Dem	EPA 405.1	ND	mg/L	2	5/26/98	5
06	01	surface water	Biochemical Oxygen Dem	EPA 405.1	NS	mg/L	2	2/10/99	2
09	01	surface water	Biochemical Oxygen Dem	EPA 405.1	NS	mg/L	2	12/6/99	12
07	01	surface water	Biochemical Oxygen Dem	EPA 405.1	ND	mg/L	2	5/11/99	5
03	01	surface water	Bicarbonate	BICARB	176	mg/L	1	5/26/98	5
07	01	surface water	Bicarbonate	SM406C	183	mg/L	1	5/11/99	5
04	01	surface water	Bicarbonate	BICARB	192	mg/L	1	8/4/98	8
11	01	surface water	Bicarbonate	GEN.-MINERALS	180	mg/L	1	6/1/00	6
01	01	surface water	Bicarbonate	SM406C	115	mg/L	1.00	12/9/97	12
06	01	surface water	Bicarbonate	SM406C	183	mg/L	1	2/10/99	2
02	01	surface water	Bicarbonate	SM406C	155	mg/L	1	3/3/98	3
09	01	surface water	Bicarbonate	GEN.MINERAL.	194	mg/L	2	12/6/99	12
08	01	surface water	Bicarbonate	GEN.MINERAL	172	mg/L	1	9/28/99	9
10	01	surface water	Bicarbonate	GEN.-MINERALS	118	mg/L	1	3/7/00	3
05	01	surface water	Bicarbonate	SM406C	178	mg/L	1	11/9/98	11
02	01	surface water	Arsenic	EPA 200.7	ND	mg/L	0.01	3/3/98	3
10	01	surface water	Arsenic	6010/7000	ND	mg/L	0.025	3/7/00	3
03	01	surface water	Arsenic	EPA 200.7	ND	mg/L	0.025	5/26/98	5
04	01	surface water	Arsenic	EPA 200.7	ND	mg/L	0.025	8/4/98	8
01	01	surface water	Arsenic	EPA 200.7	ND	mg/L	0.0250	12/9/97	12
08	01	surface water	Arsenic	{6010/7000}	ND	mg/L	0.005	9/28/99	9
09	01	surface water	Arsenic	{6010/7000}	ND	mg/L	0.005	12/6/99	12
05	01	surface water	Arsenic	EPA 200.7	ND	mg/L	0.025	11/9/98	11
07	01	surface water	Arsenic	EPA 200.7	ND	mg/L	0.025	5/11/99	5
06	01	surface water	Arsenic	EPA 200.7	NS	mg/L	0.025	2/10/99	2
11	01	surface water	Arsenic	6010BSCAN	ND	mg/L	0.025	6/1/00	6
09	01	surface water	Aluminum	GEN.MINERAL	0.2	mg/L	0.1	12/6/99	12
01	01	surface water	Alkalinity (CaCO3)	EPA 310.1	116	mg/L	1.00	12/9/97	12
04	01	surface water	Alkalinity (CaCO3)	EPA 310.1	196	mg/L	1	8/4/98	8
03	01	surface water	Alkalinity (CaCO3)	EPA 310.1	178	mg/L	1	5/26/98	5
02	01	surface water	Alkalinity (CaCO3)	EPA 310.1	157	mg/L	1	3/3/98	3
11	01	surface water	Alkalinity (CaCO3)	GEN.-MINERALS	180	mg/L	1	6/1/00	6
06	01	surface water	Alkalinity (CaCO3)	EPA 310.1	186	mg/L	1	2/10/99	2
05	01	surface water	Alkalinity (CaCO3)	EPA 310.1	180	mg/L	1	11/9/98	11

fldRound	fldWell	fldMatrix	fldNewName	fldMethod	fldWellID	fldUnits	fldDL	fldSampleDate	fldSampleMonth
07	01	surface water	Alkalinity (CaCO3)	EPA 310.1	185	mg/L	1	5/11/99	5
08	01	surface water	Alkalinity (CaCO3)	GEN.MINERAL	172	mg/L	1	9/28/99	9
09	01	surface water	Alkalinity (CaCO3)	GEN.MINERAL.	194	mg/L	2	12/6/99	12
10	01	surface water	Alkalinity (CaCO3)	GEN.-MINERALS	118	mg/L	1	3/7/00	3


### Santa Margarita River at Ysidora




### Santa Margarita River at Ysidora



### Santa Margarita River at Ysidora




### Santa Margarita River at Ysidora



Santa Margarita River Near Fallbrook & MW-1 (Sta. 501 & 101)

1997 through 1999



Prepared By: SKR  
Checked By: KRM

SWDIV  
NAVFACENGCOM  
SAN DIEGO, CALIFORNIA

LAW Crandall  
LAWGIBB Group Member  
A Division of Low Engineering and Environmental Services, Inc.


PIPER DIAGRAM  
STATIONS 501 & 101  
SANTA MARGARITA  
RIVER WATERSHED

PROJECT: 70300-7-0193

Figure: 12

Santa Margarita River Stations (Sta 501 and 508)

1997 through 1999



Prepared By: SKR  
Checked By: KMA

SWDIV  
NAVFACENGCOM  
SAN DIEGO, CALIFORNIA

**LAW** Crandall  
LAWGIBB Group Member  
A Division of Law Engineering and Environmental Services, Inc.


**PIPER DIAGRAM**  
**STATIONS 501 & 508**  
**SANTA MARGARITA**  
**RIVER WATERSHED**

PROJECT: 70300-7-0193

Figure: 10

Santa Margarita River Watershed Stations

May 11, 1999



Prepared By: SKR  
Checked By: KRM

SWDIV  
NAVFACENGCOM  
SAN DIEGO, CALIFORNIA

**LAW** Crandall  
LAWGIBB Group Member  
A Division of Law Engineering and Environmental Services, Inc.


**PIPER DIAGRAM**  
**WATERSHED STATIONS**  
**SANTA MARGARITA**  
**RIVER WATERSHED**

PROJECT: 70300-7-0193

Figure: 11

SKR near Fallbrook  
 San diego River  
 Sulf near Tem  
 Munita  
 Stations 501, 502, 503, 504, and 505

August 4, 1998



Prepared By: SKR  
 Checked By: KRM

SWDIV  
 NAVFACENGCOM  
 SAN DIEGO, CALIFORNIA

**LAW** Crandall  
 LAWGIBB Group Member

A Division of Law Engineering and Environmental Services, Inc.

**PIPER DIAGRAM**  
 STATIONS 501,502,503,504 & 505  
 SANTA MARGARITA  
 RIVER WATERSHED

PROJECT: 70300-7-0193

Figure: 9




A WATER QUALITY INVENTORY SERIES  
BIOLOGICAL AND PHYSICAL HABITAT ASSESSMENT OF  
CALIFORNIA WATER BODIES

## San Diego Regional Water Quality Control Board: 1999 Biological Assessment Annual Report


California Department of Fish and Game  
Office of Spill Prevention and Response  
Water Pollution Control Laboratory  
2005 Nimbus Road  
Rancho Cordova, CA. 95670  
(916) 358-2858; [jharring@ospr.dfg.ca.gov](mailto:jharring@ospr.dfg.ca.gov)

PROGRAM MANAGER  
James M. Harrington  
  
PROJECT LEADERS  
Peter Ode, Angie Montalvo  
  
LABORATORY AND FIELD TECHNICIANS  
Doug Post, Christopher Sheehy, Mike Dawson


### Santa Margarita River near Fallbrook




### Santa Margarita River near Fallbrook




### Santa Margarita River near Fallbrook




### Santa Margarita River near Fallbrook




### Santa Margarita River near Fallbrook




### Santa Margarita River near Temecula




### Santa Margarita River at Temecula




### Santa Margarita River near Temecula




### Santa Margarita River near Temecula




**Santa Margarita River near Temecula**



### Santa Margarita River near Temecula



### Santa Margarita River near Temecula



fldRound	fldWell	fldMatrix	fldNewName	fldWellB	fldUnits	fldDL	fldSampleDate	fldSampleMent
10	08	surface water	Zinc	0.016J	mg/L	0.01	3/13/00	3
06	08	surface water	Zinc	NS	mg/L	0.01	2/10/99	2
04	08	surface water	Zinc	ND	mg/L	0.01	8/4/98	8
07	08	surface water	Zinc	ND	mg/L	0.02	5/11/99	5
01	08	surface water	Zinc	0.022	mg/L	0.0100	12/9/97	12
09	08	surface water	Zinc	NS	mg/L	0.03	12/6/99	12
08	08	surface water	Zinc	NS	mg/L	0.03	9/28/99	9
05	08	surface water	Zinc	ND	mg/L	0.01	11/9/98	11
11	08	surface water	Zinc	ND	mg/L	0.01	6/1/00	6
03	08	surface water	Zinc	ND	mg/L	0.01	5/26/98	5
02	08	surface water	Zinc	ND	mg/L	0.03	3/3/98	3
06	08	surface water	Total Organic Carbon	1.94	mg/L	1	2/10/99	2
04	08	surface water	Total Organic Carbon	5.09	mg/L	1	8/4/98	8
05	08	surface water	Total Organic Carbon	2.31	mg/L	1	11/9/98	11
07	08	surface water	Total Organic Carbon	13.7	mg/L	1	5/11/99	5
11	08	surface water	Total Organic Carbon	5.2	mg/L	0.5	6/1/00	6
08	08	surface water	Total Organic Carbon	NS	mg/L	0.5	9/28/99	9
03	08	surface water	Total Organic Carbon	2.89	mg/L	1	5/26/98	5
09	08	surface water	Total Organic Carbon	NS	mg/L	0.5	12/6/99	12
02	08	surface water	Total Organic Carbon	5.64	mg/L	1	3/3/98	3
01	08	surface water	Total Organic Carbon	7.5	mg/L	1.00	12/9/97	12
10	08	surface water	Total Organic Carbon	10	mg/L	0.1	3/13/00	3
11	08	surface water	Total Dissolved Solids	776	mg/L	5	6/1/00	6
01	08	surface water	Total Dissolved Solids	660	mg/L	10.0	12/9/97	12
10	08	surface water	Total Dissolved Solids	701	mg/L	5	3/13/00	3
02	08	surface water	Total Dissolved Solids	522	mg/L	10	3/3/98	3
04	08	surface water	Total Dissolved Solids	748	mg/L	10	8/4/98	8
06	08	surface water	Total Dissolved Solids	717	mg/L	10	2/10/99	2
07	08	surface water	Total Dissolved Solids	786	mg/L	10	5/11/99	5
05	08	surface water	Total Dissolved Solids	785	mg/L	10	11/9/98	11
03	08	surface water	Total Dissolved Solids	642	mg/L	10	5/26/98	5
09	08	surface water	Total Dissolved Solids	NS	mg/L	10	12/6/99	12
08	08	surface water	Total Dissolved Solids	NS	mg/L	10	9/28/99	9
02	08	surface water	Total Coliform	1600	mpn/100ml	2	3/3/98	3
05	08	surface water	Total Coliform	900	mpn/100ml	2	11/9/98	11
07	08	surface water	Total Coliform	23	mpn/100ml	2	5/11/99	5
01	08	surface water	Total Coliform	>1600	mpn/100ml	2	12/9/97	12
06	08	surface water	Total Coliform	500	mpn/100ml	2	2/10/99	2

fldRound	fldWell	fldMatrix	fldNewName	fldWell8	fldUnits	fldDL	fldSampleDate	fldSampleMon
11	08	surface water	Total Coliform	30	MPN/100 mL	2	6/1/00	6
10	08	surface water	Total Coliform	500	MPN/100 mL	3.0	3/13/00	3
08	08	surface water	Total Coliform	NS	mpn/100ml	2	9/28/99	9
03	08	surface water	Total Coliform	220	mpn/100ml	2	5/26/98	5
04	08	surface water	Total Coliform	900	mpn/100ml	2	8/4/98	8
09	08	surface water	Total Coliform	NS	mpn/100ml	2	12/6/99	12
07	08	surface water	Surfactants (MBAS)	ND	mg/L	0.1	5/11/99	5
05	08	surface water	Surfactants (MBAS)	ND	mg/L	0.1	11/9/98	11
11	08	surface water	Surfactants (MBAS)	ND	mg/L	0.03	6/1/00	6
04	08	surface water	Surfactants (MBAS)	ND	mg/L	0.1	8/4/98	8
09	08	surface water	Surfactants (MBAS)	NS	mg/L	0.05	12/6/99	12
08	08	surface water	Surfactants (MBAS)	NS	mg/L	0.05	9/28/99	9
03	08	surface water	Surfactants (MBAS)	ND	mg/L	0.1	5/26/98	5
02	08	surface water	Surfactants (MBAS)	ND	mg/L	0.1	3/3/98	3
10	08	surface water	Surfactants (MBAS)	0.06	mg/L	0.03	3/13/00	3
01	08	surface water	Surfactants (MBAS)	ND	mg/L	0.100	12/9/97	12
06	08	surface water	Surfactants (MBAS)	NS	mg/L	0.1	2/10/99	2
04	08	surface water	Sulfate	224	mg/L	50	8/4/98	8
02	08	surface water	Sulfate	132	mg/L	4	3/3/98	3
03	08	surface water	Sulfate	171	mg/L	10	5/26/98	5
08	08	surface water	Sulfate	NS	mg/L	10	9/28/99	9
07	08	surface water	Sulfate	193	mg/L	50	5/11/99	5
10	08	surface water	Sulfate	185	mg/L	5	3/13/00	3
09	08	surface water	Sulfate	NS	mg/L	10	12/6/99	12
05	08	surface water	Sulfate	278	mg/L	5	11/9/98	11
06	08	surface water	Sulfate	193	mg/L	5	2/10/99	2
01	08	surface water	Sulfate	157	mg/L	10.0	12/9/97	12
11	08	surface water	Sulfate	205	mg/L	5	6/1/00	6
03	08	surface water	Sodium	78.9	mg/L	0.3	5/26/98	5
04	08	surface water	Sodium	101	mg/L	0.3	8/4/98	8
07	08	surface water	Sodium	134	mg/L	0.3	5/11/99	5
02	08	surface water	Sodium	80	mg/L	4	3/3/98	3
10	08	surface water	Sodium	87.9	mg/L	0.25	3/13/00	3
11	08	surface water	Sodium	95.3	mg/L	0.25	6/1/00	6
01	08	surface water	Sodium	78.8	mg/L	0.300	12/9/97	12
05	08	surface water	Sodium	94.5	mg/L	0.3	11/9/98	11
06	08	surface water	Sodium	90.8	mg/L	0.3	2/10/99	2
09	08	surface water	Sodium	NS	mg/L	0.5	12/6/99	12

fldRound	fldWell	fldMatrix	fldNewName	fldWell8	fldUnits	fldDL	fldSampleDate	fldSampleMon
08	08	surface water	Sodium	NS	mg/L	0.5	9/28/99	9
06	08	surface water	Potassium	2.9	mg/L	1	2/10/99	2
08	08	surface water	Potassium	NS	mg/L	1.0	9/28/99	9
05	08	surface water	Potassium	3.75	mg/L	0.3	11/9/98	11
11	08	surface water	Potassium	3.6	mg/L	0.5	6/1/00	6
10	08	surface water	Potassium	3.8	mg/L	0.5	3/13/00	3
07	08	surface water	Potassium	3.06	mg/L	1	5/11/99	5
02	08	surface water	Potassium	3	mg/L	2	3/3/98	3
09	08	surface water	Potassium	NS	mg/L	1.0	12/6/99	12
01	08	surface water	Potassium	5.4	mg/L	0.300	12/9/97	12
03	08	surface water	Potassium	2.47	mg/L	0.3	5/26/98	5
04	08	surface water	Potassium	3.93	mg/L	0.3	8/4/98	8
03	08	surface water	Phosphorus	0.095	mg/L	0.01	5/26/98	5
01	08	surface water	Phosphorus	0.208	mg/L	0.01	12/9/97	12
02	08	surface water	Phosphorus	0.378	mg/L	0.01	3/3/98	3
04	08	surface water	Phosphorus	0.13	mg/L	0.01	8/4/98	8
06	08	surface water	Phosphorus	0.033	mg/L	0.01	2/10/99	2
05	08	surface water	Phosphorus	0.036	mg/L	0.01	11/9/98	11
07	08	surface water	Phosphorus	0.118	mg/L	0.01	5/11/99	5
04	08	surface water	Phosphate	NS	mg/L	0.3	8/4/98	8
05	08	surface water	Phosphate	NS	mg/L	0.3	11/9/98	11
01	08	surface water	Phosphate	NS	mg/L	0.3	12/9/97	12
06	08	surface water	Phosphate	NS	mg/L	0.3	2/10/99	2
09	08	surface water	Phosphate	NS	mg/L	0.3	12/6/99	12
02	08	surface water	Phosphate	NS	mg/L	0.3	3/3/98	3
11	08	surface water	Phosphate	ND	mg/L	0.30	6/1/00	6
07	08	surface water	Phosphate	NS	mg/L	0.3	5/11/99	5
03	08	surface water	Phosphate	NS	mg/L	0.3	5/26/98	5
10	08	surface water	Phosphate	0.8	mg/L	0.30	3/13/00	3
08	08	surface water	Phosphate	NS	mg/L	0.3	9/28/99	9
02	08	surface water	pH	8.11	pH units	2.0-12.5	3/3/98	3
03	08	surface water	pH	8.13	pH units	2.5-12.0	5/26/98	5
08	08	surface water	pH	NS	pH units	1.00	9/28/99	9
04	08	surface water	pH	8.42	pH units	2.5-12.0	8/4/98	8
10	08	surface water	pH	7.90	mg/L	0.01	3/13/00	3
11	08	surface water	pH	7.24	mg/L	0.01	6/1/00	6
07	08	surface water	pH	7.55	pH units	2.5-12.0	5/11/99	5
06	08	surface water	pH	8.24	pH units		2/10/99	2

fldRound	fldWell	fldMatrix	fldNewName	fldWell8	fldUnits	fldDL	fldSampleDate	fldSampleMont
11	08	surface water	pH	7.24	mg/L	0.01	6/1/00	6
08	08	surface water	pH	NS	pH units	1.00	9/28/99	9
10	08	surface water	pH	7.90	mg/L	0.01	3/13/00	3
09	08	surface water	pH	NS	pH units	1.00	12/6/99	12
01	08	surface water	pH	8.06	pH units	2.0-12.5	12/9/97	12
09	08	surface water	pH	NS	pH units	1.00	12/6/99	12
11	08	surface water	Oil and Grease	ND	mg/L	0.5	6/1/00	6
07	08	surface water	Oil and Grease	ND	mg/L	1	5/11/99	5
03	08	surface water	Oil and Grease	ND	mg/L	0.952	5/26/98	5
02	08	surface water	Oil and Grease	ND	mg/L	1.39	3/3/98	3
04	08	surface water	Oil and Grease	ND	mg/L	1.18	8/4/98	8
05	08	surface water	Oil and Grease	ND	mg/L	1	11/9/98	11
10	08	surface water	Oil and Grease	ND	mg/L	0.5	3/13/00	3
09	08	surface water	Oil and Grease	NS	mg/L	1.0	12/6/99	12
08	08	surface water	Oil and Grease	NS	mg/L	1.0	9/28/99	9
11	08	surface water	Oil and Grease	ND	mg/L	0.5	6/1/00	6
06	08	surface water	Oil and Grease	NS	mg/L	1	2/10/99	2
09	08	surface water	Oil and Grease	NS	mg/L	1.0	12/6/99	12
01	08	surface water	Oil and Grease	ND	mg/L	1.16	12/9/97	12
10	08	surface water	Oil and Grease	ND	mg/L	0.5	3/13/00	3
08	08	surface water	Oil and Grease	NS	mg/L	1.0	9/28/99	9
02	08	surface water	Nitrogen	NS	mg/L	0.1	3/3/98	3
10	08	surface water	Nitrogen	0.2	mg/L	0.05	3/13/00	3
01	08	surface water	Nitrogen	0.2	mg/L	0.100	12/9/97	12
06	08	surface water	Nitrogen	NS	mg/L	0.1	2/10/99	2
03	08	surface water	Nitrogen	0.7	mg/Kg	0.5	5/26/98	5
07	08	surface water	Nitrogen	0.404	mg/L	0.4	5/11/99	5
02	08	surface water	Nitrogen	NS	mg/L	0.1	3/3/98	3
02	08	surface water	Nitrogen	NS	mg/L	0.1	3/3/98	3
09	08	surface water	Nitrogen	NS	mg/L	0.1	12/6/99	12
04	08	surface water	Nitrogen	NS	mg/L	0.1	8/4/98	8
08	08	surface water	Nitrogen	NS	mg/L	0.1	9/28/99	9
05	08	surface water	Nitrogen	0.453	mg/L	0.1	11/9/98	11
09	08	surface water	Nitrite	NS	mg/L	0.02	12/6/99	12
08	08	surface water	Nitrite	NS	mg/L	0.02	9/28/99	9
03	08	surface water	Nitrate-N	2.19	mg/L	0.5	5/26/98	5
02	08	surface water	Nitrate-N	3.59	mg/L	2	3/3/98	3
09	08	surface water	Nitrate-N	NS	mg/L	0.1	12/6/99	12

fldRound	fldWell	fldMatrix	fldNewName	fldWell8	fldUnits	fldDL	fldSampleDate	fldSampleMonth
08	08	surface water	Nitrate-N	NS	mg/L	0.1	9/28/99	9
11	08	surface water	Nitrate-N	ND	mg/L	0.05	6/1/00	6
10	08	surface water	Nitrate-N	5.3	mg/L	0.05	3/13/00	3
07	08	surface water	Nitrate-N	0.1	mg/L	0.05	5/11/99	5
04	08	surface water	Nitrate-N	0.24	mg/L	0.05	8/4/98	8
06	08	surface water	Nitrate-N	1.19	mg/L	0.05	2/10/99	2
01	08	surface water	Nitrate-N	1.4	mg/L	0.100	12/9/97	12
05	08	surface water	Nitrate-N	0.393	mg/L	0.05	11/9/98	11
09	08	surface water	Mercury	NS	mg/L	0.0002	12/6/99	12
01	08	surface water	Mercury	ND	mg/L	0.000200	12/9/97	12
07	08	surface water	Mercury	ND	mg/L	0.0002	5/11/99	5
05	08	surface water	Mercury	ND	mg/L	0.0002	11/9/98	11
08	08	surface water	Mercury	NS	mg/L	0.0002	9/28/99	9
03	08	surface water	Mercury	ND	mg/L	0.0002	5/26/98	5
02	08	surface water	Mercury	NS	mg/L	0.0002	3/3/98	3
06	08	surface water	Mercury	NS	mg/L	0.0002	2/10/99	2
11	08	surface water	Mercury	NS	mg/L	0.0002	6/1/00	6
10	08	surface water	Mercury	ND	mg/L	0.0002	3/13/00	3
04	08	surface water	Mercury	NS	mg/L	0.0002	8/4/98	8
02	08	surface water	Manganese	0.07	mg/L	0.01	3/3/98	3
09	08	surface water	Manganese	NS	mg/L	0.01	12/6/99	12
04	08	surface water	Manganese	0.0287	mg/L	0.01	8/4/98	8
05	08	surface water	Manganese	0.0154	mg/L	0.01	11/9/98	11
07	08	surface water	Manganese	0.237	mg/L	0.01	5/11/99	5
08	08	surface water	Manganese	NS	mg/L	0.01	9/28/99	9
10	08	surface water	Manganese	0.014	mg/L	0.005	3/13/00	3
03	08	surface water	Manganese	0.037	mg/L	0.01	5/26/98	5
06	08	surface water	Manganese	NS	mg/L	0.01	2/10/99	2
01	08	surface water	Manganese	0.14	mg/L	0.0100	12/9/97	12
11	08	surface water	Manganese	ND	mg/L	0.005	6/1/00	6
04	08	surface water	Magnesium	39.8	mg/L	0.2	8/4/98	8
11	08	surface water	Magnesium	37.6	mg/L	0.2	6/1/00	6
01	08	surface water	Magnesium	34.3	mg/L	0.200	12/9/97	12
10	08	surface water	Magnesium	35.7	mg/L	0.20	3/13/00	3
02	08	surface water	Magnesium	30	mg/L	0.1	3/3/98	3
07	08	surface water	Magnesium	34.9	mg/L	0.2	5/11/99	5
05	08	surface water	Magnesium	41	mg/L	0.2	11/9/98	11
09	08	surface water	Magnesium	NS	mg/L	0.5	12/6/99	12

fldRound	fldWell	fldMatrix	fldNewName	fldWell8	fldUnits	fldDL	fldSampleDate	fldSampleMont
06	08	surface water	Magnesium	38	mg/L	0.2	2/10/99	2
03	08	surface water	Magnesium	33.8	mg/L	0.2	5/26/98	5
08	08	surface water	Magnesium	NS	mg/L	0.5	9/28/99	9
04	08	surface water	Lead	ND	mg/L	0.001	8/4/98	8
09	08	surface water	Lead	NS	mg/L	0.05	12/6/99	12
07	08	surface water	Lead	ND	mg/L	0.001	5/11/99	5
01	08	surface water	Lead	ND	mg/L	0.0200	12/9/97	12
10	08	surface water	Lead	ND	mg/L	0.005	3/13/00	3
06	08	surface water	Lead	0.00373	mg/L	0.001	2/10/99	2
05	08	surface water	Lead	ND	mg/L	0.001	11/9/98	11
02	08	surface water	Lead	ND	mg/L	0.015	3/3/98	3
03	08	surface water	Lead	0.00104	mg/L	0.001	5/26/98	5
08	08	surface water	Lead	NS	mg/L	0.05	9/28/99	9
11	08	surface water	Lead	ND	mg/L	0.005	6/1/00	6
09	08	surface water	Iron	NS	mg/L	0.05	12/6/99	12
08	08	surface water	Iron	NS	mg/L	0.05	9/28/99	9
04	08	surface water	Iron	0.283	mg/L	0.05	8/4/98	8
11	08	surface water	Iron	ND	mg/L	0.03	6/1/00	6
03	08	surface water	Iron	1.14	mg/L	0.05	5/26/98	5
06	08	surface water	Iron	0.136	mg/L	0.05	2/10/99	2
10	08	surface water	Iron	0.041J	mg/L	0.03	3/13/00	3
01	08	surface water	Iron	2.47	mg/L	0.0500	12/9/97	12
05	08	surface water	Iron	0.1	mg/L	0.05	11/9/98	11
02	08	surface water	Iron	3	mg/L	0.1	3/3/98	3
07	08	surface water	Iron	0.5	mg/L	0.05	5/11/99	5
05	08	surface water	Hydroxide	ND	mg/L	0.5	11/9/98	11
10	08	surface water	Hydroxide	ND	mg/L	0.5	3/13/00	3
07	08	surface water	Hydroxide	ND	mg/L	0.5	5/11/99	5
03	08	surface water	Hydroxide	ND	mg/L	0.5	5/26/98	5
04	08	surface water	Hydroxide	ND	mg/L	0.5	8/4/98	8
09	08	surface water	Hydroxide	NS	mg/L	2	12/6/99	12
11	08	surface water	Hydroxide	ND	mg/L	0.5	6/1/00	6
08	08	surface water	Hydroxide	NS	mg/L	2	9/28/99	9
06	08	surface water	Hydroxide	NS	mg/L	0.5	2/10/99	2
01	08	surface water	Hydroxide	ND	mg/L	1.00	12/9/97	12
02	08	surface water	Hydroxide	ND	mg/L	0.5	3/3/98	3
07	08	surface water	Hardness (CaCO3)	363	mg/L	2	5/11/99	5
10	08	surface water	Hardness (CaCO3)	368	mg/L	1	3/13/00	3

<b>fldRound</b>	<b>fldWell</b>	<b>fldMatrix</b>	<b>fldNewName</b>	<b>fldWell8</b>	<b>fldUnits</b>	<b>fldDE</b>	<b>fldSampleDate</b>	<b>fldSampleMonth</b>
02	08	surface water	Hardness (CaCO3)	290	mg/L	10	3/3/98	3
04	08	surface water	Hardness (CaCO3)	431	mg/L	5	8/4/98	8
03	08	surface water	Hardness (CaCO3)	331	mg/L	5	5/26/98	5
06	08	surface water	Hardness (CaCO3)	432	mg/L	1	2/10/99	2
09	08	surface water	Hardness (CaCO3)	NS	mg/L	2	12/6/99	12
11	08	surface water	Hardness (CaCO3)	408	mg/L	1	6/1/00	6
08	08	surface water	Hardness (CaCO3)	NS	mg/L	2	9/28/99	9
05	08	surface water	Hardness (CaCO3)	426	mg/L	1	11/9/98	11
01	08	surface water	Hardness (CaCO3)	350	mg/L	10.0	12/9/97	12
02	08	surface water	Fluoride	0.239	mg/L	0.2	3/3/98	3
04	08	surface water	Fluoride	0.367	mg/L	0.1	8/4/98	8
11	08	surface water	Fluoride	0.5	mg/L	0.1	6/1/00	6
10	08	surface water	Fluoride	0.4	mg/L	0.1	3/13/00	3
01	08	surface water	Fluoride	ND	mg/L	0.200	12/9/97	12
09	08	surface water	Fluoride	NS	mg/L	0.2	12/6/99	12
08	08	surface water	Fluoride	NS	mg/L	0.2	9/28/99	9
03	08	surface water	Fluoride	0.331	mg/L	0.2	5/26/98	5
06	08	surface water	Fluoride	0.326	mg/L	0.1	2/10/99	2
07	08	surface water	Fluoride	0.382	mg/L	0.1	5/11/99	5
05	08	surface water	Fluoride	0.354	mg/L	0.1	11/9/98	11
03	08	surface water	Fecal Coliform	30	mpn/100ml	2	5/26/98	5
01	08	surface water	Fecal Coliform	1600	mpn/100ml	2	12/9/97	12
04	08	surface water	Fecal Coliform	280	mpn/100ml	2	8/4/98	8
11	08	surface water	Fecal Coliform	13	MPN/mL	2	6/1/00	6
10	08	surface water	Fecal Coliform	70	MPN/100 ml	2	3/13/00	3
06	08	surface water	Fecal Coliform	17	mpn/100ml	2	2/10/99	2
09	08	surface water	Fecal Coliform	NS	mpn/100ml	2	12/6/99	12
05	08	surface water	Fecal Coliform	70	mpn/100ml	2	11/9/98	11
07	08	surface water	Fecal Coliform	6.9	mpn/100ml	2	5/11/99	5
08	08	surface water	Fecal Coliform	NS	mpn/100ml	2	9/28/99	9
02	08	surface water	Fecal Coliform	110	mpn/100ml	2	3/3/98	3
09	08	surface water	Cyanide (Total)	NS	mg/L	0.005	12/6/99	12
10	08	surface water	Cyanide (Total)	ND	mg/L	0.01	3/13/00	3
11	08	surface water	Cyanide (Total)	NS	mg/L	0.01	6/1/00	6
02	08	surface water	Cyanide (Total)	NS	mg/L	0.005	3/3/98	3
08	08	surface water	Cyanide (Total)	NS	mg/L	.01	9/28/99	9
04	08	surface water	Cyanide (Total)	NS	mg/L	0.005	8/4/98	8
01	08	surface water	Cyanide (Total)	ND	mg/L	0.00500	12/9/97	12

fldRound	fldWell	fldMatrix	fldNewName	fldWellB	fldUnits	fldDL	fldSampleDate	fldSampleMonth
05	08	surface water	Cyanide (Total)	ND	mg/L	0.005	11/9/98	11
06	08	surface water	Cyanide (Total)	NS	mg/L	0.005	2/10/99	2
04	08	surface water	Cyanide (Total)	NS	mg/L	0.005	8/4/98	8
07	08	surface water	Cyanide (Total)	ND	mg/L	0.005	5/11/99	5
06	08	surface water	Cyanide (Total)	NS	mg/L	0.005	2/10/99	2
02	08	surface water	Cyanide (Total)	NS	mg/L	0.005	3/3/98	3
03	08	surface water	Cyanide (Total)	ND	mg/L	0.005	5/26/98	5
09	08	surface water	Cyanide (Total)	NS	mg/L	0.005	12/6/99	12
02	08	surface water	Copper	ND	mg/L	0.02	3/3/98	3
01	08	surface water	Copper	0.01	mg/L	0.00500	12/9/97	12
08	08	surface water	Copper	NS	mg/L	0.02	9/28/99	9
10	08	surface water	Copper	0.009	mg/L	0.005	3/13/00	3
09	08	surface water	Copper	NS	mg/L	0.02	12/6/99	12
07	08	surface water	Copper	ND	mg/L	0.005	5/11/99	5
11	08	surface water	Copper	ND	mg/L	0.005	6/1/00	6
04	08	surface water	Copper	ND	mg/L	0.005	8/4/98	8
03	08	surface water	Copper	ND	mg/L	0.005	5/26/98	5
05	08	surface water	Copper	ND	mg/L	0.005	11/9/98	11
06	08	surface water	Copper	NS	mg/L	0.005	2/10/99	2
03	08	surface water	Conductivity	902	umhos/cm	1	5/26/98	5
11	08	surface water	Conductivity	1,230	mg/L	5	6/1/00	6
08	08	surface water	Conductivity	NS	umhos/cm	10	9/28/99	9
06	08	surface water	Conductivity	1130	umhos/cm	1	2/10/99	2
10	08	surface water	Conductivity	1,090	mg/L	5	3/13/00	3
07	08	surface water	Conductivity	1350	umhos/cm	1	5/11/99	5
09	08	surface water	Conductivity	NS	umhos/cm	10	12/6/99	12
05	08	surface water	Conductivity	1150	umhos/cm	1	11/9/98	11
02	08	surface water	Conductivity	814	umhos/cm	1	3/3/98	3
01	08	surface water	Conductivity	1070	umhos/cm	1.00	12/9/97	12
04	08	surface water	Conductivity	1140	umhos/cm	1	8/4/98	8
11	08	surface water	Chloride	170	mg/L	0.5	6/1/00	6
11	08	surface water	Chloride	170	mg/L	0.5	6/1/00	6
07	08	surface water	Chloride	172	mg/L	1	5/11/99	5
10	08	surface water	Chloride	143	mg/L	0.5	3/13/00	3
10	08	surface water	Chloride	143	mg/L	0.5	3/13/00	3
09	08	surface water	Chloride	NS	mg/L	1	12/6/99	12
08	08	surface water	Chloride	NS	mg/L	1	9/28/99	9
09	08	surface water	Chloride	NS	mg/L	1	12/6/99	12

fldRound	fldWell	fldMatrix	fldNewName	fldWell8	fldUnits	fldDl	fldSampleDate	fldSampleMonth
08	08	surface water	Chloride	NS	mg/L	1	9/28/99	9
03	08	surface water	Chloride	164	mg/L	50	5/26/98	5
04	08	surface water	Chloride	159	mg/L	1	8/4/98	8
06	08	surface water	Chloride	139	mg/L	1	2/10/99	2
01	08	surface water	Chloride	183	mg/L	20.0	12/9/97	12
02	08	surface water	Chloride	105	mg/L	20	3/3/98	3
05	08	surface water	Chloride	160	mg/L	1	11/9/98	11
11	08	surface water	Carbonate	20	mg/L	0.5	6/1/00	6
09	08	surface water	Carbonate	NS	mg/L	2	12/6/99	12
08	08	surface water	Carbonate	NS	mg/L	2	9/28/99	9
10	08	surface water	Carbonate	ND	mg/L	0.5	3/13/00	3
05	08	surface water	Carbonate	3.91	mg/L	0.5	11/9/98	11
07	08	surface water	Carbonate	1.73	mg/L	0.5	5/11/99	5
06	08	surface water	Carbonate	3.61	mg/L	0.5	2/10/99	2
03	08	surface water	Carbonate	2.08	mg/L	0.5	5/26/98	5
01	08	surface water	Carbonate	2.18	mg/L	1.00	12/9/97	12
02	08	surface water	Carbonate	1.5	mg/L	0.5	3/3/98	3
04	08	surface water	Carbonate	4.6	mg/L	0.5	8/4/98	8
11	08	surface water	Calcium	91.3	mg/L	0.1	6/1/00	6
09	08	surface water	Calcium	NS	mg/L	0.5	12/6/99	12
01	08	surface water	Calcium	85.7	mg/L	0.100	12/9/97	12
05	08	surface water	Calcium	88.3	mg/L	0.1	11/9/98	11
04	08	surface water	Calcium	91.6	mg/L	0.1	8/4/98	8
10	08	surface water	Calcium	84.4	mg/L	0.10	3/13/00	3
07	08	surface water	Calcium	94.7	mg/L	0.1	5/11/99	5
02	08	surface water	Calcium	77	mg/L	0.2	3/3/98	3
03	08	surface water	Calcium	72	mg/L	0.1	5/26/98	5
08	08	surface water	Calcium	NS	mg/L	0.5	9/28/99	9
06	08	surface water	Calcium	84.7	mg/L	0.1	2/10/99	2
03	08	surface water	Boron	ND	mg/L	0.5	5/26/98	5
11	08	surface water	Boron	0.2	mg/L	0.1	6/1/00	6
08	08	surface water	Boron	NS	mg/L	0.2	9/28/99	9
09	08	surface water	Boron	NS	mg/L	0.2	12/6/99	12
10	08	surface water	Boron	0.1	mg/L	0.1	3/13/00	3
06	08	surface water	Boron	0.169	mg/L	0.1	2/10/99	2
04	08	surface water	Boron	0.203	mg/L	0.1	8/4/98	8
07	08	surface water	Boron	0.219	mg/L	0.1	5/11/99	5
02	08	surface water	Boron	ND	mg/L	0.5	3/3/98	3

fldRound	fldWell	fldMatrix	fldNewName	fldWell8	fldUnits	fldDL	fldSampleDate	fldSampleMonth
05	08	surface water	Boron	0.202	mg/L	0.1	11/9/98	11
01	08	surface water	Boron	ND	mg/L	0.5	12/9/97	12
06	08	surface water	Biochemical Oxygen Dem	NS	mg/L	2	2/10/99	2
10	08	surface water	Biochemical Oxygen Dem	ND	mg/L	2	3/13/00	3
11	08	surface water	Biochemical Oxygen Dem	NS	mg/L	2	6/1/00	6
05	08	surface water	Biochemical Oxygen Dem	ND	mg/L	2	11/9/98	11
07	08	surface water	Biochemical Oxygen Dem	3.06	mg/L	2	5/11/99	5
09	08	surface water	Biochemical Oxygen Dem	NS	mg/L	2	12/6/99	12
08	08	surface water	Biochemical Oxygen Dem	NS	mg/L	0	9/28/99	9
02	08	surface water	Biochemical Oxygen Dem	NS	mg/L	2	3/3/98	3
01	08	surface water	Biochemical Oxygen Dem	ND	mg/L	2.00	12/9/97	12
03	08	surface water	Biochemical Oxygen Dem	ND	mg/L	2	5/26/98	5
04	08	surface water	Biochemical Oxygen Dem	NS	mg/L	2	8/4/98	8
03	08	surface water	Bicarbonate	164	mg/L	1	5/26/98	5
10	08	surface water	Bicarbonate	156	mg/L	1	3/13/00	3
02	08	surface water	Bicarbonate	126	mg/L	1	3/3/98	3
04	08	surface water	Bicarbonate	186	mg/L	1	8/4/98	8
05	08	surface water	Bicarbonate	158	mg/L	1	11/9/98	11
06	08	surface water	Bicarbonate	188	mg/L	1	2/10/99	2
07	08	surface water	Bicarbonate	231	mg/L	1	5/11/99	5
09	08	surface water	Bicarbonate	NS	mg/L	2	12/6/99	12
01	08	surface water	Bicarbonate	143	mg/L	1.00	12/9/97	12
08	08	surface water	Bicarbonate	NS	mg/L	2	9/28/99	9
11	08	surface water	Bicarbonate	164	mg/L	1	6/1/00	6
06	08	surface water	Arsenic	NS	mg/L	0.025	2/10/99	2
09	08	surface water	Arsenic	NS	mg/L	0.005	12/6/99	12
04	08	surface water	Arsenic	ND	mg/L	0.025	8/4/98	8
10	08	surface water	Arsenic	ND	mg/L	0.025	3/13/00	3
02	08	surface water	Arsenic	ND	mg/L	0.01	3/3/98	3
08	08	surface water	Arsenic	NS	mg/L	0.005	9/28/99	9
05	08	surface water	Arsenic	ND	mg/L	0.025	11/9/98	11
07	08	surface water	Arsenic	ND	mg/L	0.025	5/11/99	5
01	08	surface water	Arsenic	ND	mg/L	0.0250	12/9/97	12
03	08	surface water	Arsenic	ND	mg/L	0.025	5/26/98	5
11	08	surface water	Arsenic	ND	mg/L	0.025	6/1/00	6
09	08	surface water	Aluminum	NS	mg/L	0.1	12/6/99	12
08	08	surface water	Aluminum	NS	mg/L	0.1	9/28/99	9
04	08	surface water	Alkalinity (CaCO3)	191	mg/L	1	8/4/98	8

fldRound	fldWell	fldMatrix	fldNewName	fldWell8	fldUnits	fldDL	fldSampleDate	fldSampleMon
10	08	surface water	Alkalinity (CaCO3)	156	mg/L	1	3/13/00	3
07	08	surface water	Alkalinity (CaCO3)	233	mg/L	1	5/11/99	5
05	08	surface water	Alkalinity (CaCO3)	162	mg/L	1	11/9/98	11
06	08	surface water	Alkalinity (CaCO3)	192	mg/L	1	2/10/99	2
09	08	surface water	Alkalinity (CaCO3)	NS	mg/L	2	12/6/99	12
03	08	surface water	Alkalinity (CaCO3)	166	mg/L	1	5/26/98	5
02	08	surface water	Alkalinity (CaCO3)	128	mg/L	1	3/3/98	3
08	08	surface water	Alkalinity (CaCO3)	NS	mg/L	2	9/28/99	9
11	08	surface water	Alkalinity (CaCO3)	184	mg/L	1	6/1/00	6
01	08	surface water	Alkalinity (CaCO3)	145	mg/L	1.00	12/9/97	12