

Sandia Creek 9-37

311

qry_SW02

Sandia

8/6/01

fIdRound	fIdWell	fIdMatrix	fIdNewName	fIdWell2	fIdUnits	fIdDL	fIdSampleDate	fIdSampleMont
03	02	surface water	Zinc	ND	mg/L	0.01	5/26/98	5
09	02	surface water	Zinc	ND	mg/L	0.03	12/6/99	12
08	02	surface water	Zinc	ND	mg/L	0.02	9/28/99	9
01	02	surface water	Zinc	0.017	mg/L	0.0100	12/9/97	12
06	02	surface water	Zinc	0.0111	mg/L	0.01	2/10/99	2
10	02	surface water	Zinc	ND	mg/L	0.01	3/7/00	3
11	02	surface water	Zinc	ND	mg/L	0.01	6/1/00	6
02	02	surface water	Zinc	ND	mg/L	0.03	3/3/98	3
07	02	surface water	Zinc	ND	mg/L	0.02	5/11/99	5
05	02	surface water	Zinc	ND	mg/L	0.01	11/9/98	11
04	02	surface water	Zinc	ND	mg/L	0.01	8/4/98	8
11	02	surface water	Total Organic Carbon	6.0	mg/L	0.5	6/1/00	6
10	02	surface water	Total Organic Carbon	5.6	mg/L	0.1	3/7/00	3
05	02	surface water	Total Organic Carbon	2.66	mg/L	1	11/9/98	11
01	02	surface water	Total Organic Carbon	4.27	mg/L	1.00	12/9/97	12
09	02	surface water	Total Organic Carbon	0.5	mg/L	0.5	12/6/99	12
07	02	surface water	Total Organic Carbon	1.5	mg/L	1	5/11/99	5
06	02	surface water	Total Organic Carbon	1.53	mg/L	1	2/10/99	2
04	02	surface water	Total Organic Carbon	1.66	mg/L	1	8/4/98	8
03	02	surface water	Total Organic Carbon	3.03	mg/L	1	5/26/98	5
02	02	surface water	Total Organic Carbon	5.04	mg/L	1	3/3/98	3
08	02	surface water	Total Organic Carbon	1.5	mg/L	0.5	9/28/99	9
05	02	surface water	Total Dissolved Solids	925	mg/L	10	11/9/98	11
11	02	surface water	Total Dissolved Solids	1,030	mg/L	5	6/1/00	6
03	02	surface water	Total Dissolved Solids	814	mg/L	10	5/26/98	5
02	02	surface water	Total Dissolved Solids	786	mg/L	10	3/3/98	3
01	02	surface water	Total Dissolved Solids	1010	mg/L	10.0	12/9/97	12
07	02	surface water	Total Dissolved Solids	879	mg/L	10	5/11/99	5
06	02	surface water	Total Dissolved Solids	854	mg/L	10	2/10/99	2
09	02	surface water	Total Dissolved Solids	908	mg/L	10	12/6/99	12
08	02	surface water	Total Dissolved Solids	913	mg/L	10	9/28/99	9
10	02	surface water	Total Dissolved Solids	966	mg/L	5	3/7/00	3
04	02	surface water	Total Dissolved Solids	850	mg/L	10	8/4/98	8
05	02	surface water	Total Coliform	>1600	mpn/100ml	2	11/9/98	11
02	02	surface water	Total Coliform	>1600	mpn/100ml	2	3/3/98	3
06	02	surface water	Total Coliform	500	mpn/100ml	2	2/10/99	2
03	02	surface water	Total Coliform	1600	mpn/100ml	2	5/26/98	5
01	02	surface water	Total Coliform	>1600	mpn/100ml	2	12/9/97	12
08	02	surface water	Total Coliform	300	mpn/100ml	2	9/28/99	9

fldRound	fldWell	fldMatrix	fldNewName	fldWell2	fldUnits	fldDL	fldSampleDate	fldSampleMont
09	02	surface water	Total Coliform	900	mpn/100ml	2	12/6/99	12
04	02	surface water	Total Coliform	>1600	mpn/100ml	2	8/4/98	8
07	02	surface water	Total Coliform	>23	mpn/100ml	2	5/11/99	5
11	02	surface water	Total Coliform	240	MPN/100 m	2	6/1/00	6
10	02	surface water	Total Coliform	>1,600	MPN/100 m	3.0	3/7/00	3
07	02	surface water	Surfactants (MBAS)	0.116	mg/L	0.1	5/11/99	5
05	02	surface water	Surfactants (MBAS)	ND	mg/L	0.1	11/9/98	11
04	02	surface water	Surfactants (MBAS)	ND	mg/L	0.1	8/4/98	8
02	02	surface water	Surfactants (MBAS)	ND	mg/L	0.1	3/3/98	3
03	02	surface water	Surfactants (MBAS)	ND	mg/L	0.1	5/26/98	5
01	02	surface water	Surfactants (MBAS)	ND	mg/L	0.100	12/9/97	12
06	02	surface water	Surfactants (MBAS)	NS	mg/L	0.1	2/10/99	2
10	02	surface water	Surfactants (MBAS)	ND	mg/L	0.03	3/7/00	3
09	02	surface water	Surfactants (MBAS)	ND	mg/L	0.05	12/6/99	12
08	02	surface water	Surfactants (MBAS)	ND	mg/L	0.05	9/28/99	9
11	02	surface water	Surfactants (MBAS)	ND	mg/L	0.03	6/1/00	6
02	02	surface water	Sulfate	222	mg/L	4	3/3/98	3
07	02	surface water	Sulfate	262	mg/L	50	5/11/99	5
11	02	surface water	Sulfate	273	mg/L	5	6/1/00	6
10	02	surface water	Sulfate	262	mg/L	5	3/7/00	3
09	02	surface water	Sulfate	224	mg/L	10	12/6/99	12
04	02	surface water	Sulfate	265	mg/L	50	8/4/98	8
01	02	surface water	Sulfate	239	mg/L	20.0	12/9/97	12
06	02	surface water	Sulfate	240	mg/L	5	2/10/99	2
05	02	surface water	Sulfate	296	mg/L	5	11/9/98	11
03	02	surface water	Sulfate	249	mg/L	50	5/26/98	5
08	02	surface water	Sulfate	218	mg/L	10	9/28/99	9
11	02	surface water	Sodium	95.1	mg/L	0.25	6/1/00	6
03	02	surface water	Sodium	87.5	mg/L	0.3	5/26/98	5
01	02	surface water	Sodium	96.7	mg/L	0.300	12/9/97	12
04	02	surface water	Sodium	96.4	mg/L	0.3	8/4/98	8
05	02	surface water	Sodium	98.3	mg/L	0.3	11/9/98	11
07	02	surface water	Sodium	87.8	mg/L	0.3	5/11/99	5
10	02	surface water	Sodium	96.0	mg/L	0.25	3/7/00	3
09	02	surface water	Sodium	93.3	mg/L	0.5	12/6/99	12
02	02	surface water	Sodium	99	mg/L	4	3/3/98	3
08	02	surface water	Sodium	87.2	mg/L	0.3	9/28/99	9
06	02	surface water	Sodium	90.3	mg/L	0.3	2/10/99	2
08	02	surface water	Potassium	3.6	mg/L	1.0	9/28/99	9

fldRound	fldWell	fldMatrix	fldNewName	fldWell2	fldUnits	fldDL	fldSampleDate	fldSampleMont
07	02	surface water	Potassium	2.47	mg/L	1	5/11/99	5
02	02	surface water	Potassium	3	mg/L	2	3/3/98	3
09	02	surface water	Potassium	2.8	mg/L	1.0	12/6/99	12
01	02	surface water	Potassium	3.35	mg/L	0.300	12/9/97	12
03	02	surface water	Potassium	3.09	mg/L	0.3	5/26/98	5
04	02	surface water	Potassium	3.08	mg/L	0.3	8/4/98	8
05	02	surface water	Potassium	3.35	mg/L	0.3	11/9/98	11
06	02	surface water	Potassium	2.72	mg/L	1	2/10/99	2
11	02	surface water	Potassium	3.3	mg/L	0.5	6/1/00	6
10	02	surface water	Potassium	3.4	mg/L	0.5	3/7/00	3
02	02	surface water	Phosphorus	0.225	mg/L	0.01	3/3/98	3
03	02	surface water	Phosphorus	0.014	mg/L	0.01	5/26/98	5
04	02	surface water	Phosphorus	0.03	mg/L	0.01	8/4/98	8
06	02	surface water	Phosphorus	NS	mg/L	0.01	2/10/99	2
05	02	surface water	Phosphorus	ND	mg/L	0.01	11/9/98	11
07	02	surface water	Phosphorus	0.022	mg/L	0.01	5/11/99	5
01	02	surface water	Phosphorus	0.063	mg/L	0.01	12/9/97	12
06	02	surface water	Phosphate	NS	mg/L	0.3	2/10/99	2
09	02	surface water	Phosphate	ND	mg/L	0.3	12/6/99	12
08	02	surface water	Phosphate	ND	mg/L	0.3	9/28/99	9
07	02	surface water	Phosphate	NS	mg/L	0.3	5/11/99	5
10	02	surface water	Phosphate	0.8	mg/L	0.30	3/7/00	3
03	02	surface water	Phosphate	NS	mg/L	0.3	5/26/98	5
02	02	surface water	Phosphate	NS	mg/L	0.3	3/3/98	3
11	02	surface water	Phosphate	ND	mg/L	0.30	6/1/00	6
04	02	surface water	Phosphate	NS	mg/L	0.3	8/4/98	8
05	02	surface water	Phosphate	NS	mg/L	0.3	11/9/98	11
01	02	surface water	Phosphate	NS	mg/L	0.3	12/9/97	12
01	02	surface water	pH	8.21	pH units	2.0-12.5	12/9/97	12
03	02	surface water	pH	8.13	pH units	2.5-12.0	5/26/98	5
02	02	surface water	pH	8.2	pH units	2.0-12.5	3/3/98	3
10	02	surface water	pH	8.28	mg/L	0.01	3/7/00	3
04	02	surface water	pH	8.15	pH units	2.5-12.0	8/4/98	8
09	02	surface water	pH	8.14	pH units	1.00	12/6/99	12
06	02	surface water	pH	8.33	pH units		2/10/99	2
11	02	surface water	pH	7.36	mg/L	0.01	6/1/00	6
10	02	surface water	pH	8.28	mg/L	0.01	3/7/00	3
08	02	surface water	pH	8.32	pH units	1.00	9/28/99	9
08	02	surface water	pH	8.32	pH units	1.00	9/28/99	9

fldRound	fldWell	fldMatrix	fldNewName	fldWell2	fldUnits	fldDL	fldSampleDate	fldSampleMont
11	02	surface water	pH	7.36	mg/L	0.01	6/1/00	6
09	02	surface water	pH	8.14	pH units	1.00	12/6/99	12
07	02	surface water	pH	8.24	pH units	2.5-12.0	5/11/99	5
07	02	surface water	Oil and Grease	ND	mg/L	1.01	5/11/99	5
08	02	surface water	Oil and Grease	ND	mg/L	1.0	9/28/99	9
11	02	surface water	Oil and Grease	ND	mg/L	0.5	6/1/00	6
03	02	surface water	Oil and Grease	ND	mg/L	0.971	5/26/98	5
11	02	surface water	Oil and Grease	ND	mg/L	0.5	6/1/00	6
09	02	surface water	Oil and Grease	ND	mg/L	1.0	12/6/99	12
05	02	surface water	Oil and Grease	ND	mg/L	1	11/9/98	11
06	02	surface water	Oil and Grease	NS	mg/L	1	2/10/99	2
10	02	surface water	Oil and Grease	ND	mg/L	0.5	3/7/00	3
10	02	surface water	Oil and Grease	ND	mg/L	0.5	3/7/00	3
02	02	surface water	Oil and Grease	ND	mg/L	0.971	3/3/98	3
04	02	surface water	Oil and Grease	ND	mg/L	1.35	8/4/98	8
09	02	surface water	Oil and Grease	ND	mg/L	1.0	12/6/99	12
01	02	surface water	Oil and Grease	ND	mg/L	1.23	12/9/97	12
08	02	surface water	Oil and Grease	ND	mg/L	1.0	9/28/99	9
10	02	surface water	Nitrogen	0.1	mg/L	0.05	3/7/00	3
07	02	surface water	Nitrogen	0.507	mg/L	0.4	5/11/99	5
05	02	surface water	Nitrogen	0.781	mg/L	0.1	11/9/98	11
06	02	surface water	Nitrogen	NS	mg/L	0.1	2/10/99	2
04	02	surface water	Nitrogen	NS	mg/L	0.1	8/4/98	8
09	02	surface water	Nitrogen	NS	mg/L	0.1	12/6/99	12
03	02	surface water	Nitrogen	ND	mg/Kg	0.5	5/26/98	5
02	02	surface water	Nitrogen	NS	mg/L	0.1	3/3/98	3
06	02	surface water	Nitrogen	NS	mg/L	0.1	2/10/99	2
02	02	surface water	Nitrogen	NS	mg/L	0.1	3/3/98	3
08	02	surface water	Nitrogen	0.8	mg/L	0.1	9/28/99	9
06	02	surface water	Nitrogen	NS	mg/L	0.1	2/10/99	2
04	02	surface water	Nitrogen	NS	mg/L	0.1	8/4/98	8
09	02	surface water	Nitrogen	NS	mg/L	0.1	12/6/99	12
01	02	surface water	Nitrogen	0.38	mg/L	0.100	12/9/97	12
04	02	surface water	Nitrogen	NS	mg/L	0.1	8/4/98	8
02	02	surface water	Nitrogen	NS	mg/L	0.1	3/3/98	3
09	02	surface water	Nitrite	ND	mg/L	0.02	12/6/99	12
08	02	surface water	Nitrite	ND	mg/L	0.02	9/28/99	9
10	02	surface water	Nitrate-N	30.1	mg/L	0.05	3/7/00	3
07	02	surface water	Nitrate-N	2.77	mg/L	0.2	5/11/99	5

fldRound	fldWell	fldMatrix	fldNewName	fldWell2	fldUnits	fldDL	fldSampleDate	fldSampleMont
06	02	surface water	Nitrate-N	5.15	mg/L	0.05	2/10/99	2
09	02	surface water	Nitrate-N	2.6	mg/L	0.1	12/6/99	12
03	02	surface water	Nitrate-N	5.56	mg/L	0.5	5/26/98	5
08	02	surface water	Nitrate-N	2.4	mg/L	0.1	9/28/99	9
02	02	surface water	Nitrate-N	7.63	mg/L	2	3/3/98	3
11	02	surface water	Nitrate-N	5.0	mg/L	0.05	6/1/00	6
01	02	surface water	Nitrate-N	4.92	mg/L	1.00	12/9/97	12
04	02	surface water	Nitrate-N	4.36	mg/L	0.25	8/4/98	8
05	02	surface water	Nitrate-N	5.33	mg/L	0.05	11/9/98	11
09	02	surface water	Mercury	NS	mg/L	0.0002	12/6/99	12
01	02	surface water	Mercury	ND	mg/L	0.000200	12/9/97	12
11	02	surface water	Mercury	NS	mg/L	0.0002	6/1/00	6
10	02	surface water	Mercury	ND	mg/L	0.0002	3/7/00	3
03	02	surface water	Mercury	ND	mg/L	0.0002	5/26/98	5
08	02	surface water	Mercury	ND	mg/L	0.0002	9/28/99	9
06	02	surface water	Mercury	NS	mg/L	0.0002	2/10/99	2
04	02	surface water	Mercury	NS	mg/L	0.0002	8/4/98	8
07	02	surface water	Mercury	ND	mg/L	0.0002	5/11/99	5
02	02	surface water	Mercury	NS	mg/L	0.0002	3/3/98	3
05	02	surface water	Mercury	ND	mg/L	0.0002	11/9/98	11
08	02	surface water	Manganese	ND	mg/L	0.01	9/28/99	9
09	02	surface water	Manganese	0.03	mg/L	0.01	12/6/99	12
02	02	surface water	Manganese	0.12	mg/L	0.01	3/3/98	3
01	02	surface water	Manganese	0.051	mg/L	0.0100	12/9/97	12
05	02	surface water	Manganese	0.0282	mg/L	0.01	11/9/98	11
07	02	surface water	Manganese	ND	mg/L	0.01	5/11/99	5
06	02	surface water	Manganese	0.0118	mg/L	0.01	2/10/99	2
03	02	surface water	Manganese	0.028	mg/L	0.01	5/26/98	5
11	02	surface water	Manganese	ND	mg/L	0.005	6/1/00	6
10	02	surface water	Manganese	0.03	mg/L	0.005	3/7/00	3
04	02	surface water	Manganese	0.0153	mg/L	0.01	8/4/98	8
01	02	surface water	Magnesium	61.9	mg/L	0.200	12/9/97	12
09	02	surface water	Magnesium	54.0	mg/L	0.5	12/6/99	12
06	02	surface water	Magnesium	52	mg/L	0.2	2/10/99	2
08	02	surface water	Magnesium	47.5	mg/L	0.2	9/28/99	9
03	02	surface water	Magnesium	50.6	mg/L	0.2	5/26/98	5
11	02	surface water	Magnesium	54.7	mg/L	0.2	6/1/00	6
02	02	surface water	Magnesium	48	mg/L	0.1	3/3/98	3
04	02	surface water	Magnesium	52.5	mg/L	0.2	8/4/98	8

fldRound	fldWell	fldMatrix	fldNewName	fldWell2	fldUnits	fldDL	fldSampleDate	fldSampleMont
10	02	surface water	Magnesium	53.8	mg/L	0.20	3/7/00	3
05	02	surface water	Magnesium	55	mg/L	0.2	11/9/98	11
07	02	surface water	Magnesium	51.6	mg/L	0.2	5/11/99	5
01	02	surface water	Lead	ND	mg/L	0.0200	12/9/97	12
05	02	surface water	Lead	ND	mg/L	0.001	11/9/98	11
06	02	surface water	Lead	NS	mg/L	0.001	2/10/99	2
07	02	surface water	Lead	ND	mg/L	0.001	5/11/99	5
04	02	surface water	Lead	ND	mg/L	0.001	8/4/98	8
03	02	surface water	Lead	ND	mg/L	0.001	5/26/98	5
10	02	surface water	Lead	0.011	mg/L	0.005	3/7/00	3
08	02	surface water	Lead	ND	mg/L	0.005	9/28/99	9
11	02	surface water	Lead	ND	mg/L	0.005	6/1/00	6
09	02	surface water	Lead	ND	mg/L	0.05	12/6/99	12
02	02	surface water	Lead	ND	mg/L	0.015	3/3/98	3
01	02	surface water	Iron	0.257	mg/L	0.0500	12/9/97	12
07	02	surface water	Iron	ND	mg/L	0.05	5/11/99	5
06	02	surface water	Iron	0.336	mg/L	0.05	2/10/99	2
11	02	surface water	Iron	ND	mg/L	0.03	6/1/00	6
05	02	surface water	Iron	0.451	mg/L	0.05	11/9/98	11
03	02	surface water	Iron	0.765	mg/L	0.05	5/26/98	5
04	02	surface water	Iron	0.103	mg/L	0.05	8/4/98	8
10	02	surface water	Iron	ND	mg/L	0.03	3/7/00	3
09	02	surface water	Iron	0.06	mg/L	0.05	12/6/99	12
02	02	surface water	Iron	5.5	mg/L	0.1	3/3/98	3
08	02	surface water	Iron	ND	mg/L	0.05	9/28/99	9
05	02	surface water	Hydroxide	ND	mg/L	0.5	11/9/98	11
01	02	surface water	Hydroxide	ND	mg/L	1.00	12/9/97	12
10	02	surface water	Hydroxide	ND	mg/L	0.5	3/7/00	3
03	02	surface water	Hydroxide	ND	mg/L	0.5	5/26/98	5
04	02	surface water	Hydroxide	ND	mg/L	0.5	8/4/98	8
09	02	surface water	Hydroxide	ND	mg/L	2	12/6/99	12
08	02	surface water	Hydroxide	ND	mg/L	0.5	9/28/99	9
06	02	surface water	Hydroxide	NS	mg/L	0.5	2/10/99	2
02	02	surface water	Hydroxide	ND	mg/L	0.5	3/3/98	3
07	02	surface water	Hydroxide	ND	mg/L	0.5	5/11/99	5
11	02	surface water	Hydroxide	ND	mg/L	0.5	6/1/00	6
06	02	surface water	Hardness (CaCO3)	559	mg/L	1	2/10/99	2
07	02	surface water	Hardness (CaCO3)	466	mg/L	2	5/11/99	5
05	02	surface water	Hardness (CaCO3)	551	mg/L	1	11/9/98	11

fldRound	fldWell	fldMatrix	fldNewName	fldWell2	fldUnits	fldDL	fldSampleDate	fldSampleMont
04	02	surface water	Hardness (CaCO3)	525	mg/L	5	8/4/98	8
01	02	surface water	Hardness (CaCO3)	555	mg/L	10.0	12/9/97	12
02	02	surface water	Hardness (CaCO3)	442	mg/L	10	3/3/98	3
10	02	surface water	Hardness (CaCO3)	554	mg/L	1	3/7/00	3
09	02	surface water	Hardness (CaCO3)	514	mg/L	2	12/6/99	12
08	02	surface water	Hardness (CaCO3)	506	mg/L	2	9/28/99	9
03	02	surface water	Hardness (CaCO3)	442	mg/L	5	5/26/98	5
11	02	surface water	Hardness (CaCO3)	542	mg/L	1	6/1/00	6
08	02	surface water	Fluoride	0.4	mg/L	0.1	9/28/99	9
10	02	surface water	Fluoride	0.4	mg/L	0.1	3/7/00	3
07	02	surface water	Fluoride	0.285	mg/L	0.1	5/11/99	5
04	02	surface water	Fluoride	0.307	mg/L	0.1	8/4/98	8
11	02	surface water	Fluoride	0.6	mg/L	0.1	6/1/00	6
09	02	surface water	Fluoride	0.4	mg/L	0.2	12/6/99	12
03	02	surface water	Fluoride	0.316	mg/L	0.2	5/26/98	5
01	02	surface water	Fluoride	ND	mg/L	0.200	12/9/97	12
06	02	surface water	Fluoride	0.283	mg/L	0.1	2/10/99	2
05	02	surface water	Fluoride	0.298	mg/L	0.1	11/9/98	11
02	02	surface water	Fluoride	0.273	mg/L	0.2	3/3/98	3
09	02	surface water	Fecal Coliform	2	mpn/100ml	2	12/6/99	12
05	02	surface water	Fecal Coliform	1600	mpn/100ml	2	11/9/98	11
08	02	surface water	Fecal Coliform	130	mpn/100ml	2	9/28/99	9
03	02	surface water	Fecal Coliform	220	mpn/100ml	2	5/26/98	5
07	02	surface water	Fecal Coliform	>23	mpn/100ml	2	5/11/99	5
06	02	surface water	Fecal Coliform	220	mpn/100ml	2	2/10/99	2
01	02	surface water	Fecal Coliform	300	mpn/100ml	2	12/9/97	12
02	02	surface water	Fecal Coliform	110	mpn/100ml	2	3/3/98	3
11	02	surface water	Fecal Coliform	50	MPN/mL	2	6/1/00	6
10	02	surface water	Fecal Coliform	1,600	MPN/100 m	2	3/7/00	3
04	02	surface water	Fecal Coliform	170	mpn/100ml	2	8/4/98	8
06	02	surface water	Cyanide (Total)	NS	mg/L	0.005	2/10/99	2
06	02	surface water	Cyanide (Total)	NS	mg/L	0.005	2/10/99	2
04	02	surface water	Cyanide (Total)	NS	mg/L	0.005	8/4/98	8
11	02	surface water	Cyanide (Total)	NS	mg/L	0.01	6/1/00	6
09	02	surface water	Cyanide (Total)	NS	mg/L	0.005	12/6/99	12
04	02	surface water	Cyanide (Total)	NS	mg/L	0.005	8/4/98	8
01	02	surface water	Cyanide (Total)	ND	mg/L	0.00500	12/9/97	12
02	02	surface water	Cyanide (Total)	NS	mg/L	0.005	3/3/98	3
09	02	surface water	Cyanide (Total)	NS	mg/L	0.005	12/6/99	12

fIdRound	fIdWell	fIdMatrix	fIdNewName	fIdWell2	fIdUnits	fIdDL	fIdSampleDate	fIdSampleMont
03	02	surface water	Cyanide (Total)	ND	mg/L	0.005	5/26/98	5
05	02	surface water	Cyanide (Total)	ND	mg/L	0.005	11/9/98	11
07	02	surface water	Cyanide (Total)	ND	mg/L	0.005	5/11/99	5
08	02	surface water	Cyanide (Total)	ND	mg/L	0.01	9/28/99	9
10	02	surface water	Cyanide (Total)	ND	mg/L	0.01	3/7/00	3
02	02	surface water	Cyanide (Total)	NS	mg/L	0.005	3/3/98	3
09	02	surface water	Copper	0.03	mg/L	0.02	12/6/99	12
08	02	surface water	Copper	ND	mg/L	0.005	9/28/99	9
05	02	surface water	Copper	ND	mg/L	0.005	11/9/98	11
02	02	surface water	Copper	ND	mg/L	0.02	3/3/98	3
04	02	surface water	Copper	ND	mg/L	0.005	8/4/98	8
11	02	surface water	Copper	ND	mg/L	0.005	6/1/00	6
03	02	surface water	Copper	ND	mg/L	0.005	5/26/98	5
06	02	surface water	Copper	NS	mg/L	0.005	2/10/99	2
01	02	surface water	Copper	ND	mg/L	0.00500	12/9/97	12
07	02	surface water	Copper	ND	mg/L	0.005	5/11/99	5
10	02	surface water	Copper	ND	mg/L	0.005	3/7/00	3
09	02	surface water	Conductivity	1430	umhos/cm	10	12/6/99	12
05	02	surface water	Conductivity	1370	umhos/cm	1	11/9/98	11
06	02	surface water	Conductivity	1300	umhos/cm	1	2/10/99	2
07	02	surface water	Conductivity	1360	umhos/cm	1	5/11/99	5
11	02	surface water	Conductivity	1,490	mg/L	5	6/1/00	6
10	02	surface water	Conductivity	1,520	mg/L	5	3/7/00	3
08	02	surface water	Conductivity	1430	umhos/cm	10	9/28/99	9
04	02	surface water	Conductivity	1290	umhos/cm	1	8/4/98	8
01	02	surface water	Conductivity	1620	umhos/cm	1.00	12/9/97	12
02	02	surface water	Conductivity	1155	umhos/cm	1	3/3/98	3
03	02	surface water	Conductivity	1150	umhos/cm	1	5/26/98	5
11	02	surface water	Chloride	230	mg/L	0.5	6/1/00	6
01	02	surface water	Chloride	267	mg/L	20.0	12/9/97	12
02	02	surface water	Chloride	158	mg/L	20	3/3/98	3
06	02	surface water	Chloride	179	mg/L	1	2/10/99	2
08	02	surface water	Chloride	219	mg/L	1	9/28/99	9
09	02	surface water	Chloride	215	mg/L	1	12/6/99	12
05	02	surface water	Chloride	192	mg/L	1	11/9/98	11
11	02	surface water	Chloride	230	mg/L	0.5	6/1/00	6
10	02	surface water	Chloride	224	mg/L	0.5	3/7/00	3
09	02	surface water	Chloride	215	mg/L	1	12/6/99	12
10	02	surface water	Chloride	224	mg/L	0.5	3/7/00	3


fIdRound	fIdWell	fIdMatrix	fIdNewName	fIdWell2	fIdUnits	fIdDL	fIdSampleDate	fIdSampleMont
04	02	surface water	Chloride	227	mg/L	1	8/4/98	8
03	02	surface water	Chloride	225	mg/L	50	5/26/98	5
08	02	surface water	Chloride	219	mg/L	1	9/28/99	9
07	02	surface water	Chloride	175	mg/L	1	5/11/99	5
04	02	surface water	Carbonate	2.32	mg/L	0.5	8/4/98	8
02	02	surface water	Carbonate	1.98	mg/L	0.5	3/3/98	3
03	02	surface water	Carbonate	1.99	mg/L	0.5	5/26/98	5
07	02	surface water	Carbonate	1.77	mg/L	0.5	5/11/99	5
05	02	surface water	Carbonate	2.32	mg/L	0.5	11/9/98	11
10	02	surface water	Carbonate	ND	mg/L	0.5	3/7/00	3
11	02	surface water	Carbonate	20	mg/L	0.5	6/1/00	6
08	02	surface water	Carbonate	20	mg/L	0.5	9/28/99	9
09	02	surface water	Carbonate	12	mg/L	2	12/6/99	12
01	02	surface water	Carbonate	2.83	mg/L	1.00	12/9/97	12
06	02	surface water	Carbonate	3.71	mg/L	0.5	2/10/99	2
09	02	surface water	Calcium	114	mg/L	0.5	12/6/99	12
08	02	surface water	Calcium	99.1	mg/L	0.1	9/28/99	9
03	02	surface water	Calcium	95.3	mg/L	0.1	5/26/98	5
01	02	surface water	Calcium	141	mg/L	0.100	12/9/97	12
04	02	surface water	Calcium	108	mg/L	0.1	8/4/98	8
05	02	surface water	Calcium	112	mg/L	0.1	11/9/98	11
06	02	surface water	Calcium	104	mg/L	0.1	2/10/99	2
10	02	surface water	Calcium	110	mg/L	0.10	3/7/00	3
02	02	surface water	Calcium	110	mg/L	0.2	3/3/98	3
07	02	surface water	Calcium	108	mg/L	0.1	5/11/99	5
11	02	surface water	Calcium	112	mg/L	0.1	6/1/00	6
04	02	surface water	Boron	0.161	mg/L	0.1	8/4/98	8
03	02	surface water	Boron	ND	mg/L	0.5	5/26/98	5
10	02	surface water	Boron	0.1	mg/L	0.1	3/7/00	3
05	02	surface water	Boron	0.197	mg/L	0.1	11/9/98	11
06	02	surface water	Boron	0.141	mg/L	0.1	2/10/99	2
01	02	surface water	Boron	ND	mg/L	0.5	12/9/97	12
09	02	surface water	Boron	ND	mg/L	0.2	12/6/99	12
08	02	surface water	Boron	0.1	mg/L	0.1	9/28/99	9
02	02	surface water	Boron	ND	mg/L	0.5	3/3/98	3
11	02	surface water	Boron	0.2	mg/L	0.1	6/1/00	6
07	02	surface water	Boron	ND	mg/L	0.1	5/11/99	5
01	02	surface water	Biochemical Oxygen Dem	ND	mg/L	2.00	12/9/97	12
11	02	surface water	Biochemical Oxygen Dem	NS	mg/L	2	6/1/00	6

fldRound	fldWell	fldMatrix	fldNewName	fldWell2	fldUnits	fldDL	fldSampleDate	fldSampleMont
04	02	surface water	Biochemical Oxygen Dem	NS	mg/L	2	8/4/98	8
10	02	surface water	Biochemical Oxygen Dem	ND	mg/L	2	3/7/00	3
05	02	surface water	Biochemical Oxygen Dem	ND	mg/L	2	11/9/98	11
02	02	surface water	Biochemical Oxygen Dem	NS	mg/L	2	3/3/98	3
08	02	surface water	Biochemical Oxygen Dem	ND	mg/L	2	9/28/99	9
03	02	surface water	Biochemical Oxygen Dem	ND	mg/L	2	5/26/98	5
09	02	surface water	Biochemical Oxygen Dem	NS	mg/L	2	12/6/99	12
07	02	surface water	Biochemical Oxygen Dem	ND	mg/L	2	5/11/99	5
06	02	surface water	Biochemical Oxygen Dem	NS	mg/L	2	2/10/99	2
04	02	surface water	Bicarbonate	175	mg/L	1	8/4/98	8
07	02	surface water	Bicarbonate	164	mg/L	1	5/11/99	5
02	02	surface water	Bicarbonate	133	mg/L	1	3/3/98	3
09	02	surface water	Bicarbonate	156	mg/L	2	12/6/99	12
01	02	surface water	Bicarbonate	151	mg/L	1.00	12/9/97	12
06	02	surface water	Bicarbonate	168	mg/L	1	2/10/99	2
03	02	surface water	Bicarbonate	157	mg/L	1	5/26/98	5
11	02	surface water	Bicarbonate	146	mg/L	1	6/1/00	6
08	02	surface water	Bicarbonate	140	mg/L	1	9/28/99	9
10	02	surface water	Bicarbonate	158	mg/L	1	3/7/00	3
05	02	surface water	Bicarbonate	156	mg/L	1	11/9/98	11
10	02	surface water	Arsenic	ND	mg/L	0.025	3/7/00	3
02	02	surface water	Arsenic	ND	mg/L	0.01	3/3/98	3
06	02	surface water	Arsenic	NS	mg/L	0.025	2/10/99	2
04	02	surface water	Arsenic	ND	mg/L	0.025	8/4/98	8
01	02	surface water	Arsenic	ND	mg/L	0.0250	12/9/97	12
09	02	surface water	Arsenic	ND	mg/L	0.005	12/6/99	12
08	02	surface water	Arsenic	ND	mg/L	0.025	9/28/99	9
07	02	surface water	Arsenic	ND	mg/L	0.025	5/11/99	5
03	02	surface water	Arsenic	ND	mg/L	0.025	5/26/98	5
05	02	surface water	Arsenic	ND	mg/L	0.025	11/9/98	11
11	02	surface water	Arsenic	ND	mg/L	0.025	6/1/00	6
09	02	surface water	Aluminum	0.2	mg/L	0.1	12/6/99	12
01	02	surface water	Alkalinity (CaCO3)	154	mg/L	1.00	12/9/97	12
04	02	surface water	Alkalinity (CaCO3)	177	mg/L	1	8/4/98	8
03	02	surface water	Alkalinity (CaCO3)	159	mg/L	1	5/26/98	5
02	02	surface water	Alkalinity (CaCO3)	135	mg/L	1	3/3/98	3
11	02	surface water	Alkalinity (CaCO3)	166	mg/L	1	6/1/00	6
06	02	surface water	Alkalinity (CaCO3)	172	mg/L	1	2/10/99	2
05	02	surface water	Alkalinity (CaCO3)	158	mg/L	1	11/9/98	11

fIdRound	fIdWell	fIdMatrix	fIdNewName	fIdWell2	fIdUnits	fIdDL	fIdSampleDate	fIdSampleMont
07	02	surface water	Alkalinity (CaCO3)	166	mg/L	1	5/11/99	5
09	02	surface water	Alkalinity (CaCO3)	168	mg/L	2	12/6/99	12
08	02	surface water	Alkalinity (CaCO3)	160	mg/L	1	9/28/99	9
10	02	surface water	Alkalinity (CaCO3)	158	mg/L	1	3/7/00	3

Sandia Creek near Fallbrook

Sandia Creek



Sandia Creek near Fallbrook

