

7-36

(LAWCANDALL)

312

qry\_SW05

Munich

8/6/01

MARIETA CREEK

fldRound	fldWell	fldMatrix	fldNewName	fldWell5	fldUnits	fldDL	fldSampleDate	fldSampleMont
05	05	surface water	Zinc	0.216	mg/L	0.01	11/9/98	11
10	05	surface water	Zinc	ND	mg/L	0.01	3/7/00	3
11	05	surface water	Zinc	ND	mg/L	0.01	6/1/00	6
09	05	surface water	Zinc	ND	mg/L	0.03	12/6/99	12
08	05	surface water	Zinc	ND	mg/L	0.02	9/28/99	9
06	05	surface water	Zinc	0.0423	mg/L	0.01	2/10/99	2
04	05	surface water	Zinc	0.0144	mg/L	0.01	8/4/98	8
01	05	surface water	Zinc	0.019	mg/L	0.0100	12/9/97	12
07	05	surface water	Zinc	ND	mg/L	0.02	5/11/99	5
02	05	surface water	Zinc	ND	mg/L	0.03	3/3/98	3
03	05	surface water	Zinc	ND	mg/L	0.01	5/26/98	5
04	05	surface water	Total Organic Carbon	3.83	mg/L	1	8/4/98	8
02	05	surface water	Total Organic Carbon	6.07	mg/L	1	3/3/98	3
03	05	surface water	Total Organic Carbon	6.01	mg/L	1	5/26/98	5
06	05	surface water	Total Organic Carbon	8.95	mg/L	1	2/10/99	2
07	05	surface water	Total Organic Carbon	2.26	mg/L	1	5/11/99	5
05	05	surface water	Total Organic Carbon	20.4	mg/L	1	11/9/98	11
01	05	surface water	Total Organic Carbon	8.68	mg/L	1.00	12/9/97	12
09	05	surface water	Total Organic Carbon	4.4	mg/L	0.5	12/6/99	12
08	05	surface water	Total Organic Carbon	7.4	mg/L	0.5	9/28/99	9
10	05	surface water	Total Organic Carbon	10	mg/L	0.1	3/7/00	3
11	05	surface water	Total Organic Carbon	5.0	mg/L	0.5	6/1/00	6
02	05	surface water	Total Dissolved Solids	658	mg/L	10	3/3/98	3
11	05	surface water	Total Dissolved Solids	600	mg/L	5	6/1/00	6
04	05	surface water	Total Dissolved Solids	506	mg/L	10	8/4/98	8
05	05	surface water	Total Dissolved Solids	498	mg/L	10	11/9/98	11
03	05	surface water	Total Dissolved Solids	879	mg/L	10	5/26/98	5
06	05	surface water	Total Dissolved Solids	425	mg/L	10	2/10/99	2
07	05	surface water	Total Dissolved Solids	602	mg/L	10	5/11/99	5
09	05	surface water	Total Dissolved Solids	552	mg/L	10	12/6/99	12
08	05	surface water	Total Dissolved Solids	504	mg/L	10	9/28/99	9
10	05	surface water	Total Dissolved Solids	444	mg/L	5	3/7/00	3
01	05	surface water	Total Dissolved Solids	387	mg/L	10.0	12/9/97	12
05	05	surface water	Total Coliform	>1600	mpn/100ml	2	11/9/98	11
03	05	surface water	Total Coliform	<2	mpn/100ml	2	5/26/98	5
11	05	surface water	Total Coliform	ND	MPN/100 m	2	6/1/00	6
02	05	surface water	Total Coliform	>1600	mpn/100ml	2	3/3/98	3
06	05	surface water	Total Coliform	>1600	mpn/100ml	2	2/10/99	2

fldRound	fldWell	fldMatrix	fldNewName	fldWell5	fldUnits	fldDL	fldSampleDate	fldSampleMont
08	05	surface water	Total Coliform	>1600	mpn/100ml	2	9/28/99	9
01	05	surface water	Total Coliform	>1600	mpn/100ml	2	12/9/97	12
09	05	surface water	Total Coliform	>1600	mpn/100ml	2	12/6/99	12
07	05	surface water	Total Coliform	>23	mpn/100ml	2	5/11/99	5
10	05	surface water	Total Coliform	>1,600	MPN/100 m	3.0	3/7/00	3
04	05	surface water	Total Coliform	<2	mpn/100ml	2	8/4/98	8
07	05	surface water	Surfactants (MBAS)	ND	mg/L	0.1	5/11/99	5
06	05	surface water	Surfactants (MBAS)	0.224	mg/L	0.1	2/10/99	2
03	05	surface water	Surfactants (MBAS)	ND	mg/L	0.1	5/26/98	5
02	05	surface water	Surfactants (MBAS)	ND	mg/L	0.1	3/3/98	3
01	05	surface water	Surfactants (MBAS)	ND	mg/L	0.100	12/9/97	12
05	05	surface water	Surfactants (MBAS)	0.516	mg/L	0.1	11/9/98	11
04	05	surface water	Surfactants (MBAS)	ND	mg/L	0.1	8/4/98	8
11	05	surface water	Surfactants (MBAS)	ND	mg/L	0.03	6/1/00	6
08	05	surface water	Surfactants (MBAS)	ND	mg/L	0.05	9/28/99	9
10	05	surface water	Surfactants (MBAS)	ND	mg/L	0.03	3/7/00	3
09	05	surface water	Surfactants (MBAS)	ND	mg/L	0.05	12/6/99	12
08	05	surface water	Sulfate	130	mg/L	10	9/28/99	9
05	05	surface water	Sulfate	115	mg/L	5	11/9/98	11
11	05	surface water	Sulfate	118	mg/L	5	6/1/00	6
03	05	surface water	Sulfate	260	mg/L	10	5/26/98	5
09	05	surface water	Sulfate	75	mg/L	10	12/6/99	12
06	05	surface water	Sulfate	93	mg/L	5	2/10/99	2
10	05	surface water	Sulfate	66	mg/L	5	3/7/00	3
01	05	surface water	Sulfate	75.4	mg/L	10.0	12/9/97	12
07	05	surface water	Sulfate	134	mg/L	25	5/11/99	5
02	05	surface water	Sulfate	164	mg/L	4	3/3/98	3
04	05	surface water	Sulfate	194	mg/L	50	8/4/98	8
05	05	surface water	Sodium	91.9	mg/L	0.3	11/9/98	11
01	05	surface water	Sodium	73.9	mg/L	0.300	12/9/97	12
10	05	surface water	Sodium	74.5	mg/L	0.25	3/7/00	3
06	05	surface water	Sodium	88.3	mg/L	0.3	2/10/99	2
03	05	surface water	Sodium	141	mg/L	0.3	5/26/98	5
04	05	surface water	Sodium	84.6	mg/L	0.3	8/4/98	8
08	05	surface water	Sodium	75.3	mg/L	0.3	9/28/99	9
11	05	surface water	Sodium	89.1	mg/L	0.25	6/1/00	6
07	05	surface water	Sodium	134	mg/L	0.3	5/11/99	5
02	05	surface water	Sodium	100	mg/L	4	3/3/98	3

fIdRound	fIdWell	fIdMatrix	fIdNewName	fIdWell5	fIdUnits	fIdDL	fIdSampleDate	fIdSampleMont
09	05	surface water	pH	7.34	pH units	1.00	12/6/99	12
08	05	surface water	pH	7.85	pH units	1.00	9/28/99	9
08	05	surface water	pH	7.85	pH units	1.00	9/28/99	9
10	05	surface water	pH	7.84	mg/L	0.01	3/7/00	3
11	05	surface water	pH	7.55	mg/L	0.01	6/1/00	6
07	05	surface water	pH	7.65	pH units	2.5-12.0	5/11/99	5
06	05	surface water	Oil and Grease	1.2	mg/L	1	2/10/99	2
08	05	surface water	Oil and Grease	ND	mg/L	1.0	9/28/99	9
10	05	surface water	Oil and Grease	ND	mg/L	0.5	3/7/00	3
11	05	surface water	Oil and Grease	ND	mg/L	0.5	6/1/00	6
04	05	surface water	Oil and Grease	ND	mg/L	1	8/4/98	8
11	05	surface water	Oil and Grease	ND	mg/L	0.5	6/1/00	6
05	05	surface water	Oil and Grease	ND	mg/L	1	11/9/98	11
07	05	surface water	Oil and Grease	ND	mg/L	0.99	5/11/99	5
08	05	surface water	Oil and Grease	ND	mg/L	1.0	9/28/99	9
09	05	surface water	Oil and Grease	ND	mg/L	1.0	12/6/99	12
02	05	surface water	Oil and Grease	ND	mg/L	1.05	3/3/98	3
09	05	surface water	Oil and Grease	ND	mg/L	1.0	12/6/99	12
10	05	surface water	Oil and Grease	ND	mg/L	0.5	3/7/00	3
01	05	surface water	Oil and Grease	ND	mg/L	1.19	12/9/97	12
03	05	surface water	Oil and Grease	ND	mg/L	0.952	5/26/98	5
06	05	surface water	Nitrogen	NS	mg/L	0.1	2/10/99	2
10	05	surface water	Nitrogen	0.1	mg/L	0.05	3/7/00	3
07	05	surface water	Nitrogen	0.546	mg/L	0.4	5/11/99	5
06	05	surface water	Nitrogen	NS	mg/L	0.1	2/10/99	2
04	05	surface water	Nitrogen	NS	mg/L	0.1	8/4/98	8
02	05	surface water	Nitrogen	NS	mg/L	0.1	3/3/98	3
03	05	surface water	Nitrogen	0.8	mg/Kg	0.5	5/26/98	5
04	05	surface water	Nitrogen	NS	mg/L	0.1	8/4/98	8
04	05	surface water	Nitrogen	NS	mg/L	0.1	8/4/98	8
08	05	surface water	Nitrogen	0.4	mg/L	0.1	9/28/99	9
05	05	surface water	Nitrogen	1.8	mg/L	0.1	11/9/98	11
02	05	surface water	Nitrogen	NS	mg/L	0.1	3/3/98	3
06	05	surface water	Nitrogen	NS	mg/L	0.1	2/10/99	2
02	05	surface water	Nitrogen	NS	mg/L	0.1	3/3/98	3
01	05	surface water	Nitrogen	0.483	mg/L	0.100	12/9/97	12
09	05	surface water	Nitrogen	NS	mg/L	0.1	12/6/99	12
09	05	surface water	Nitrogen	NS	mg/L	0.1	12/6/99	12

Round	Well	Matrix	NewName	Well	Units	Value	Date	Mon
09	05	surface water	Sodium	101	mg/L	0.5	12/6/99	12
10	05	surface water	Potassium	4.3	mg/L	0.5	3/7/00	3
02	05	surface water	Potassium	5	mg/L	2	3/3/98	3
03	05	surface water	Potassium	7.91	mg/L	0.3	5/26/98	5
06	05	surface water	Potassium	6.76	mg/L	1	2/10/99	2
04	05	surface water	Potassium	3.6	mg/L	0.3	8/4/98	8
07	05	surface water	Potassium	4.67	mg/L	1	5/11/99	5
11	05	surface water	Potassium	3.4	mg/L	0.5	6/1/00	6
05	05	surface water	Potassium	11.8	mg/L	0.3	11/9/98	11
08	05	surface water	Potassium	3.4	mg/L	1.0	9/28/99	9
09	05	surface water	Potassium	2.3	mg/L	1.0	12/6/99	12
01	05	surface water	Potassium	4.67	mg/L	0.300	12/9/97	12
04	05	surface water	Phosphorus	0.04	mg/L	0.01	8/4/98	8
03	05	surface water	Phosphorus	0.092	mg/L	0.01	5/26/98	5
01	05	surface water	Phosphorus	0.266	mg/L	0.01	12/9/97	12
06	05	surface water	Phosphorus	0.255	mg/L	0.01	2/10/99	2
07	05	surface water	Phosphorus	0.161	mg/L	0.01	5/11/99	5
05	05	surface water	Phosphorus	0.45	mg/L	0.01	11/9/98	11
02	05	surface water	Phosphorus	0.53	mg/L	0.01	3/3/98	3
02	05	surface water	Phosphate	NS	mg/L	0.3	3/3/98	3
06	05	surface water	Phosphate	NS	mg/L	0.3	2/10/99	2
11	05	surface water	Phosphate	0.3	mg/L	0.30	6/1/00	6
01	05	surface water	Phosphate	NS	mg/L	0.3	12/9/97	12
07	05	surface water	Phosphate	NS	mg/L	0.3	5/11/99	5
03	05	surface water	Phosphate	NS	mg/L	0.3	5/26/98	5
04	05	surface water	Phosphate	NS	mg/L	0.3	8/4/98	8
09	05	surface water	Phosphate	ND	mg/L	0.3	12/6/99	12
05	05	surface water	Phosphate	NS	mg/L	0.3	11/9/98	11
08	05	surface water	Phosphate	0.3	mg/L	0.3	9/28/99	9
10	05	surface water	Phosphate	1.4	mg/L	0.30	3/7/00	3
01	05	surface water	pH	7.63	pH units	2.0-12.5	12/9/97	12
09	05	surface water	pH	7.34	pH units	1.00	12/6/99	12
04	05	surface water	pH	7.75	pH units	2.5-12.0	8/4/98	8
02	05	surface water	pH	8.29	pH units	2.0-12.5	3/3/98	3
03	05	surface water	pH	7.64	pH units	2.5-12.0	5/26/98	5
11	05	surface water	pH	7.55	mg/L	0.01	6/1/00	6
06	05	surface water	pH	7.58	pH units		2/10/99	2
10	05	surface water	pH	7.84	mg/L	0.01	3/7/00	3

fIdRound	fIdWell	fIdMatrix	fIdNewName	fIdWell5	fIdUnits	fIdDL	fIdSampleDate	fIdSampleMont
08	05	surface water	Nitrite	ND	mg/L	0.02	9/28/99	9
09	05	surface water	Nitrite	ND	mg/L	0.02	12/6/99	12
06	05	surface water	Nitrate-N	0.153	mg/L	0.05	2/10/99	2
10	05	surface water	Nitrate-N	2.2	mg/L	0.05	3/7/00	3
07	05	surface water	Nitrate-N	0.153	mg/L	0.05	5/11/99	5
01	05	surface water	Nitrate-N	0.872	mg/L	0.100	12/9/97	12
09	05	surface water	Nitrate-N	ND	mg/L	0.1	12/6/99	12
08	05	surface water	Nitrate-N	2.1	mg/L	0.1	9/28/99	9
03	05	surface water	Nitrate-N	0.724	mg/L	0.1	5/26/98	5
11	05	surface water	Nitrate-N	1.2	mg/L	0.05	6/1/00	6
02	05	surface water	Nitrate-N	1.42	mg/L	0.1	3/3/98	3
04	05	surface water	Nitrate-N	0.29	mg/L	0.05	8/4/98	8
05	05	surface water	Nitrate-N	1.21	mg/L	0.05	11/9/98	11
09	05	surface water	Mercury	NS	mg/L	0.0002	12/6/99	12
01	05	surface water	Mercury	ND	mg/L	0.000200	12/9/97	12
10	05	surface water	Mercury	ND	mg/L	0.0002	3/7/00	3
11	05	surface water	Mercury	NS	mg/L	0.0002	6/1/00	6
07	05	surface water	Mercury	ND	mg/L	0.0002	5/11/99	5
08	05	surface water	Mercury	ND	mg/L	0.0002	9/28/99	9
02	05	surface water	Mercury	NS	mg/L	0.0002	3/3/98	3
06	05	surface water	Mercury	NS	mg/L	0.0002	2/10/99	2
05	05	surface water	Mercury	ND	mg/L	0.0002	11/9/98	11
04	05	surface water	Mercury	NS	mg/L	0.0002	8/4/98	8
03	05	surface water	Mercury	ND	mg/L	0.0002	5/26/98	5
08	05	surface water	Manganese	ND	mg/L	0.01	9/28/99	9
09	05	surface water	Manganese	0.05	mg/L	0.01	12/6/99	12
03	05	surface water	Manganese	0.058	mg/L	0.01	5/26/98	5
01	05	surface water	Manganese	0.126	mg/L	0.0100	12/9/97	12
07	05	surface water	Manganese	0.308	mg/L	0.01	5/11/99	5
11	05	surface water	Manganese	0.02	mg/L	0.005	6/1/00	6
05	05	surface water	Manganese	0.0882	mg/L	0.01	11/9/98	11
04	05	surface water	Manganese	0.0633	mg/L	0.01	8/4/98	8
02	05	surface water	Manganese	0.07	mg/L	0.01	3/3/98	3
10	05	surface water	Manganese	0.006J	mg/L	0.005	3/7/00	3
06	05	surface water	Manganese	0.0891	mg/L	0.01	2/10/99	2
07	05	surface water	Magnesium	16.8	mg/L	0.2	5/11/99	5
09	05	surface water	Magnesium	20.2	mg/L	0.5	12/6/99	12
08	05	surface water	Magnesium	19.7	mg/L	0.2	9/28/99	9

fIdRound	fIdWell	fIdMatrix	fIdNewName	fIdWell5	fIdUnits	fIdDL	fIdSampleDate	fIdSampleMon
01	05	surface water	Magnesium	13.8	mg/L	0.200	12/9/97	12
04	05	surface water	Magnesium	22.6	mg/L	0.2	8/4/98	8
06	05	surface water	Magnesium	13.2	mg/L	0.2	2/10/99	2
03	05	surface water	Magnesium	38.2	mg/L	0.2	5/26/98	5
02	05	surface water	Magnesium	28	mg/L	0.1	3/3/98	3
10	05	surface water	Magnesium	12.9	mg/L	0.20	3/7/00	3
05	05	surface water	Magnesium	12.4	mg/L	0.2	11/9/98	11
11	05	surface water	Magnesium	16.7	mg/L	0.2	6/1/00	6
06	05	surface water	Lead	0.00188	mg/L	0.001	2/10/99	2
11	05	surface water	Lead	ND	mg/L	0.005	6/1/00	6
01	05	surface water	Lead	ND	mg/L	0.0200	12/9/97	12
10	05	surface water	Lead	ND	mg/L	0.005	3/7/00	3
02	05	surface water	Lead	ND	mg/L	0.015	3/3/98	3
04	05	surface water	Lead	ND	mg/L	0.001	8/4/98	8
05	05	surface water	Lead	ND	mg/L	0.001	11/9/98	11
07	05	surface water	Lead	0.0012	mg/L	0.001	5/11/99	5
09	05	surface water	Lead	ND	mg/L	0.05	12/6/99	12
08	05	surface water	Lead	ND	mg/L	0.005	9/28/99	9
03	05	surface water	Lead	ND	mg/L	0.001	5/26/98	5
03	05	surface water	Iron	0.184	mg/L	0.05	5/26/98	5
07	05	surface water	Iron	2.12	mg/L	0.05	5/11/99	5
06	05	surface water	Iron	6.47	mg/L	0.05	2/10/99	2
11	05	surface water	Iron	0.07	mg/L	0.03	6/1/00	6
10	05	surface water	Iron	0.038J	mg/L	0.03	3/7/00	3
05	05	surface water	Iron	0.98	mg/L	0.05	11/9/98	11
04	05	surface water	Iron	0.244	mg/L	0.05	8/4/98	8
01	05	surface water	Iron	2.21	mg/L	0.0500	12/9/97	12
08	05	surface water	Iron	ND	mg/L	0.05	9/28/99	9
02	05	surface water	Iron	1.4	mg/L	0.1	3/3/98	3
09	05	surface water	Iron	0.18	mg/L	0.05	12/6/99	12
03	05	surface water	Hydroxide	ND	mg/L	0.5	5/26/98	5
02	05	surface water	Hydroxide	ND	mg/L	0.5	3/3/98	3
06	05	surface water	Hydroxide	NS	mg/L	0.5	2/10/99	2
07	05	surface water	Hydroxide	ND	mg/L	0.5	5/11/99	5
11	05	surface water	Hydroxide	ND	mg/L	0.5	6/1/00	6
09	05	surface water	Hydroxide	ND	mg/L	2	12/6/99	12
10	05	surface water	Hydroxide	ND	mg/L	0.5	3/7/00	3
05	05	surface water	Hydroxide	ND	mg/L	0.5	11/9/98	11

fIdRound	fIdWell	fIdMatrix	fIdNewName	fIdWell5	fIdUnits	fIdDL	fIdSampleDate	fIdSampleMont
04	05	surface water	Hydroxide	ND	mg/L	0.5	8/4/98	8
01	05	surface water	Hydroxide	ND	mg/L	1.00	12/9/97	12
08	05	surface water	Hydroxide	ND	mg/L	0.5	9/28/99	9
11	05	surface water	Hardness (CaCO3)	208	mg/L	1	6/1/00	6
05	05	surface water	Hardness (CaCO3)	153	mg/L	1	11/9/98	11
04	05	surface water	Hardness (CaCO3)	277	mg/L	2	8/4/98	8
07	05	surface water	Hardness (CaCO3)	201	mg/L	2	5/11/99	5
06	05	surface water	Hardness (CaCO3)	148	mg/L	1	2/10/99	2
01	05	surface water	Hardness (CaCO3)	174	mg/L	1.00	12/9/97	12
03	05	surface water	Hardness (CaCO3)	339	mg/L	5	5/26/98	5
10	05	surface water	Hardness (CaCO3)	164	mg/L	1	3/7/00	3
08	05	surface water	Hardness (CaCO3)	236	mg/L	2	9/28/99	9
02	05	surface water	Hardness (CaCO3)	342	mg/L	10	3/3/98	3
09	05	surface water	Hardness (CaCO3)	240	mg/L	2	12/6/99	12
10	05	surface water	Fluoride	0.5	mg/L	0.1	3/7/00	3
08	05	surface water	Fluoride	0.5	mg/L	0.1	9/28/99	9
11	05	surface water	Fluoride	0.5	mg/L	0.1	6/1/00	6
01	05	surface water	Fluoride	0.236	mg/L	0.200	12/9/97	12
04	05	surface water	Fluoride	0.313	mg/L	0.1	8/4/98	8
02	05	surface water	Fluoride	0.343	mg/L	0.2	3/3/98	3
09	05	surface water	Fluoride	0.5	mg/L	0.2	12/6/99	12
03	05	surface water	Fluoride	0.502	mg/L	0.2	5/26/98	5
07	05	surface water	Fluoride	0.526	mg/L	0.1	5/11/99	5
05	05	surface water	Fluoride	0.356	mg/L	0.1	11/9/98	11
06	05	surface water	Fluoride	0.279	mg/L	0.1	2/10/99	2
08	05	surface water	Fecal Coliform	14	mpn/100ml	2	9/28/99	9
01	05	surface water	Fecal Coliform	>1600	mpn/100ml	2	12/9/97	12
09	05	surface water	Fecal Coliform	9	mpn/100ml	2	12/6/99	12
04	05	surface water	Fecal Coliform	<2	mpn/100ml	2	8/4/98	8
03	05	surface water	Fecal Coliform	<2	mpn/100ml	2	5/26/98	5
06	05	surface water	Fecal Coliform	>1600	mpn/100ml	2	2/10/99	2
07	05	surface water	Fecal Coliform	>23	mpn/100ml	2	5/11/99	5
02	05	surface water	Fecal Coliform	110	mpn/100ml	2	3/3/98	3
10	05	surface water	Fecal Coliform	1,600	MPN/100 m	2	3/7/00	3
11	05	surface water	Fecal Coliform	ND	MPN/mL	2	6/1/00	6
05	05	surface water	Fecal Coliform	>1600	mpn/100ml	2	11/9/98	11
09	05	surface water	Cyanide (Total)	NS	mg/L	0.005	12/6/99	12
06	05	surface water	Cyanide (Total)	NS	mg/L	0.005	2/10/99	2

idRound	idWell	idMatrix	idNewName	idWellis	idUnits	idDL	idSampleDate	idSampleMon
09	05	surface water	Cyanide (Total)	NS	mg/L	0.005	12/6/99	12
02	05	surface water	Cyanide (Total)	NS	mg/L	0.005	3/3/98	3
06	05	surface water	Cyanide (Total)	NS	mg/L	0.005	2/10/99	2
04	05	surface water	Cyanide (Total)	NS	mg/L	0.005	8/4/98	8
01	05	surface water	Cyanide (Total)	ND	mg/L	0.00500	12/9/97	12
04	05	surface water	Cyanide (Total)	NS	mg/L	0.005	8/4/98	8
10	05	surface water	Cyanide (Total)	ND	mg/L	0.01	3/7/00	3
05	05	surface water	Cyanide (Total)	ND	mg/L	0.005	11/9/98	11
07	05	surface water	Cyanide (Total)	ND	mg/L	0.005	5/11/99	5
08	05	surface water	Cyanide (Total)	ND	mg/L	0.01	9/28/99	9
02	05	surface water	Cyanide (Total)	NS	mg/L	0.005	3/3/98	3
03	05	surface water	Cyanide (Total)	ND	mg/L	0.005	5/26/98	5
11	05	surface water	Cyanide (Total)	NS	mg/L	0.01	6/1/00	6
11	05	surface water	Copper	ND	mg/L	0.005	6/1/00	6
08	05	surface water	Copper	ND	mg/L	0.005	9/28/99	9
09	05	surface water	Copper	ND	mg/L	0.02	12/6/99	12
01	05	surface water	Copper	ND	mg/L	0.00500	12/9/97	12
06	05	surface water	Copper	0.00706	mg/L	0.005	2/10/99	2
04	05	surface water	Copper	ND	mg/L	0.005	8/4/98	8
05	05	surface water	Copper	0.0075	mg/L	0.005	11/9/98	11
02	05	surface water	Copper	ND	mg/L	0.02	3/3/98	3
10	05	surface water	Copper	ND	mg/L	0.005	3/7/00	3
07	05	surface water	Copper	ND	mg/L	0.005	5/11/99	5
03	05	surface water	Copper	ND	mg/L	0.005	5/26/98	5
09	05	surface water	Conductivity	917	umhos/cm	10	12/6/99	12
06	05	surface water	Conductivity	697	umhos/cm	1	2/10/99	2
05	05	surface water	Conductivity	755	umhos/cm	1	11/9/98	11
07	05	surface water	Conductivity	1020	umhos/cm	1	5/11/99	5
11	05	surface water	Conductivity	843	mg/L	5	6/1/00	6
10	05	surface water	Conductivity	697	mg/L	5	3/7/00	3
08	05	surface water	Conductivity	794	umhos/cm	10	9/28/99	9
03	05	surface water	Conductivity	1260	umhos/cm	1	5/26/98	5
01	05	surface water	Conductivity	755	umhos/cm	1.00	12/9/97	12
02	05	surface water	Conductivity	1000	umhos/cm	1	3/3/98	3
04	05	surface water	Conductivity	812	umhos/cm	1	8/4/98	8
11	05	surface water	Chloride	93	mg/L	0.5	6/1/00	6
01	05	surface water	Chloride	134	mg/L	10.0	12/9/97	12
03	05	surface water	Chloride	212	mg/L	50	5/26/98	5




fIdRound	fIdWell	fIdMatrix	fIdNewName	fIdWell5	fIdUnits	fIdDL	fIdSampleDate	fIdSampleMont
09	05	surface water	Chloride	104	mg/L	1	12/6/99	12
08	05	surface water	Chloride	73	mg/L	1	9/28/99	9
05	05	surface water	Chloride	104	mg/L	1	11/9/98	11
02	05	surface water	Chloride	133	mg/L	20	3/3/98	3
11	05	surface water	Chloride	93	mg/L	0.5	6/1/00	6
10	05	surface water	Chloride	100	mg/L	0.5	3/7/00	3
08	05	surface water	Chloride	73	mg/L	1	9/28/99	9
10	05	surface water	Chloride	100	mg/L	0.5	3/7/00	3
06	05	surface water	Chloride	90.8	mg/L	1	2/10/99	2
04	05	surface water	Chloride	78.2	mg/L	1	8/4/98	8
07	05	surface water	Chloride	124	mg/L	1	5/11/99	5
09	05	surface water	Chloride	104	mg/L	1	12/6/99	12
11	05	surface water	Carbonate	8	mg/L	0.5	6/1/00	6
02	05	surface water	Carbonate	2.32	mg/L	0.5	3/3/98	3
04	05	surface water	Carbonate	0.736	mg/L	0.5	8/4/98	8
03	05	surface water	Carbonate	0.9	mg/L	0.5	5/26/98	5
10	05	surface water	Carbonate	ND	mg/L	0.5	3/7/00	3
05	05	surface water	Carbonate	ND	mg/L	0.5	11/9/98	11
07	05	surface water	Carbonate	1.09	mg/L	0.5	5/11/99	5
06	05	surface water	Carbonate	0.687	mg/L	0.5	2/10/99	2
08	05	surface water	Carbonate	ND	mg/L	0.5	9/28/99	9
09	05	surface water	Carbonate	ND	mg/L	2	12/6/99	12
01	05	surface water	Carbonate	ND	mg/L	1.00	12/9/97	12
08	05	surface water	Calcium	65.2	mg/L	0.1	9/28/99	9
11	05	surface water	Calcium	56.8	mg/L	0.1	6/1/00	6
02	05	surface water	Calcium	76	mg/L	0.2	3/3/98	3
09	05	surface water	Calcium	60.7	mg/L	0.5	12/6/99	12
07	05	surface water	Calcium	53.5	mg/L	0.1	5/11/99	5
04	05	surface water	Calcium	58.7	mg/L	0.1	8/4/98	8
03	05	surface water	Calcium	100	mg/L	0.1	5/26/98	5
06	05	surface water	Calcium	36.2	mg/L	0.1	2/10/99	2
10	05	surface water	Calcium	43.8	mg/L	0.10	3/7/00	3
05	05	surface water	Calcium	37.5	mg/L	0.1	11/9/98	11
01	05	surface water	Calcium	50.7	mg/L	0.100	12/9/97	12
04	05	surface water	Boron	0.175	mg/L	0.1	8/4/98	8
02	05	surface water	Boron	ND	mg/L	0.5	3/3/98	3
11	05	surface water	Boron	0.2	mg/L	0.1	6/1/00	6
10	05	surface water	Boron	0.3	mg/L	0.1	3/7/00	3

fldRound	fldWell	fldMatrix	fldNewName	fldWell5	fldUnits	fldDL	fldSampleDate	fldSampleMont
03	05	surface water	Boron	ND	mg/L	0.5	5/26/98	5
01	05	surface water	Boron	ND	mg/L	0.5	12/9/97	12
09	05	surface water	Boron	ND	mg/L	0.2	12/6/99	12
08	05	surface water	Boron	0.1	mg/L	0.1	9/28/99	9
07	05	surface water	Boron	0.44	mg/L	0.1	5/11/99	5
06	05	surface water	Boron	0.378	mg/L	0.1	2/10/99	2
05	05	surface water	Boron	0.389	mg/L	0.1	11/9/98	11
01	05	surface water	Biochemical Oxygen Dem	2.67	mg/L	2.00	12/9/97	12
10	05	surface water	Biochemical Oxygen Dem	ND	mg/L	2	3/7/00	3
11	05	surface water	Biochemical Oxygen Dem	NS	mg/L	2	6/1/00	6
05	05	surface water	Biochemical Oxygen Dem	10	mg/L	2	11/9/98	11
04	05	surface water	Biochemical Oxygen Dem	NS	mg/L	2	8/4/98	8
02	05	surface water	Biochemical Oxygen Dem	NS	mg/L	2	3/3/98	3
08	05	surface water	Biochemical Oxygen Dem	ND	mg/L	2	9/28/99	9
03	05	surface water	Biochemical Oxygen Dem	ND	mg/L	2	5/26/98	5
06	05	surface water	Biochemical Oxygen Dem	NS	mg/L	2	2/10/99	2
09	05	surface water	Biochemical Oxygen Dem	NS	mg/L	2	12/6/99	12
07	05	surface water	Biochemical Oxygen Dem	2.11	mg/L	2	5/11/99	5
03	05	surface water	Bicarbonate	200	mg/L	1	5/26/98	5
06	05	surface water	Bicarbonate	121	mg/L	1	2/10/99	2
04	05	surface water	Bicarbonate	139	mg/L	1	8/4/98	8
10	05	surface water	Bicarbonate	124	mg/L	1	3/7/00	3
01	05	surface water	Bicarbonate	126	mg/L	1.00	12/9/97	12
07	05	surface water	Bicarbonate	184	mg/L	1	5/11/99	5
02	05	surface water	Bicarbonate	167	mg/L	1	3/3/98	3
09	05	surface water	Bicarbonate	238	mg/L	2	12/6/99	12
11	05	surface water	Bicarbonate	156	mg/L	1	6/1/00	6
08	05	surface water	Bicarbonate	142	mg/L	1	9/28/99	9
05	05	surface water	Bicarbonate	114	mg/L	1	11/9/98	11
06	05	surface water	Arsenic	0.0387	mg/L	0.025	2/10/99	2
04	05	surface water	Arsenic	ND	mg/L	0.025	8/4/98	8
11	05	surface water	Arsenic	ND	mg/L	0.025	6/1/00	6
01	05	surface water	Arsenic	ND	mg/L	0.0250	12/9/97	12
03	05	surface water	Arsenic	ND	mg/L	0.025	5/26/98	5
09	05	surface water	Arsenic	ND	mg/L	0.005	12/6/99	12
08	05	surface water	Arsenic	ND	mg/L	0.025	9/28/99	9
07	05	surface water	Arsenic	ND	mg/L	0.025	5/11/99	5
10	05	surface water	Arsenic	ND	mg/L	0.025	3/7/00	3


idRound	idWell	idMatrix	idNewName	idWell5	idUnits	idDL	idSampleDate	idSampleMont
02	05	surface water	Arsenic	ND	mg/L	0.01	3/3/98	3
05	05	surface water	Arsenic	ND	mg/L	0.025	11/9/98	11
09	05	surface water	Aluminum	0.2	mg/L	0.1	12/6/99	12
01	05	surface water	Alkalinity (CaCO3)	127	mg/L	1.00	12/9/97	12
04	05	surface water	Alkalinity (CaCO3)	140	mg/L	1	8/4/98	8
02	05	surface water	Alkalinity (CaCO3)	169	mg/L	1	3/3/98	3
03	05	surface water	Alkalinity (CaCO3)	201	mg/L	1	5/26/98	5
11	05	surface water	Alkalinity (CaCO3)	164	mg/L	1	6/1/00	6
06	05	surface water	Alkalinity (CaCO3)	122	mg/L	1	2/10/99	2
05	05	surface water	Alkalinity (CaCO3)	114	mg/L	1	11/9/98	11
07	05	surface water	Alkalinity (CaCO3)	185	mg/L	1	5/11/99	5
09	05	surface water	Alkalinity (CaCO3)	238	mg/L	2	12/6/99	12
08	05	surface water	Alkalinity (CaCO3)	142	mg/L	1	9/28/99	9
10	05	surface water	Alkalinity (CaCO3)	124	mg/L	1	3/7/00	3

# Murrieta Creek at Temecula






### Murrieta Creek at Temecula



# Murrieta Creek at Temecula



### Murrieta Creek at Temecula

