Add Title 27, Division 3, Subdivision 2, Chapters 1 and 2 of the California Code of Regulations:

<u>Chapter 1</u> <u>LABORATORY ELECTRONIC REPORTING Data Dictionary</u>

ACRONYMS

ASCII American Standard Code (for) Information Interchange

<u>CAS</u> <u>Chemical Abstract Service</u>

<u>CL</u> <u>Control Limit</u>

COC Chain-of-Custody

<u>COELT</u> <u>U.S. Army Corps of Engineers Loading Tool</u>

<u>CSV</u> <u>Comma Separated Values (AKA Comma/Quote Delimited)</u>

Electronic Deliverable Consistency Checker

EDD Electronic Data Deliverable

<u>**EDF**</u> The Electronic Deliverable Format[™]

Foreign Key

<u>Laboratory Information Management System</u>

Not Applicable

Non-Client Non-Client

<u> PK</u>

ND Non-Detected

QA Quality Assurance

QC Quality Control

Relative Percent Difference

Primary Key

VVL Valid Value List

Chapter 1 LABORATORY ELECTRONIC REPORTING 1. EDF – Electronic Deliverable Format					
<u>ID</u>	Element (FIELD NAME)	Length/ Type	<u>Criteria</u>	<u>Definition</u>	
3000	Global ID (GLOBAL ID)	<u>C12</u>		The unique identifier for a regulated facility or site.	
3001	Field Point Name (FIELD PT NAME)	<u>C15</u>		The unique name of the field location where the sample/field measurement has been collected.	
3002	Field Point Class (FIELD PT CLASS)	<u>C5</u>	Valid Values	The code representing the type of field/survey point.	
3003	Analysis Date (ANADATE)	<u>D8</u>	YYYYMMDD	The date the sample (aliquot, extract, digest and/or leachate) is analyzed.	
3004	Analytical Method (ANMCODE)	<u>C7</u>	Valid Values	The code identifying the method of analysis.	
3005	Approved By (APPRVD)	<u>C3</u>		The initials of the individual approving the entire laboratory report, or a single analysis.	
3006	Basis (BASIS)	<u>C1</u>	Valid Values	The code used to distinguish whether a sample is reported as dry or wet weight, filtered or not filtered.	
3007	Control Limit Type (CLCODE)	<u>C6</u>	Valid Values	The code identifying the type of quality control limit.	
3008	Cleanup Method (CLEANUP)	<u>C15</u>	<u>Valid Values</u>	The code identifying the method of cleanup performed.	
3009	Control Limit Revision Date (CLREVDATE)	<u>D8</u>		The date a control limit is established.	
3010	<u>Chain-of-Custody Matrix</u> (<u>COC MATRIX</u>)	<u>C2</u>	Valid Values	The code identifying the sample matrix as noted on the chain-of-custody (e.g., water, soil, etc.).	
3011	<u>Chain-of-Custody Number</u> (COCNUM)	<u>C16</u>		The number assigned to the chain-of-custody.	
3012	Cooler ID (COOLER ID)	<u>C25</u>		The unique identifier representing a cooler used to transport samples from t he field to the lab.	
3013	Dilution Factor (DILFAC)	<u>N10</u>		The numeric factor indicating the level of sample dilution.	
3014	Data Quality Objectives ID (DOO ID)	<u>C25</u>		The unique identifier representing the data quality objectives.	
3015	Preparation Method (EXMCODE)	<u>C7</u>	Valid Values	The code identifying the method of preparation.	
3016	Expected Parameter Value (EXPECTED)	<u>N14</u>		The target result for a quality control sample or surrogate spike.	
3017	Preparation Date (EXTDATE)	<u>D8</u>	YYYYMMDD	The date that a sample is prepared for analysis.	
3018	Lab Method Group (LAB METH GRP)	<u>C25</u>		The unique identifier for a group of methods as defined by the laboratory.	
3019	<u>Laboratory Report Number</u> (<u>LAB_REPNO</u>)	<u>C20</u>		The unique identifier for the laboratory report, assigned by the laboratory.	
3020	<u>Laboratory</u> (<u>LABCODE</u>)	<u>C4</u>	Valid Values	The code identifying the laboratory that receives the sample.	

Chapter	Chapter 1 LABORATORY ELECTRONIC REPORTING 1. EDF – Electronic Deliverable Format					
<u>ID</u>	Element (FIELD NAME)	Length/ Type	<u>Criteria</u>	Definition		
3021	Method Detection Limit (LABDL)	<u>N9</u>		The laboratory-established method detection limit (MDL) as determined using procedures outlined in 40 CFR, Part 136, Appendix B (or by equivalent statistical means), and adjusted for dilution.		
3022	Preparation Batch Number (LABLOTCTL)	<u>C25</u>		The unique identifier for a preparation and handling batch that groups the client samples with the QC samples with which they were prepared.		
3023	<u>Laboratory QC Sample ID</u> (<u>LABQCID</u>)	<u>C25</u>		The unique identification number assigned to a quality control sample by the laboratory.		
<u>3024</u>	<u>Laboratory Reference ID</u> (<u>LABREFID</u>)	<u>C25</u>		The laboratory sample ID of the quality control reference sample.		
<u>3025</u>	<u>Laboratory Sample ID</u> (<u>LABSAMPID</u>)	<u>C25</u>		The unique identification number assigned to the sample by the laboratory.		
3026	Work Order Number (LABWO)	<u>C7</u>		A delivery order number associated with the contract.		
3027	<u>Leach Method</u> (<u>LCHMETH)</u>	<u>C10</u>	<u>Valid Values</u>	The code identifying the method of leaching.		
<u>3028</u>	<u>Laboratory Notes</u> (<u>LNOTE</u>)	<u>C20</u>	<u>Valid Values</u>	The code identifying notes pertaining to analytical performance irregularities that apply to the entire test.		
3029	Field Organization (LOGCODE)	<u>C4</u>	<u>Valid Values</u>	The code identifying the company collecting the samples or performing field tests.		
<u>3030</u>	Collection Date (LOGDATE)	<u>D8</u>	YYYYMMDD	The date a field sample is collected.		
<u>3031</u>	Collection Time (LOGTIME)	<u>C4</u>	<u>HHMM</u>	The time that a field sample is collected, recorded using 24-hour military time.		
3032	Lower Control Limit (LOWERCL)	<u>N4</u>		The lower control limit of a quality control criterion.		
3033	<u>Laboratory Matrix</u> (MATRIX)	<u>C2</u>	Valid Values	The code identifying the sample matrix as determined by the laboratory (e.g., water, soil, etc.); the matrix of the reported result.		
<u>3034</u>	Method Design ID (METH DESIGN ID)	<u>C25</u>		The unique identifier for the design of an analytical method.		
3035	Modified Parameter List (MODPARLIST)	<u>L1</u>		A field indicating whether the parameter list of an analytical method has been modified.		
3036	Parameter (PARLABEL)	<u>C12</u>	Valid Values	The code or CAS number identifying the analyte (parameter).		
3037	Parameter Uncertainty (PARUN)	<u>N12</u>		The uncertainty of a measured value due to a measuring technique (expressed as plus or minus some value).		
3038	Parameter Value (PARVAL)	<u>N14</u>		The analytical value for a compound, analyte, or physical parameter.		
<u>3039</u>	Parameter Value Qualifier (PARVQ)	<u>C2</u>	Valid Values	The code identifying the qualifier of an analytical result (e.g., greater than, equal to, etc.).		

Chapter 1 LABORATORY ELECTRONIC REPORTING

	1. EDF – Electronic Deliverable Format						
<u>ID</u>	Element (FIELD NAME)	Length/ Type	Criteria	<u>Definition</u>			
3040	Preservative (PRESCODE)	<u>C15</u>	Valid Values	The code identifying the type of preservative added to the sample.			
<u>3041</u>	Procedure Name (PROCEDURE NAME)	<u>C240</u>		The method title for an analysis or group of analyses as defined by the analysis laboratory.			
<u>3042</u>	Project Name (PROJNAME)	<u>C25</u>		The identification assigned to the project by the organization performing the work.			
3043	Primary Value Type (PVCCODE)	<u>C2</u>	Valid Values	The code identifying whether a sample result is a primary or a confirmatory value.			
3044	QC Type (QCCODE)	<u>C3</u>	Valid Values	The code identifying the type of sample (e.g., laboratory-generated, environmental, etc.).			
<u>3045</u>	Received Date (RECDATE)	<u>D8</u>	YYYYMMDD	The date the sample is received by the laboratory doing the analysis.			
<u>3046</u>	Report Date (REP_DATE)	<u>D8</u>	YYYYMMDD	The date of the laboratory report.			
3047	Reporting Limit (REPDL)	<u>N9</u>		The laboratory-established reporting limit, as defined by REPDLVQ, adjusted for the particular sample preparation (e.g., weight, volume, or dilution).			
3048	Reporting Limit Qualifier (REPDLVQ)	<u>C3</u>	Valid Values	The code identifying the type of reporting limit entered into REPDL (e.g., practical quantitation limit, instrument detection limit, etc.).			
<u>3049</u>	Requested Method Group (REQ_METHOD_GRP)	<u>C25</u>		The unique identifier for the method or group of methods requested by the client for analysis of the sample.			
3050	Results Free Field 1 (RES FF 1)	<u>C25</u>		Results free-entry field 1.			
3051	Results Free Field 2 (RES FF 2)	<u>C25</u>		Results free-entry field 2.			
3052	Results Free Field 3 (RES FF 3)	<u>C25</u>		Results free-entry field 3.			
3053	Results Free Field 4 (RES FF 4)	<u>C25</u>		Results free-entry field 4.			
3054	Results Free Field 5 (RES FF 5)	<u>C25</u>		Results free-entry field 5.			
3055	<u>Laboratory Result Notes</u> (RLNOTE)	<u>C20</u>	Valid Values	The code identifying notes pertaining to analytical performance irregularities that apply to a single analyte.			
<u>3056</u>	Retention Time (RT)	<u>N7</u>		The retention time of a tentatively identified compound (TIC), reported in minutes (min).			
3057	Run Number (RUN NUMBER)	<u>N2</u>		The numeric code distinguishing multiple or repeat analysis of a sample by the same method on the same day.			
3058	Chain-of-Custody Sample ID (SAMPID)	<u>C25</u>		The unique identifier representing a sample, assigned by the consultant, as submitted to the laboratory on a chain-of-custody.			

A user-defined administrative field.

Chapter 1 LABORATORY ELECTRONIC REPORTING EDF – **Electronic Deliverable Format** $\underline{\mathbf{ID}}$ **Element** Length/ **Criteria Definition** (FIELD NAME) **Type** 3059 **Standard Reference Material** Valid Values The code identifying the standard reference material <u>C12</u> used in the analysis. (SRM) 3060 Subcontracted Laboratory C4 Valid Values The code identifying the subcontracted laboratory. (SUB) C20 The code identifying notes pertaining to analytical 3061 <u>Laboratory Test Notes</u> Valid Values performance irregularities that apply to the entire test. (TLNOTE) 3062 Units of Measure C10 Valid Values The units for the parameter value measurement. (UNITS) 3063 The upper control limit of a quality control criterion. Upper Control Limit <u>N4</u> (UPPERCL) User Administrative ID

<u>C25</u>

3064

(USER ADMIN ID)

<u>Chapter 2</u> <u>WELL AND SITE INFORMATION ELECTRONIC REPORTING Data Dictionaries</u>

Chapter	Chapter 2 WELL AND SITE INFORMATION ELECTRONIC REPORTING					
-	1. GEO XY – Location Measurement					
<u>ID</u>	Element (FIELD NAME)	Length/T ype	<u>Criteria</u>	<u>Definition</u>		
3000	Global ID (GLOBAL ID)	<u>C12</u>	Valid Values	The unique identifier for a regulated facility or site.		
3001	Field Point Name (FIELD PT NAME)	<u>C15</u>	Valid Values	The unique name of the field location where the sample/field measurement has been collected.		
3002	Field Point Class (FIELD PT CLASS)	<u>C5</u>	Valid Values	The code representing the type of field/survey point.		
3200	XY Survey Date (XY SURVEY DATE)	<u>D10</u>	MM/DD/YYYY	The date on which the latitude & longitude coordinates were measured.		
<u>3201</u>	<u>Latitude</u> (<u>LATITUDE</u>)	<u>N15</u>		The latitude (Y coordinate) of the survey point, measured in decimal degrees, and reported to 7 decimal points.		
3202	<u>Longitude</u> (<u>LONGITUDE</u>)	<u>N15</u>		The longitude (X coordinate) of the survey point, measured in decimal degrees, and reported to 7 decimal points.		
3203	XY Survey Method (XY METHOD)	<u>C5</u>	Valid Values	The code representing the survey method by which the latitude/longitude measurements were collected.		
3204	XY Datum (XY DATUM)	<u>C5</u>	Valid Values	The code representing the datum from which the latitude/longitude coordinates were determined.		
<u>3205</u>	XY Accuracy Value (XY ACC VAL)	<u>N15</u>		The accuracy range (+/-) of the latitude and longitude reported in centimeters at a 95% confidence interval.		
3206	XY Survey Organization Name (XY SURVEY ORG)	<u>C35</u>		The name of the organization who collected the latitude/longitude coordinates.		
3207	GPS Survey Equipment (GPS EQUIP TYPE)	<u>C100</u>	Valid Values	The name of the GPS unit used to determine the latitude/longitude coordinates.		
3208	XY Survey Description (XY SURVEY DESC)	<u>C240</u>	Narrative	General description/information pertaining to the survey of latitude/longitude. May describe offset azimuth, distance and slope.		

_	Chapter 2 WELL AND SITE INFORMATION ELECTRONIC REPORTING 2. GEO Z – Elevation Measurement					
<u>ID</u>	Element (Field Name)	Length/ Type	<u>Criteria</u>	<u>Definition</u>		
<u>3000</u>	Global ID (GLOBAL ID)	<u>C12</u>	Valid Values	The unique identifier for a regulated facility or site.		
3001	Field Point Name (FIELD PT NAME)	<u>C15</u>	Valid Values	The unique name of the field location where the sample/field measurement has been collected.		
3300	Elevation Survey Date (ELEV SURVEY DATE)	<u>D10</u>	MM/DD/YYYY	The date on which the elevation was measured.		
3301	Elevation (ELEVATION)	<u>N15</u>		The elevation of the survey point measured to top of well casing to one hundredth of a foot between well locations within the site.		
3302	Elevation Survey Method (ELEV METHOD)	<u>C5</u>	Valid Values	The code representing the method by which the elevation measurement was collected.		
3303	Elevation Datum (ELEV_DATUM)	<u>C5</u>	Valid Values	The code representing the datum from which the elevation was determined.		
3304	Elevation Accuracy Value (ELEV ACC VAL)	<u>N15</u>		The accuracy range (+/-) of the absolute elevation measurement reported in centimeters at the 95% confidence interval.		
3305	Elevation Survey Organization Name (ELEV SURVEY ORG)	<u>C35</u>		The name of the organization collecting the elevation measurement.		
3306	Riser Height (RISER HT)	<u>N15</u>		The measured distance from ground surface to top of well casing reported as a positive or negative value to one hundredth of a foot.		
3307	Elevation Survey Description (ELEV DESC)	<u>C240</u>	<u>Narrative</u>	General description/information pertaining to the survey.		

	Chapter 2 WELL AND SITE INFORMATION ELECTRONIC REPORTING 3. GEO WELL – Groundwater Well Measurement					
<u>ID</u>	Element (FIELD NAME)	Length/T ype	<u>Criteria</u>	Definition		
<u>3000</u>	Global ID (GLOBAL ID)	<u>C12</u>	Valid Values	The unique identifier for a regulated facility or site.		
3001	Field Point Name (FIELD PT NAME)	<u>C15</u>	Valid Values	The unique name of the field location where the sample/field measurement has been collected.		
3400	Well Current Status (STATUS)	<u>C5</u>	Valid Values	The code representing the current status of well.		
<u>3401</u>	GW Measurement Date (GW MEAS DATE)	<u>D10</u>	MM/DD/YYYY	The date the depth to groundwater was measured.		
3402	GW Measurement Time (GW MEAS TIME)	<u>C4</u>	<u>HHMM</u>	The time the depth to groundwater was measured, recorded using 24-hour military time.		
3403	Depth to Floating Product (DTFPROD)	<u>N15</u>		The measured depth from top of well casing to floating product surface reported to one hundredth of a foot.		
3404	Depth to Groundwater Surface (DTW)	<u>N15</u>		The measured depth from top of well casing to groundwater surface reported to one hundredth of a foot.		
3306	Riser Height (RISER HT)	<u>N15</u>		The measured distance from ground surface to top of well casing reported as a positive or negative value to one hundredth of a foot.		
3405	Total Depth (TOT DEPTH)	<u>N15</u>		Depth to bottom of well measured in the field during the sampling/ measurement event from top of well casing to "bottom" of well, reported to one hundredth of a foot.		
3406	DTW Description (GW MEAS DESC)	<u>C240</u>	Narrative	General description/information pertaining to the groundwater measurement.		

Chapter	Chapter 2 WELL AND SITE INFORMATION ELECTRONIC REPORTING 4. GEO WCON – Well Construction Details					
<u>ID</u>	Element (FIELD NAME)	Length/ Type	Criteria	<u>Definition</u>		
3000	Global ID (GLOBAL ID)	<u>C12</u>	Valid Values	The unique identifier for a regulated facility or site.		
<u>3001</u>	Field Point Name (FIELD PT NAME)	<u>C15</u>	Valid Values	The unique name of the field location where the sample/field measurement has been collected.		
3002	Field Point Class (FIELD PT CLASS)	<u>C5</u>	Valid Values	The code representing the type of field/survey point.		
3500	Well Installation Date (WELL INSTAL DATE)	<u>D10</u>	MM/DD/YYY Y	The date that the well was installed.		
3501	Casing Height (CASING HT)	<u>N15</u>		The measured distance from ground surface to top of well casing reported as a positive or negative value to one tenth of a foot.		
<u>3502</u>	Casing Inner Diameter (CASE DIA)	<u>N15</u>		The inner diameter of the casing reported to one tenth of an inch.		
<u>3503</u>	Top of Screen Depth (TOP SCR)	<u>N15</u>		The measured depth from ground surface to the top of the well screen reported to one tenth of a foot.		
<u>3504</u>	Bottom of Screen Depth (BOT SCR)	<u>N15</u>		The measured depth from ground surface to the bottom of the well screen reported to one tenth of a foot.		
3505	Total Depth of Well (TOT DEPTH WELL)	<u>N15</u>		Depth of well measured as drilled from ground surface to the bottom of the well reported to one tenth of a foot.		
<u>3506</u>	Depth to First Groundwater Encountered (DEPTH 1ST WATER)	<u>N15</u>		The measured depth from ground surface to the first groundwater encountered during drilling reported to one tenth of a foot.		
3507	Well Construction Description (WCON DESC)	<u>C240</u>	<u>Narrative</u>	General description/information pertaining to well construction.		

Chapt	Chapter 2 WELL AND SITE INFORMATION ELECTRONIC REPORTING 5. GEO REM – Remediation Treatment						
<u>ID</u>	Element (FIELD NAME)	Length/ Type	<u>Criteria</u>	<u>Definition</u>			
3000	Global ID (GLOBAL ID)	<u>C12</u>	Valid Values	The unique identifier for a regulated facility or site.			
3001	Field Point Name (FIELD PT NAME)	<u>C15</u>	Valid Values	The unique name of the field location where the sample/field measurement has been collected.			
3002	Field Point Class (FIELD PT CLASS)	<u>C5</u>	Valid Values	The code representing the type of field/survey point.			
<u>3600</u>	Remedial Actions Taken (REMED ACT)	<u>C3</u>	<u>Valid Values</u>	Code for Remedial Actions taken.			
<u>3601</u>	Remediation Volume/Amount (REMED AMT)	<u>N126</u>		Volume or amount of material treated or removed.			
<u>3602</u>	Remediation Units (REMED UNIT)	<u>C10</u>	Valid Values	Code describing the type of units for the volume or amount of material removed.			
<u>3603</u>	Remediation Phase (REMED_PHASE)	<u>C5</u>	Valid Values	Code for the phase or matrix treated by remedial action.			
<u>3604</u>	Date Remedial Action Began (REMED BEG)	<u>D10</u>	MM/DD/YYY Y	Date remedial action began.			
<u>3605</u>	Date Remedial Action Ended (REMED END)	<u>D10</u>	MM/DD/YYY Y	Date remedial action ended.			
<u>3606</u>	Remediation Description (REMED_DESC)	<u>C240</u>	<u>Narrative</u>	General description and information pertaining to remediation.			
<u>3607</u>	Treatment Type (TREAT TYPE)	<u>C5</u>	Valid Values	The code representing the type of remediation treatment.			
<u>3608</u>	<u>Treatment Phase</u> (TREAT PHASE)	<u>C5</u>	Valid Values	Code for the phase or matrix being treated.			
<u>3609</u>	Treatment Description (TREAT DESC)	<u>C240</u>	<u>Narrative</u>	General description and information pertaining to treatment.			
<u>3610</u>	Treatment System Flow Rate (FLW RATE)	<u>N15</u>		Treatment system operating flow rate for reporting period.			
<u>3611</u>	Treatment System Flow Rate Units (FLW RATE UNITS)	<u>C5</u>	Valid Values	Code describing the type of units for the treatment system flow rate.			
<u>3612</u>	Operating Time for Reporting Period (RPT TIME OP)	<u>N126</u>		Elapsed time that treatment system was operated during reporting period, reported to one tenth of an hour.			
<u>3613</u>	Date Treatment Began for Reporting Period (RPT TREAT BEG)	<u>D10</u>	MM/DD/YYY Y	Date treatment began during reporting period.			
<u>3614</u>	Date Treatment Ended in Reporting Period (RPT TREAT END)	<u>D10</u>	MM/DD/YYY Y	Date treatment ended during reporting period.			