# STATE OF CALIFORNIA STATE WATER RESOURCES CONTROL BOARD

## **ORDER WQ 2025-0035-UST**

In the Matter of Underground Storage Tank (UST) Case Closure
Pursuant to Health and Safety Code Section 25296.10 and the
Low-Threat Underground Storage Tank Case Closure Policy

#### BY THE CHIEF DEPUTY DIRECTOR:1

By this order, the Chief Deputy Director directs closure of the UST case at the site listed below, pursuant to section 25296.10 of the Health and Safety Code.<sup>2</sup> The name of the responsible party(ies), the site name, the site address, the Underground Storage Tank Cleanup Fund (Fund) claim number if applicable, current and former lead agencies, and case numbers are as follows:

Union Oil Company of California (Responsible Party)
Unocal #5356
1913 West Edinger Avenue, Santa Ana, Orange County
Fund Claim No. 9590
Santa Ana Regional Water Quality Control Board, Case No. 083002016T

<sup>&</sup>lt;sup>1</sup> State Water Board Resolution No. 2023-0036 delegates to the Executive Director the authority to close or require the closure of any UST case if the case meets the criteria found in the State Water Board's Low-Threat Underground Storage Tank Case Closure Policy adopted by State Water Board Resolution No. 2012-0016. Pursuant to Resolution No. 2023-0036, the Executive Director has delegated this authority to the Chief Deputy Director.

<sup>&</sup>lt;sup>2</sup> Unless otherwise noted, all references are to the California Health and Safety Code.

#### I. STATUTORY AND PROCEDURAL BACKGROUND

Upon review of a UST case, the State Water Resources Control Board (State Water Board) is authorized to close or require closure of a UST case where an unauthorized release has occurred, if the State Water Board determines that corrective action at the site is in compliance with all the requirements of subdivisions (a) and (b) of section 25296.10. The State Water Board, or in certain cases the State Water Board Executive Director or Chief Deputy Director, may close a case or require the closure of a UST case. Closure of a UST case is appropriate where the corrective action ensures the protection of human health, safety, and the environment and where the corrective action is consistent with: 1) chapter 6.7 of division 20 of the Health and Safety Code and implementing regulations; 2) any applicable waste discharge requirements or other orders issued pursuant to division 7 of the Water Code; 3) all applicable state policies for water quality control; and 4) all applicable water quality control plans.

State Water Board staff has completed a review of the UST case identified above, and recommends that this case be closed. The recommendation is based upon the facts and circumstances of this particular UST case. The attached UST Case Closure Summary has been prepared for the case identified above and is incorporated by reference. The UST case record that is the basis for determining compliance with the Water Quality Control Policy for Low-Threat Underground Storage Tank Case Closures (Low-Threat Closure Policy or Policy) is available on the State Water Board's GeoTracker database.

GeoTracker Case Record: http://geotracker.waterboards.ca.gov/?gid=T0605901505

# **Low-Threat Closure Policy**

The Policy became effective on August 17, 2012. The Policy establishes consistent statewide case closure criteria for certain low threat petroleum UST sites. In the absence of unique attributes or site-specific conditions that demonstrably increase the risk associated with residual petroleum constituents, cases that meet the general and media-specific criteria in the Low-Threat Closure Policy pose a low threat to human health, safety, the environment, and are appropriate for closure under Health and Safety

Code section 25296.10. The Policy provides that if a regulatory agency determines that a case meets the general and media-specific criteria of the Policy, then the regulatory agency shall notify responsible parties and other specified interested persons that the case is eligible for case closure. Unless the regulatory agency revises its determination based on comments received on the proposed case closure, the Policy provides that the agency shall issue a uniform closure letter as specified in Health and Safety Code section 25296.10. The uniform closure letter may only be issued after the expiration of the 60-day comment period, proper destruction or maintenance of monitoring wells or borings, and removal of waste associated with investigation and remediation of the site.

Health and Safety Code section 25299.57, subdivision (I)(1) provides that claims for reimbursement of corrective action costs that are received by the Fund more than 365 days after the date of a uniform closure letter or a letter of commitment, whichever occurs later, shall not be reimbursed unless specified conditions are satisfied.

## **II. FINDINGS**

Based upon the facts in the UST record and the hydrogeologic conditions at the site, as summarized in the attached UST Case Closure Summary, the State Water Board finds that corrective action taken to address the unauthorized release of petroleum at the UST release site identified as:

Union Oil Company of California (Responsible Party)
Unocal #5356
1913 West Edinger Avenue, Santa Ana, Orange County
Fund Claim No. 9590
Santa Ana Regional Water Quality Control Board, Case No. 083002016T

ensures protection of human health, safety, and the environment and is consistent with chapter 6.7 of division 20 of the Health and Safety Code and implementing regulations, the Low-Threat Closure Policy and with other applicable water quality control policies and plans.

The unauthorized release from the UST consisted only of petroleum. This order directs closure for the petroleum UST case at the site. This order does not address non-petroleum contamination at the site, if non-petroleum contamination is present.

Pursuant to the Low-Threat Closure Policy, notification has been provided to all entities that are required to receive notice of the proposed case closure, a 60-day comment period has been provided to notified parties, and any comments received have been considered by the State Water Board in determining that the case should be closed.

Pursuant to section 21080.5 of the Public Resources Code, environmental impacts associated with the adoption of this order were analyzed in the substitute environmental document (SED) the State Water Board approved on May 1, 2012. The SED concludes that all environmental effects of adopting and implementing the Low-Threat Closure Policy are less than significant, and environmental impacts as a result of adopting this order in compliance with the Policy are no different from the impacts that are reasonably foreseen as a result of the Policy itself. A Notice of Decision was filed August 17, 2012. No new environmental impacts or any additional reasonably foreseeable impacts beyond those that were addressed in the SED will result from adopting this order.

The UST case identified above may be the subject of orders issued by the Regional Water Quality Control Board (Regional Water Board) pursuant to division 7 of the Water Code. Any orders that have been issued by the Regional Water Board pursuant to division 7 of the Water Code, or directives issued by a Local Oversight Program (LOP) agency for this case should be rescinded to the extent they are inconsistent with this order.

## III. ORDER

## **IT IS THEREFORE ORDERED** that:

A. The UST case identified in Section II of this order, meeting the general and media-specific criteria established in the Low-Threat Closure Policy, be closed in

accordance with the following conditions and after the following actions are complete. Prior to the issuance of a uniform closure letter, the responsible party(ies) is/are ordered to:

- Properly destroy any and all monitoring wells and borings unless the owner of real property on which the well or boring is located certifies that the wells or borings will be maintained in accordance with local or state requirements;
- 2. Properly remove from the site and manage any and all waste piles, drums, debris, and other investigation and remediation derived materials in accordance with local or state requirements; and
- 3. Within six months of the date of this order, submit documentation to the regulatory agency overseeing the UST case identified in Section II of this order that the tasks in subparagraphs (1) and (2) have been completed.
- B. The tasks in subparagraphs (1) and (2) of Paragraph (A) are ordered pursuant to Health and Safety Code section 25296.10, and failure to comply with these requirements may result in the imposition of civil penalties pursuant to Health and Safety Code section 25299, subdivision (d)(1). Penalties may be imposed administratively by the State Water Board or Regional Water Board.
- C. Within 30 days of receipt of proper documentation from the responsible party(ies) that requirements in subparagraphs (1) and (2) of Paragraph (A) are complete, the regulatory agency that is responsible for oversight of the UST case identified in Section II of this order shall notify the State Water Board that the tasks have been satisfactorily completed.
- D. Within 30 days of notification from the regulatory agency that the tasks are complete pursuant to Paragraph (C), the Deputy Director of the Division of Water Quality shall issue a uniform closure letter consistent with Health and Safety

Code section 25296.10, subdivision (g) and upload the uniform closure letter to GeoTracker.

- E. Pursuant to section 25299.57, subdivision (I)(1), and except in specified circumstances, all claims for reimbursement of corrective action costs must be received by the Fund within 365 days of issuance of the uniform closure letter in order for the costs to be considered.
- F. Any Regional Water Board or LOP agency directive or order that directs corrective action or other action inconsistent with case closure for the UST case identified in Section II is rescinded, but only to the extent the Regional Water Board order or LOP agency directive is inconsistent with this order.

Knen Mog	June 10, 2025	
Chief Deputy Director	 Date	





# State Water Resources Control Board

# **UNDERGROUND STORAGE TANK (UST) CASE CLOSURE SUMMARY**

**Agency Information** 

Agency Name:	Address:
Santa Ana Regional Water Quality Control	3737 Main Street, Suite 500
Board	Riverside, CA 92501-3348
(Santa Ana Water Board)	
Agency Caseworker: Gongde Chen	Case No.: 083002016T

#### **Case Information**

UST Cleanup Fund (Fund) Claim No.: 9590	Global ID: T0605901505
Site Name:	Site Address:
UNOCAL #5356	1913 West Edinger Avenue
	Santa Ana, CA 92704 (Site)
Responsible Party:	Address:
Union Oil Company of California	1660 West Anaheim Street
Attention: Atir Chak	Wilmington, CA 90744
	-
Fund Expenditures to Date: \$629,422	Number of Years Case Open: 33

GeoTracker Case Record: http://geotracker.waterboards.ca.gov/?gid=T0605901505

#### Summary

The Low-Threat Underground Storage Tank Case Closure Policy (Policy) contains general and media-specific criteria, and cases that meet those criteria are appropriate for closure pursuant to the Policy because they pose a low threat to human health, safety, and the environment. The Site meets all of the required criteria of the Policy and therefore, is subject to closure.

The Site currently operates as an active gasoline and diesel service station. In 1992, an unauthorized release from a product line was discovered during the installation of a monitoring well. The affected line was repaired and half a ton of contaminated soil was excavated and disposed off-site. In November 1995, infrastructure upgrades uncovered additional hydrocarbon-impacted soil, resulting in the removal of 1,153 tons of soil before new dispenser islands and product piping were installed. The station's current facilities include two 15,000-gallon gasoline USTs, one 12,000-gallon diesel UST, six fuel dispenser islands, and associated product piping.

E. JOAQUIN ESQUIVEL, CHAIR | ERIC OPPENHEIMER, EXECUTIVE DIRECTOR

UNOCAL #5356, T0605901505 1913 West Edinger Avenue, Santa Ana

Between December 1997 and February 2001, 21,757 gallons of hydrocarbon-impacted groundwater near the USTs were periodically extracted and treated. From February 25 to August 19, 2005, weekly Enhanced Fluid Recovery (EFR) activities removed and disposed of 13,170 gallons of impacted groundwater. This was followed by seven additional EFR events from April 13 to May 25, 2006, which recovered 3,819 gallons. A groundwater pump-and-treat system operated from December 2008 to February 2012, extracting and treating approximately 1.7 million gallons. An ozone sparge system operated from April 2003 to February 2012, injecting 637 pounds of ozone into the subsurface. Most recently, an air sparge system ran from December 2021 to March 2023 to remediate residual tertiary butyl ether in groundwater beneath the Site.

Since 1992, a network of 23 monitoring wells, seven triple-nested piezometers, and four vapor extraction wells have been installed and routinely monitored. No free product has been detected in monitoring wells since 2022. Groundwater monitoring through 2023 and early 2024 indicates that the remaining petroleum hydrocarbon contaminant plume is stable and measures less than 250 feet in length. In 2008, a risk assessment was conducted to evaluate the potential health risks to school children and staff at the Carr Intermediate School, located downgradient of the Site. Petroleum constituents in soil and vapor samples taken on the school's property meet the residential standards outlined in the Policy.

The remaining petroleum constituents are limited, stable, and decreasing. Additional assessment would be unnecessary and will not likely change the conceptual model. Any remaining petroleum constituents do not pose significant risk to human health, safety, or the environment under current conditions.

## Rationale for Closure Under the Policy

- General Criteria Site MEETS ALL EIGHT GENERAL CRITERIA under the Policy.
- Groundwater Media-Specific Criteria Site meets the criteria in Class 2. The contaminant plume that exceeds water quality objectives is less than 250 feet in length. There is no free product. The nearest existing water supply well or surface water body is greater than 1,000 feet from the defined plume boundary. The dissolved concentration of benzene is less than 3,000 micrograms per liter (μg/L), and the dissolved concentration of MTBE is less than 1,000 μg/L.
- Petroleum Vapor Intrusion to Indoor Air Site meets Criteria 2 (a),
   Scenario 3. As applicable, the extent of the bioattenuation zone, oxygen concentrations in soil gas, concentrations of total petroleum hydrocarbons as gasoline and diesel combined in soil, and dissolved concentrations of benzene in groundwater meet the Policy.
- Direct Contact and Outdoor Air Exposure Site meets
   Criteria 3 (a). Maximum concentrations of petroleum constituents in soil from confirmation soil samples are less than or equal to those listed in Table 1 of the Policy.

# UNOCAL #5356, T0605901505 1913 West Edinger Avenue, Santa Ana

## **Recommendation for Closure**

Senior Engineering Geologist

The corrective action performed at this Site ensures the protection of human health, safety, and the environment. The corrective action performed at this Site is consistent with chapter 6.7 of division 20 of the Health and Safety Code, implementing regulations, applicable state policies for water quality control and applicable water quality control plans. Case closure is recommended.

Prepared by:	
Stewn Mulbery	Revised: 5/19/2025
Steven Mullery, P.G. No. 10304 Engineering Geologist	Date
Reviewed By:	
19 /	Revised: 5/19/2025
Dayna Cordano, P.G. No. 9694	Date

Page 3 of 3