



**COUNTY OF ORANGE
HEALTH CARE AGENCY**

**PUBLIC HEALTH SERVICES
ENVIRONMENTAL HEALTH**

**MARK A. REFOWITZ
DIRECTOR**

**DAVID M. SOULELES, MPH
DEPUTY AGENCY DIRECTOR**

**RICHARD SANCHEZ, REHS, MPH
DIRECTOR
ENVIRONMENTAL HEALTH**

MAILING ADDRESS:
1241 E. DYER RD., #120
SANTA ANA, CA 92705-5811

TELEPHONE: (714) 433-6000
FAX: (714) 754-1732
E-MAIL: ehhealth@ochca.com



April 23, 2013

Pete Mizera
State Water Resources Control Board
1001 I Street, 16th Floor
Sacramento, CA 95814

Subject: Comment Letter – Pilapil ARCO Case Closure Summary

**Re: Pilapil ARCO Station
7470 Cerritos Avenue
Stanton, CA 90680
OCHCA Case #99UT060**

Dear Mr. Mizera:

The Orange County Health Care Agency (OCHCA) has reviewed the case closure review summary report prepared by the State Water Resources Control Board (SWRCB) staff regarding case closure recommendation made by the UST Cleanup Fund Manager for the referenced site.

This Agency has already reviewed the site history and evaluated the case for closure. A Case Closure Summary prepared by this Agency has been forwarded to the California Regional Water Quality Control Board – San Ana Region (RWQCB) on April 23, 2013 for their review and concurrence. (See attached e-mail correspondence sent to RWQCB.) Pursuant to Sections 25297.1 and 25297.15 of the California Health and Safety Code, draft Case Closure Summary will be submitted to all interested parties and water agencies on April 24, 2013 as part of the public notification process. These letters will be uploaded to the Geotracker database. As such, the OCHCA requests that the SWRCB dismiss the Fund Manager's recommendation for closure as it would be premature to close the case at this time as the closure process is already underway by the local oversight agency.

If you have any questions, please contact me at (714) 433-6011,

Sincerely,

Anthony F. Martinez
Program Manager
Hazardous Materials Mitigation Section
Orange County Environmental Health

Attachment

Sundaram, Shyamala

From: Martinez, Anthony
Sent: Tuesday, April 23, 2013 12:40 PM
To: Valerie Jahn-Bull
Cc: Sundaram, Shyamala
Subject: Case Closure Summary for Pilapil ARCO Station, Stanton
Attachments: Case Closure Summary 99UT060.pdf

Valerie,

Please find attached a Case Closure Summary for the above-mentioned site. This Case Closure Summary has been prepared and signed by the Orange County Local Oversight Program and is ready for review by the Regional Board.

In accordance with Task 1.10 (Certification) in the County of Orange's Standard Agreement with the State Water Resources Control Board, please consider the date of receipt of the Case Closure Summary to be the start of the Regional Board's 30-day review period. Per our Agreement, if the Regional Board does not concur with closure, please provide us with comments detailing your concerns. Should the Regional Board need additional information that will extend the 30-day review period, please contact me to discuss a new mutually-agreeable review period.

Thank you,

Anthony Martinez, CEG #2255
Program Manager
Hazardous Materials Mitigation Section
Orange County Environmental Health
(714) 433-6011