

---

## State Water Resources Control Board

July 1, 2015

California Department of Transportation-District 7  
Attention: Mr. Ayubur Rahman  
100 South Main Street  
Los Angeles, CA 90012

Dear Mr. Rahman:

### UNDERGROUND STORAGE TANK CASE CLOSURE FOR CALTRANS TRUCK MAINTENANCE YARD, 23922 SAN FERNANDO ROAD, NEWHALL, LOS ANGELES COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board (State Water Board), GeoTracker No. T0603790240
- Los Angeles Regional Water Quality Control Board, Case No. I-08389A
- Los Angeles County Department of Public Works, Case No. 009137-008389

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Board UST Cleanup Fund (Fund) more than 365 days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or

- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365 day time period.

If you have any questions regarding this matter, please contact Mr. George Lockwood at (916) 341-5752 or [George.Lockwood@waterboards.ca.gov](mailto:George.Lockwood@waterboards.ca.gov).

Sincerely,

  
Victoria A. Whitney, Deputy Director  
Division of Water Quality

cc: [Via email only]

Mr. Samuel Unger, Executive Officer  
Los Angeles Regional Water Quality Control Board  
([Samuel.Unger@waterboards.ca.gov](mailto:Samuel.Unger@waterboards.ca.gov))

Ms. Paula Rasmussen  
Los Angeles Regional Water Quality Control Board  
([Paula.Rasmussen@waterboards.ca.gov](mailto:Paula.Rasmussen@waterboards.ca.gov))

Mr. Yue Rong  
Los Angeles Regional Water Quality Control Board  
([Yue.Rong@waterboards.ca.gov](mailto:Yue.Rong@waterboards.ca.gov))

Ms. Frances McChesney  
State Water Board  
([Frances.McChesney@waterboards.ca.gov](mailto:Frances.McChesney@waterboards.ca.gov))

Ms. Jennifer Fordyce  
State Water Board  
([Jennifer.Fordyce@waterboards.ca.gov](mailto:Jennifer.Fordyce@waterboards.ca.gov))

Mr. David Coupe  
State Water Board  
([David.Coupe@waterboards.ca.gov](mailto:David.Coupe@waterboards.ca.gov))

Mr. Steven Westhoff  
State Water Board  
([Steven.Westhoff@waterboards.ca.gov](mailto:Steven.Westhoff@waterboards.ca.gov))

cc: Continued on next page

cc: (Continued)

Mr. George Lockwood  
State Water Board  
([George.Lockwood@waterboards.ca.gov](mailto:George.Lockwood@waterboards.ca.gov))

Mr. Matthew Cohen  
State Water Board  
([Matthew.Cohen@waterboards.ca.gov](mailto:Matthew.Cohen@waterboards.ca.gov))

Mr. Tim Smith  
Los Angeles County  
([TSmith@dpw.lacounty.gov](mailto:TSmith@dpw.lacounty.gov))

Mr. Scott Forbess  
Geosyntec Consultants, Inc.  
([SForbess@geosyntec.com](mailto:SForbess@geosyntec.com))