

State Water Resources Control Board

NOV 06 2018

Mr. Charles Carmel
BP Remediation Management
4 Centerpointe Drive, Suite 200
Room LPR 4-222
La Palma, CA 90623
Charles.Carmel@bp.com

Dear Mr. Carmel:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR ARCO # 0402 / PARKING LOT,
1450 FRUITVALE AVENUE, OAKLAND, ALAMEDA COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T06019734265
- Alameda County Environmental Health, Case No. RO0000307

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Resources Control Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or

NOV 06 2018

- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365 day time period.

If you have any questions regarding this matter, please contact Mr. Matthew Cohen at (916) 341-5751 or Matthew.Cohen@waterboards.ca.gov.

Sincerely,



Karen Mogus, Deputy Director
Division of Water Quality

cc: Mr. Bill Phua
Fruitvale Farnam Associates LLC
638 Webster Street
Oakland, CA 94607

[Via email only]

Mr. Bruce H. Wolfe
San Francisco Bay Regional Water Quality Control Board
Bruce.Wolfe@waterboards.ca.gov

Mr. Ronald Browder
Alameda County Environmental Health
Ronald.Browder@acgov.org

Mr. Paresh Khatri
Alameda County Environmental Health
Paresh.Khatri@acgov.org

Ms. Karel Detterman
Alameda County Environmental Health
Karel.Detterman@acgov.org

Ms. Therese Barakatt
State Water Resources Control Board
Therese.Barakatt@waterboards.ca.gov

Mr. Daniel Newton
State Water Resources Control Board
Daniel.Newton@waterboards.ca.gov

cc: (continued next page)

cc: (continued)

Mr. Matthew Cohen
State Water Resources Control Board
Matthew.Cohen@waterboards.ca.gov

James M. Jacobsen
ARCADIS U.S., Inc.
James.Jacobsen@arcadis.com