



GAVIN NEWSOM  
GOVERNOR



JARED BLUMENFELD  
SECRETARY FOR  
ENVIRONMENTAL PROTECTION

---

## State Water Resources Control Board

June 8, 2021

City of Commerce  
Attention: Gina Nila  
2535 Commerce Way  
Commerce, California 90040  
[Via email only] [ginan@ci.commerce.ca.us](mailto:ginan@ci.commerce.ca.us)

Dear Ms. Nila:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR OLD FIRE STATION #27,  
5605 EAST SHEILA STREET, COMMERCE, LOS ANGELES COUNTY

This letter confirms completion of site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T0603705456
- Los Angeles Regional Water Quality Control Board, Case No. R-24635
- Los Angeles County Department of Public Works, Case No. TT012346-024635

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your UST site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Resources Control Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

---

E. JOAQUIN ESQUIVEL, CHAIR | EILEEN SOBECK, EXECUTIVE DIRECTOR

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365-day time period.

If you have any questions regarding this matter, please contact Mr. Matthew Cohen at (916) 341-5751 or [Matthew.Cohen@waterboards.ca.gov](mailto:Matthew.Cohen@waterboards.ca.gov).

Sincerely,



Karen Mogus, Deputy Director  
Division of Water Quality  
cc: [Via email only]

Renee Purdy, Executive Officer  
Los Angeles Regional Water Quality Control Board  
([Renee.Purdy@waterboards.ca.gov](mailto:Renee.Purdy@waterboards.ca.gov))

Yue Rong  
Los Angeles Regional Water Quality Control Board  
([Yue.Rong@waterboards.ca.gov](mailto:Yue.Rong@waterboards.ca.gov))

Therese Barakatt  
State Water Resources Control Board  
([Therese.Barakatt@waterboards.ca.gov](mailto:Therese.Barakatt@waterboards.ca.gov))

Merswind Reyer  
State Water Resources Control Board  
[Merswind.Reyer@waterboards.ca.gov](mailto:Merswind.Reyer@waterboards.ca.gov)

Cheryl Prowell  
State Water Resources Control Board  
([Cheryl.Prowell@waterboards.ca.gov](mailto:Cheryl.Prowell@waterboards.ca.gov))

Matthew Cohen  
State Water Resources Control Board  
([Matthew.Cohen@waterboards.ca.gov](mailto:Matthew.Cohen@waterboards.ca.gov))

cc: Continued next page

cc: (Continued)

John Awujo  
Los Angeles County Department of Public Works  
([jawujo@dpw.lacounty.gov](mailto:jawujo@dpw.lacounty.gov))

Hassan Amini  
GSI Environmental Inc.  
([HAmini@gsi-net.com](mailto:HAmini@gsi-net.com))