

Delta Water Quality Conditions

South Delta Stations

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle River	
	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg
12/10/2012	0.75	0.68	0.71	0.73	0.89	0.87	0.77	0.72
12/11/2012	0.78	0.68	0.72	0.73	0.89	0.87	0.78	0.73
12/12/2012	0.79	0.68	0.70	0.73	0.93	0.87	0.81	0.73
12/13/2012	0.80	0.68	0.67	0.72	0.94	0.87	0.81	0.73
12/14/2012	0.81	0.68	0.66	0.72	0.93	0.87	0.83	0.73
12/15/2012	0.82	0.69	0.65	0.72	0.94	0.87	0.84	0.73
12/16/2012	0.83	0.69	0.65	0.71	0.97	0.87	0.86	0.74
12/17/2012	0.85	0.70	0.65	0.71	1.01	0.87	0.87	0.74
12/18/2012	0.84	0.71	0.64	0.70	1.03	0.88	0.88	0.75
12/19/2012	0.83	0.71	0.65	0.70	1.06	0.89	0.90	0.75
12/20/2012	0.83	0.72	0.77	0.70	1.13	0.90	0.86	0.76
12/21/2012	0.83	0.72	0.86	0.71	1.14	0.91	0.88	0.76
12/22/2012	0.83	0.73	0.88	0.71	1.10	0.92	0.87	0.77
12/23/2012	0.78	0.74	0.87	0.71	1.05	0.92	0.86	0.77
12/24/2012	0.67	0.74	0.86	0.72	1.02	0.92	0.85	0.78
12/25/2012	0.45	0.73	0.81	0.72	1.00	0.92	0.72	0.78
12/26/2012	0.41	0.72	0.57	0.72	0.89	0.92	0.43	0.77
12/27/2012	0.40	0.71	0.43	0.70	0.72	0.92	0.44	0.76
12/28/2012	0.35	0.69	0.45	0.69	0.63	0.91	0.43	0.75
12/29/2012	0.39	0.68	0.38	0.68	0.61	0.90	0.39	0.73
12/30/2012	0.41	0.67	0.43	0.67	0.58	0.90	0.42	0.72
12/31/2012	0.49	0.67	0.44	0.66	0.58	0.89	0.45	0.71
01/01/2013	0.57	0.67	0.49	0.66	0.64	0.88	0.52	0.71
01/02/2013	0.62	0.67	0.58	0.65	0.71	0.88	0.59	0.70
01/03/2013	0.68	0.67	0.63	0.65	0.85	0.88	0.65	0.70
01/04/2013	0.72	0.67	0.68	0.65	0.95	0.89	0.72	0.71
01/05/2013	0.74	0.68	0.73	0.65	1.08	0.90	0.75	0.71
01/06/2013	0.74	0.68	0.76	0.66	1.12	0.90	0.78	0.71
01/07/2013	0.68	0.68	0.80	0.66	1.10	0.91	0.79	0.72
01/08/2013	0.68	0.68	0.80	0.66	1.01	0.92	0.73	0.72

Electrical Conductivity (EC) units: milliSiemens per Centimeter

md : mean daily

NR : No Record

NC : Average not computed due to insufficient data

BR : Below Rating

e : estimated value

Delta Water Quality Conditions

South Delta Stations

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle River	
	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg
12/31/2012	0.49	0.67	0.44	0.66	0.58	0.89	0.45	0.71
01/01/2013	0.57	0.67	0.49	0.66	0.64	0.88	0.52	0.71
01/02/2013	0.82	0.67	0.58	0.65	0.71	0.88	0.59	0.70
01/03/2013	0.68	0.67	0.63	0.65	0.85	0.88	0.65	0.70
01/04/2013	0.72	0.67	0.68	0.65	0.95	0.89	0.72	0.71
01/05/2013	0.74	0.68	0.73	0.65	1.08	0.90	0.75	0.71
01/06/2013	0.74	0.68	0.76	0.66	1.12	0.90	0.78	0.71
01/07/2013	0.68	0.68	0.80	0.66	1.10	0.91	0.79	0.72
01/08/2013	0.68	0.68	0.80	0.66	1.01	0.92	0.73	0.72
01/09/2013	0.65	0.67	0.75	0.67	0.99	0.92	0.73	0.71
01/10/2013	0.70	0.67	0.75	0.67	0.93	0.92	0.71	0.71
01/11/2013	0.73	0.67	0.70	0.67	0.89	0.92	0.68	0.71
01/12/2013	0.80	0.67	0.70	0.67	0.91	0.92	0.75	0.71
01/13/2013	0.85	0.67	0.75	0.67	0.93	0.92	0.81	0.70
01/14/2013	0.89	0.67	0.83	0.68	1.03	0.92	0.86	0.71
01/15/2013	0.90	0.68	0.87	0.68	1.12	0.93	0.90	0.71
01/16/2013	0.92	0.68	0.92	0.69	1.12	0.93	0.93	0.71
01/17/2013	0.93	0.68	0.94	0.70	1.21	0.94	0.94	0.71
01/18/2013	0.95	0.69	0.95	0.71	1.27	0.94	0.95	0.71
01/19/2013	0.96	0.69	0.96	0.72	1.35	0.95	0.98	0.72
01/20/2013	0.96	0.69	0.98	0.72	1.32	0.96	0.97	0.72
01/21/2013	0.97	0.70	0.99	0.73	1.23	0.96	0.97	0.72
01/22/2013	0.95	0.70	1.01	0.73	1.25	0.97	1.00	0.73
01/23/2013	0.95	0.71	1.01	0.74	1.19	0.97	1.00	0.73
01/24/2013	0.94	0.73	1.02	0.74	1.16	0.98	1.00	0.74
01/25/2013	0.96	0.75	1.01	0.76	1.18	0.99	1.00	0.76
01/26/2013	0.96	0.77	1.00	0.78	1.20	1.00	1.01	0.78
01/27/2013	0.98	0.79	1.00	0.80	1.17	1.02	1.02	0.80
01/28/2013	0.99	0.81	1.01	0.82	1.16	1.04	1.03	0.82
01/29/2013	1.00	0.83	1.01	0.84	1.18	1.06	1.04	0.84

Electrical Conductivity (EC) units: milliSiemens per Centimeter
 md : mean daily
 NR : No Record
 NC : Average not computed due to insufficient data
 BR : Below Rating
 e : estimated value

Delta Water Quality Conditions

South Delta Stations

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle River	
	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg
01/23/2013	0.95	0.71	1.01	0.74	1.19	0.97	1.00	0.73
01/24/2013	0.94	0.73	1.02	0.74	1.16	0.98	1.00	0.74
01/25/2013	0.96	0.75	1.01	0.76	1.18	0.99	1.00	0.76
01/26/2013	0.96	0.77	1.00	0.78	1.20	1.00	1.01	0.78
01/27/2013	0.98	0.79	1.00	0.80	1.17	1.02	1.02	0.80
01/28/2013	0.99	0.81	1.01	0.82	1.16	1.04	1.03	0.82
01/29/2013	1.00	0.83	1.01	0.84	1.18	1.06	1.04	0.84
01/30/2013	0.99	0.85	1.02	0.85	1.19	1.08	1.06	0.86
01/31/2013	1.01	0.86	1.04	0.87	1.25	1.10	1.03	0.88
02/01/2013	0.85	0.87	1.03	0.89	1.26	1.12	1.03	0.89
02/02/2013	0.82	0.87	1.04	0.90	1.26	1.13	0.90	0.90
02/03/2013	0.81	0.88	0.93	0.91	1.23	1.14	0.83	0.91
02/04/2013	0.81	0.88	0.84	0.91	1.15	1.15	0.82	0.91
02/05/2013	0.81	0.88	0.82	0.92	1.09	1.14	0.82	0.91
02/06/2013	0.78	0.88	0.82	0.92	1.06	1.14	0.81	0.91
02/07/2013	0.75	0.89	0.81	0.92	1.08	1.15	0.79	0.91
02/08/2013	0.70	0.89	0.80	0.92	1.04	1.15	0.76	0.91
02/09/2013	0.69	0.89	0.74	0.92	0.94	1.15	0.68	0.91
02/10/2013	0.68	0.89	0.67	0.92	0.87	1.15	0.65	0.91
02/11/2013	0.68	0.88	0.66	0.92	0.87	1.15	0.64	0.91
02/12/2013	0.66	0.87	0.64	0.91	0.88	1.14	0.63	0.90
02/13/2013	0.65	0.87	0.63	0.91	0.90	1.14	0.61	0.89
02/14/2013	0.65	0.86	0.62	0.90	0.90	1.13	0.61	0.88
02/15/2013	0.66	0.85	0.61	0.89	0.88	1.12	0.60	0.87
02/16/2013	0.64	0.84	0.61	0.88	0.82	1.11	0.61	0.86
02/17/2013	0.61	0.83	0.61	0.86	0.81	1.10	0.59	0.85
02/18/2013	0.62	0.82	0.60	0.85	0.75	1.08	0.58	0.84
02/19/2013	0.60	0.81	0.59	0.84	0.73	1.06	0.59	0.82
02/20/2013	0.57	0.79	0.59	0.83	0.72	1.04	0.57	0.81
02/21/2013	0.58	0.78	0.57	0.81	0.70	1.02	0.55	0.80

Electrical Conductivity (EC) units: milliSiemens per Centimeter
 md : mean daily
 NR : No Record
 NC : Average not computed due to insufficient data
 BR : Below Rating
 e : estimated value

Delta Water Quality Conditions

South Delta Stations

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle River	
	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg
02/17/2013	0.61	0.83	0.61	0.88	0.81	1.10	0.59	0.85
02/18/2013	0.62	0.82	0.60	0.85	0.75	1.08	0.58	0.84
02/19/2013	0.60	0.81	0.59	0.84	0.73	1.06	0.59	0.82
02/20/2013	0.57	0.79	0.59	0.83	0.72	1.04	0.57	0.81
02/21/2013	0.58	0.78	0.57	0.81	0.70	1.02	0.55	0.80
02/22/2013	0.60	0.77	0.55	0.80	0.72	1.01	0.56	0.78
02/23/2013	0.62	0.76	0.57	0.78	0.73	0.99	0.57	0.77
02/24/2013	0.61	0.75	0.59	0.77	0.72	0.98	0.59	0.75
02/25/2013	0.64	0.73	0.59	0.75	0.78	0.96	0.59	0.74
02/26/2013	0.63	0.72	0.60	0.74	0.82	0.95	0.62	0.73
02/27/2013	0.62	0.71	0.62	0.73	0.77	0.94	0.62	0.71
02/28/2013	0.63	0.70	0.62	0.71	0.78	0.92	0.61	0.70
03/01/2013	0.67	0.69	0.61	0.70	0.79	0.91	0.62	0.68
03/02/2013	0.68	0.68	0.62	0.69	0.80	0.89	0.68	0.67
03/03/2013	0.69	0.67	0.66	0.67	0.81	0.88	0.70	0.66
03/04/2013	0.70	0.67	0.69	0.66	0.79	0.86	0.72	0.65
03/05/2013	0.66	0.66	0.71	0.65	0.82	0.85	0.72	0.65
03/06/2013	0.64	0.66	0.71	0.65	0.82	0.84	0.70	0.65
03/07/2013	0.68	0.65	0.71	0.65	0.81	0.83	0.66	0.64
03/08/2013	0.72	0.65	0.71	0.64	0.80	0.82	0.70	0.64
03/09/2013	0.76	0.65	0.70	0.64	0.79	0.81	0.73	0.64
03/10/2013	0.75	0.65	0.71	0.64	0.80	0.80	0.76	0.64
03/11/2013	0.76	0.65	0.75	0.64	0.87	0.80	0.74	0.64
03/12/2013	0.84	0.66	0.78	0.64	0.91	0.80	0.68	0.64
03/13/2013	0.82	0.66	0.77	0.64	0.91	0.80	0.64	0.64
03/14/2013	0.88	0.67	0.78	0.65	0.90	0.80	0.59	0.64
03/15/2013	0.84	0.68	0.81	0.65	0.92	0.80	0.58	0.64
03/16/2013	0.84	0.69	0.83	0.66	0.95	0.81	0.64	0.64
03/17/2013	0.83	0.69	0.85	0.67	0.96	0.81	0.60	0.64
03/18/2013	0.87	0.70	0.88	0.68	0.98	0.81	0.75	0.64

Electrical Conductivity (EC) units: milliSiemens per Centimeter
 md : mean daily
 NR : No Record
 NC : Average not computed due to insufficient data
 BR : Below Rating
 e : estimated value

Delta Water Quality Conditions

South Delta Stations

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle River	
	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg
03/25/2013	0.97	0.78	0.93	0.75	1.07	0.88	0.94	0.71
03/26/2013	0.99	0.79	0.93	0.77	1.11	0.90	0.98	0.73
03/27/2013	0.98	0.80	0.94	0.78	1.11	0.91	0.97	0.74
03/28/2013	1.02	0.81	0.94	0.79	1.14	0.92	0.96	0.75
03/29/2013	0.96	0.82	0.93	0.80	1.20	0.93	0.96	0.76
03/30/2013	0.91	0.83	0.90	0.81	1.30	0.95	1.02	0.78
03/31/2013	0.87	0.84	0.89	0.82	1.30	0.97	0.99	0.79
04/01/2013	0.81	0.85	0.93	0.83	1.21	0.98	0.94	0.80
04/02/2013	0.78	0.85	0.94	0.84	1.21	0.99	0.89	0.80
04/03/2013	0.79	0.85	0.89	0.84	1.14	1.01	0.81	0.81
04/04/2013	0.85	0.86	0.84	0.85	1.11	1.02	0.82	0.81
04/05/2013	0.82	0.86	0.83	0.85	1.09	1.02	0.88	0.82
04/06/2013	0.83	0.87	0.87	0.86	1.05	1.03	0.89	0.82
04/07/2013	0.82	0.87	0.88	0.86	1.02	1.04	0.89	0.83
04/08/2013	0.82	0.87	0.88	0.87	1.04	1.05	0.90	0.84
04/09/2013	0.83	0.88	0.89	0.87	1.02	1.06	0.90	0.84
04/10/2013	0.83	0.88	0.90	0.88	1.06	1.06	0.93	0.85
04/11/2013	0.81	0.88	0.91	0.88	1.13	1.07	0.94	0.86
04/12/2013	0.76	0.88	0.93	0.89	1.16	1.08	0.95	0.87
04/13/2013	0.75	0.87	0.94	0.89	1.15	1.09	0.94	0.88
04/14/2013	0.73	0.87	0.94	0.90	1.16	1.09	0.88	0.89
04/15/2013	0.67	0.86	0.92	0.90	1.13	1.10	0.87	0.90
04/16/2013	0.62	0.85	0.88	0.90	1.07	1.10	0.79	0.90
04/17/2013	0.48	0.84	0.84	0.90	1.02	1.10	0.76	0.90
04/18/2013	0.43	0.83	0.76	0.90	1.02	1.11	0.63	0.90
04/19/2013	0.35	0.81	0.65	0.89	1.04	1.11	0.55	0.89
04/20/2013	0.39	0.79	0.52	0.88	0.90	1.10	0.40	0.87
04/21/2013	0.30	0.77	0.41	0.86	0.76	1.09	0.43	0.85
04/22/2013	0.30	0.75	0.42	0.84	0.64	1.08	0.33	0.84
04/23/2013	0.27	0.72	0.32	0.82	0.62	1.07	0.31	0.81

Electrical Conductivity (EC) units: milliSiemens per Centimeter
 md : mean daily
 NR : No Record
 NC : Average not computed due to insufficient data
 BR : Below Rating
 e : estimated value

Delta Water Quality Conditions

South Delta Stations

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle River	
	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg
04/01/2013	0.81	0.85	0.93	0.83	1.21	0.98	0.94	0.80
04/02/2013	0.78	0.85	0.94	0.84	1.21	0.99	0.89	0.80
04/03/2013	0.79	0.85	0.89	0.84	1.14	1.01	0.81	0.81
04/04/2013	0.85	0.86	0.84	0.85	1.11	1.02	0.82	0.81
04/05/2013	0.82	0.86	0.83	0.85	1.09	1.02	0.88	0.82
04/06/2013	0.83	0.87	0.87	0.86	1.05	1.03	0.89	0.82
04/07/2013	0.82	0.87	0.88	0.86	1.02	1.04	0.89	0.83
04/08/2013	0.82	0.87	0.88	0.87	1.04	1.05	0.90	0.84
04/09/2013	0.83	0.88	0.89	0.87	1.02	1.06	0.90	0.84
04/10/2013	0.83	0.88	0.90	0.88	1.06	1.06	0.93	0.85
04/11/2013	0.81	0.88	0.91	0.88	1.13	1.07	0.94	0.86
04/12/2013	0.76	0.88	0.93	0.89	1.16	1.08	0.95	0.87
04/13/2013	0.75	0.87	0.94	0.89	1.15	1.09	0.94	0.88
04/14/2013	0.73	0.87	0.94	0.90	1.16	1.09	0.88	0.89
04/15/2013	0.67	0.86	0.92	0.90	1.13	1.10	0.87	0.90
04/16/2013	0.62	0.85	0.88	0.90	1.07	1.10	0.79	0.90
04/17/2013	0.48	0.84	0.84	0.90	1.02	1.10	0.76	0.90
04/18/2013	0.43	0.83	0.76	0.90	1.02	1.11	0.63	0.90
04/19/2013	0.35	0.81	0.65	0.89	1.04	1.11	0.55	0.89
04/20/2013	0.39	0.79	0.52	0.88	0.90	1.10	0.40	0.87
04/21/2013	0.30	0.77	0.41	0.86	0.76	1.09	0.43	0.85
04/22/2013	0.30	0.75	0.42	0.84	0.64	1.08	0.33	0.84
04/23/2013	0.27	0.72	0.32	0.82	0.62	1.07	0.31	0.81
04/24/2013	0.25	0.70	0.30	0.80	0.47	1.05	0.26	0.79
04/25/2013	0.24	0.68	0.24	0.78	0.41	1.02	0.22	0.77
04/26/2013	0.24	0.65	0.22	0.76	0.34	1.00	0.21	0.74
04/27/2013	0.23	0.62	0.21	0.73	0.38	0.97	0.21	0.72
04/28/2013	0.23	0.60	0.21	0.71	0.38	0.94	0.21	0.69
04/29/2013	0.22	0.58	0.21	0.68	0.37	0.91	0.20	0.66
04/30/2013	0.22	0.56	0.20	0.66	0.35	0.88	0.20	0.64

Electrical Conductivity (EC) units: milliSiemens per Centimeter

md : mean daily

NR : No Record

NC : Average not computed due to insufficient data

BR : Below Rating

e : estimated value

Delta Water Quality Conditions

South Delta Stations

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle River	
	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg
05/13/2013	0.22	0.29	0.22	0.36	0.30	0.53	0.23	NC
05/14/2013	0.26	0.28	0.24	0.34	0.30	0.50	0.25	NC
05/15/2013	0.33	0.27	0.27	0.32	0.31	0.48	0.29	NC
05/16/2013	0.38	0.26	0.32	0.30	0.36	0.45	0.37	NC
05/17/2013	0.40	0.26	0.37	0.28	0.43	0.43	0.44	NC
05/18/2013	0.44	0.26	0.44	0.27	0.47	0.42	0.47	NC
05/19/2013	0.48	0.26	0.47	0.27	0.54	0.40	0.51	NC
05/20/2013	0.48	0.26	0.50	0.26	0.60	0.39	0.55	NC
05/21/2013	0.50	0.27	0.52	0.27	0.67	0.39	0.57	NC
05/22/2013	0.52	0.28	0.54	0.27	0.68	0.39	0.58	NC
05/23/2013	0.53	0.29	0.56	0.28	0.66	0.39	0.59	NC
05/24/2013	0.54	0.30	0.56	0.29	0.70	0.40	0.62	NC
05/25/2013	0.53	0.31	0.57	0.30	0.74	0.41	0.63	NC
05/26/2013	0.51	0.32	0.57	0.31	0.77	0.42	0.56	NC
05/27/2013	0.52	0.32	0.59	0.32	0.77	0.43	0.54	NC
05/28/2013	0.56	0.34	0.61	0.34	0.78	0.45	0.58	NC
05/29/2013	0.54	0.35	0.62	0.35	0.81	0.46	0.55	NC
05/30/2013	0.53	0.36	0.62	0.37	0.81	0.48	0.62	NC
05/31/2013	0.57	0.37	0.62	0.38	0.82	0.50	0.59	NC
06/01/2013	0.56	0.38	0.62	0.39	0.84	0.51	0.63	NC
06/02/2013	0.56	0.39	0.63	0.41	0.89	0.53	0.62	NC
06/03/2013	0.55	0.41	0.62	0.42	0.92	0.55	0.69	NC
06/04/2013	0.59	0.42	0.61	0.44	0.93	0.57	0.68	NC
06/05/2013	0.55	0.43	0.62	0.45	0.95	0.59	0.66	NC
06/06/2013	0.56	0.44	0.62	0.47	0.95	0.62	0.66	NC
06/07/2013	0.52	0.45	0.62	0.48	0.94	0.64	0.66	NC
06/08/2013	0.52	0.46	0.63	0.49	0.91	0.66	0.67	NC
06/09/2013	0.52	0.47	0.59	0.51	0.90	0.68	0.67	NC
06/10/2013	0.52	0.48	0.59	0.52	0.81	0.70	0.65	NC
06/11/2013	0.54	0.50	0.63	0.53	0.78	0.71	0.63	0.56

Electrical Conductivity (EC) units: milliSiemens per Centimeter
 md : mean daily
 NR : No Record
 NC : Average not computed due to insufficient data
 BR : Below Rating
 e : estimated value

Delta Water Quality Conditions

South Delta Stations

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle River	
	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg
06/09/2013	0.52	0.47	0.59	0.51	0.90	0.68	0.67	NC
06/10/2013	0.52	0.48	0.59	0.52	0.81	0.70	0.65	NC
06/11/2013	0.54	0.50	0.63	0.53	0.78	0.71	0.63	0.56
06/12/2013	0.53	0.51	0.63	0.55	0.78	0.73	0.63	0.57
06/13/2013	0.54	0.52	0.63	0.56	0.80	0.74	0.63	0.58
06/14/2013	0.55	0.52	0.64	0.57	0.81	0.76	0.69	0.60
06/15/2013	0.53	0.53	0.63	0.58	0.87	0.78	0.69	0.61
06/16/2013	0.56	0.53	0.62	0.59	0.90	0.79	0.70	0.62
06/17/2013	0.56	0.54	0.62	0.60	0.89	0.81	0.69	0.62
06/18/2013	0.58	0.54	0.63	0.60	0.88	0.82	0.67	0.63
06/19/2013	0.58	0.54	0.62	0.61	0.89	0.83	0.64	0.63
06/20/2013	0.58	0.55	0.64	0.61	0.94	0.84	0.67	0.64
06/21/2013	0.57	0.55	0.64	0.61	1.02	0.85	0.66	0.64
06/22/2013	0.56	0.55	0.64	0.62	1.11	0.86	0.68	0.64
06/23/2013	0.53	0.55	0.65	0.62	1.11	0.88	0.69	0.64
06/24/2013	0.58	0.55	0.67	0.62	1.13	0.89	0.66	0.65
06/25/2013	0.63	0.55	0.69	0.63	1.18	0.90	0.60	0.65
06/26/2013	0.64	0.56	0.69	0.63	1.20	0.92	0.46	0.64
06/27/2013	0.59	0.56	0.68	0.63	1.21	0.93	0.42	0.64
06/28/2013	0.59	0.56	0.67	0.64	1.18	0.94	0.47	0.64
06/29/2013	0.58	0.56	0.68	0.64	1.09	0.95	0.53	0.63
06/30/2013	0.53	0.56	0.68	0.64	1.05	0.96	0.54	0.63
07/01/2013	0.53	0.56	0.66	0.64	0.92	0.96	0.62	0.63
07/02/2013	0.48	0.56	0.65	0.64	0.92	0.97	0.61	0.63
07/03/2013	0.49	0.56	0.58	0.64	0.93	0.97	0.67	0.63
07/04/2013	0.53	0.55	0.59	0.64	0.90	0.96	0.67	0.63
07/05/2013	0.49	0.55	0.63	0.64	0.89	0.96	0.65	0.63
07/06/2013	0.47	0.55	0.68	0.64	0.85	0.96	0.56	0.63
07/07/2013	0.47	0.55	0.71	0.64	0.84	0.96	0.64	0.63
07/08/2013	0.50	0.55	0.71	0.65	0.82	0.95	0.66	0.63

Electrical Conductivity (EC) units: milliSiemens per Centimeter
 md : mean daily
 NR : No Record
 NC : Average not computed due to insufficient data
 BR : Below Rating
 e : estimated value

Delta Water Quality Conditions

South Delta Stations

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle River	
	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg	md EC	30 day avg
07/08/2013	0.50	0.55	0.71	0.65	0.82	0.95	0.66	0.63
07/09/2013	0.52	0.55	0.71	0.65	0.78	0.95	0.64	0.62
07/10/2013	0.48	0.54	0.69	0.65	0.78	0.95	0.60	0.62
07/11/2013	0.49	0.54	0.68	0.66	0.79	0.95	0.62	0.62
07/12/2013	0.55	0.54	0.71	0.66	0.79	0.95	0.67	0.62
07/13/2013	0.46	0.54	0.73	0.66	0.79	0.95	0.69	0.63
07/14/2013	0.48	0.54	0.74	0.66	0.80	0.95	0.70	0.63
07/15/2013	0.50	0.54	0.73	0.67	0.81	0.95	0.70	0.63
07/16/2013	0.53	0.54	0.72	0.67	0.81	0.94	0.68	0.63
07/17/2013	0.49	0.53	0.70	0.67	0.82	0.94	0.65	0.62
07/18/2013	0.51	0.53	0.68	0.68	0.85	0.94	0.68	0.62
07/19/2013	0.54	0.53	0.68	0.68	0.86	0.94	0.66	0.62
07/20/2013	0.52	0.53	0.75	0.68	0.86	0.94	0.69	0.63
07/21/2013	0.53	0.53	0.81	0.69	0.85	0.93	0.68	0.63
07/22/2013	0.51	0.52	0.82	0.69	0.88	0.92	0.69	0.63
07/23/2013	0.48	0.52	0.81	0.70	0.86	0.91	0.70	0.63
07/24/2013	0.49	0.52	0.79	0.70	0.86	0.91	0.69	0.63
07/25/2013	0.54	0.52	0.76	0.70	0.86	0.89	0.70	0.63
07/26/2013	0.49	0.51	0.73	0.70	0.86	0.88	0.72	0.64
07/27/2013	0.51	0.51	0.70	0.71	0.86	0.87	0.73	0.65
07/28/2013	0.49	0.51	0.67	0.71	0.87	0.86	0.74	0.66
07/29/2013	0.52	0.50	0.67	0.70	0.89	0.85	0.73	0.67
07/30/2013	0.53	0.50	0.66	0.70	0.89	0.85	0.72	0.67
07/31/2013	0.53	0.50	0.65	0.70	0.90	0.85	0.71	0.67
08/01/2013	0.45	0.50	0.65	0.70	0.91	0.85	0.69	0.68
08/02/2013	0.53	0.50	0.65	0.71	0.92	0.85	0.68	0.68
08/03/2013	0.47	0.50	0.66	0.71	0.92	0.85	0.69	0.68
08/04/2013	0.47	0.50	0.68	0.71	0.87	0.85	0.70	0.68
08/05/2013	0.51	0.50	0.70	0.71	0.85	0.85	0.70	0.68
08/06/2013	0.53	0.50	0.71	0.71	0.87	0.85	0.70	0.69

Electrical Conductivity (EC) units: milliSiemens per Centimeter

md : mean daily

NR : No Record

NC : Average not computed due to insufficient data

BR : Below Rating

e : estimated value