SHR-2- 264
Questions regarding impacts to recreation
From construction and operation of
Proposed tunnels and intakes




SHR-6

1908 Sacramento River, California official survey for US Congress and report of findings compiled by USGS from 1903-1907: At the driest time of year of a dry year, the minimum Sacramento River constant "average low water" outflow is more than 7,400 cfs, with 27% flow into Steamboat Slough (1,998) and 24% through Georgiana Slough.

Alternate flow observation: 7,377 cfs at Courtland, with 1,802 cfs split between Steamboat and Sutter Sloughs.

(Note that fresh water < 1 ppt for the entire reach of the Sacramento River)



Book of maps is available for view upon request by contacting N. Suard, Esq. All maps and descriptions were also professionally scanned and uploaded to the following locations for easy access to viewers:

Https://archive.org/details/MapsCADelta (Sacramento River and Steamboat Slough) Https://archive.org/search.php?query=1908%20san%20joaquin%20river%20survey

SHR-2-212.pdf 6 / 12


Sketches and Steamboat Slough description from:

Scenes of Wonder and Curiosity in California (1862) by James M. Hutchings


STEAMBOAT SLOUGH.

A short distance above the Hog's Back we arrived at the junction of Sutter Slough with Steamboat Slough, and there enter the narrowest part of the stream. As this slough is deep and navigable, and moreover is about nine miles nearer for sailing throughthan by the main, or "old river," nearly all vessels upward bound take this route; while those on the downward trip (excepting steamboats) generally take the main river, inasmuch as the wind is more favorable for their return to San Francisco.

As we pass through Steamboat Slough, we are impressed with the narrowness of the channel for such large vessels, the luxuriant foliage of the trees that adom its banks, and the snug little cabins, nearly shut out from sight by wild vines and trees, that are seen at intervals on its margin. Indeed the scenery, as you steam up or down the river, is picturesque in no slight degree. Here and there, as you turn with the sudden windings of the stream, you room upon the little boats of fishermen, and sloops, with their sails furled like the folded wings of a sea-bird, waiting for the wind. The improvements of the husbandman are everywhere seen along the shorecottages half hidden among the dropping branches of the sycamores, outhouses, haystacks, orchards, and gardens with their product of squashes and cabbages piled in huge heaps; and here and there a school-house or church gives a cheerful domestic character to the scene. The landscape is diversified by the gnarled oaks, with vines clinging about them for support, and their branches covered with dark masses of mistletoe.



THE PUT MILES ADOVE STRANDOLT SCOTOR.





Ocean views and other wonders of Bay Area campsites

an you imagine walking up in your sleeping bag, poking your head out your tent and being greeted by a spectacular waterfront beach, the water lapping gently at the shore.

SHR-2-231

Steamboat Slough & Ryer Island scenes 1940s to 1989's

Then hearing a light scratching noise, quickly turning to sean the surrounding landscape, and spotting a dozen elk just 40 yards off, pawing at the ground, nibbling at fresh greenery.

Can you imagine doing this at a campsite in the Bay Arca?

This is no dream. There's a place where fantasies like this come true. This scene can happen virtually any morning at the campailes along the west shore of Tomales Bay at Point Reyes National Seasbore, where there are a series of boat in camps set along sandy coves, ideal to reach by kayak or canoe.

Of the 50 campgrounds in the Bay Area, this is the best of them. Other camps feature redwoods forests, backpacking trail sites, ocean bluffs, stunning views, launch points for boating. and hidden spots within eyeshot of San Francisco. In most cases, reservations are required.

For the coming spring and summer season, here are my ratings:

1. Tornales Bay boat-in, Point Reves National Seashore: There are 20 dispersed campsites nestled along the shore of Tomales Bay, from Tomales Point on south to just north-of Indian Beach (at Tomales Bay State Park) This setting is gorgoous and quiet, and with Inverness Ridge to the west, sheltered from coastal winds. Opportunities for sea kayaking and canoeing are unparalleled in the region. Boaters must bring portable toilets (415) 663-8054.

2. Kirby Cove, Marin Headlands: This is a drop-dead bogutiful campsite set amid a small grove of eucalyptus and cypress. It is small and hidden. with space for just four tents, with a iaw-dropping view of the Golden Gate Reidon Con Francisco Headlands and



Tom Stienstra Outdoors

7. Butano walk-in, Butano State Park: The reward here is a campsite secluded in dense redwoods in the coastal Santa Cruz Mountains, set on the threshold of excellent hiking. Very short walks are required to the best sites. (800) 444-7275.

8. Steep Ravine, Mount Tamalpais State Park: Ten primitive cabins are set on a bluff at Rocky Point, overlooking the ocean. That is why this is the most popular campsite in California, with reservations cleaned out within 10 minutes on the first day of each month. An additional half-dozen walkin sites are exposed to coastal winds. (800) 444-7275.

9. Dol Valle Regional Park: This is the best drive to family campground in the Bay Area. The park features a recreation lake, boat ramp, boat rentals, swimming. fishing, biking and hiking and a wilderness trailhead (510) 562-2267.

10. Snug Harbor, Sacramento Rivpark by far in the Bay Area. The place sparkies and features park-model cabins, RV and tent campsites, boat launch, docks, and waterfront sites. with boat rentals available nearby. (916) 775-1455.

Others Bay Area camperounds of significant note:


Marin: Sky Camp, Coast Camp and Glen Cump at Point Reves 19R-264 3 tional Seashore, (415) 663-8054; Samu-



laugh in the 1970's

SHR-2-249(1).pdf 5 / 33

Portion of 2003 Hal Schell Map of the Delta, used as reference map





SHR-2-21F.pdf

19 Recreation Visitor and User Days. The Delta's proximity to the Bay Area and 20 Sacramento region and its diversity of recreation settings and experiences makes it a 21 popular recreation destination. Approximately 7 million people currently visit the Delta 22 for recreation annually." By 2020, visitation is forecasted to reach 8 million visitor days." 23 According to a 1996 survey of recreation in the Delta conducted by the Department of 24 Parks and Recreation (DPR), 23.5% of registered boat owners and 23.0% of licensed 25 anglers in California recreated in the Delta in 1995. If The majority of Delta boaters and 26 anglers come from nearby counties, but a sizable fraction come from much further 27 distances. In 1995 Los Angeles County alone accounted for 7.3% and 3.6% of Delta boater and angler user days, respectively. Table 1 lists the top 10 counties of origin for 29 Delta boating and fishing recreation. vill

30 31

Table 1: Top 10 Counties of Origin for Delta Boating and Fishing Recreation

RANK	BOATERS	PERCENT	RANK	ANGLERS	PERCENT
1	Contra Costa	12.5	1	Sacramento	10.7
2	Sacramento	9.9	2	San Joaquin	10.0
3	Alameda	8.6	3	Alameda	8.0
4	Santa Clara	7.9	4	Santa Clara	8.0
5	Los Angeles	7.3	5	Solano	7.6
6	San Joaquin	6.9	6	San Mateo	3.8
7	Stanislaus	3.7	7	Placer	3.6
8	Marin	3.4	8	Lost Angeles	3.6
9	Solano	3.1	9	Stanislaus	3.1
10	San Mateo	3.0	10	Sonoma	2.0
	Subtotal	66.3		Subtotal	60.4

32

Recreation

_

Written by: David Mitchell

Context Memorandum: Recreation

Iteration 1: June 12, 2007

People recreating in the Delta typically engage in more than one recreational activity. In recreational surveying, a user-day is counted for each activity a visitor participates in over the course of a day. Thus if a person visiting the Delta spent part of the day fishing and part of the day pleasure cruising, that would be counted as two user days of recreational activity. Surveys show that the Delta currently supports over 12 million user days of recreational activity annually. Table 2 shows the estimated number of user days occurring in the Delta, as derived from surveys of boaters and anglers.

8

Table 2: Estimated Delta Boating and Fishing User Days

	ESTIMATED	AVG. NO. OF	TOTAL	AVG. NO. OF	ESTIMATED
ACTIVITY	NO. OF	DAYS PER	GROUP	PERSONS	TOTAL USER
	GROUPS	YEAR	DAYS	PER TRIP	DAYS PER YEAR
Boating	186,000	26.1	4,854,600	2.97	14,418,162
Fishing	169,200	24.0	4,060800	2.91	11,816,928
*User day	estimates for boating	and fishing cannot	be added toge	ther because this v	vould result in double
counting.	Double counting would	d occur because m	nost boaters als	o fished and many	anglers also boated.

2006: 14 million user days per year, over one billion in recreation dollars added by Delta, supporting 14,000 jobs Delta-related In the state. Study does not appear to include the recreation uses by the estimated 500,000 persons living within the legal Delta region, as the survey was focused on persons visiting the Delta from out of area (SHR 2-22 refers to 12 million recreation users in the Delta per year SHR 2-26 is another report on Fishing and boating))

SHR-2-21F.pdf

Context Memorandum: Recreation

Iteration 1: June 12, 2007

dollars (adjusted to 2006 dollars).**

Delta recreation also benefits the rest of California's economy. In addition to money spent inside the Delta, the DPR survey found that Delta boaters and anglers spent on average \$126 and \$163, respectively, per trip on businesses outside the Delta. Estimated recreation expenditures in 1995 by Delta boaters and anglers benefiting businesses located outside the Delta were in excess of 270 million. Total Delta boater and angler recreation expenditures benefiting California businesses were estimated to exceed half a billion dollars in 1995. Table 6 provides a breakdown of Delta

10 11

Table 6: Delta Recreation Expenditures in 1995

recreation expenditures estimated by the DPR survey.

Activity / Expenditure		xpenditure (2006 \$)	Estimated 6 for All Trips in	Total Annual	
Experientare	Inside Delta	Outside Delta	Inside Delta	Outside Delta	(2006 \$)
	Dollars	Dollars	1000 Dollars	1000 Dollars	1000 Dollars
Boating					
Lodging	31.55	16.62	56,306	29,660	85,966
Food	50.25	31.71	89,690	56,588	146,278
Supplies	68.26	53.08	121,824	94,731	216,555
Recreation	32.83	24.90	58,591	44,433	103,024
Total Boating	182.89	126.31	326,411	225,412	551,823
Fishing					
Lodging	39.76	43.23	66,499	72,306	138,805
Food	39.27	37.24	65,682	62,282	127,964
Supplies	41.07	54.30	68,685	90,828	159,513
Recreation	26.70	27.97	44,664	46,783	91,447
Total Fishing	146.80	162.74	245,530	272,199	517,729

*Note that total expenditures for boating and fishing cannot be added together. Adding them would result double counting because many registered boaters are licensed anglers and vice-versa. The total annual expenditure estimates therefore provide a lower-bound estimate of recreation spending in the Delta.

An economic impact analysis using the DPR survey data done by UC Berkeley
economists in 1998 concluded that Delta recreation had a sizeable impact on the Delta
economy.** Using regional economic models of the Delta and California, this study
estimated that Delta recreation contributed \$587 million (2006 dollars) to the Delta
economy in 1995 and supported approximately 8,000 jobs in the Delta. These figures
represent about 1.7% of income and 3.2% of employment in the Delta in 1995.

19 20

For the state as a whole Delta recreation contributed just over one billion dollars (2006 dollars) to the California economy and supported approximately 14,000 jobs.

Recreation 14 Written by: David Mitchell

SHR-2-21F.pdf 4 / 29

Context Memorandum: Recreation

Iteration 1: June 12, 2007

- 1 Sacramento and Yolo Counties, and the FWS Stone Lakes Refuge. There are also
- public recreation facilities operated by the East Bay Regional Park District, San Joaquin
- 3 County, and DWR, as well as a number of cities, including Antioch, Pittsburg, Rio Vista,
- West Sacramento, Sacramento, and Stockton.

5

Figure 1 shows the location of public and private recreation locations in the Delta.

7

Table 3: Favorite Recreation Activities Among Delta Boaters and Anglers

RANK	BOATERS	PERCENT	RANK	ANGLERS	PERCENT
1	Fishing from boat	77	1	Fishing from boat	88
2	Cruising	76	2	Fishing from shore	74
3	Swimming from boat	71	3	Fishing in tournament	14
4	Water skiing	61			
5	Sleeping in boat	49			
6	Sailing	15			
7	Hunting from boat	5			

RANK	BOATERS	PERCENT	RANK	ANGLERS	PERCENT
1	Sightseeing	45	1	Sightseeing	52
2	Viewing wildlife	41	2	Boating	49
3	Fishing from shore	40	3	Viewing wildlife	49
4	Picnicking	34	4	Swimming	40
5	Hiking	32	5	Hiking	39
6	Swimming from shore	30	6	Picnicking	37
7	Attend special events	28	7	Nature photography	25
8	Nature photography	21	8	Attend special events	25
9	RV camping	20	9	R∀ camping	23
10	Visit historical/cultural	18	10	Visit historical/cultural	23
	sites			sites	

9

Add to the above biking, farm foraging and wine tasting!


DWR testimony estimates impacts to Boating recreation but what about All the other recreation activities?

SHR-2-23

Page 34 of 191, 2010 Draft Development of flow criteria for the Sacramento San Joaquin Delta Ecosystem

3.3 Environmental Setting SHR-2-102.pdf

Figure 1 is a map of the Bay-Delta Estuary that was included in the 2006 Bay-Delta Plan. The map depicts the location of monitoring stations used to collect baseline water quality data for the Bay-Delta Estuary and stations used to monitor compliance with water quality objectives set forth in the Bay-Delta Plan.








Figure 5C.4-27. Bench Habitat Analysis Sites

10-sediment insertion and bench test resulted in raising bed of waterway

- 6,7 Large trees placed in waterway near banks to capture sediment & reduce waterway navigation and use in this area
- 3 bench built up and planted with tules but was infested with egeria densa which

 Bay Delta Conservation Plan
 Revised Administrative Draft
 is not suitable for salmenids. Also causes flood control March 2013
 ICF 000443.12
 issues as bench reduces water outflow in high flow times.





DWR-1143

CWF H3+ Operations Criteria

The Table included below summarizes the new and existing water operations criteria for CWF H3+ operational scenario adopted in the July 2017 CWF Certified Final EIR (SWRCB-109, SWRCB-108). This information is also found within Table 3.3-1 located in Revised BA (DWR-1142), Table 3.3-1 of NMFS CWF BO Appendix A2 (SWRCB-106), and Table 6.1-2 in the USFWS CWF BO (SWRCB-105).

The exact definition of the CWF H3+ spring outflow criteria is provided in the Section 5.3.2.3.2 *Effects of Spring Outflow* of the CWF ITP application (DWR-1036 page 5-28). The Table below reflects the CWF H3+ spring outflow criteria that was proposed, modeled, adopted by DWR in the Certified Final EIR, and included in the NMFS CWF BO and USFWS CWF BO.


Parameter	Criteria	Source of the Criteria
New Criteria Inch	ided in the Proposed Action	
North Delta bypass flows ²⁸	Bypass Flow Criteria (specifies bypass flow required to remain downstream of the North Delta intakes): October, November: Minimum flow of 7,000 cfs required in river after diverting at the North Delta intakes. December through June: see below July, August, September: Minimum flow of 5,000 cfs required in river after diverting at the North Delta intakes. Pulse Protection: Low-level pumping of up to 6% of total Sacramento River flow at Freeport such that bypass flow never falls below 5,000 cfs. No more than 300 cfs can be diverted at any one intake. Low level pumping maintained during the pulse protectionperiod. Pulse is determined based on the real-time monitoring of juvenile fish movement as described in Section 3.3.3.1 North Delta Diversion If the initial pulse begins and ends before Dec 1, the bypass flow criteria for	New operational criteria used in CWF H3+ These criteria are included within the NMFS and USFWS biological opinions, and CDFW Incidental Take Permit for California WaterFix

²⁷ In coordination with NMFS, USFWS, and CDFW, several updates to CWF operational criteria were made during the ESA and CESA consultation processes. An analysis was performed (model results submitted to USFWS on 5/5/17) to determine if the updated operational criteria would result in additional effects outside of those analyzed in this BA. The modeling results confirmed the effects of the operational updates are within the range analyzed in the BA. As a result, the PA effects analysis in Chapters 5 and 6 are representative of potential project effects and no additional analysis is necessary.



²⁸ Sacramento River flow upstream of the intakes to be measured flow at Freeport. Bypass flow is the Sacramento River flow quantified downstream of the Intake # 5. Sub-daily north Delta intakes' diversion operations will maintain fish screen approach and sweeping velocity criteria

SHR-2-105 reviews impacts from the low flows of the last 10 years, and questions who Has been responsible for flow reporting because there has been substantial mistakes in reports



Over the last 10 years, it is the surplus or what was left behind from the export pumps and new **Delta diversion** intakes.

SHR-2-242


SUMMARY OF THE 2015 BARRIERS PROPOSALS, AND POSSIBLE LONG TERM IMPACTS FROM BARRIER INSTALLATON: WHO BENEFITS, WHO SUFFERS THE CONSEQUENCES





Barriers for Delta waterways have been proposed for various reasons over the years. The next few pages review barrier proposals from 1998 to 2015, with a focus on function, who benefits from the proposed barriers, and who suffers the negative impacts from proposed barriers.

They can change the names but its all the same game-flow



Graphics and data compiled by N. Suard, Esq, a Delta land and business owner located on Steamboat Slough. Presentation April 3, 2015

SHR-2-109

2.4.2 Delta Hydrodynamics

Human management of water and changes to the physical structure of the Delta have significantly changed the timing, magnitude, and flow paths through the Delta, with adverse effects on fish and wildlife. During the summer-fall dry season, the Delta channels essentially serve as a conveyance system for moving water from reservoirs in the north to the CVP and SWP export facilities, which are operated jointly under the Coordinated Operations Agreement, as well as the smaller CCWD facility, for subsequent delivery to farms and cities in the San Joaquin Valley, southern California, and/or other areas outside the watershed (Kimmerer 2002a).

The CVP Delta facilities consist of the C.W. "Bill" Jones Pumping Plant (formerly Tracy Pumping Plant), Tracy Fish Collection Facility, and Delta-Mendota Canal (DMC). Along with these facilities, Reclamation directs the operation of the DCC to improve the transfer of water from the Sacramento River to the pumping plant (Reclamation 2009). The design capacity of the Jones Pumping Plant is 4,600 cfs, but until 2012 a variety of factors, including subsidence in the DMC, limited the maximum pumping rate to approximately 4,200 cfs. In April 2012, an intertie (two 108-inch-diameter pipes) was completed from the SWP to the CVP. The intertie allows up to 900 cfs to gravity flow from the California Aqueduct to the DMC. Completion of the intertie is expected to have some effects on the tidal elevations at the DMC intake and smaller effects on tidal elevations, flows, and velocities in south Delta channels (Reclamation 2009). Water is pumped by the Jones Pumping Plant into the

2-68

Scientific Basis Report in Support of
New and Modified Requirements for Inflows from the
Sacramento River and its Tributaries and
Eastside Tributaries to the Delta, Delta Outflows,
Cold Water Habitat, and Interior Delta Flows

Prepared By:

State Water Resources Control Board California Environmental Protection Agency P.O. Box 100 Sacramento, CA 95812-0100


With Assistance From:

ICF 630 K Street, Suite 400 Sacramento, CA 95814

Phase II Update of the 2006 Bay-Delta Plan Scientific Basis Report

Final


SLIDE NOT ADMITTED



Snug Harbor access and Caltrans

SHR-2-215







SHR-2-245.pdf 10 / 13



Take alumings on of June 2003 (left). Take plantings after several years of calculations at (2015).

Prepared at the Request of the Hearing Officers in the CA WaterFix Water Rights Change Petition based upon Protestant Comments on Wednesday, February 28, 2018.

CWF_H3+_Ops_Cri... 6 / 11

 Mitigation 20 I inhancement About Us. Background Partnerships ** Staff Directory

Projects 19 Magnol Projects

2 Services

HoodSAFI Environmental Stewardship and Statewide Hescuries

Office

Flood

The bower Secremento River Riperian Revegetation Program is a childrenibility study between the U.S. Amy of Witter Resources. The Decisional or Bown and the Managorian Water District of Southern Collinois, its purpositions for readong and protecting operand and shaded revenue habital along the Secremento River without a Merone to Collinoi lie, including Steambort and Suffer Soughs.

The Secrementa Fever and many of the Delta Sloughs have been stroped of vegetance and uned with rock bar orderon. The result has been a reduction of riparian and shaded rivering equal of SRA) habitat. The less of SRA contributor to the reduction of fish populations, including threatened and ordangered species.

Project Description

The purpose of this demonstration was to renity that a properly designed levels sharp appropriate plants, co-maintained can restore SPA hebital walls maintaining adequate floor control and channel flow capacity.


Parameter	Criteria	Source of the Criteria
Spring Outflow	March, April, May: Initial operations will maintain the March–May average delta outflow that would occur with existing facilities under the operational criteria described in the 2008 USFWS BiOp and 2009 NMFS BiOp (U.S. Fish and Wildlife Service 2008; National Marine Fisheries Service 2009). ³⁹ Consistent with description provided in the Section 5.3.2.3.2 Effects of Spring Outflow of the CWF 2081(b) ITP application (DWR-1036), March outflow targets are determined based on the Eight River Index and achieve the targets with export curtailments down to a minimum of 1,500-cfs exports; the March outflow target is capped at 44,500 cfs at an Eight River Index of 4,217 TAF and greater (Table 5.3-1 of the CWF 2081(b) ITP application and Table 6.1-4 of USFWS CWF BiOp). For Apr-May, the 2009 NMFS BiOp action IV.2.1 (San Joaquin River i-e	New operational criteria used in CWF H3+ Further modified in CDFW Incidental Take Permit for California WaterFix Condition of Approval 9.9.4.3; and, subject to the clarification letter provided by CDFW to DWR dated Oct 18, 2017 (https://www.waterboards.ca.gov/waterrights/water issues/programs/bay delta/california waterfix/exhibits/exhibit107/docs/20171018cdfw clarificationmemo.pdf). SHR-264 14
		01111 204 14




July 2017 low tide on the Sacramento River in Walnut Grove. Even though it was a record rain winter, DWR is still diverting so much flow away from the Delta that the river is at drought levels each low tide for part of the month



SHR-2-251.pdf







cdec.water.ca.gov/dynamicapp/QueryF?s=SSS&d=06-N



	03/06/2018 07:30	-1,292	_
	03/06/2018 07:45	39	
	03/06/2018 08:00	1,347	
	03/06/2018 08:15	3,018	M
	03/06/2018 08:30	4,538	10
	03/06/2018 08:45	5,696	
	03/06/2018 09:00	6,720	
	03/06/2018 09:15	7,377	1
Φ	03/06/2018 09:30	7,622	7
	03/06/2018 09:45	7,922	- 11
<u> </u>	03/06/2018 10:00	8,121	-
\circ	03/06/2018 10:15	8,241	- 66
_	03/06/2018 10:30	8,303	- 8
7	03/06/2018 10:45	8,350	80
_ ≃′	03/06/2018 11:00	8,452	
\overline{a}	03/06/2018 11:15	8,449	
$\stackrel{\sim}{\sim}$	03/06/2018 11:30	8,454	
ഗ	03/06/2018 11:45	8,428	100
+	03/06/2018 12:00	8,382	4
В	03/06/2018 12:15	8,398	
0	03/06/2018 12:30	8,356	1
P	03/06/2018 12:45	8,320	-
П	03/06/2018 13:00	8,245	
≒	03/06/2018 13:15	8,155	
20	03/06/2018 13:30	8,035	
4	03/06/2018 13:45	7,853	
Ś	03/06/2018 14:00	7,685	
	03/06/2018 14:15	7,348	
<u>~</u>	03/06/2018 14:30	6,900	
\approx	03/06/2018 14:45	6,439	
>	03/06/2018 15:00	5,751	
O	03/06/2018 15:15	5,022	
_	03/06/2018 15:30	4,151	
	03/06/2018 15:45	3,220	

03/06/2018 16:00

03/06/2018 16:15

03/06/2018 16:30

03/06/2018 16:45

02/06/2010 17:00

2,466


1,940

1,489

955


E40





03/06/2018 07:45	5.72	235	
03/06/2018 08:00	5.78	426	
03/06/2018 08:15	5.79	889	
03/06/2018 08:30	5.78	1,600	
03/06/2018 08:45	5.75	2,040	
03/06/2018 09:00	5.69	2,410	
03/06/2018 09:15	5.62	2,850	43
03/06/2018 09:30	5.54	3,160	<u>e</u>
03/06/2018 09:45	5.47	3,360	g
03/06/2018 10:00	5.39	3,490	gać
03/06/2018 10:15	5.32	3,620	O,
03/06/2018 10:30	5.24	3,720	P
03/06/2018 10:45	5.16	3,830	б
03/06/2018 11:00	5.09	3,860	\supset
03/06/2018 11:15	5.00	3,920	_
03/06/2018 11:30	4.92	3,920	$\overline{\Omega}$
03/06/2018 11:45	4.84	4,020	
03/06/2018 12:00	4.76	4,030	æ
03/06/2018 12:15	4.68	4,070	õ
03/06/2018 12:30	4.60	4,090	ŏ
03/06/2018 12:45	4.52	4,090	\equiv
03/06/2018 13:00	4.44	4,120	ڃ
03/06/2018 13:15	4.36	4,110	8
03/06/2018 13:30	4.29	4,120	#
03/06/2018 13:45	4.21	4,130	S
03/06/2018 14:00	4.13	4,120	_
03/06/2018 14:15	4.06	4,130	æ
03/06/2018 14:30	3.99	4,070	Q
03/06/2018 14:45	3.92	4,090	d
03/06/2018 15:00	3.86	4,070	\neg
03/06/2018 15:15	3.80	4,030	_
03/06/2018 15:30	3.76	4,020	
03/06/2018 15:45	3.73	3,970	
03/06/2018 16:00	3.72	3,850	
03/06/2018 16:15	3.73	3,620	
03/06/2018 16:30	3.76	3,450	
03/06/2018 16:45	3.82 3.88	3,240	
03/06/2018 17:00	3.00	2,920	

SHR-2-215, page 7



Roads/Transportation

 Detour roads needed for all intakes, temporary access roads constructed from each intake pumping plant to Sacramento River levee, and permanent roads build for intake site perimeter access road. *EIR/EIS*, page 3C-60.

SHR-2-17.pdf


5 / 17

- Indirect effects on existing land uses may also arise from changes in access to parcels of land. For example, the removal of access for agricultural vehicles and machinery could jeopardize the ability of that land to continue serving productive agricultural uses. The loss os access would not be considered an adverse effect under this impact. EIR/EIS, Land Use Chap, page 13-116.
- All construction related trucks are expected to generate eight trips per day. *EIR/EIS*, *Transportation Chap 19*, *page 19-35*.
- Level of Service (LOS) thresholds are exceeded on a total of 16 roadway segments for at least 1 hour during the 6:00 am to 7:00 pm analysis period. LOS is a qualitative measure of traffic operating conditions. See Table 19-3. *EIR/EIS*, *Transportation Chap 19*, page 19-7.
- Potential construction site access routes do not currently have adequate engineered pavement sections to withstand construction traffic, particularly heavy vehicles.
 EIR/EIS, Transportation Chap 19, page 19-13.
- Construction associated with Alt 4 would cause LOS thresholds to be exceeded for at least 1 hour during the 6:00 am to 7:00 pm analysis period on a total of 33 roadway segments, which is 10 more segments than have at least one hour exceeded under existing conditions. EIR/EIS, Transportation Chap 19, page 19-40.
- Figure 19-3 shows the study roadway segments that could experience substantial roadway effects. The highest concentration of roadway segments below applicable LOS threshold occurs on state roadways, including SR-12, I-80, SR-4, and I-205. Standards will also be exceeded on several local roadways, including all segments studied in West Sacramento. EIR/EIS, Transportation Chap 19, page 19-163.
- Mitigation Measures TRANS-1a thru 1c collectively include requirements to avoid or reduce circulation effects, notify the public of construction activities, provide alternate

SHR-2-249(1).pdf 10 / 33

Did SR 84 get renamed 160? Also note that a "detour" in the Delta can Mean adding 2-4 hours to your travel time due to bridge use and limits On weight allowed on the ferrys. For construction projects located on the East side of the Sacramento River, ALL construction traffic should be required to come from the east, not through the Delta, and not use SHR 84 or 160 or whatever new name and number CalTrans plans to use.

CalTrans sign in Walnut Grove by the bridge, confusing people trying to get to Rio vista from Hwy 5 when Hwy 12 was blocked in the Delta



Delta Flows

- BDCP will fundamentally change the hydrodynamics of the Delta. Chap 5, page 5.3-2.
- The Sacramento River diversions into the proposed north Delta intakes along the Sacramento River between Freeport and Hood are the primary cause of BDCP changes in Delta flows. Chap 5, page 5.3-7.
- The BDCP is expected to result in changes in flows primarily as a result of the change in export location (new north Delta intakes) and its associated specified changes in monthly Delta operational objectives, namely, required salinity objectives, outflow objectives, export/inflow objectives, OMR flow objectives, and maximum exports. Chap 5C.1-1.
- Reduces some Sacramento River flows. Chap 5, page 5.3-2.
- Overall, there would be minimal upstream changes but some substantial shifts in how water moves through the Delta. Chap 5, page 5C.0-1.
- Restoration of 65,000 acres of tidal marsh (CM4) could result in changes in turbity and tidal excursion in specific Delta locations and subregions. Chap 5, page 5C.0-2.
- In the North Delta, flow patters will be altered by the increased diversions to the Yolo Bypass (CM2) and operations of the new north Delta intake facilities (CM1). Chap 5, page, 5.3-2.
- The average modeled annual inflow at Freeport for the evaluated starting operations was reduced by about 650,000 af compared to existing conditions, primarily as a result of the increased Fremont Weir Spills (CM2). Chap 5, 5.3-3.
- The months with the greatest changes in Freeport flows for the high outflow scenario cases are increased flows in April and May, with reduced flows in June and July, caused by reduced reservoir storage from high spring releases and the goal of maintaining the existing biological condition carryover storage. The months with the major changes in Freeport flows for the low outflow scenario cases were reduced flow in September of about half of the years, with smaller reduction in November in fewer years. The Freeport median flows in January, February, and March for the evaluated starting ops cases were about 3,000 cfs less than existing conditions flows, reflecting the increased spills at the Fremont Weir into the Yolo Bypass (CM2). The Freeport median flows for the evaluated starting ops cases in July and August were reduced by about 3,000 cfs compared to existing conditions flows because of changes in upstream reservoir releases. The evaluated starting ops north Delta intakes allowed higher exports in April, May, and June and subsequently allowed reduced reservoir releases and reduced exports in July and August. Chap 5, page 5.3-4.
- The general effect of each intake is the reduction of the downstream flow by about 3,000 cfs (when operated at capacity). Chap 5, page 5.3-6.
- The evaluated starting ops outflows were slightly less than existing outflows because the
 north Delta intakes allowed higher exports in some months when the reverse OMR flow
 restrictions were limiting south Delta exports. The monthly median outflows in Oct thru
 Dec were generally controlled by the required Delta outflow in most years; higher
 outlflows (more than 15,000 cfs) were simulated in only a few years. Chap 5, page 5.316.
- The highest monthly outflows were simulated in January thru March with many years having more than 50,000 cfs outflow in at least one month. Median outflow for the

SHR-2-17.pdf ¹⁰ / 17

about 1.5 feet. The flows were always positive, but the tidal variation was reduced from 6,000 cfs to about 5,000 cfs. Chap 5, page 5.3-37.

A decrease of 6,000 cfs in the Sacramento River could result in as much as a 3-foot reduction in river stage, although understanding of how notch flows would affect river stage is incomplete. Chap 5, page 5C.5.4-6.
 *** The tunnels elf for 9000 cfs export, so would that result in a 4.5 foot reduction in river stage? If operated at capacity, or 15,000 cfs, doesn't that equate to -6.5 or worse reduction in tide?


Salinity

- There may be changes in salimity in some Delta locations caused by tidal flow missing
 effect from restoration actions and sea level rise. Chap 5, page 5.3-3.
- Delta outflow is the primary driver of salinity in the Delta and of the X2 position. Chap 5, page 5.3-16. If there is no freshwater outflow in summer months on the lower Sacramento between Walnut Grove and Viera's, nor on Steamboat and Sutter Sloughs, how much salinity will encroach into these historically freshwater areas?
- In addition to flows from new north Delta intakes, BDCP habitat restoration may modify hydrodynamics in the Delta. These hydrodynamic changes in turn can change salinities, DO, turbidity, and flows. Chap 5, page 5C.1-1.
- Because Delta outflow is the major factor determining salinity in the Delta channels, these salinity objectives are satisfied by increasing Delta outflow (normally by reducing exports). The D-1641 salinity objectives are assumed to apply to the EBC and the BDCP cases (ELT and LLT). Chap 5, page 5C.2-4.


Pumping/Water Ops

New North Delta Intakes

- Operations result in changes in flow and potentially changes in water quality, habitat, and predation. Chap 4, page 4-20.
- The general effect of each north Delta intake is the reduction of the downstream flow by about 3,000 cfs (when operated at capacity). Chap 5, page 5.3-6.
- Always a downstream "bypass flow" requirement (e.g. 5,000 cfs in July thru Sept; 7,000 cfs in October thru Nov; and 10,000 cfs December thru June). Chap 5, page 5.3-7.
- There almost always will be a net downstream tidal flow (sweeping velocity) below the operating north Delta intakes [doesn't say when or how often or why there won't be downstream tidal flow below intakes]. Chap 5, page 5.3-7. Imagine that the lowest of the intakes on the Sacramento River is operated full blast which then has the effect of pulling the water down river, creating greater velocity at the upper pumps. This is one way all freshwater could be diverted from the Sacramento River north of Walnut Grove. Require that the intake pumps be surface pumps, not bottom pumps, to assure fresh water is left on the Sacramento River?
- Modeling of the intakes included a downstream sweeping velocity criteria of 0.4 foot per second. Chap 5, page 5.3-7. How many cfs is this and why the change to a different reporting method?
- Major north Delta diversions could not begin until the Sacramento River flow was greater than a threshold of about 10,000-15,000 cfs. Chap 5, page 5C.2-5.



SLIDE NOT ADMITTED SHR-2-234



SHR-2-245.pdf

page 11 of 13



SHR-2-17.pdf

SLIDE NOT ADMITTED


SHR-2-17.pdf

River Barges


• At least six river barge unloading facilities/docks for the delivery of construction materials (e.g., tunnel segments, batched concrete, major equipment) will be constructed located at: 1) State Route 160 west of Walnut Grove; 2) Tyler Island; 3) Bacon Island; 4) Woodward Island; 5) Victoria Island; and 6) Venice Island. Docks will be about 50 by 300 feet and supported by about 32 two-foot diameter steel piles. Will be removed following construction (no restoration of site mentioned). *Chap 4, page 4-11*.

4

• Approx 3,000 barge trips are projected, averaging 1 trip per day thru 9-yr-long construction period. *EIR/EIS*, *page 19-170*.




DWR "Industry Day" December 6, 2017 and December 7, 2017 RFQ timing:









Error: 404 – The page you requested could not be found.

The page you are looking for may have been moved. Here are some suggested links.

For other questions or assistance with our Website, please send an email to the Webmaster at: websupport@waterboards.ca.gov

- State Water Resources Control Board Homepage
 - Water Rights Homepage
 - o Drinking Water Homepage
- Regional Water Board Homepages:
 - o North Coast (Region 1)
 - O San Francisco Bay (Region 2)
 - o Central Coast (Region 3)
 - o Los Angeles (Region 4)
 - o Central Valley (Region 5)
 - Lahontan (Region 6)
 - o Colorado River (Region 7)
 - o Santa Ana (Region 8)
 - o San Diego (Region 9)
- Public Notices, Petitions and Documents for Public Comment
- Press Room
- Email Subscriptions
- Hot Topics
- Publications and Forms
- Water Boards' Strategic Plan Update