http://www.waterboards.ca.gov/waterrights/water_issues/programs/bay_delta/california_water fix/exhibits/docs/petitioners_exhibit/dwr/DWR-650.pdf, PAGE 4 DWR-650

RVB

10/28/2015

2015 CDEC Salinity Emmaton and Rio Vista Bridge uS/cm (umhos/cm) [to convert to mmhos/cm divide by 1000] Source: California Data Exchange Center

Date	EMM	RVB]	Date	EMM
8/14/2015	3535	392		9/21/2015	5070
8/15/2015	2957	354		9/22/2015	6170
8/16/2015	3214	368		9/23/2015	5301
8/17/2015	3581	453		9/24/2015	4860
8/18/2015	4433	618		9/25/2015	5197
8/19/2015	4389	573		9/26/2015	5484
8/20/2015	4102	517		9/27/2015	5245
8/21/2015	4006	482		9/28/2015	5538
8/22/2015	3845	474		9/29/2015	5662
8/23/2015	3703	434		9/30/2015	5080
8/24/2015	3431	403		10/1/2015	4745
8/25/2015	3191	403		10/2/2015	4567
8/26/2015	3181	425		10/3/2015	4969
8/27/2015	3220	429		10/4/2015	4630
8/28/2015	3365	438		10/5/2015	4838
8/29/2015	3576	482		10/6/2015	4396
8/30/2015	3467	448		10/7/2015	3978
8/31/2015	3385	419		10/8/2015	3708
9/1/2015	3565	503		10/9/2015	3728
9/2/2015	4103	544		10/10/2015	4031
9/3/2015	4180	502		10/11/2015	4012
9/4/2015	4104	502		10/12/2015	3663
9/5/2015	3257	461		10/13/2015	3782
9/6/2015	3548	449		10/14/2015	4425
9/7/2015	3855	518		10/15/2015	4496
9/8/2015	4296	612		10/16/2015	4466
9/9/2015	4622	741		10/17/2015	5155
9/10/2015	5283	891		10/18/2015	4546
9/11/2015	5278	774		10/19/2015	3445
9/12/2015	5571	852		10/20/2015	3079
9/13/2015	5408	855		10/21/2015	3446
9/14/2015	6192	1141 🗸		10/22/2015	3803
9/15/2015	5896	936		10/23/2015	4123
9/16/2015	4983	674		10/24/2015	4116
9/17/2015	4183	571		10/25/2015	4456
9/18/2015	4168	589		10/26/2015	4547
9/19/2015	4261	629		10/27/2015	5038

9/20/2015

RVB

is above 800 EC considered fresh drinking water?

DWR-650 page 4, with red asterics added, shows the EC at Rio Vista in a very dry year, in September. The flows appear to be as low as what is modeled to be the minimum flows per the data provided by DWR in SHR-350



