ELDORADO COUNTY BOARD OF SUPERVISORS: EL DORADO COUNTY WATER AGENCY - EL DORADO BRIGATION DISTRICT

EL DORADO WATER & POWER AUTHORITY



4110 Business Drive, Suite B Shingle Springs, California 95682 Tel 530.621.5392, Fax 530.672.6721 www.co.el-dotado.ca.us/waterandpower

July 29, 2014

Via U.S. Mail and E-mail (BDCP.Comments@noaa.gov)

BDCP Comments Ryan Wulff, NMFS 650 Capitol Mall, Suite 5-100 Sacramento, CA 95814

Subject: Comments of El Dorado Water & Power Authority on the Draft Bay-Delta

Conservation Plan and EIR/EIS

Dear Mr. Wulff:

El Dorado Water & Power Authority ("EDWPA") is a joint exercise of powers agency comprised of the County of El Dorado, El Dorado County Water Agency, and El Dorado Irrigation District. EDWPA was formed in order to secure a reliable water supply that would meet the needs of the residents, farms and businesses on the western slope of the Sierras within the County while, at the same time, preserving the environment that makes El Dorado County unique. In this way, EDWPA is firmly committed to achieving the "co-equal goals" of water supply reliability and ecosystem restoration that were adopted by the Legislature in the Delta Reform Act.

EDWPA has reviewed the Draft Bay Delta Conservation Plan ("BDCP" or "Plan") and the accompanying Draft Environmental Impact Report/Environmental Impact Statement ("EIR/EIS") that were released for public review last December. Because the BDCP states that the Plan and supporting documents are incorporated into the EIR/EIS, our comments on the BDCP should also be considered comments on the EIR/EIS.

EDWPA hereby incorporates by reference and joins the comments on the Plan and EIR/EIS submitted by the North State Water Alliance (including all attachments to those comments) dated July 28, 2014 as though fully stated herein.

In addition, EDWPA notes that it has pending before the State Water Resources Control Board a petition to assign up to 40,000 acre-feet/year from the State of California for use within El Dorado County. This petition was made under the auspices of the "area of origin statutes" and so, if granted, would have a water right priority that is senior to the water rights that would be used as part of the BDCP. The Plan and the accompanying EIR/EIS are replete with statements to the effect that the

BDCP Comments July 28, 2014 Page 2

BDCP will not interfere with any other agency's water rights, that the BDCP will fully respect California water law, and that the BDCP will not "redirect" impacts to upstream areas. EDWPA takes those statements very seriously. We would appreciate a simple and clear statement in the Final EIR/EIS and/or in the Final Plan indicating that the Department of Water Resources and the U.S. Bureau of Reclamation, as well as their respective contractors, will not challenge or object to the pending EDWPA petition.

Thank you for your attention to these comments.

Very truly yours,

Dave Eggerton General Manager

cc: Board of Directors

Fred Schaefer, General Counsel

From:

Julianne Van Leeuwen <julianne.vanleeuwen@edcgov.us>

Sent: To: Monday, July 28, 2014 2:35 PM bdcp.comments@noaa.gov

Subject:

Comment Letter

Attachments:

BDCP Comments DE 7_28_14.PDF

Please accept the attached letter regarding Comments of El Dorado Water & Power Authority on the Draft Bay-Delta Conservation Plan and EIR/EIS.

Thank you.

Julianne van Leeuwen Water Agency Technician, Clerk of the Board, CABY Coordinator El Dorado County Water Agency 4110 Business Drive, Suite B Shingle Springs, CA 95682

Phone: 530/621-6635 Fax: 530/672-6721 Main: 530/621-5392

http://www.edcgov.us/water/index.html

NOTICE: This e-mail and any files transmitted with it may contain confidential information, and are intended solely for the use of the individual or entity to whom they are addressed.

Any retransmission, dissemination or other use of the information by persons other than the intended recipient or entity is prohibited.

If you receive this e-mail in error please contact the sender by return e-mail and delete the material from your system.

Thank you.