

Temperature Management Landmarks

Carcass Distribution


2015 Winter-Run Carcass counts by river area as of 6-22-15							
Section	Carcasses	2015 Percent	% Average years (2003-2014)				
1- Keswick Dam to ACID Dam (rm 302 to 298)	77	45.6%	35.4%				
2- ACID Dam to Hwy 44 Brg (rm 296)	47	27.8%	39.6%				
3- Hwy 44 Brg to Clear Crk Powerlines (rm 288)	36	21.3%	21.8%				
4- Clear Crk Pwrl to Balls Ferry Brg (rm 275)	9	5.3%	3.2%				
Total	169	100.0%	100.0%				

- Surveys are finding higher numbers, possible we are seeing earlier run timing than the last few years or a large run of WCS.
- Carcasses below HWY 44 are not indicative of spawning downstream since they are moved downstream after spawning.

Redd Distribution


2015 Winter-Run aerial Redd counts by river area as of 6-18-15						
Flight Sections	River mile	Redds	2015 Percent	% Average (2003-2014)		
Keswick to A.C.I.D. Dam. Carcass Section 1	298	33	57.9%	45.0%		
A.C.I.D. Dam to Highway 44 Bridge. Carcass Sec 2	296	23	40.4%	42.1%		
Highway 44 Br. to Airport Rd. Br. Carcass Sec 3-4	284	1*	1.8%	12.2%		
Airport Rd. Br. to Balls Ferry Br. Carcass Section 4	275	0	0.0%	0.3%		
Balls Ferry Br. to Battle Creek. Below Carcass	271	0	0.0%	0.1%		
Battle Creek to Jellys Ferry Br. Below Carcass	266	0	0.0%	0.1%		
Jellys Ferry Br. to Bend Bridge Below Carcass	257	0	0.0%	0.1%		
Bend Bridge to Red Bluff Diversion Dam Below Carcass	242	0	0.0%	0.0%		
Red Bluff Diversion Dam to Tehama Br. Below Carcass	229	0	0.0%	0.1%		
	total	57	100%	100%		

* Was found on recently restored Painters Riffle just below HWY 44 bridge.



Water Temperatures at Management Points

Air Temperature Forecast





RAFT Temperature Model Runs

