

Exhibit CAW-030PP

 **COPY**



January 12, 2006

Victoria Whitney, Division Chief
Division of Water Rights
State Water Resources Control Board
1001 I Street
Sacramento, CA 95812

Re: SWRCB Order No. WR 95-10, as amended 1st Quarterly Report for Water Year
October 1, 2005 through September 30, 2006

Dear Sir:

Pursuant to Condition 13 of the subject order as amended, this letter is Cal-Am's first *quarterly* report for the water year October 1, 2005 through September 30, 2006.

Condition 13, as amended, requires:

13. Starting with the first full month following adoption of this Order, Cal-Am shall file quarterly with the Chief, Division of Water Rights:
 - (a) Reports of the monthly total amounts being: (1) pumped from wells; and (2) diverted from the Carmel River. Reports of the total monthly amount being pumped from wells shall show the amount being pumped from each well and shall show the location of each well.
 - (b) Reports of the progress being made in complying with the schedule submitted to comply with Condition 11,
 - (c) Reports of the progress being made in complying with Conditions 4, 5, 6, 7, 8, and 9, and
 - (d) Cal-Am shall submit a quarterly water budget thirty days after approval by the District."

RESPONSES

- I. Condition 13(a). The total amounts being: (1) pumped from wells and (2) diverted from the Carmel River by month for each well location for the first Quarter of the Water Year, October 1, 2005 through September 30, 2006 is shown on Attachment 1. Attachment 2 shows the monthly production data through December 2005 from specific sub-units in the Carmel Valley via Carmel Valley

wells. Carmel Valley Filter Plant produced 0.0AF from San Clemente Reservoir, with 79.1 AF from Aquifers No. 1 and No. 2; Water West 0.0 AF; Aquifer No. 3 1,332.9 AF; Aquifer No. 4 720.4 AF. Total production through the month of December 2005 was 2,132.4 AF. Net production, which includes ASR diversion, was 2,128.2 AF. See Table 3. Los Padres releases are shown on Attachment 4.

II. Condition 13(b). Condition No. 11 has been satisfied because The Monterey Peninsula Water Management District has continued to implement the Mitigation Program for the District's Water Allocation Program Environmental Impact Report.

III. Condition 13(c). Progress being made in complying with Conditions 4, 5, 6, 7, 8, and 9 is as follows:

- CONDITION NO.4

Cal-Am shall maximize production from the Seaside aquifer for the purpose of serving existing connections, honoring existing commitments (allocations), and to reduce diversions from the Carmel River to the greatest practicable extent during periods of low flow. Cal-Am shall minimize diversions from the Seaside aquifer whenever flow in the Carmel River exceeds 40 cfs at the Highway 1 Bridge from November 1 to April 30. The long-term yield of the basin shall be maintained by using the practical rate of withdrawal method.

Response No.4:

Attachment 3 shows Net System Production Water Year to Date.

- CONDITION NO.5

To the maximum extent feasible without inducing seawater intrusion or unreasonably affecting the operation of other wells, Cal-Am shall satisfy the water demands of its customers by extracting water from its most downstream wells.

Response No.5:

In July 2003, US Fish & Wildlife Service and Cal-Am executed the Second Amended Agreement for protection of the California Red-legged frog for Cal-Am's Carmel Valley operations (Agreement with USFWS). The Agreement states that, provided that Cal-Am complies with its terms and the Biological Opinion, incidental take of California Red-legged frog shall be exempt from the take prohibitions of Section 9 of the Endangered Species Act. One of the requirements of the Agreement with USFWS is to pump from downstream wells to the extent practicable, which is consistent with Condition No. 5.

On March 21, 2002, the State Board adopted WRO 2002-0002, which modified Cal-Am's operation of the upper Carmel Valley wells in a manner that is consistent with Condition No. 5.

CONDITION NO.6

Cal-Am shall conduct a study of the feasibility benefits and estimated costs of supplying water to the areas now served by the Carmel Valley Filter Plant from its more nearby wells downstream of the plant and shall also conduct a similar study of utilizing the existing or expanded Begonia Treatment Plant or other facilities located further downstream in lieu of the Carmel Valley Filter Plant. This latter study shall be completed within one year of the date of entry of this Order. Petitioner shall have an opportunity to comment on the scope of the study. The study shall be under the direction of the Division of Water Rights, and will be conducted by a consultant approved by the Division. If the Chief, Division of Water Rights, finds that the measures identified in the studies are feasible, Cal-Am must implement supplying water from the facilities identified by the Division according to a schedule approved by Division of Water Rights. The objective of supplying water from the wells is to maintain surface flow in the stream as far downstream as possible by releasing water from San Clemente Dam for maintenance of fish habitat. The results of the study and recommendations shall be provided to the District and DF&G for comment.

Response No.6:

In accordance with the terms of Order Nos. 95-10 and 98-04, two studies were done. The first was completed and submitted to the State Board in September 1996. The Reconnaissance-Level Feasibility Study of the Operational Reconfiguration of Lower Carmel Valley Wells was completed and was submitted to the State Board on June 21, 1999. In April 2001, the State Board issued Order 2001-04 in which it found these studies adequate. The order was protested and after a hearing, the State Board adopted WRO 2002-0002 on March 21, 2002 and confirmed the studies were adequate.

In past years, operation of the upper Carmel Valley wells has been limited during the months of May through December. WRO 2002-0002 changed the trigger for reducing operation of upper Carmel Valley Wells from specific months to "low flow periods", defined as times when stream flow in the Carmel River at the Don Juan Bridge (RM 10.8) gage is less than 20 cfs for five consecutive days. WRO 2002-0002 also required installation of certain facilities to facilitate usage of the more downstream aquifers and to determine whether the Carmel Valley Village Zone water supply needs can be supplied from the Begonia Zone.

In compliance with WRO 2002-0002, Cal-Am installed a pump that delivers water from the Begonia zone to the Carmel Valley Village in March 2002. During low flow periods, Cal-Am has ceased diversions from San Clemente Reservoir, is pumping from Russell

Wells 2 and 4, and has limited its pumping of the other upper Carmel Valley Wells to a schedule of maintenance pumping, which is set forth below. The maintenance-pumping schedule and the complete cessation of diversions from San Clemente Reservoir are being monitored and evaluated by NMFS and Cal-Am and are subject to adjustment in order to satisfy the needs of Cal-Am's customers and the needs of the steelhead. Since the pump has been installed, production from the Russell Wells has been limited to 0.5 cfs during low flow periods and the majority of Carmel Valley Village demand has been met by pumping water from the Begonia zone, which includes water well production facilities in AQ 3, AQ 4 and the Seaside Groundwater Basin. This mode of operation is being evaluated to address the adequacy of Cal-Am's distribution system and the new pump to accommodate the water supply needs of the Carmel Valley Village from the Begonia Zone.

Status of wells during October through December 2005:

Lower Carmel Valley Wells

Rancho Canada – On-line
San Carlos – Emergency Stand-by only (under influence of surface water)
Cypress – On Line
Pearce On Line
Schulte – On Line
Manor – On line
Begonia #2 – On Line
Berwick #7 – Out of Service until further notice.
Berwick #8 – On Line

Upper Carmel Valley Wells

Panetta 2 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Panetta 4 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Garzas 3 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Garzas 4 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Los Laureles 5 – Off Line (run 1 to 2 hours once a week for maintenance)
Los Laureles 6 – Off Line (run 1 to 2 hours once a week for maintenance)
Scarlett 8 – Off Line (run 1 to 2 hours once a week for maintenance)
Robles – Off Line (run 1 to 2 hours once a week for maintenance)
Russell 2 – On Line
Russell 4 – On Line

As of December 23, 2005, the low flow period as defined by the Conservation Agreement and Order 2002-02 ended. The upper valley wells are available to satisfy system demand.

- CONDITION NO. 7

Cal-Am shall evaluate the feasibility of bypassing early storm runoff at Los Padres and San Clemente Dams to recharge the subterranean stream below San Clemente Dam in order to restore surface water flows in the river at an earlier date. The results of the study and recommendations shall be provided to the District and CDF&G for comment.

- CONDITION NO. 8

Cal-Am shall conduct a study of the feasibility, benefits, and costs of modifying critical stream reaches to facilitate the passage of fish. The study shall be designed and carried out in consultation with DF&G and the District. The results of the study and recommendations shall be provided to the district and DF&G for comment.

Response Nos. 7 & 8:

See prior quarterly reports.

California American has proposed an alternate water supply project to meet the Order 95-10 as modified by subsequent orders. After diligent review of the options for technical, political and environmental merit, California American amended its application for a new reservoir on the Carmel River to include the desalination/ASR project originally developed by the CPUC, entitled *Plan B*. Additionally, California American requested that the CPUC be the lead agency for the Company's project, which has been named the Coastal Water Project. The CPUC has agreed to be the lead agency for the environmental work. The Proponents Environmental Assessment (PEA) was completed in June 2005 and will be submitted as part of a completed CPCN application to the CPUC in July 2005. The Proposed Project is for a desalination plant and ASR element that will produce Carmel replacement water of 10,370AFA and Seaside Ground Water replacement of 1,000AFA. The CPUC's environmental staff has initiated their CEQA process for the project.

California American Water is working with the Monterey Peninsula Water Management District on the development of ASR projects. This work has included cooperation with respect to a pilot project operating through annual temporary permits granted by the SWRCB. California American and the Monterey Peninsula Water District are currently working on the development of an agreement that, if executed and implemented, will allow for the operation of a more permanent ASR facility.

Other items:


The Department of Safety of Dams has directed California American to permanently lower San Clemente Reservoir at all times possible. California American is currently exercising the draw down required by DSOD in consultation with NOAA and CDFG.

DSOD continues to direct environmental review process to solve the seismic problems. The process will include CEQA and NEPA level evaluations.

Based on preliminary studies on the safe yields on the Seaside Ground Water Basin California American filed a lawsuit against the other pumpers in the aqueduct seeking adjudication of the ground water supplies. The Monterey Peninsula Water Management District has recently released a ground water study of the Seaside Basin that confirms the determination in the California American study that the basin is being over drafted at twice the rate of natural replenishment, an estimated 2,500 AFA. The adjudication trial took place during December 2005. We expect a determination by the Court by mid-January 2006. The Courts determination will include not only an allocation of rights to water from the Basin, but also the appointment of a Watermaster and direction with respect to the long and short-term management of the Basin. This determination will have a direct affect on California American's ability to maintain its obligations and responsibilities associated with 95-10.

Should your staff have any questions please call me at (831) 646-3214.

Sincerely,



Steven Leonard
Vice-President /Manager
Coastal Division
California American Water

SDL
Enclosures

cc: K. Urquardt
J. Driscoll, Esq.
P. Lyman, Esq.
P. Townsley
D. Stephenson
D. Laredo, Esq.
S. Somach, Esq.
F. Farina, Esq.

CALIFORNIA AMERICAN WATER
 Monterey Division
 UPPER CY WELLS - PRODUCTION
 Water Year 2005-2006

	Russell #2	Russell #4	Robles	Panatta #1	Panatta #2	Gezras #3	Gezras #4	LL #5	LL #6	Total
Oct CF	1,157,182	0	0	0	0	0	0	0	0	1,157,182
1000 G	8,656	0	0	0	0	0	0	0	0	8,656
AF	26.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.6
Nov CF	1,124,487	0	0	0	0	0	0	0	0	1,124,487
1000 G	8,412	0	0	0	0	0	0	0	0	8,412
AF	25.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.8
Dec CF	1,162,432	0	0	0	0	0	0	0	0	1,162,432
1000 G	8,696	0	0	0	0	0	0	0	0	8,696
AF	26.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.7
TOTAL CF	3,444,101	0	0	0	0	0	0	0	0	3,444,101
1000 G	25,764	0	0	0	0	0	0	0	0	25,764
AF	79.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	79.1

CALIFORNIA AMERICAN WATER
 Monterey Division
 LOWER CV WELLS - PRODUCTION
 Water Year 2005-2006

	Borwick #7	Borwick #8	Blagonia	Marion	Schulte	Peunas	Cypress	San Carlos	R. Cerrada	BRRP Backwash (L)	L. CV Wells Inu. BltP	Sanfitt #5	Total
Oct. CF	0	4,800	2,739,900	14,800	2,468,100	9,819,200	9,577,300	0	11,981,900	(33,834)	36,639,834	0	36,639,834
1000 G	0	36	20,486	111	18,463	73,453	71,643	0	89,631	(263)	274,085	0	274,085
AF	0.0	0.1	62.9	0.3	56.7	225.4	219.9	0.0	275.1	-0.8	841.1	0.0	841.1
Nov. CF	0	1,100	1,002,600	1,000	1,073,500	8,039,700	7,380,700	0	9,617,800	78,635	27,017,765	0	27,017,765
1000 G	0	8	7,500	7	8,030	60,141	55,082	0	71,946	202,695	202,107	0	202,107
AF	0.0	0.0	23.0	0.0	24.6	184.6	169.0	0.0	220.8	622.0	620.2	0.0	620.2
Dec. CF	0	17,900	810,444	29,000	968,234	7,538,922	6,595,233	0	9,780,775	140,459	25,599,949	0	25,599,949
1000 G	0	133	6,063	217	7,243	56,395	49,336	0	73,165	1,051	191,501	0	191,501
AF	0.0	0.4	18.6	0.7	22.2	173.1	151.4	0.0	224.5	3.2	587.7	0.0	587.7
TOTAL CF	0	23,700	4,552,944	44,800	4,609,834	26,397,822	23,633,233	0	31,380,475	185,280	89,257,548	0	89,257,548
1000 G	0	177	34,058	335	33,736	189,889	176,041	0	234,742	1,388	687,893	0	687,893
AF	0.0	0.5	104.5	1.0	103.5	583.1	540.2	0.0	720.4	4.3	2,048.1	0.0	2,048.1

CALIFORNIA AMERICAN WATER
 Monterey Division
 CVFP Daily Production Report
 Water Year 2005-2006

Date	Gravity CF	Low Flow CF	Russell #2		Russell #4		To Carmel River	Wells 2 & 4		Diversion (Less Russell) 1000 Gal.		Backwash		NET DIVERSION TO SYSTEM 1000 Gal.		AF	CFS	To the River CFS
			CF	CF	CF	CF		CF	CF	CF	CF	CF	CF	CF	CF			
10/05	0	1,244,050	1,157,182	0	1,157,182	0	0	0	86,868	650	86,868	86,868	0	0	0	2.0	0.00	0.00
11/05	0	1,163,749	1,124,487	0	1,124,487	0	0	0	39,262	294	39,262	39,262	0	0	0	0.9	0.00	0.00
12/05	0	1,207,120	1,162,432	0	1,162,432	0	0	0	44,688	334	44,688	44,688	0	0	0	1.0	0.00	0.00
Total	0	3,614,919	3,444,101	0	3,444,101	0	0	0	170,818	1,278	170,818	170,818	0	0	0	3.9	0.00	0.00

CALIFORNIA AMERICAN WATER
 Monterey Division
 S.C. DAM & CARMEL VALLEY WELLS
 Production Water Year (AF)
 2005-06

Date	CVFP San Clemente Dam	Aquifer 1 Russell 2 & 4	Aquifer 2 Robies Los Laureles 5 & 6	Water West Panella 1 & 2 Garzas 3 & 4	Aquifer 3 Scarlett 8/Barwick 7 & 8 Begonia/Meno/Bchulte Pearce/Cypress/San Carlos	Aquifer 4 Rancho Canada	Total Production	BIRP GW & Seaside Test Injct. (ABR)	Net Production
Oct 2005	0.0	28.6	0.0	0.0	665.2	276.1	889.9	0.9	887.7
Oct 2004	0.0	29.2	0.0	0.0	442.7	245.0	716.9	-0.6	716.3
Nov 2005	0.0	25.8	0.0	0.0	401.3	220.8	647.9	-1.8	646.1
Nov 2004	0.0	27.5	0.0	0.0	484.8	231.7	744.1	-8.4	735.7
Dec 2005	0.0	26.7	0.0	0.0	386.4	224.6	617.6	-3.2	614.4
Dec 2004	0.0	24.8	0.0	0.0	392.2	227.3	644.3	-8.3	636.0
Jan 2006							0.0		0.0
Jan 2005	0.0	47.0	0.0	0.0	670.6	256.3	973.9	-130.0	843.9
Feb 2006							0.0		0.0
Feb 2005	0.0	75.7	0.0	0.0	627.4	232.5	935.6	-132.0	803.6
Mar 2006							0.0		0.0
Mar 2005	0.0	83.4	0.0	0.0	902.3	19.3	1,005.0	-86.3	918.7
Apr 2006							0.0		0.0
Apr 2005	0.0	65.8	0.0	0.0	736.2	176.1	978.1	0.4	978.5
May 2006							0.0		0.0
May 2005	0.0	78.0	0.0	0.0	705.8	283.6	1,067.2	-0.1	1,067.1
Jun 2006							0.0		0.0
Jun 2005	0.0	80.3	0.0	0.0	673.3	260.0	1,013.6	1.5	1,015.1
Jul 2006							0.0		0.0
Jul 2005	0.0	70.7	0.0	0.0	634.4	291.6	996.7	1.1	997.8
Aug 2006							0.0		0.0
Aug 2005	0.0	26.4	0.0	0.0	701.2	281.1	1,008.7	1.7	1,010.4
Sep 2006							0.0		0.0
Sep 2005	0.0	25.6	0.0	0.0	661.2	265.1	951.9	-0.4	951.5
Total	0.0	79.1	0.0	0.0	1,332.9	720.4	2,132.4	-4.2	2,128.2

California Ameliorated Water
 Monterey Division
 Net System Production
 Year to Date 2005

Month	San Clemente Dam Surface Water	U. Carmel Valley Wells	L. Carmel Valley Wells	Seaside Wells	Ryan Ranch Wells	Hidden Hills Wells	Bishop Wells	Ambler Wells	Chualar Wells	Ralph Lane Wells	ASR (+) Test Well	NET SYSTEM (All Facilities)
01/05 CF 1000 G AF	0 0 0.00	2,045,669 15,303 46.96	40,409,076 302,281 927.66	1,128,846 8,444 25.91	160,905 1,204 3.69	400,748 2,998 9.20	328,014 2,454 7.53	455,526 3,408 10.46	335,162 2,507 7.69	37,684 282 0.87	5,696,796 42,615 130.78	39,604,834 296,265 909.20
Y-T-D CF 1000 G AF	0 0 0.00	2,045,669 15,303 46.96	40,409,076 302,281 927.66	1,128,846 8,444 25.91	160,905 1,204 3.69	400,748 2,998 9.20	328,014 2,454 7.53	455,526 3,408 10.46	335,162 2,507 7.69	37,684 282 0.87	5,696,796 42,615 130.78	39,604,834 296,265 909.20
02/05 CF 1000 G AF	0 0 0.00	3,299,464 24,582 75.75	37,496,190 280,491 860.79	0 0 0.00	127,178 951 2.92	367,601 2,760 8.44	295,055 2,207 6.77	402,352 3,010 9.24	291,771 2,183 6.70	21,817 163 0.50	5,790,239 43,314 132.93	36,511,189 273,123 838.18
Y-T-D CF 1000 G AF	0 0 0.00	5,345,133 39,984 122.71	77,905,266 582,772 1,788.46	1,128,846 8,444 25.91	288,083 2,155 6.61	768,349 5,748 17.64	623,069 4,661 14.30	857,878 6,417 19.69	626,933 4,690 14.39	59,501 445 1.37	11,487,035 85,929 263.71	76,116,023 569,367 1,747.36
03/05 CF 1000 G AF	0 0 0.00	3,635,523 27,196 83.46	40,196,750 300,693 922.79	0 0 0.00	189,755 1,419 4.36	457,500 3,422 10.50	315,810 2,362 7.25	514,988 3,852 11.82	360,003 2,693 8.26	31,090 233 0.71	3,812,168 28,517 87.52	41,889,251 313,353 961.64
Y-T-D CF 1000 G AF	0 0 0.00	8,980,656 67,180 206.17	118,102,016 883,464 2,711.25	1,128,846 8,444 25.91	477,838 3,574 10.97	1,225,849 9,170 28.14	938,879 7,023 21.55	1,372,866 10,270 31.52	986,936 7,383 22.66	90,591 678 2.08	15,299,203 114,446 351.22	118,005,274 882,741 2,709.03
04/05 CF 1000 G AF	0 0 0.00	2,865,700 21,437 65.79	39,756,285 297,398 912.68	0 0 0.00	192,856 1,443 4.43	503,768 3,768 11.56	435,273 3,256 9.99	659,250 4,932 15.13	396,784 2,968 9.11	37,123 278 0.85	0 0 0.00	44,847,039 335,479 1,029.55
Y-T-D CF 1000 G AF	0 0 0.00	11,846,356 88,617 272.0	157,658,301 1,180,862 3,623.9	1,128,846 8,444 25.9	670,694 5,017 15.4	1,729,617 12,938 39.7	1,374,152 10,279 31.5	2,032,116 15,201 46.7	1,383,720 10,351 31.8	127,714 955 2.9	15,299,203 114,446 351.2	162,852,313 1,218,220 3,738.6

California American Water
 Monterey Division
 Net System Production
 Year to Date 2005

Month	San Clemente Dam Surface Water	U. Carmel Valley Wells	L. Carmel Valley Wells	Seaside Wells	Ryan Ranch Wells	Hidden Hills Wells	Bishop Wells	Ambler Wells	Chualar Wells	Ralph Lana Wells	ASR (-) Test Well	NET SYSTEM (All Facilities)
05/04	0	3,396,984	43,087,034	9,574,567	258,702	730,732	716,290	1,040,757	510,360	46,935	0	59,362,361
	0	25,411	322,313	71,623	1,935	5,466	5,358	7,785	3,818	351	0	444,061
	0.00	77.98	989.14	219.80	5.94	16.78	16.44	23.89	11.72	1.08	0.00	1,362.77
Y-T-D	0	15,243,340	200,945,335	10,703,413	929,396	2,460,349	2,090,442	3,072,873	1,894,080	174,649	15,299,203	222,214,674
	0	114,028	1,503,176	80,067	6,952	18,405	15,638	22,987	14,169	1,306	114,446	1,662,281
	0.00	349.94	4,613.07	245.72	21.34	56.48	47.99	70.54	43.48	4.01	351.22	5,101.35
06/04	0	3,499,152	40,718,045	17,666,471	323,203	923,599	931,346	1,427,906	590,266	49,529	0	66,149,517
	0	26,175	304,592	132,304	2,418	6,909	6,967	10,681	4,415	371	0	494,833
	0.00	80.33	934.76	406.03	7.42	21.20	21.38	32.78	13.55	1.14	0.00	1,518.58
Y-T-D	0	18,742,492	241,663,380	28,389,884	1,252,599	3,383,948	3,021,786	4,500,779	2,484,346	224,178	15,299,203	288,364,191
	0	140,204	1,807,768	212,371	9,370	25,314	22,605	33,668	18,584	1,677	114,446	2,157,114
	0.00	430.27	5,547.83	651.74	28.76	77.68	69.37	103.32	57.03	5.15	351.22	6,619.93
07/05	0	3,080,698	40,384,529	22,487,531	395,510	1,097,401	1,036,059	1,548,829	603,426	52,790	0	70,686,772
	0	23,045	302,097	168,218	2,959	8,209	7,750	11,586	4,514	395	0	528,774
	0.00	70.72	927.10	516.24	9.08	25.19	23.78	35.56	13.85	1.21	0.00	1,622.74
Y-T-D	0	21,823,190	282,047,909	50,877,415	1,648,109	4,481,349	4,057,847	6,049,608	3,087,772	276,968	15,299,203	359,050,963
	0	163,249	2,109,865	380,590	12,329	33,523	30,355	45,254	23,098	2,072	114,446	2,685,888
	0.00	500.99	6,474.93	1,167.98	37.84	102.88	93.16	138.88	70.89	6.36	351.22	8,242.68
08/05	0	1,147,176	42,864,059	20,205,712	412,862	1,207,202	1,059,232	1,495,996	546,458	47,523	0	68,986,220
	0	8,581	320,645	151,149	3,088	9,030	7,924	11,191	4,088	355	0	516,053
	0.00	26.34	984.02	463.86	9.48	27.71	24.32	34.34	12.54	1.09	0.00	1,583.71
Y-T-D	0	22,970,366	324,911,968	71,083,127	2,060,971	5,688,551	5,117,079	7,545,604	3,634,230	324,491	15,299,203	428,037,183
	0	171,830	2,430,510	531,739	15,417	42,553	38,278	56,445	27,186	2,427	114,446	3,201,941
	0.00	527.33	7,458.95	1,631.84	47.31	130.59	117.47	173.22	83.43	7.45	351.22	9,826.38

California American Water
 Monterey Division
 Net System Production
 Year to Date 2005

Month	San Clemente Dam Surface Water	U. Carmel Valley Wells	L. Carmel Valley Wells	Seaside Wells	Ryan Ranch Wells	Hidden Hills Wells	Bishop Wells	Ambler Wells	Chualar Wells	Ralph Lane Wells	AGR (-) Test Well	NET SYSTEM (All Facilities)
09/05	CF 1000 G AF	0 8,339 0.00	1,114,799 25,59	40,335,030 301,727 925.96	19,023,615 142,307 436.72	321,853 2,408 7.39	1,151,835 8,616 26.44	978,270 7,318 22.46	1,373,517 10,275 31.53	497,239 3,720 11.42	0 0 0.00	64,832,746 484,983 1,488.36
Y-T-D	CF 1000 G AF	0 180,170 0.00	24,085,165 552.92	365,246,998 2,732,237 8,384.92	90,106,742 674,045 2,068.57	2,382,824 17,825 54.70	6,840,386 51,170 157.03	6,095,349 45,596 139.93	8,919,121 66,720 204.75	4,131,469 30,906 94.85	15,299,203 114,446 351.22	492,869,929 3,686,923 11,314.74
10/05	CF 1000 G AF	0 8,656 0.00	1,157,182 26.57	36,639,834 274,085 841.13	19,429,692 145,344 446.04	285,889 2,139 6.56	951,467 7,117 21.84	853,320 6,383 19.59	1,355,910 10,143 31.13	452,026 3,381 10.38	0 0 0.00	61,142,539 457,378 1,403.84
Y-T-D	CF 1000 G AF	0 188,826 0.00	25,242,347 579.48	401,886,832 3,006,322 9,226.05	109,536,434 819,389 2,514.61	2,668,713 19,963 61.27	7,791,853 58,287 178.88	6,948,669 51,980 159.52	10,275,031 76,863 235.88	4,583,495 34,287 105.22	15,299,203 114,446 351.22	554,012,467 4,144,301 12,718.38
11/05	CF 1000 G AF	0 8,412 0.00	1,124,487 25.81	27,017,765 202,107 620.24	19,146,868 143,229 439.55	213,042 1,594 4.89	747,101 5,589 17.15	662,771 4,958 15.22	1,311,663 9,812 30.11	404,594 3,027 0.69	0 0 0.00	50,658,436 378,951 1,162.96
Y-T-D	CF 1000 G AF	0 197,238 0.00	26,366,834 605.30	428,904,597 3,208,429 9,846.29	128,683,302 962,618 2,954.16	2,881,755 21,557 66.16	8,538,954 63,876 196.03	7,611,440 56,938 174.73	11,586,694 86,674 265.99	4,988,089 37,313 114.51	15,299,203 114,446 351.22	604,670,903 4,523,253 13,881.33
12/05	CF 1000 G AF	0 8,686 0.00	1,162,432 26.69	25,599,949 191,501 587.69	11,482,640 85,896 263.61	176,680 1,322 4.06	518,450 3,878 11.90	402,425 3,010 9.24	908,238 6,794 20.85	291,978 2,184 6.70	0 0 0.00	40,576,306 303,532 931.50
Y-T-D	CF 1000 G AF	0 205,933 0.00	27,529,266 631.98	454,504,546 3,399,930 10,433.99	140,165,942 1,048,514 3,217.77	3,058,435 22,879 70.21	9,057,404 67,754 207.93	8,013,865 59,948 183.97	12,494,932 93,469 286.84	5,280,067 39,498 121.21	15,299,203 114,446 351.22	645,247,209 4,926,785 14,812.84

CALIFORNIA AMERICAN WATER
 Monterey Division
 Los Padres Daily Release (CFS)
 Water Year 2005-2006

Date	Oct05	Nov05	Dec05	Jan 06	Feb 06	Mar 06	Apr 06	May 06	Jun 06	Jul 06	Aug 06	Sep 06
1	9.8	9.3	8.6									
2	9.8	9.4	9.2									
3	9.8	9.3										
4	9.8	9.2	9.4									
5	9.8	9.2	9.4									
6	9.7	9.2	9.4									
7	9.8	9.2	9.4									
8	9.8	9.0	9.4									
9	9.8	9.0	9.4									
10	9.8	9.0										
11	9.7	9.0										
12	9.8	8.9	9.2									
13	9.8	8.8	9.2									
14	9.8	8.8	9.2									
15	9.8	8.7	9.2									
16	9.8	8.3	9.2									
17	9.7	7.9										
18	9.4	7.8										
19	9.4	7.8	10.5									
20	9.4	7.8	11.0									
21	9.4	7.7	11.2									
22	9.3	7.6	26.8									
23	9.3	7.6	33.5									
24	9.3	7.7										
25	9.3	7.6										
26	9.3	7.5										
27	9.3	7.5	65.3									
28	9.4	7.5	66.4									
29	9.4	7.5	57.4									
30	9.4	7.4	46.0									
31	9.4											
Total	297.3	251.2	438.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0