

Exhibit CAW-030WW

February 7, 2008

Victoria Whitney, Division Chief
Division of Water Rights
State Water Resources Control Board
1001 I Street
Sacramento, CA 95812

Re: SWRCB Order No. WR 95-10, as amended 4th Quarterly Report for Water Year
October 1, 2006 through September 30, 2007

Dear Ms. Whitney:

Pursuant to Condition 13 of the subject order as amended, this letter is California American Water's fourth quarterly report for the water year October 1, 2006 through September 30, 2007 covering the period of July 1, 2007 through September 30, 2007.

Condition 13, as amended, requires:

Starting with the first full month following adoption of this Order, Cal-Am shall file quarterly with the Chief, Division of Water Rights:

- (a) Reports of the monthly total amounts being: (1) pumped from wells; and (2) diverted from the Carmel River. Reports of the total monthly amount being pumped from wells shall show the amount being pumped from each well and shall show the location of each well.
- (b) Reports of the progress being made in complying with the schedule submitted to comply with Condition 11,
- (c) Reports of the progress being made in complying with Conditions 4, 5, 6, 7, 8, and 9, and
- (d) Cal-Am shall submit a quarterly water budget thirty days after approval by the District.

RESPONSES

Condition No. 13(a)

Condition 13(a) requires California American Water to report the monthly volume of water being (1) pumped from wells and (2) diverted from the Carmel River. Well pumping reports are to show the amount being pumped from each well and the location of each well.

Compliance with Condition 13(a).

The total volume of water pumped from wells and diverted from the Carmel River by month for each well location for the fourth Quarter of the 2006 -2007 Water Year is shown on Attachment 1. Attachment 2 shows the monthly production data through September 2007 from specific sub-units in the Carmel Valley via Carmel Valley wells. The Carmel Valley Filter Plant produced 0.0AF from San Clemente Reservoir, from Aquifer No.1 is 385.9 and Aquifer No.2 is 86.6; Water West is 00.0 AF; Aquifer No.3 is 7,986.2AF; Aquifer No.4 is 2,038.5AF. Total production through the fourth quarter was 10,497.2AF. ASR injection was 11.9AF. Net production was 10,485.4 (10,497.2AF - 11.9AF). The cubic feet per second water release from the Los Padres Dam are shown on Attachment 3.

Condition 13(b)

Condition 13(b) requires California American Water to report on compliance with schedules for implementing mitigation measures required by the Monterey Peninsula Water Management District's "Mitigation Program for the District's Water Allocation Program Environmental Impact Report." Condition No. 11 requires California American Water to implement these measures only if they are not implemented by the District.

Compliance with Condition 13(b)

Condition No. 11 has been satisfied because The Monterey Peninsula Water Management District has continued to implement the Mitigation Program for the District's Water Allocation Program Environmental Impact Report.

Condition 13(c)

Condition 13(c) requires California American Water to report on the progress being made in complying with Conditions 4, 5, 6, 7, 8, and 9.

Compliance with Condition 13(b)

California American Water's progress on complying with conditions 4 through 9 is as follows:

Condition No. 4

Cal-Am shall maximize production from the Seaside aquifer for the purpose of serving existing connections, honoring existing commitments (allocations), and to reduce diversions from the Carmel River to the greatest practicable extent during periods of low flow. Cal-Am shall minimize diversions from the Seaside aquifer whenever flow in the Carmel River exceeds 40 cfs at the Highway 1 Bridge from November 1 to April 30. The long-term yield of the basin shall be maintained by using the practical rate of withdrawal method.

Compliance With Condition No. 4:

California American Water's ability to "maximize production for the Seaside aquifer" must be viewed in light of the 2006 adjudication of the Seaside Basin. Under that adjudication, the natural safe yield of the Seaside basin for all users is a maximum of 3,000 acre-feet of water per year. The Court established a temporary "Operating Safe Yield" of 5,600 acre-feet of water per year for the first three years following the Order. The "Operating Safe Yield" then declines triennially until it equals the natural safe yield, which is estimated to occur in the year 2021. California American Water is currently entitled to 3,849 acre-feet of the Operating Safe Yield. That allocation will decrease to 3,462 acre-feet in water year 2009.

For the 2007 Water Year that ended September 30, 2007 California American Water pumped 4,060 acre-feet of water from the Seaside Basin, see Attachment 4. Because California American Water pumped more than their allocated portion of the natural safe yield, which is 1,494AF, the Watermaster is imposing a Replenishment Assessment in excess of \$2.5 million dollars against California American Water for the 2007 Water Year.

Based on this data, California American Water submits that it has maximized production from the Seaside aquifer for the 2007 Water Year.

Condition No. 5

To the maximum extent feasible without inducing seawater intrusion or unreasonably affecting the operation of other wells, Cal-Am shall satisfy the water demands of its customers by extracting water from its most downstream wells.

Compliance With Condition No. 5:

California American Water has a standard operating procedure to operate the Carmel Valley wells in order from downstream to upstream, and as further modified by Condition No. 6. Operations staff have represented to me that the wells have been operated in accordance with those standard operating procedures.

Condition No. 6

Pursuant to SWRCB Order No. WRO-2002-002, California American Water complies with Condition 6 by operating the Carmel Valley wells in the following manner:

- No water is to be withdrawn from San Clemente Dam during low flow periods, which are defined as flows less than 20 cfs for five consecutive days measured at the Don Juan Bridge.
- Reduce diversions from Garzas Wells Nos. 3 and 4, the Panetta Wells, the Robles Well, the Scarlett 8 Well, and Los Laurels Wells Nos. 5 and 6 during low flow periods to a maximum of two eight-hour days per month, except that wells that operated a maximum of one eight-hour day per month at the time of WRO 2002-002 shall continue to operate for no more than one eight-hour day per month.
- During low flow periods, all demand but for 0.5 cfs from the "Carmel Valley Village Zone," as defined, is to be met from the "Begonia Zone" as defined. The order requires California American Water to install the necessary infrastructure to operate in this manner, and limited the Russell Wells to an instantaneous diversion rate of no more than 0.5 cfs during low flow periods.

Compliance With Condition No. 6:

In compliance with WRO 2002-0002, Cal-Am installed a pump that delivers water from the Begonia zone to the Carmel Valley Village in March 2002. During low flow periods, Cal-Am has ceased diversions from San Clemente Reservoir, is pumping from Russell Wells 2 and 4, and has limited its pumping of the other upper Carmel Valley Wells to a schedule of maintenance pumping, which is set forth below. The maintenance-pumping schedule and the complete cessation of diversions from San Clemente Reservoir are being monitored and evaluated by NMFS and Cal-Am and are subject to adjustment in order to satisfy the needs of Cal-Am's customers. Since the pump has been installed, production from the Russell Wells has been limited to 0.5 cfs during low flow periods and the majority of Carmel Valley Village demand has been met by pumping water from the Begonia zone, as defined.

The status of Carmel Valley wells during the reporting period is as follows:

Lower Carmel Valley Wells

Rancho Canada – On-line
San Carlos – On Line
Cypress – On Line
Pearce - On Line
Schulte – On Line
Manor – On line
Begonia #2 – On Line
Berwick #8 – On Line

Upper Carmel Valley Wells

Panetta 2 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Panetta 4 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Garzas 3 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Garzas 4 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Los Laureles 5 – Off Line (run 1 to 2 hours once a week for maintenance)
Los Laureles 6 – Off Line (run 1 to 2 hours once a week for maintenance)
Scarlett 8 – On Line
Robles – On Line
Russell 2 – On Line
Russell 4 – On Line

As of April 30, 2007, the low flow period as defined by Order 2002-02 commenced, and has continued through September 30, 2007. The upper valley wells were not used to satisfy normal system demand during this period. In addition, during the current reporting period, California American Water did not invoke the emergency exception allowing water withdrawals from the San Clemente Dam during low flow periods.

Condition No. 7

Cal-Am shall evaluate the feasibility of bypassing early storm runoff at Los Padres and San Clemente Dams to recharge the subterranean stream below San Clemente Dam in order to restore surface water flows in the river at an earlier date. The results of the study and recommendations shall be provided to the District and CDF&G for comment.

Condition No. 8

Cal-Am shall conduct a study of the feasibility, benefits, and costs of modifying critical stream reaches to facilitate the passage of fish. The study shall be designed and carried out in consultation with DF&G and the District. The results of the study and recommendations shall be provided to the district and DF&G for comment.

Compliance With Condition Nos. 7 & 8:

See prior quarterly reports.

Condition No. 9

Condition No. 9 requires California American Water to use appropriate professionals to conduct all studies required by Order 95-10, and requires California American Water to provide a report of actions it will undertake to correct any problems described in those studies or justify why corrective action is inappropriate.

Compliance With Condition No. 9:

See previous reports.

Condition 13(d)

Condition 13(d) requires California American Water to submit the quarterly water budget within 30 days of adoption by the Monterey Peninsula Water Management District.

Compliance with Condition 13(d)

Attachment 5 to this report is the Water Budget for the period of October 1, 2007 to December 31, 2007 adopted by the MPWMD Board on September 17, 2007.

Updated Compliance Plan for Condition No. 2

Condition No. 12 of Order 95-10 required California American Water to submit within 90 days of that order a compliance plan for Condition No. 2. Condition No. 2 requires California American Water to implement one or more of the following actions to terminate unlawful diversions from the Carmel River:

- Obtain appropriate permits for water being unlawfully diverted from the Carmel River;
- Obtain water from other sources of supply and make one-for-one reductions in unlawful diversions from the Carmel River; and/or
- Contract with another agency having appropriate rights to divert and use water from the Carmel River.

California American Water is voluntarily providing this update to our compliance activities related to Condition No 2:


- California American Water has submitted applications for various appropriate rights to the Carmel River. As to those applications, California American Water is compiling the available information for CEQA compliance relative to our "Table 13" applications. We expect to have that information compiled and submitted to the Water Rights Division no later than March 31, 2008. California American Water contends that any processing or other action on our other applications – voluntary or *sue sponte* by the Water Rights Division - is premature given the state of the Monterey Peninsula Water Management District's New Los Padres Dam project and the relationship of the New Los Padres project permits to the Declaration of Fully Appropriated Stream as noted by the State Water Resources Control Board in Section 3.3 of Order No. 98-08. Upon receiving these permits, California American Water will have obtained appropriate rights to Carmel River water, the first of the compliance options.

- California American Water is a joint owner of the ASR Phase I project recently permitted by the Water Rights Division of the State Water Resources Control Board. This project will allow California American Water to capture excess winter flows from the Carmel River and store that water in the Seaside groundwater basin for use during low-flow periods. California American Water has, accordingly, obtained a permit to appropriate additional Carmel River water, the first of the listed compliance options.
- California American Water has signed an agreement to operate the City of Sand City desalination plant. This facility is scheduled to begin operation in 2009. Based on permits for this system issued by the Monterey Peninsula Water Management District, this facility will produce up to 300 acre-feet per year of water. Of the 300 acre-feet produced, 94 acre-feet will supply the demands of existing development. The other 206 acre-feet of water will be used to supply new development within the City of Sand City over the next 20 years. Thus, there will be an initial increase in water supply to the California American Water system of 300 acre-feet per year, which will be reduced to a net increase of 94 acre-feet by 2030. This surplus water will be used to reduce overdraft of the Seaside basin or to reduce low-flow demand from the Carmel River.
- California American Water has filed an application with the California Public Utilities Commission (CPUC) to obtain a Certificate of Public Convenience and Necessity for a desalination facility to serve the Monterey Peninsula customers. Based on the most recent information from the CPUC, the CPUC anticipates completing the Draft Environmental Impact Report for the project by the end of 2008 with a final decision by the CPUC in 2009. California American Water estimates that it will take at least two years following the CPUC's decision to obtain all other ancillary permits and entitlements, and three years to construct the facilities once all permits have been obtained. Thus, if all approvals are granted on this schedule, it is estimated that construction will be completed in the last half of 2014, and the plant will be fully operational to alleviate impacts to public trust resources during the 2015 low-flow period. As water becomes available from the desalination plant to serve customers, California American Water will have procured water from an alternative source, and will reduce its unpermitted diversions on a one-for-one basis.
- California American Water is currently working to become joint owners of the water rights held by the MPWMD related to the New Los Padres Dam project. In that regard, California American Water will be working closely with MPWMD staff to process the Petitions for Change and Application for Extension of Time that the MPWMD has on file with the SWRCB. Upon successful completion of these activities, California American Water would be a joint owner of those appropriative rights.

Conclusion

California American Water is in compliance with all material aspects of Order 95-10.
Should your staff have any questions please call me at (619) 409-7717.

Sincerely,



Tom Bunosky
Vice-President / Interim General Manager
Central Division
California American Water

Enclosures

cc: K. Turner
C. Anthony
T. Miller, Esq.
D. Stephenson
D. Laredo, Esq.
K. Urquardt
T. Haynes

CALIFORNIA AMERICAN WATER
 Monterey Division
 UPPER CV WELLS - PRODUCTION
 Water Year 2006-2007

	Russell #2	Russell #4	Robles	Panetta #1	Panetta #2	Garzas #3	Garzas #4	LL #5	LL #6	Total
Oct CF	183,002	864,272	0	0	0	0	0	0	0	1,047,274
1000 G	1,369	6,465	0	0	0	0	0	0	0	7,834
AF	4.2	19.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.0
Nov CF	688,608	390,750	0	0	0	0	0	0	0	1,079,358
1000 G	5,151	2,923	0	0	0	0	0	0	0	8,074
AF	15.8	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.8
Dec CF	1,094,700	0	0	0	0	0	0	0	0	1,094,700
1000 G	8,189	0	0	0	0	0	0	0	0	8,189
AF	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.1
Jan CF	192,076	981,760	0	0	0	0	0	0	0	1,173,836
1000 G	1,437	7,344	0	0	0	0	0	0	0	8,781
AF	4.4	22.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.9
Feb CF	708,620	884,790	0	0	0	0	0	0	0	1,593,410
1000 G	5,301	6,819	0	0	0	0	0	0	0	11,920
AF	16.3	20.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.6
Mar CF	2,317,990	724,500	2,846,401	0	0	0	0	0	0	5,888,891
1000 G	17,340	5,420	21,293	0	0	0	0	0	0	44,052
AF	53.2	16.6	65.3	0.0	0.0	0.0	0.0	0.0	0.0	135.2
Apr CF	1,474,340	182,070	929,200	0	0	0	0	0	0	2,585,610
1000 G	11,029	1,362	6,951	0	0	0	0	0	0	19,342
AF	33.8	4.2	21.3	0.0	0.0	0.0	0.0	0.0	0.0	59.4
May CF	1,246,370	0	0	0	0	0	0	0	0	1,246,370
1000 G	9,323	0	0	0	0	0	0	0	0	9,323
AF	28.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.6
Jun CF	1,187,520	0	0	0	0	0	0	0	0	1,187,520
1000 G	8,863	0	0	0	0	0	0	0	0	8,863
AF	27.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27.3
Jul CF	1,231,440	0	0	0	0	0	0	0	0	1,231,440
1000 G	9,212	0	0	0	0	0	0	0	0	9,212
AF	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3
Aug CF	1,233,460	0	0	0	0	0	0	0	0	1,233,460
1000 G	9,227	0	0	0	0	0	0	0	0	9,227
AF	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.3
Sep CF	1,226,250	0	0	0	0	0	0	0	0	1,226,250
1000 G	9,173	0	0	0	0	0	0	0	0	9,173
AF	28.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.2
TOTAL CF	12,784,376	4,028,142	3,775,601	0	0	0	0	0	0	20,588,119
1000 G	95,634	30,133	28,243	0	0	0	0	0	0	154,010
AF	293.5	92.5	86.7	0.0	0.0	0.0	0.0	0.0	0.0	472.6

CALIFORNIA AMERICAN WATER
Monterey Division
LOWER CV WELLS - PRODUCTION
Water Year 2006-2007

	Berwick #1	Berwick #2	Berwick #3	Manor	Schulte	Petros	Cypress	San Carlos	R. Canada	Sanford #8	Total
Oct CF	0	662,400	3,223,500	376,400	5,722,500	9,292,500	6,769,789	0	7,449,300	0	33,866,389
1000 G	0	6,451	24,113	2,816	42,807	69,513	50,642	0	55,725	0	252,067
AF	0.0	19.8	74.0	8.6	131.4	213.3	155.4	0.0	171.0	0.0	773.6
Nov CF	0	701,800	3,364,100	378,900	2,604,800	8,846,400	6,488,548	0	5,888,700	0	28,273,248
1000 G	0	5,250	25,165	2834	19,485	66,176	48,538	0	44,051	0	211,499
AF	0.0	16.1	77.2	8.7	59.8	203.1	149.0	0.0	135.2	0.0	649.1
Dec CF	0	527,900	2,815,100	277,300	5,137,000	9,440,300	4,008,478	0	7,469,300	0	29,675,978
1000 G	0	3,949	21,058	2,074	38,427	70,623	29,985	0	55,874	0	221,992
AF	0.0	12.1	64.6	6.4	117.9	216.7	92.0	0.0	171.5	0.0	681.3
Jan CF	0	2,156,400	7,925,300	563,600	7,674,700	10,249,200	0	0	8,356,700	0	36,925,900
1000 G	0	16,131	59,285	4,216	57,411	76,669	0	0	62,512	0	276,225
AF	0.0	49.5	181.9	12.9	176.2	235.3	0.0	0.0	191.8	0.0	847.7
Feb CF	0	394,100	6,061,400	700,700	6,386,700	9,076,800	3,632,747	0	7,616,800	0	33,869,247
1000 G	0	2,948	45,342	5,242	47,776	67,899	27,175	0	56,978	0	253,360
AF	0.0	9.0	139.2	16.1	146.6	208.4	83.4	0.0	174.9	0.0	777.5
Mar CF	0	1,253	2,710,700	491,700	3,914,900	9,478,900	8,918,096	0	8,588,000	5,202,800	39,472,596
1000 G	0	1,253	20,277	3,678	29,285	70,907	66,712	0	64,243	38,920	295,276
AF	0.0	3.8	62.2	11.3	89.9	217.6	204.7	0.0	197.2	119.4	906.2
Apr CF	0	2,086,000	1,474,600	263,600	1,760,600	6,842,800	8,305,288	0	8,384,700	1,967,600	29,207,788
1000 G	0	1,560	11,031	1,972	13,170	51,188	62,128	0	62,722	14,719	218,489
AF	0.0	4.8	33.9	6.1	40.4	157.1	190.7	0.0	192.5	45.2	670.5
May CF	0	741,000	4,720,500	609,700	4,585,500	8,145,900	9,097,600	0	7,714,900	0	35,615,100
1000 G	0	5,543	35,312	4,581	34,302	60,936	68,055	0	57,711	0	266,419
AF	0.0	17.0	108.4	14.0	105.3	187.0	208.9	0.0	177.1	0.0	817.6
Jun CF	0	2,223,300	7,112,500	652,800	5,917,500	5,186,300	8,075,400	0	7,169,400	0	36,337,200
1000 G	0	16,631	53,205	4,883	44,266	38,796	60,408	0	53,631	0	271,821
AF	0.0	51.0	163.3	15.0	135.8	119.1	185.4	0.0	164.6	0.0	834.2
JUL CF	0	4,255,300	8,867,200	694,200	5,191,600	8,680,400	7,531,800	635,500	7,169,600	0	42,725,600
1000 G	0	31,832	62,599	5,193	38,836	68,430	65,542	4754	53,632	0	519,610
AF	0.0	97.7	192.7	15.3	116.2	203.9	172.9	14.6	164.6	0.0	980.8
AUG CF	0	4,040,900	7,925,500	595,300	6,797,400	9,892,300	8,231,900	389,700	7,463,800	0	48,834,700
1000 G	0	30,228	59,486	4,456	50,948	73,857	46,992	29,900	55,385	0	320,797
AF	0.0	92.8	182.4	13.7	159.0	225.7	164.2	94.8	170.0	0.0	1073.6
SEP CF	0	3,918,300	8,157,000	590,900	6,170,200	9,194,000	6,733,378	319,450	5,960,500	0	43,900,776
1000 G	0	29,311	61,019	4,420	46,156	68,176	50,369	27,278	41,745	0	329,974
AF	0.0	90.0	187.3	13.6	141.6	211.5	154.6	83.7	128.1	0.0	1009.9
TOTAL CF	0	20,197,500	63,877,400	6,195,700	61,863,400	104,466,400	75,843,024	8,279,000	88,791,700	7,170,400	436,684,524
1000 G	0	151,088	477,836	46,347	462,770	781,463	567,345	61,931	664,208	53,638	3,266,627
AF	0.0	463.7	1,466.4	142.2	1,420.2	2,398.2	1,741.1	190.1	2,038.4	164.6	10,024.9

CALIFORNIA AMERICAN WATER
 Monterey Division
 San Clemente Diversion Report
 Water Year 2006-2007

Date	NET DIVERSION TO SYSTEM		
	CF	1000 Gal.	AF
10/06	0	0	0.00
11/06	0	0	0.00
12/06	0	0	0.00
01/07	0	0	0.00
02/07	0	0	0.00
03/07	0	0	0.00
04/07	0	0	0.00
05/07	0	0	0.00
06/07	0	0	0.00
07/07	0	0	0.00
08/07	0	0	0.00
09/07	0	0	0.00
Total	0	0	0

CALIFORNIA AMERICAN WATER
 Monterey Division
 S.C. DAM & CARMEL VALLEY WELLS
 Production Water Year (AF)
 2006-07

Date	CVFP San Clemente Dam	Aquifer 1 Russell 2 & 4	Aquifer 2 Robles Los Laureles 5 & 6	Water West Panette 1 & 2 Garzas 3 & 4	Aquifer 3 Scarlett B/Berwick 7 & 8 Bogonia/Menor/Schulte Pearce/Cypress/San Carlos	Aquifer 4 Rancho Canada	Total Production	BIRP BW & Beaside Test Inject. (ABR)	Net Production
Oct 2007	0.0	24.0	0.0	0.0	802.6	171.0	787.5	0.0	787.5
Oct 2005	0.0	26.6	0.0	0.0	565.2	275.1	866.9	0.8	867.7
Nov 2007	0.0	24.8	0.0	0.0	543.9	135.2	679.9	0.0	679.9
Nov 2005	0.0	25.8	0.0	0.0	401.3	220.8	647.9	-1.8	646.1
Dec 2007	0.0	25.1	0.0	0.0	509.7	17.5	706.3	0.0	706.3
Dec 2005	0.0	26.7	0.0	0.0	366.4	224.5	617.6	-8.3	609.3
Jan 2007	0.0	26.9	0.0	0.0	655.9	191.8	874.6	0.0	874.6
Jan 2006	0.0	76.3	0.0	0.0	633.6	215.5	925.4	-121.2	804.3
Feb 2007	0.0	36.6	0.0	0.0	602.6	174.9	814.0	3.8	808.2
Feb 2006	0.0	76.0	42.1	0.0	554.9	191.3	864.3	-10.3	854.0
Mar 2007	0.0	59.6	85.3	0.0	708.9	197.2	1,041.2	5.7	1,035.5
Mar 2006	0.0	84.3	40.3	0.0	682.5	190.1	997.2	-86.3	910.9
Apr 2007	0.0	38.0	21.3	0.0	476.0	192.5	729.6	0.0	729.6
Apr 2006	0.0	81.0	33.1	0.0	660.0	176.6	950.7	-139.0	811.7
May 2007	0.0	28.6	0.0	0.0	640.6	177.1	846.3	0.0	846.3
May 2006	0.0	69.6	55.4	0.0	837.7	94.7	1,057.4	-16.2	1,041.2
Jun 2007	0.0	27.3	0.0	0.0	589.6	164.6	831.5	0.0	831.5
Jun 2006	0.0	79.5	53.7	0.0	809.4	81.1	1,023.7	3.1	1,026.8
Jul 2007	0.0	28.3	0.0	0.0	816.3	164.6	1,009.2	0.0	1,009.2
Jul 2006	0.0	64.1	15.9	0.0	792.0	222.7	1,094.7	1.7	1,096.4
Aug 2007	0.0	28.3	0.0	0.0	906.5	170.0	1,104.8	0.0	1,104.8
Aug 2006	0.0	26.2	0.0	0.0	737.2	219.5	982.9	5.5	988.4
Sep 2007	0.0	28.2	0.0	0.0	881.8	128.1	1,038.1	0.0	1,038.1
Sep 2006	0.0	26.7	0.0	0.0	717.4	180.5	924.6	5.5	930.1
Total	0.0	385.9	86.6	0.0	7,986.2	2,038.5	10,497.2	-11.9	10,485.4

CALIFORNIA AMERICAN WATER
Monterey Division
Los Padres Daily Release (CFS)
Water Year 2006-2007

Date	Oct 06	Nov 06	Dec 06	Jan 07	Feb 07	Mar 07	Apr 07	May 07	Jun 07	Jul 07	Aug 07	Sep 07
1	10.0	9.0	6.7	5.5	11.0	101.0	16.0	12.0	5.3	5.4	4.6	4.4
2	10.0	9.0	6.7	6.1	13.0	82.0	16.0	12.0	5.3	5.3	4.6	4.3
3	10.0	8.8	6.6	11.0	12.0	69.0	15.0	11.0	5.3	5.2	4.9	4.2
4	10.0	8.8	6.7	17.0	11.0	59.0	15.0	11.0	5.2	5.2	4.8	4.4
5	9.9	8.8	6.6	18.0	11.0	51.0	15.0	11.0	5.3	5.1	4.5	4.6
6	9.1	8.6	6.6	17.0	11.0	46.0	14.0	10.0	5.4	5.0	4.4	4.7
7	8.6	8.6	6.6	16.0	11.0	42.0	14.0	10.0	5.4	5.0	4.1	4.6
8	8.6	8.6	7.0	15.0	12.0	38.0	14.0	10.0	5.5	5.0	4.3	4.6
9	8.6	8.4	7.1	15.0	11.0	35.0	14.0	9.8	5.6	5.0	4.1	4.5
10	8.4	8.4	7.2	15.0	23.0	32.0	13.0	9.7	5.8	5.0	4.3	4.4
11	8.4	8.4	6.2	14.0	149.0	30.0	13.0	8.0	5.9	4.7	4.3	4.4
12	8.4	8.3	5.6	14.0	83.0	28.0	13.0	7.9	5.7	4.6	4.2	4.4
13	8.3	8.3	5.5	14.0	58.0	27.0	13.0	7.9	5.7	4.9	4.2	4.3
14	8.0	8.4	5.6	14.0	44.0	25.0	13.0	7.7	7.0	5.3	4.5	4.2
15	8.1	8.2	5.6	13.0	36.0	24.0	14.0	7.7	8.4	5.4	4.5	3.9
16	8.4	7.7	5.5	13.0	32.0	23.0	14.0	7.6	8.5	5.2	4.7	3.9
17	9.0	6.8	5.5	14.0	28.0	22.0	13.0	7.3	8.5	5.0	4.7	4.0
18	8.8	6.6	5.4	13.0	26.0	21.0	13.0	7.0	8.3	5.0	4.7	4.0
19	8.5	6.6	5.4	13.0	24.0	21.0	13.0	6.8	6.8	4.9	4.5	4.1
20	8.4	6.6	5.4	13.0	23.0	22.0	14.0	6.6	5.9	5.0	4.4	4.1
21	8.6	6.5	5.5	13.0	22.0	22.0	15.0	6.6	5.8	5.3	4.6	4.1
22	9.6	6.5	5.6	12.0	32.0	20.0	17.0	6.4	5.9	5.2	4.8	3.9
23	9.6	6.6	5.6	12.0	35.0	19.0	17.0	6.4	5.9	5.2	4.7	3.6
24	9.5	6.6	5.5	12.0	30.0	19.0	14.0	6.5	5.9	5.1	4.5	3.9
25	9.2	6.7	5.5	16.0	41.0	18.0	14.0	6.3	5.8	5.0	4.3	4.1
26	9.2	6.8	5.8	12.0	74.0	18.0	13.0	6.0	5.6	5.0	4.3	4.0
27	9.2	6.9	6.2	13.0	181.0	22.0	13.0	6.0	5.3	5.0	4.2	4.0
28	9.1	6.9	5.9	13.0	134.0	20.0	13.0	5.9	5.3	4.9	4.3	4.0
29	9.0	7.0	5.5	12.0	18.0	18.0	12.0	5.7	5.3	4.9	4.6	4.0
30	9.0	6.8	5.5	12.0	18.0	18.0	12.0	5.1	5.4	4.7	4.6	4.0
31	9.0		5.5	11.0	17.0	17.0	12.0	5.2		4.6	4.5	
Total	278.5	230.2	185.6	408.6	1178.0	1009.0	419.0	247.1	181.0	156.1	138.7	123.7

California American Water
 Monterey Division
 Coastal & Laguna Seca Subarea Production
 Water Year 2006 - 2007

Month		Coastal Wells	Ryan Ranch Wells	Hidden Hills Wells	Bishop Wells	Total
10/06	CF	20,586,033	0	908,801	915,815	22,410,649
	1000 G	153,994	0	6,798	6,851	167,643
	AF	472.59	0.00	20.86	21.02	514.48
Y-T-D	CF	20,586,033	0	908,801	915,815	22,410,649
	1000 G	153,994	0	6,798	6,851	167,643
	AF	472.59	0.00	20.86	21.02	514.48
11/06	CF	15,238,291	0	659,398	610,998	16,508,687
	1000 G	113,990	0	4,933	4,571	123,494
	AF	349.82	0.00	15.14	14.03	378.99
Y-T-D	CF	35,824,324	0	1,568,199	1,526,813	38,919,336
	1000 G	267,985	0	11,731	11,421	291,137
	AF	822.41	0.00	36.00	35.05	893.47
12/06	CF	9,970,443	0	497,123	407,654	10,875,220
	1000 G	74,584	0	3,719	3,049	81,352
	AF	228.89	0.00	11.41	9.36	249.66
Y-T-D	CF	45,794,767	0	2,065,322	1,934,467	49,794,556
	1000 G	342,569	0	15,450	14,471	372,489
	AF	1,051.30	0.00	47.41	44.41	1,143.13
01/07	CF	2,838,397	0	494,775	373,239	3,706,411
	1000 G	21,233	0	3,701	2,792	27,726
	AF	65.16	0.00	11.36	8.57	85.09
Y-T-D	CF	48,633,164	0	2,560,097	2,307,706	53,500,967
	1000 G	363,801	0	19,151	17,263	400,215
	AF	1,116.5	0.0	58.8	53.0	1,228.2
02/07	CF	1,013,700	0	379,502	363,005	1,756,207
	1000 G	7,583	0	2,839	2,715	13,137
	AF	23.27	0.00	8.71	8.33	40.32
Y-T-D	CF	49,646,864	0	2,939,599	2,670,711	55,257,174
	1000 G	371,384	0	21,990	19,978	413,352
	AF	1,139.74	0.00	67.48	61.31	1,268.53
03/07	CF	0	0	553,934	502,481	1,056,415
	1000 G	0	0	4,144	3,759	7,903
	AF	0.00	0.00	12.72	11.54	24.25
Y-T-D	CF	49,646,864	0	3,493,533	3,173,192	56,313,589
	1000 G	371,384	0	26,133	23,737	421,255
	AF	1,139.74	0.00	80.20	72.85	1,292.78

California American Water
 Monterey Division
 Coastal & Laguna Seca Subarea Production
 Water Year 2006 - 2007

Month		Coastal Wells	Ryan Ranch Wells	Hidden Hills Wells	Bishop Wells	Total
04/07	CF	16,852,737	0	671,866	656,148	18,180,751
	1000 G	126,067	0	5,026	4,908	136,001
	AF	386.89	0.00	15.42	15.06	417.37
Y-T-D	CF	66,499,601	0	4,165,399	3,829,340	74,494,340
	1000 G	497,452	0	31,159	28,645	557,256
	AF	1,526.62	0.00	95.62	87.91	1,710.15
05/07	CF	20,364,761	0	890,101	943,402	22,198,264
	1000 G	152,339	0	6,658	7,057	166,055
	AF	467.51	0.00	20.43	21.66	509.60
Y-T-D	CF	86,864,362	0	5,055,500	4,772,742	96,692,604
	1000 G	649,791	0	37,818	35,703	723,311
	AF	1,994.13	0.00	116.06	109.57	2,219.76
06/07	CF	21,380,913	6,205	1,013,400	1,051,192	23,451,710
	1000 G	159,940	46	7,581	7,863	175,431
	AF	490.84	0.14	23.26	24.13	538.38
Y-T-D	CF	108,245,275	6,205	6,068,900	5,823,934	120,144,314
	1000 G	809,731	46	45,399	43,566	898,742
	AF	2,484.97	0.14	139.32	133.70	2,758.13
07/07	CF	20,325,913	73,239	1,105,700	1,123,517	22,628,369
	1000 G	152,048	548	8,271	8,404	169,272
	AF	466.62	1.68	25.38	25.79	519.48
Y-T-D	CF	128,571,188	79,444	7,174,600	6,947,451	142,772,683
	1000 G	961,779	594	53,670	51,971	1,068,014
	AF	2,951.59	1.82	164.71	159.49	3,277.61
08/07	CF	15,210,207	260,633	1,063,425	1,185,581	17,719,846
	1000 G	113,780	1,950	7,955	8,869	132,554
	AF	349.18	5.98	24.41	27.22	406.79
Y-T-D	CF	143,781,395	340,077	8,238,025	8,133,032	160,492,529
	1000 G	1,075,560	2,544	61,625	60,839	1,200,568
	AF	3,300.77	7.81	189.12	186.71	3,684.40
09/07	CF	14,126,074	204,530	946,472	1,087,745	16,364,821
	1000 G	105,670	1,530	7,080	8,137	122,417
	AF	324.29	4.70	21.73	24.97	375.68
City of Seaside	AF	-4.60				
ASR	AF	-11.00				
Y-T-D	CF	157,227,933	544,607	9,184,497	9,220,777	176,857,350
	1000 G	1,176,147	4,074	68,705	68,976	1,322,985
	AF	3,609.46	12.50	210.85	211.68	4,060.09

**California American Water (CAW) Main Distribution System
Quarterly Water Supply Strategy and Budget: October - December 2007**

Proposed Production Values by Source in Acre-Feet
Assuming "Critically-Dry" Inflow Conditions

SOURCE/USE	MONTH			YEAR-TO-DATE	
	Oct-07	Nov-07	Dec-07	Oct-06 - Aug-07	Percent
<u>Source</u>					
San Clemente Reservoir	0	0	0	0	0.0%
<u>Carmel Valley Aquifer</u>					
Upper Subunits	31	30	31	433	3.4%
Lower Subunits	842	641	580	8,988	70.6%
<u>Seaside Groundwater Basin</u>					
Coastal Subareas	450	400	350	3,301	25.9%
<u>Use</u>					
Customer Service	1,323	1,071	961	12,710	
Seaside Injection	0	0	0	12	
Total	1,323	1,071	961	12,722	100.0%

Notes:

- The budget reflects "critically-dry" inflow conditions and assumes that the monthly inflows at the San Clemente Dam site during the October-December 2007 period will approximate the flows that occurred during Water Year 1990, which was classified as a critically-dry year.
- The annual budget period corresponds to the Water Year, which begins on October 1 and ends on September 30 of the following Calendar Year.
- Anticipated production for "Customer Service" for the October - December 2007 period is based on CAW production of 3,355 acre-feet (AF) from the Monterey Peninsula Water Resources System (MPWRS), including 2,155 AF from the Carmel River Basin and 1,200 AF from the coastal subareas of the Seaside Groundwater Basin. Total monthly production for the system was calculated by multiplying total annual production times the average fraction of annual production for July, August, and September (based on production data from 1986 to 2006, adjusted for an assumption that production from the Seaside Groundwater Basin would not exceed 3,504 AF and production from the Carmel River Basin would not exceed 11,285 AF in WY 2008).
- Anticipated production for "Seaside Injection" is based on an average diversion rate of approximately 1,000 gallons per minute (gpm) or 4.4 AF per day from CAW's sources in the Carmel River Basin. "Total" monthly CAW "use" includes water for customer service and water for injection into the Seaside Groundwater Basin. No diversions for injection are assumed for the October through December period.
- No surface water diversions from San Clemente Reservoir are assumed for this period based on concerns regarding water quality (elevated turbidity) and lowered water levels required by the Division of Dam Safety as part of the San Clemente Reservoir Drawdown Project.
- Anticipated monthly production from the Upper Carmel Valley Alluvial Aquifer Subunits is based on the assumption that CAW's operations will be governed by "low-flow" rules.