
1	
2	
3	
4	BEFORE THE STATE WATER RESOURCES CONTROL BOARD
5	RESOURCES CONTROL BOARD
б	
7	
8	In the Matter of the State Water Resources)Control Board (State Water Board))Hearing Date: July 23 - 25, 2008
9	Hearing to Determine whether to Adopt a )
10	Draft Cease & Desist Order against)California American Water Regarding its)Carmel River in Monterey County
11	Diversion of Water from the Carmel River ) in Monterey County under Order WR 95-10 )
12	)
13	
14	
15	
16	
17	EXHIBIT MPWMD-TC6
18	MONTEREY PENINSULA WATER MANAGEMENT DISTRICT
19	
20	
21	
22	
23	
24	
25	
26	



## Note:

Classifications are based on selected exceedence frequency values computed from the long-term reconstructed unimpaired flow record at the San Clemente Dam site (1902-2003). "Extremely Wet" refers to flows exceeded 12.5% of the time; "Wet" refers to flows exceeded between 12.5% and 25% of the time; "Above Normal" refers to flows exceeded between 25% and 37.5% of the time; "Normal" refers to flows exceeded between 37.5% and 62.5% of the time; "Below Normal" refers to flows exceeded between 62.5% and 75% of the time; "Dry" refers to flows exceeded between 75% and 87.5% of the time; and "Critically Dry" refers to flows exceeded less than 87.5% of the time.