CENTRAL VALLEY PROJECT

CALIFORNIA

Delta Lowlands Service Area Investigations. Report Area DL-9 Stockton to Middle River and Vicinity

AND AREA STORY

2

Water Rights Engineering Eranish Bivision of Project Development Buffeau of Reclamation Region 2: Saoramento, California

CENTRAL VALLEY PROJECT CALIFORNIA

Delta Lowlands Service Area Investigations

Report Area DL-9

Stockton to Middle River and Vicinity

Water Rights Engineering Branch Division of Project Development Bureau of Reclamation Region 2, Sacramento, California

January 1964

TABLE OF CONTENTS

INTRODUCTION	Page No.
Purpose and scope	134
Description and development of Reclamation District 403, inactive (Rough and Ready Island)	. 4
(Boggs Tract)	
District 544 (Upper Division Roberts Island); Reclamation District 684 (Lower Division Roberts Island); and Honker	
Lake Tract	• 5
WATER RIGHTS AND LAND OWNERSHIP	
General	
Land ownership	• 9
WATER SUPPLY FOR IRRIGATION	
Sources of irrigation supply	. 11 . 11
IRRIGATION AND DRAINAGE FACILITIES	
General	. 12 . 12 . 15
LAND USE AND WATER REQUIREMENTS	
General	. 16

TABLE OF CONTENTS (CONT'D)

	LIST OF TABLES	No.
1.	Historical crop and land use record, Reclamation District	
	403 (Rough and Ready Island)	. 19
2.	Historical crop and land use record, Reclamation District 404 (Boggs Tract)	. 20
3•	Historical crop and land use record, Reclamation District	
	524 (Middle Division Roberts Island)	. 21
4.	Historical crop and land use record, Reclamation District	00
_	524 (The Pocket)	. 22
5•	Historical crop and land use record, Reclamation District 544 (Upper Division Roberts Island)	. 23
6.	Historical crop and land use record, Reclamation District 684 (Lower Division Roberts Island)	. 24
7.	Historical crop and land use record, Honker Lake Tract	
	Unit consumptive-use factors for Delta Lowlands	
	LIST OF PLATES	
	LIST OF FIATES	
ı.	Report Areas	27
2.	Maximum Annual Salinity Encroachment	28
3∙	Application, Permit, and License Data and Land Ownership	29
4.	Irrigation and Drainage Facilities	30
5.	Crop Survey - 1958	31
6.	Extent of Peat Soils in the Delta Area	32

DEITA LOWIANDS SERVICE AREA INVESTIGATIONS REPORT AREA DL- 9

INTRODUCTION

Purpose and scope. - The purpose of this report is to assemble and summarize factual data on the historic use of water for irrigation within a place of use designated "DL-9, Delta Lowlands." This information, in conjunction with similar data covering the Sacramento River, Delta Uplands and other Delta Lowlands water users, will provide an inventory of factual data for use in determining the quantity of water individuals or organizations will require for the irrigation of their lands, and the benefits that accrue due to operation of the Central Valley Project.

The Delta Lowlands are depicted in the "Report on 1956 Cooperative Study Program," Volume I, Plate 3. As in previous investigations conducted jointly by the Bureau and the State, the Lowlands consist generally of land lying below an elevation of five feet above mean sea level and for the most part have been historically served by unmeasured diversions of water from Delta channels. Some of the unmeasured diversions from points on or in the vicinity of the main channels of the Sacramento and San Joaquin Rivers are made by low-lift pumping plants. Some pumping diversions are also made in peripheral areas of the Lowlands. However, no feasible method has been developed for accurately measuring net flows in tidal channels, and the combination of hydraulic and economic problems involved in determining the quantities of water

diverted through the very large number of tide gates and siphons precluded measurements of the bulk of the water used in the irrigation of the Delta Lowlands. Therefore, water used within the area has historically been estimated by the consumptive-use method utilizing available crop data and results of special studies in selected areas. In the consumptive-use method, it is assumed that all cropped lands lying below an elevation of five feet were deriving some irrigation supply from subsurface water.

For report purposes, the Delta Lowlands has been divided into ten component parts. The location of area "DL-9" with respect to the other nine parts is shown on Plate 1, entitled "Report Areas," and the detailed boundary for the area is shown on Plate 3, entitled "Application, Permit, and License Data and Land Ownership."

The Delta Lowlands in the 1956 Cooperative Study Program were assumed to have riparian status. Subsequently, in contract negotiations with Sacramento River and Delta Uplands water users, the validity of this assumption has been questioned. Although various types of field data are available from scattered sources, some of it has never been published in a form convenient for ready reference. This material, supplemented by data collected in 1963, is covered here under land ownership, water rights, water supply for irrigation, irrigation and drainage facilities, and land use and water requirements. It is not the purpose of this report to substantiate or repudiate the

riparian assumption, but rather to present information that will aid in analyzing the various problems and help in understanding the physical characteristics involved.

Description of the report area. - The report area is a part of the southeastern Delta. Except for a relatively small portion located adjacent to Stockton, the area lies west of the San Joaquin River; part of the river is also a reach of the Stockton Deep Water Channel. In addition to the San Joaquin River and Ship Channel, the major portion of the report area is also bounded by Middle River, Old River, Turner Cut and Whisky Slough. A levee forms the boundary for the northwest portion of Middle Division Roberts Island. The geographical entities covered in the report area are:

Reclamation District 403, inactive (Rough and Ready Island)
Reclamation District 404 (Boggs Tract)

Reclamation District 524 (Middle Division Roberts Island and The Pocket)

Reclamation District 544 (Upper Division Roberts Island)
Reclamation District 684 (Lower Division Roberts Island)
Honker Lake Tract

The entire report area lies within San Joaquin County, and is located within projected Townships 1 South, 1 and 2 North, Range 5 East and Townships 1 South and 1 North, Range 6 East, Mount Diablo Base and Meridian.

The report area is entirely overlapped by the Sacramento and San Joaquin Drainage District which was organized in 1911 for the purpose of reclamation and drainage of primarily swamp and overflow lands along the Sacramento and San Joaquin River systems from Chico Creek on the north to Fresno Slough on the south.

Development of the report area. - The lands in the report area, with the exception of a strip located in the southern part adjacent to Old River, became privately owned primarily through the purchase of swamp and overflowed lands from the State during the period 1855-1872; a strip of land bordered by Old River on the south and San Joaquin River on the east was acquired prior to 1850 as a part of the Mexican Land Grant, El Pescadero. The lands in the report area have all been reclaimed and holdings range in size from small farms of a few acres to large holdings of several hundred acres.

Description and development of Reclamation District 403, inactive (Rough and Ready Island). - Rough and Ready Island is surrounded by the Stockton Deep Water Channel and Burns Cutoff, and is located opposite of the western boundary of the city of Stockton. Elevations within Rough and Ready Island range from ten feet above mean sea level near the ship channel to about sea level near the central and remaining western portion of the island. A portion of Rough and Ready Island was first cultivated in 1850. In 1853,

reclamation of this area was begun by raising the elevation by borrow and fill methods. By 1872, about 23 acres had been reclaimed and the island had also been enclosed by a levee.

A year later, the area was organized into Reclamation District 163. The district's levees were topped by flood water in 1875. Three years later the reclamation of the island was improved when drainage ditches were dug and a steam-operated pump was installed to remove excess water. In 1881, the area was reorganized into Reclamation District 403. After being flooded in 1892, levee repairs were made and the island was farmed until 1942, when it was acquired by the U. S. Navy. The area has subsequently been used as a naval installation.

Description and development of Reclamation District 404

(Boggs Tract). - Boggs Tract lies adjacent to the southern part

of the city of Stockton and is located on the east side of San

Joaquin River and north of French Camp Slough. Elevations within

Boggs Tract are generally about five feet above mean sea level.

The northern part of the tract has been subdivided. Early reclamation efforts consisted of low-levee construction along the San

Joaquin River. The levees extended easterly to higher lands. The area was organized into Reclamation District 404 on August 9, 1881.

Description and development of Reclamation District 524

(Middle Division Roberts Island, and The Pocket); Reclamation

District 544 (Upper Division Roberts Island); Reclamation District
684 (Lower Division Roberts Island); and Honker Lake Tract
Reclamation Districts 524, 544, and 684, and Honker Lake Tract
are component parts of Roberts Island. This island lies near
the city of Stockton and is surrounded almost entirely by a
waterway consisting of Turner Cut, San Joaquin, Middle and Old
Rivers, and Whisky Slough. Reclamation of Roberts Island was begun
by individual settlers in 1856. In 1870 Reclamation District 109
and 110 were formed and the Tule Land Reclamation Company began
extensive work in the area. In 1871, action of the San Joaquin
County Supervisors provided for the division of the island into
smaller reclamation districts and reclaiming activities were delayed.
Between 1874 and 1876, Reclamation Districts 209 and 223 were formed
and the area was enclosed by levees; cross levees were also constructed

On October 30, 1889, Middle Division Roberts Island was formed into Reclamation District 524 through consolidation of Districts 110, 209 and 302; parts of Reclamation District 109 and 223 were also included. The Pocket area is included in Reclamation District 524. Middle Division was flooded in 1886. Within this portion of Roberts Island, elevations range from five feet above mean sea level near the eastern levee to mean sea level in the remaining three-fourths of the area which includes The Pocket. Middle Division Roberts Island is separated from Lower and Upper Divisions by levees.

Reclamation of Upper Division Roberts Island was completed

in 1876, and the area was reorganized into Reclamation District 544 on August 4, 1892. Elevations within the Upper Division range from ten feet above mean sea level near the east levee and near Old River on the south to five feet in the central and remaining western portion. Upper Division is separated from Middle Division Roberts Island by a levee. Flooding occurred in the Upper Division in 1879.

In 1877 and 1878 a large portion of Roberts Island was acquired by the Glasgow-California Land Company. This company dammed off ten sloughs from the surrounding channels, constructed about 32 miles of new levee, and increased the height of existing levees. Most of these works were constructed in the section now identified as Lower Division Roberts Island. Lower Division Roberts Island was reorganized into Reclamation District 684 on October 4, 1877, and included the predecessor Reclamation District 659 and parts of inactive Reclamation Districts 109 and 223. Lower Division was flooded in 1886, 1906 and 1907. Elevations within the northwest part of Lower Division Roberts Island are about ten feet below mean sea level and the remainder of the area lies about five feet below sea level.

Honker Lake Tract, a part of Roberts Island, was reclaimed after 1875. Definite dates of reclamation and levee enlargement are not available but State Bulletin 27 indicates that Honker Lake

Tract was reclaimed at the same time as Middle Division Roberts Island. Elevations within Honker Lake Tract are at about mean sea level.

WATER RIGHTS AND LAND OWNERSHIP

General. - Information pertaining to water rights within the report area was collected and developed primarily in connection with riparian and appropriative rights.

Assumed riparian rights. - The Delta Lowlands in the 1956 Cooperative Study Program were assumed to be riparian to channels of the Delta. The cooperating groups felt that such an assumption, from an engineering standpoint, was desirable as well as reasonable and that differences arising from such an assumption could very possibly be resolved by negotiation or compromise.

Appropriative rights. - Data pertaining to applications, permits, and licenses obtained in conformance with the California Water Code for lands within the report area were obtained from the files of the California State Water Rights Board. This information is presented in tabular form on Plate 3, entitled "Application, Permit, and License Data and Land Ownership."

Plate 3 also shows the areas covered by each appropriative right.

Land ownership. - The land ownerships shown on Plate 3 were taken from the 1963 assessor's plats of San Joaquin County. The assessor's records were utilized to obtain names of owners, acreages of holdings, and plats showing boundaries of the holdings. Boundaries for Reclamation Districts were determined from State, county, and district maps. Tabulated names and acreages for the ownerships within the report area are included in supporting data for this report.

Salinity control. - In addition to irrigation diversions from the Delta channels, another recognized demand includes substantial requirements of outflow from the Delta as a whole in order to provide quality control necessary to prevent degradation of Delta supplies due to sea water incursion. The flushing action of an artifically maintained Delta outflow also prevents excessive concentrations of dissolved solids arising from surface evapotranspiration, drainage flows and high midsummer evaporation from the many thousands of acres of water surface in the Delta channels.

Prior to the initiation of controlled summer flows through the Delta by the Central Valley Project in 1944, intrusions of sea water into the Delta channels were a constant threat. Damaging intrusions occurred to varying degrees in many years of below normal streamflow, with the intrusions of 1924 and 1931 assuming dramatic proportions. A chloride concentration of 1,000 parts per million of water is commonly used as a criterion beyond which usefulness for irrigation is limited. Since Shasta Dam began operating in 1944, the maximum annual salinity encroachment into the Delta area has reached no further upstream than a point near the eastern tip of Sherman Island. The extent of intrusion prior to and after Shasta operation is represented by curved lines on Plate 2, entitled "Maximum Annual Salinity Encroachment." The extent of maximum intrusion varies from year to year, but most of the post Shasta encroachment lines pass through the vicinity of the central portion of Sherman Island.

WATER SUPPLY FOR IRRIGATION

Sources of irrigation supply. - The irrigation water supply for the report area is diverted from various channels of the Delta, including the San Joaquin River, and drains. The exterior or main Delta channels are subject to tidal action and fluctuations. Flow of the drains is sustained by percolation from Delta channels and by surface and subsurface drainage of immediately adjacent irrigated lands.

Areas susceptible of irrigation. - Except for levees, berm, water courses and associated aquatic and phreatophytic growth, the lands in most of the reclamation districts and tracts comprising the report area are all susceptible of irrigation. Reclamation District 403, Rough and Ready Island, however, is considered only partially susceptible of irrigation because it is a Naval Reservation. Acreages devoted to various crops and the non-agricultural areas are discussed in the chapter covering land use and water requirements.

TRRIGATION AND DRAINAGE FACILITIES

General. - During 1952, a field survey was conducted throughout the Delta to provide information on existing irrigation and drainage facilities. The locations of the main canals, gravity diversions, irrigation pumping plants, irrigation wells, and drainage systems were delineated in the field on aerial photographs. In 1963, this information was spotchecked and supplemented where major changes were found to have occurred. The field information thus collected is depicted on Plate 4, entitled "Irrigation and Drainage Facilities."

In general, the irrigation of the lower-positioned lands in the Delta was not successful until drainage systems were developed with the capability of controlling water levels at elevations desirable for plant growth. In the report area, drainage facilities are usually provided by the reclamation districts. In unorganized areas, the drainage facilities are individually-owned and operated. Within each district or tract, each system of collection drains terminates at a pumping plant which discharges into an adjacent channel.

Irrigation and drainage facilities. - Lands within

Reclamation District 403 (Rough and Ready Island) have not been used extensively for agricultural purposes since 1942 when the area was acquired by the U. S. Navy and utilized for a naval supply annex.

Prior to 1942, irrigation diversions were made by siphoning from the San Joaquin River and Burns Cutoff. Since 1942, diversions have been made mainly for fire control.

The northern part of Reclamation District 404 (Boggs Tract) has been subdivided and industrialized. Municipal and industrial water for this part of Boggs Tract is supplied by wells. The remainder of the area is devoted to agriculture and is irrigated by pumping from the San Joaquin River and French Camp Slough. Drainage is provided by facilities of individual water users since Reclamation District 404 acts only in the capacity of providing levee protection.

Sources of irrigation water for lands within Reclamation District 524 (Middle Division Roberts Island) are Middle and San Joaquin Rivers and Burns Cutoff. Low-lift pumps are used to divert water since most of the area is above mean sea level. Diversions are made by individuals and one incorporated mutual water company. Woods Irrigation Company, Incorporated, has since 1909 served the central part of Middle Division from three pumping plants on Middle River. In 1962, according to State Bulletin 114, entitled "Directory of Water Service Agencies in California," Woods Irrigation Company served 7,892 acres. In the area it irrigates, the company also operates and maintains the drainage facilities, consisting of ditches and pumping plants. In the remainder of the area, since the district provides only levee protection, drainage is provided by individually-owned facilities. The Pocket area, a part of Reclamation District 524, is irrigated

by pumping from Middle River, and the collected drainage water is discharged into Middle River by three pumping plants.

Lands within Reclamation District 544 (Upper Division Roberts Island) are supplied irrigation water from the San Joaquin, Old, and Middle Rivers. Since the elevation of most of the land in this district lies at about five feet above mean sea level, diversions are made by low-lift pumping plants. Many of the systems include underground pipelines to convey the water to the fields. Several systems utilize pumps to lift water to higher-positioned lands in the central part of the district. The irrigation systems in the area are privately owned and operated. Since the district provides only levee protection, drainage is usually provided by individually-owned and operated facilities.

The area within Reclamation District 684 (Lower Division Roberts Island) receives irrigation water from Whisky Slough, Turner Cut, Burns Cutoff, and the San Joaquin River. Most diversions are made through individually-owned and operated gravity diversion facilities. Drainage water is discharged into Whisky Slough and the San Joaquin River from district-operated facilities.

On Honker Lake Tract, water is diverted by gravity from Trapper Slough and by pumping from Middle River. The southern portion of the tract is served by a system connected to a pumping plant on Middle River. This system skirts the lever around the Pocket area and extends through the Honker Lake Tract levee to serve that

area. Relift pumps are part of both the gravity and pumping irrigation systems. All facilities including drainage facilities are privately owned. Drainage water is discharged into Trapper Slough by two pumping plants.

Operational practices. - Water for irrigation is usually pumped from adjacent channels into a network of supply ditches or is pumped or siphoned directly onto the separate fields. For higher positioned lands, relift pumps are utilized. In some areas, underground concrete pipe systems are used for water distribution.

Alfalfa and pasture crops are usually irrigated by flooding. The water is applied to the head end of bordered checks by siphon tubes from ditches or from the outlets of underground pipes. Row crops are usually irrigated by flooding the furrows from ditches. Water applied in excess to that needed for crop requirements and water which seeps into the area from upward percolation from adjacent channels is collected in drain ditches and returned to the surrounding channels by drainage pumping plants.

Operation of the irrigation facilities usually begins during April, or occasionally during March, and terminates about the end of September or early in October.

LAND USE AND WATER REQUIREMENTS

General. - In the Delta Lowlands, historical records of irrigation development are limited to crop and land-use information for entities such as islands, tracts or districts obtained from field surveys conducted during certain years. Tables 1 through 7 list the crops raised for the years 1924 through 1932, 1938, 1948, 1950, 1952, and 1955. Except for the year 1952 when the Bureau of Reclamation compiled crop data on the Lowlands, the crop records are those presented in Bulletin 23, State Water Supervision Reports (after 1955, Bulletin 23, Surface Water Flow Reports). The most recent crop survey for the report area available from the State was made in 1958. Crop information from that survey, converted to the Bureau of Reclamation system of notation, is presented on Plate 5 entitled "Crops Survey - 1958."

Land use. - In connection with the 1952 crop survey, the Bureau compiled acreage totals for all agricultural areas planted to irrigated or non-irrigated crops, and non-agricultural areas within the Delta, including water-surface areas. The water-surface areas considered include those located within the various districts and those affected by tidal action; those affected by tidal action extend from the Delta Lowlands into the Uplands. Information from the 1952 Survey, modified by the State for changing conditions, is given in the 1955 Water Supervision Report. As tabulated in the report, the Delta Lowlands comprised 425,427 acres divided as to use as follows: agricultural 385,743; urban 6,914; tule and swamp 4,239; levee and berm 16,889; and interior water surface 11,642.

In addition to the 425,427 acres, there are 35,663 acres of exterior water surface of which 34,306 acres are in the Lowlands and 1,357 in the Upland area. The agricultural land of the Lowlands varies in composition from peat soils in the central part to mineral soils in the peripheral areas. The extent of peat soils is delineated on Plate 6.

Water requirements. - The land use data, with revisions for changing conditions, have been used subsequently by the State Department of Water Resources in making estimates of the consumptive use in the Delta Lowlands. These estimates are made by applying an appropriate consumptive-use factor to the acreage determined to be utilized by each crop or other water-consuming area with modification made to the values obtained to reflect the effect of utilizable rainfall. Unit consumptive-use factors for pasture, various crops, native vegetation and other classifications are given in Table 8. These values were determined by special studies and experimentation by the State supplemented by data furnished by the Bureau of Reclamation. In this connection, the contributions of the various agencies and individuals are discussed in detail in State Bulletin 23 for the year 1955. Much of the data was used in the determination of the estimated modified monthly consumptive-use requirements in acre-feet during the irrigation season in the Delta Lowlands as given in the "Assumptions as to Water Rights" volume of the 1956 Cooperative Study Program. The total of the modified monthly consumptive-use values is 1,059,600

acre-feet distributed as follows: April 55,200, May 111,200, June 145,200, July 225,300, August 240,800, September 178,900, and October 103,000.

TABLE 1. - Mistorical crop and land use record, Reclamation District 403 (Rough and Ready Island)

Irrigated oreg Alfalfa Asparagus Beans Beets (Sugar) Colery Corn and mile Fruit and mats Grain and hay Colens		250 250 300 500 500	1926 140	1927	1928 300	1929 160	1930 e <u>r</u> e e	1931 125	1932 135	1938	1988(:)	1950£)	1950f)1952fa)(f.	1955
Rated oregents for the state of		250 300 500	140	250	300		110 110	125	135	362				
Sugar) Gugar) and mits and hay		300	160	067	200	ТОО	OTT	125	155	5b2				
(Sugar) nd milo and mats and hay	++++++++	300	160						•					
(Sugar) nd milo and muts and hay	++++++	300	160	1										
(Sugar) nd milo and mats and hay		300		100	20	140.	10							
nd milo and may		300												
and may		300			25									
		300		250	. 250	20	310	210	700	225				
<u> </u>		005					75	75	75					
Ontons	0				92	270	00€	701	250	545				
	0													
					140	09		25						
	0													
Potatoon	-				70	90		175						
100	_													
Bafflower														
	$ar{1}$													
9	-													
Fruak Grods, mise.	\vdash	10		09	135	175	10			85				
Total trrigated 1500		1090	300	099	982	915	815	1012(c) 1160(e)	1160(e)	1217				
Colon meden meden			-											
Idle (in weeds, veretation)							292	314	121					
Wallow and Dare							20		45	6				
Aquatic growth and							,							
interior water surface							. 26	24	24	5₫				_
Total (water consuming)							1153	1350(c)	1350(e)	1250				
Non-1rrigated area						6	0			l L				
Grain and hay (b)	1					210	200			22				
Pasture, bare or 1dle (b)								315	315	560				
Industrial and urban									-					1388
							46		82	82				79
Fotal Screens		1560	1700	1700	1700	1700	1702	1647 (d)	L191	1647				1467

From 1931-1950 of the levee acreage for the entire lowlands, 440 acres of willows and 4600 acres of weeds were estimated to be water consuming. No breakdown by entity is available. Records are from State Bulletin 23 except for U.S.B.R. data in 1952. (B)

Lands lying above elevation 5 feet (U.S.G.S.) datum.

(p)

Includes 100 acres corn double cropped after grain. (၁

Area revised.

Includes 100 acres corn as second crop after grain. U. S. Navy annex. (d) (d) (f)

TABLE 2. - Mistorical erop and land use record. Reclamation District 404 (Boggs Tract)

							TRAB							
	1924	1925	1926	1927	1928	1929	1930	1931	1932	1938	1888	1650	1050	1058
Irrigated open	,					[< !	Lei					77		
Alfalfa	260	1200	375	370	. 400	1000	1000	925	825	580	323	295	95	105
Asparagus									09				290	
Beans	02	50			15	·		80	10	20				83
Beets (Sugar)														
Celery														
Gorm and milo	250	50			. 20	100		100	150			128		79
Fruit and mats	65	100	70	35							5			
Orein and hay		100	700				0 <i>L</i> †	420	580	685	520	664	386	290
Onlone		10												
Pastare		00†			15			200		55		267	153	221
2004														
Petatoes	50	50												
Mos														
Bafflower														
20														
											131			163
Truck erops, miss.								80	10	30	50			
Total irrigated	945	1960	545	405	1450	1100	1470	1805	1635	1370(d)	吕	1189	924	941
Other water use area						,								
Idle (in weeds, vegetation)							473	89	190	315	437	258		
Fallow and bare							9†	520	520	120	599	318		
Aquatic growth and interior water surface							89	99	89	 348(e)	368	368	17	
Total (water consuming)							2057	2461	2413	2153	2133	2133	94.1	941
Grain and hay (b)					726	1050	550		, C	150	150	150		
Pasture, bare or idle (b)								122	120	300	300	300		
Industrial and urban													1669	321
Levee							7.1	71	71	71	7.1	7.1	107	81
Total acreage	5650	5650	2680	5680	5680	5680	2678	(°) 4592	769z	2654	5654	2654	2717	1343
(a) Records are from State Bulletin 23 except for U	Bullet	n 23 eke	ept for	u.s.b.r.	.S.B.R. data in 1952.	1952.	(c)	Total	acreage	revised	i I to conf	orm with	acreage revised to conform with area changes.	anges.

From 1931-1950 of the leves screage for the entire lowlands, 440 acres of willows and 4600 seres of weeds were estimated to be water consuming. He breakdown by entity is available. Motorus are Irom State Bulletin 2) except for U.S.B.N. data in 1952.

Total acreage revised to conform with area changes. Includes 20 acres beans, second crop to grain. @ @ @

Includes 280 acres rice.

7
2
<i>v</i> .
-
t,
e,
op
2
on
S
٧į
Di
Φ
Ę
덜
Ξ
524 (M1ddle
52
District 5
٠ <u>٠</u>
t,
1st
Α
on
41
na.
lame
ပ်
æ
*
& 0
0
10 Fe6001
use re
\$
2
4
•
sal erop and land
2
Z
-
3
Ö
5
Matori
۰
M
PALL
2

	1								Automotive Contraction of Contractio			The state of the s		
	202	1925	1926	1927	1928	1929		1931	1932	1938	1948	1950	1958 (a)	1959
Irrigated open	8600	3500	3090	3895	.2497	2565	OL.	2995	2553	3600	643	2133	2425	2744
							138	45		1590	1/1/1	3765	5076	4596
	500	006	3515	1980	1640	1070	†89	1493	240	80	100		6	
Moste (Surer)										300	315	235	7ħ	129
ALGEN								3	120					
gorn and milo	300		197	1365	1570	589	1650	1436	714	909	345	160	297	631
Fruit and make		250	30	50	30	30	30	8	8	10			92	25
Grein and hay			950	3235	800	1100	2149	4080	5092	3000	2942	2986	2226	1887
Ontons														
Pasture		1000					629	315	845	300	921	334	390	275
Potatoes	200	200			72			225	30	230				
Moe					•									
Bafflower														30
2				_		125		7			09			
											828	542	796	1173
Prick Grods, mass.								12	35	514	65		33	
Total 1rrigated	0096	5850	7782	10525	6099	6245	7882	10619(0)	L£96	10224 (4)10690	06901	10155	11320	11490
Other vater use area	······································						27.2		102	ő		237	130	10
Idle (in weeds, vegetation				-			300	209	423	09		298	25	
Acrest to arough and														
Interfor water surface							415	215	215	210	196	196	104	104
Total (mater consuming)							6968	11043	10596	10574	10886	10886	11579	11604
					0022	ποση	1917	-	000	550		.		
Urain and Hay (u)									96	136			_	
													130	130
							114		114	114	114	114	191	196
	.2000	12000	11000	11000	11000	1000	1000	11000	11000	11000	11000	11000	11900	11930
	229-	-	-		-		_	_	_	_	_	_	_	_

(a) Records are from State Bulletin 23 except for U.S.B.R. data in 1952.

From 1931-1950 of the levee acreage for the entire lowlands, 440 acres of willows and \$600 acres of weeds were estimated to be water consuming. No breakdown by entity is available.

(c) Includes 157 acres beans double-cropped after grain.
 (d) Includes 80 acres beans, 264 acres tomatoes, and 30 acres corn as second crop after grain.

4
,
5
À
The D
È
_
ᅻ
ΙC
+
•
Stri
U.
Ė
Beclamation District
-
4.
Ë
-
e
ш
75
84
ğ
L
9
use record.
ত
2
and land
3
8
Ĕ
-
7
4
F
ě
3
(20)
÷
PALL
3
eh.a

									12000 2 2000	or contract of				
Item	1924	1925	1926	1927	1928	1929	106	1033	1042	1038	208	C Sec	9) 6301	8806
Irrigated oreg						\\	10,		-77			2770		\$X22
Alfalfa			10		- 30	30	30	25	04	175	50	193	7.1	
Asperagus		,				·					100		4.7	26
Deans			30	150		130							25	
Beets (Sugar)											100	152		
Gelery														
Gorn and mile			118	105	.200	0†1	04[75	175	70	15			
Frate and nate														
Grain and hay				250	290			339	220	135	160	118	148	286
												1		
				-				40		100		4.7	1 9	58
			-											
	T				•									
	1													
22														
											85		112	63
Truck crops, miss.														
Total irrigated			158	505	520	500	170	6L ₄	435	1480	510	510	794	463
Other water use area							כאַר		9	i r				
TOTAL ITU MEGGE & SERVETOU							7)0		20	7				
Vallow and Dare							٥	27	11	11			50	19
Aquatic growth and interior water surface							14	74	14	7,4	10	10		
Total (water consuming)							340	520	520	520	520	520	482	482
Non-irrigated area														
Grain and hay (b)						300	180							
Pasture, bare or 1dle (b)														
Industrial and urban														
Leves							33	33 .	33	33	33	33	57	57
Total screege			520	520	520	520	553	553	553	553	553	553	539	539

⁽a) Records are from State Bulletin 23 except for U.S.B.R. data in 1952. From 1931-1950 of the levee acreage for the entire lowlands, 440 acres of willows and 4600 acres of weeds were estimated to be water consuming. No breakdown by entity is available.

. .

⁽b) Lands lying above elevation 5 feet (U.S.G.S.) datum.

TABLE 5. - Mistorion orop and land use record, Reclamation District 544 (Upper Division Roberts Island)

							ZEAB							
Item	1924	1925	1926	1927	1928	1929	18	1931	1932	1938	1,948.8	1950	1972 (a)	1999
Irrigated open	2600	800	1010	805	.1201	550	1143	527	595	1554	ከዕሪሪ	4289	3080	1925
										80	260	327	567	848
Beans		400	585	845	969	702 .	1025	1083	727	533				
Deets (Sugar)											6911			10
Colory									10					
Gern and mile		125	80		∙ 240		24	325	644	288	367	360	113	771
Fruit and mate		90	25	50	50	9	20	21	17	39	35	30	25	45
Grain and hay				405	1500	2148	2935	£24	186	360	3376	1911	2140	2408
Culons								12	10					
Pasture		200		100	124		10	166	150	η.0	162		63	65
													,	
Potatoes	200					847		23						
Mise														
Safflower													235	
2						213								
											220	85	1 98	1242
Truck crops, mise.			10						15	45				
Total irrigated	3300	1615	1710	2205	3811	3721	5175	2630	2958	2939(c)	7183	7002	7807	7314
Other water use area	angua kang							250	1 27	7.0	α	ã	248	7
Idle (in weeds, vegetation							00	2/3	777	60	20	1,60	2/3	77
Fallow and bare							22		3	20		703		
Aquatic growth and	On Galley where						80	80	80	80	80	80	##	7
Total (water consuming)							5345	5960	3225	3106	7345	7345	7369	7360
Hon-trrigated area					3500	3514	2000	4385	4120	2490				
(4) of the second construction										890				
Translate services (5)														6
90407							130	130	130	130	130	130	277	27.7
Total strengs	8900	8900	7480	1480	7480	7480	7475	7475	7475	5Lt1L	7475	7475	9492	91192
		•					-	-	_	-	-	-	•	•

⁽a) Records are from State Bulletin 23 except for U.S.B.R. data in 1952.

From 1931-1950 of the levee acreage for the entire lowlands, 440 acres of willows and 4600 seres of weeds were estimated to be water consuming. No breakdown by entity is available.

(c) Includes 141 acres beans as second crop after grath

⁽b) Lands lying above elevation 5 feet (U.S.G.S.) datum.

- Mistorical erop and land use record, Reclamation District 684 (Lower Division Roberts Island) PALLE 6.

									TOMOT	THE TOTAL PROPERTY	TODGE	TETELLO		
7.00	1924	1925	1926	1927	1928	1929	1930	1931	1012	1038	2082	1050	9) 630 1	9966
Irrigated oreg							L		2772	2//2		277		422
Alfalfa	1500	840	2255	2470	.1478	1200	1259	1115	1148	560		216	172	90.
Asparagus	200	550	346	460	909	. 169	991	520	456	2515	6228	52.75	5315	4242
Deans	100	700	764	620	650	30 .	71	192		245				
Beets (Sugar)						22		L04	175	0 t ₁ t ₁				717
Colory	20		35	30						96				-
Gorn and milo	3400	950	758	1755	2736	2389	3010	3176	2990	1350	1052.	1160	888	2302
Fruit and make	50	100	10					2	2		174	35	12	
grain and hay	4500	09	2366	845	1630	1536	1836	21.06	2435	2240	2151	2653	1947	2111
		300	1371		877	172	800	1001	520	145	256	ካ ᠘ካ	229	288
	300													
	200	850	2226	1170	1369	818	091	748	909	1790			339	278
														280
300						100			176		65	93		
											110	20	402	312
	0.40		7.Lo							10		25	237 (f)	
Total 1rrigated	00 cm	4550	10307	7350	9346	6958	7902	(c) L926	8508	95001(ə)5856	9£001	9951	9541	10055
Other water use area							,							
Idle (in weeds, vegetation)							† 9†	345	139			51	373	172
Fallow and bare							160	348	840	350		34	20	
Aquatic growth and interior water surface							160	091	160	158	17	17	¥07	Ä
Catherine as done last												-		6
Mulimuno Joses Track							9898	10120	2496	9893	10053	10053	10337	10292
Orain and hay (b)					1270	3637	1831			300				
Pasture, bare or 161e (b)								138	901	75				
Industrial and urban													7	19
	1	- 1			- 1	ł		142		142	142	142	260	560
	00500	10500	09901	09901	09901	09901	10659	10195 (a)10195		10195	10195	10195	10901	10571

(a) Records are from State Bulletin 23 except for U.S.B.R. data in 1952. From 1931-1950 of the levee acreage for the entire lowlands, 440 acres of willows and \$600 acres of weeds were estimated to be water consuming. No breakdown by entity is available.

(c) Includes 205 acres sudan grass double-cropped after grain.

(d) Area revised.

(e) Includes 150 acres corn and 65 acres beans as secon crop after grain

2

T 0,10 T	1
Honken	
and use record	
egn	
p and land	
oron	
ortog	-
Elet	-
TALLE	

1924 1925 1926 1927 1928 1929 1930								YZAB							
120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120 120	700	1924	1925	1926	1927	1928	1929	1	1931	1032	1038	1058	3040	1000	
150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150 150	Irrigated open						1	9 2 9	L						
1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010 1010	Alfalfa			540			Ì	120			340				200
195 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190	Asparagus										85	944	727	1019	1223
195 196 197 198 140 180 290 85 110 140	Beans			0114	870	250		105	120						/
195 340 1972 885 440 180 290 85 110 442	Beets (Sugar)											140			
Market M	Colery			195											
Part	Corn and mile				340	1072	885	044	180	290	85	110		42	103
May 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100	Fruit and mate														
Page	Orein and hay			220	00#	363		70	1075	740	049	434	7178	216	498
Part	Ontons														
Pape, mase.	Pasture							310	300	260	550	09	09		
Parameter Para															
Parison	Potatosa														
Pp. mile. Pp. mile. 60 145 1 40 30 450 Principle of principle	Miss														
Parameter Para	Bafflower														
	70000								09			1115			
1395 1610 1685 1055 1735 1590 1700 1375 1611 1727 1590 1700 1375 1611 1727 1611 1727 1611 1727 1611 1727 1611 1727 1611 1727 1611 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1727 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227 1227	account of											770	30	450	
1 1 1 1 1 1 1 1 1 1	Truck erops, mise.							10							
tratter use expet 110 51 196 86 425 139 11 transmission vations using the transmission of transmission	Total irrigated			1395	1610	1685	1005	1055	1735	1590	1700	1375	1661	1727	2024
(in veeds, vegetation) (in veeds, vegetation) (iii) (iiii) (iiii) (iiii) (iiii) (iiii) (iiiii) (iiiiiii) (iiiiiiii) (iiiiiiiii) (iiiiiiiiii) (iiiiiiiiii) (iiiiiiiiiii) (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	Other water use area					-				\ \ \	_	\ <u>\</u>	 	1	;)
v and bare v and b	Idle (in weeds, vegetation)							110	51	196	98	425	139	11	
1c growth and low uster surface 2 2 2 2 2 2 2 18 18 18 18 18 34 1 or water surface 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fallov and bare							10	10	10	10			286	
	Aquatic growth and interior water surface	<u> </u>						00	22	22	22	۵۲	αΓ	7/2	1/2
											, ,	Ŝ.	27		
Land hay (b) 718 621 718 621 Fe, Dave or 1d1e (b) 72 72 72 72 72 72 72 72 71 Latel and urban 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 1890 </th <th>Local (Mares consumos)</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>1197</th> <th>1818</th> <th>1818</th> <th>1818</th> <th>1818</th> <th>1818</th> <th>2058</th> <th>2058</th>	Local (Mares consumos)							1197	1818	1818	1818	1818	1818	2058	2058
Free bare or 1d1e (b) Presentation of the control of the	Grain and hey (b)						718	621							
Eriel and urban 1 acrosson 1 acrosson 1 acrosson 1 acrosson 1 acrosson 1 acrosson 1 acrosson 1 acrosson 1 acrosson 1 acrosson 1 acrosso	Pasture Days or 401e (b)														
1890 1890 1890 1890 1890 1890 1890 1890 1890	Industrial and urban													24	710
1890 1890 1890 1890 1890 1890 1890 1890	Seven							72	72	. 72	72	72	72	111	111
	Total sereage			1890	1890	1890	1890	1890	1890	1890	1890	1890	1890	2193	2193

(a) Records are from State Bulletin 23 except for U.S.B.R. data in 1952. From 1931-1950 of the leves acreage for the entire lowlands, 440 acres of willows and 4600 acres of weeds were estimated to be water consuming. No breakdown by entity is available.


⁽b) Lands lying above elevation 5 feet (U.S.G.S.) datum.

TABLE 8. - UNIT CONSUMPTIVE USE OF WATER IN SACRAMENTO-SAN JOAQUIN DELTA

In acre-feet per acre

Classification	: Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.:	Total
Pasture													
Sudan	<u>. 05</u>	<u>• 05</u>	. <u>10</u>	.10	•15	.30	.30	• 25	.20	. <u>10</u>	.10	.10	1.8
Miscellaneous	· <u>05</u>	. <u>10</u>	.15	.40	•50	.65	•70	.70	•50	.20	.10	• <u>10</u>	4.15
Alfalfa	• <u>06</u>	. <u>08</u>	• <u>10</u>	•30	•40	•50	.65	•55	.50	•20	. <u>10</u>	• <u>07</u>	3.51
Rice	• <u>05</u>	• <u>05</u>	• <u>10</u>	.15	.90	1.15	1.25	1.20	•35	<u>.09</u>	. <u>10</u>	. <u>10</u>	5.49
Field Crops													
Beans	<u>. 06</u>	<u>. 08</u>	<u>.08</u>	.16	.20	.14	. 24	.58	.37	<u>.09</u>	• <u>07</u>	. <u>05</u>	2.12
Corn and Milo	<u>• 04</u>	<u>• 04</u>	• <u>04</u>	<u>. 08</u>	.10	.24	.70	.60	.40	.10	.10	• 07	2.51
Grain and Hay	. 04	.04	.07	.40	.60	.30	.14	.23	.21	.14	• 07	. 05	2.29
Peas	· <u>10</u>	. <u>10</u>	.20	.30	.10	.05	.14	.13	.11	<u>. 09</u>	.10	.10	1.52
Safflower and Sunflower	• <u>05</u>	· <u>05</u>	· <u>10</u>	.30	.40	.50	.20	.13	.11	.09	· <u>10</u>	.10	2.13
Sugar Beets	.06	.08	.08	.13	.32	.51	.61	•53	.20	.13	· <u>10</u>	• <u>07</u>	2.82
Truck Crops													
Asparagus	• <u>05</u>	• <u>05</u>	<u>. 05</u>	· <u>. 05</u>	.08	.14	.40	.68	•55	.42	.12	.10	2.69
Celery	• <u>04</u>	<u>. 04</u>	. 04	<u>. 08</u>	.10	.10	.10	.20	. 25	.30	.20	· <u>05</u>	1.50
Onions	.04 .04 .06 .05	<u>. 04</u>	.08 .08 .10	.13	.27	.49	.43	,20	.16	.13	.10	· <u>07</u>	2.14
Potatoes	<u>. 06</u>	•08 •05 •08	<u>.08</u>	.16	.15	.38	.52	.30	.15	<u>. 09</u>	.07	. 05	2.09
Pomatoes	• <u>05</u>	• <u>05</u>	. <u>10</u>	<u>.10</u>	<u>.10</u>	. 25	•35	.60	•45	•35.	<u>.10</u>	.10	2.60
Seed and Misc.	• <u>06</u>	• <u>08</u>	• <u>08</u>	<u>.10</u>	•25	•50	•50	•50	• 3 5	.10	• <u>10</u>	<u>• 07</u>	2.69
Fruit and Nuts													
Assorted	• <u>04</u>	• <u>04</u>	• <u>04</u>	.18	.32	•50	•57	.40	. 23	• <u>07</u>	• <u>07</u>	<u>• 05</u>	2.51
drapes	• <u>04</u>	• <u>09</u>	• <u>04</u>	• <u>09</u>	.20	•35	•50	•3 5	.22	<u>. 05</u>	• <u>07</u>	. <u>05</u>	2.05
Native Vegetati													
rush	.12	.14	.21	.31	.40	•59	.68	•57	•39	.29	.20	.12	4.02
iedium .	.12	.16	.22	.28	.31	.40	•45	.38	.28	. 24	.19	.13	3.16
ry	.13	.17	•23	. 24	.22	.21	.22	. 20	.17	.18	.18	.14	2.29
ther													
allow and Bare		• <u>04</u>	· <u>04</u>	<u>.08</u>	.10	.13	.14	.13	.11	<u>. 09</u>	<u>.07</u>	<u>• 05</u>	1.02
dle Crop Land	<u>. 06</u>	• <u>08</u>	<u>.08</u>	.16	.20	.26	.28	. 24	.16	.13	. <u>10</u>	<u>• 07</u>	1.82
uck Ponds	<u>05</u>	• <u>05</u>	. <u>10</u>	. <u>10</u>	<u>.10</u>	<u>• 05</u>	.14	.13	.60	.60	.30	.10	2.32
irban	. <u>06</u>	<u>.08</u>	<u>. 08</u>	.16	.20	.20	.21	.20	.16	.13	<u>•07</u>	<u>. 05</u>	1.60
ule and Swamp	.13	.18	•34	•51	.70	•79	.87	.77	. 64	.49	.27	.13	5.82
evee and Berm	. <u>10</u>	<u>.10</u>	.15	· . 20	•25	.30	•35	.35	.30	.20	<u>.10</u>	. <u>10</u>	2.50
ater Surface	<u>.06</u>	·10	.20	•33	.50	•58	.65	-57	.44	.27	.12	.06	3.88

NOTE: Figures underlined (.05) represent estimated consumptive use by weeds and soil evaporation before planting or after harvesting.








PLATE 1





•							: Diversion			APPL	ICATI	ION PE	RMIT, AND L			2 <u>0</u> <u>3</u>			-				
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Flace of Use	: Document		: : Date of : Document	: Authorized Diverter	: Flace _f use	: Diversion : Allovance : in c.f.s.	: Diversion Foint	Place of Use	: Document		: Date of : Document	: Authorized Diverter		: Diversion : Allovance : in c.f.s.	: : Location of : Diversion Point	Piace of Use	Document	: Dete of : Documen	f : Authorized Diverter at :	: Area of :place of use : in seres		: Location of : Diversion Point
; S		APPLICATION Fermit License	3518 1753 1298	7-10-23 6-19-24 3-23-33	Frieds J. Strecker	598.62 596.62 599	7.48 7.46 7.48	TLS RGE 320A San Josquin River	8888	APPLICATION Permit License	4562 2342 3271	4-29-25 12- 9-25 11- 2-51	W. P. Hemonda	203.7 203.7 203.7	2.55 2.55 2.55	TlM R6E S28L Sen Josquin River		APPLICATION 955 Permit 560 Lieense 279	تباسيز2-~ (•	334.78 334.78 334.78	4.18 4.18 4.18	T15 R5E 512L Middle River
A CONTRACTOR OF THE PROPERTY O	60 10 60 60 60 10 60 60	APPLICATION Permit License	3701 1755 725	11- 1-23 6-20-24 4-25-28	Minaie & Freq Witt	90 100 100	1 1 0.62	TIN RGE 328F Sen Josquin River	# # #	APPLICATION Permit License	4636 2401 1246	6-15-25 1-25-26 12-20-32	Martin P. H. & Julia W. R. Muha	160 154.6 153	2 1.93 1.93	TLS RSE S13L, S13P Middle River		APPLICATION 1006 Permit 569 License 293	:231	•	**************************************	1.7 1.7 1.13	TIS RSE SI3F Middle River
Soro s	$\uparrow \uparrow \uparrow \uparrow$	APPLICATION Permit License	3905 1579 2050	5-14-24 11-19-24 8- 3-40	George & Edvard Brown	55 55 55	0.69 0.69 0.69	TLS R6E S20B Sen Joaquin River	A A A	AFFLIC.TION Fermit License	040 3737 4030	10-31-25 2-27-26 4-24-29	Gwendolyn E. Steindorf	203 203 203	2.53 2.53 2.53	T1S R6E S29G Old River	$\mathbf{Z} \mathbf{Z} \mathbf{Z}$	APPLICATION 1023; Permit 586; limense 278	:-20-41	Francis H. & Eva Levi Saunders	136 138 136	1.72 1.72 1.72	TIS RSE SI3P, S24C Middle River
		APPLICATION Fermit License	4161 2218 663	ë-16-24 8-2ë-25 3-31-28	Albert Muller	305.98 356 305.98	3.6 3.8 1.67	TIS R&E 330L Cla River		APPLICATION : ermit license	4922 4405 633	2-13-26 5-13-26 4- 4-22	D. Ruller	172.1 172.1 172.1	2.15 2.15 1.61	TlM R6E S21K San Joaquin River	00000	WHILE TION 1037 Fermit 993 License 279) 7-132	_	31.6 31.6 31.6	0.39 0.39 0.39	T1S R5E S12L Middle River
ER MIT	ΔΔΔ	APPLICATION Permit License	4209 1925 701	9-15-24 12-17-24 4-12-25	David G. & Francis H. Saunders	163 163 163	5 5	T15 R6E 35A San Joaquin River	\$\$\$	APFLICATION Permit License	4979 ≥549 •59	3-30-26 6-23-26 5-14-29	I. E. Saunders	17 77 75	0.96 0.96 0.94	TLS REE SIL Middle River	lund.	APPLICATION 1061 Fermit 613 License 304	3-1 3-21	George & Anna Spenkas		7.83 7.83	TZM RSE S27E Sen Joaquin River
: * /	enning.	APPLICATION Permit License	4-71 2254 1337	2-20-25 5-25-25 4-20-33	George & Anna Speckme	626.7 626.7 627	7.83 7.03 7.53	TZK RSE S27E San Josquin River	2 2 2 2 Z 2 7 2 2 7	APPLICATION Permit License		6-19-26 5-25-26 12-16-32	Herel Masters & Becsie McGhan	72.4 72.4 72	0.9	TIN R5E 312Q Burns Cutoff		APPLICATION 11-21 Permit 059 License 330	2-2-46	Albert Muller	281 281 281	1.33 1.33 1.33	TLS R6E S3OL Old River
		API LICATION Fermit License	4520 2161 1270	3-26-25 7-25-25 2-16-35	John & Pis Terri	90 90	1.12 1.22 0.45	TLS R62 S5J Jan Joequin River		APPLICATION Permit Ligense	96 7 5019 2105	7-15-26 9-14-26 0-14-29	Frank Pellegri	270 270 270	3 3	Tik R&E 3210 Sam Josquin River	000000	APPLICATION 110. Permit 676	6-73-6 74-73-1	John & Fis Cerri	13.32 13.3	0.45	T1S R6E SSJ San Josquin River
	[::::::	APPLICATION Fermit License	4537 2324 728	4-10-45 11-17-25 5- 7-28	Rello & Tillie Giover	non1 220 220	2.75	TIN RSE S12C, S12F Burns Cutoff	ΔΔΔ	APPLICATION Fermit	264 6	1-22-26 10-15-26	Sez Giovennoni & Logis Dalparto	377.6 377.6	4.7 4.7	Tlm R5E SL2Q Burns Cutoff	ΔΔΔ	APPLICATION 1169 Fermit 679	:: ::	Lelan: & Sbigmil Meye	>07	4.5 6.33	TIS 85% S13P Middle River
	. 4	ELCHOU	, 20)- I-EO		220	2.75		666	License AFFLICATION Permit	4307	5- 6-53 4-15-31 10-09-31	Ette Cutts	376 79 79	4.7 1	TIN RGE SSIC San Josquin River	0-0-0-	Liceose 367 APPLICATION 1173: Permit 683	2-20-47 1 6-19-47	Addie V. Muri	427.6 130 130	4.5 1.6 2.6	TLS R6E S9D Sen Josquin River
	: 8/3 2 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4	•							License APPLICATION Permit	4214	6-20-36 9-11-53 10-27-33	Alice G. Ratto	79 124 124	1 1.6 1.6	TIS RSE SIZC Middle River	00000	License 367. APPLICATION 1517 Permit 763	وشويحة	M. R. Leunders	130 60 60	0.75 0.75	TLS RGE S5E San Juaquio River
		***	#						000	National Control of the Control of t	- 1	1-20-36 5-21-5 6-3-55	Bryd & Rvelym Allen	160 154	1.6 2	TIS REE SIZO Michle River	00000	APPLICATION 1373 Permit 519	: ;-12-50 : ::-27-50	Lester Sougers	ಕು ≥5 25	0.5 0.31 0.31	TIM ROE S33D San Joaquin River
			, ,							itherse -FPLISTING Permit	2460 6623 -174	7- 3-44 3-15-16 6-25-20	Angelo & Bruno Marchi	120 nt 324.32 224.32	1.5 2.6 2.8	TIN RGE SZIG San Joequin River	0000	APPLICATION 1373 Permit old	: 11- 5-53 : :-12-50	Martha L. Ratto	25 55 •	0.69 0.69	TlW R6E S33D Sen Josquin River
Louis	0/H W /A		37.55	<i>4</i> /	3	e ²			φ φ φ φ	license GMILLSTI.! Persit	4379 - 70 546 2	3- 92 1131 18-21-37	"go Matteini	223.32 158 156	2.5 2.97 2.97	TIN R5E G12F Burns Sutoff	ادددا	ficerse 265 AFPLITATION 1409. Fermit 1962	: 4- 5-53 - 3-5≥	Albert Muller	55 135 135	0.69 1.7 2.7	TLS R&E S3OL Old River
AGOM ARSINO ET AL	4 64 5								Zumid 	License FMICATION Formit	21-7	12-27-44 6-14-36 9- 0-36	G. Perker Holt Fauste	150	1.55 6.1 6.39	TIN RSE GLOC, GloD, SloC, Whiskey Slough		APPLICATION 1506	2 10-24-57 10-21-52		135 130 260	1.7 1.25 1.25	TLS R6E S28F San Joequin River
10005			7				1/3/6	1	KLLLLL	License	3100	#-11-50		ó45.5	8.1			License 479	26+55	L. & J. Del Porto	246.2 246.2	0.52 3	TIM RSE S12Q
ROOSEF 2	Ad /	* ***********************************		, j	120	/	1.3/56 5 A N	JOAQUIN	RIVER									Permit 1023 License 623 APPLICATION 1747	+-11-61 3-21-57	Dick E. & Kathe K.	246.2 204	3 2.55	Buros Cutoff TIM RSE SIGE
To the state of th	/			<u> </u>	**	1 34			11111111111111111111111111111111111111	TIS SE	R G E		Repor	NATION t area boundary	and Eeclamati	on District	+++++	Permit 11000 Permit 6180 APPLICATION 1756	3- 7-61		دی. ۲۵۰۰ ماه ۲۵	2.55 2.55	Whisky Slough Tls RSE 8250
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	X D	J. J.		200 / S	Sanaaaa a	• /		~~ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	13 E 10 11 1 7 7		R G E		Victorian of Tr		en no natural	boundary	< < <	Fermit 1102 APPLICATION 1759: Fermit 1146		Fred Kuckuk	70 375-4 375-4	1 4.69 4.69	Middle River TlN R5E S16K Whisky Slough
A STATE OF A	X /	, ,	مری مری	3/ 1/2		1 0 0 0 V			70				TINREE Diver	al boundary for		n ber t.comobilis	000	License 6200 APPLICATION 1760 Fermit 107	3- 6-61	H. V. Poess	237.1 237.1 237.1	4. <i>6</i> 9	TIM R&E 517C San Josquin River
S	REMON!		~~/ >>/,		10 A A	DUP PER			KAENZ CYC.P.	TISRE	í (. L		S.H. 3mal.)	holding (leas t			XXXXX	APPLICATION 1763 Permit 1142	6- 5-97 6-17-90	Francis E. Saunders	91.6 91.6	1.14	TIS RSE 824c Middle River
	100	*				PAPE	6 5 5 A	4		"04 k	BROWN		of me	all holdings.			t t t t	APPLICATION 1871. Fermit 1200	1-15-55	Lloyd L. & Thelma B.	91.6 162 162	1.14 2.5 2.5	Tld R62 S16M Sen Joaquin River
/	1 3 m			3 5 7			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		STEINBORF				U.S.O.S. quads					AFPLICATION 2099		McDonnell		3.6	TIS R6E S16C Sen Josquin River
000		S. E. C.		1000	WILLIAMS & CO			1 2 2 2	111 <u>5</u>	R6E 296			State Water R	-			00000	APPLICATION 2116	2-163	Lloyd L. & Thelms B. Fhelps	156.65	2.5	TIS R6E S16M Sen Josquin River
OWN SOW	182	con Charles	BELLUO	MINI D			32.3/\ 			and the second		,	from assessor for 1963.	names of holdi s maps of San J	oedays commits	1							
				202		4/+0++/ 4/+3/2/2/2	5 - 1 () ()	MU.				•											
, , ,			1	1000	CCENT 3# 13#	1		111111111111111111111111111111111111111	E #														
#		27/5	1		***************************************	1			Market 1														
			27		FH SAUN	DERS OF	* 20/	Ooschie	TIS REE S30L												•	ILEAU OF RECLA	STATES THE INTERIOR WATION -REGION E
)	•			F 3		A Ser No	*02a		£ _												APPLICATIO	ON, PERMIT	APEA INVESTIGATIONS AND LICENSE DATA OWNERSHIP
1000 0	1000 2000 3000	4000 5000 (<u> </u>	· 45		A J ROD	GERS	75	Ĕ												STOCK	REPORT AR	RIVER AND VICINITY
ила	SCALE OF	FEET	•		7/2 2/2)			15 P5E 5250					•			•	:	ý		,	MARN. MUYL Maceo IV Macran 6 8 W	RECONN	non Chieffe B. Klobs Wood Ringry
						¥											ŀ			 	ACRAMENTO, CAL		

