

HEARING REQUEST FORM

To request a hearing YOU MUST complete all applicable parts of this form, and submit the form through mail or email. If you do not wish to request a hearing, you do not need to complete this form.

Submit by Email:	wrhearing@waterboards.ca.gov With Subject of "2016-2017 Failure to File Hearing Request"
Submit by Mail:	State Water Resources Control Board Division of Water Rights Attention: Michael Buckman, Hearings Unit Supervisor PO Box 2000, Sacramento, CA 95812-2000

PART 1: Please check the following box if you wish to request a hearing.

I/we hereby request a hearing regarding the proposed enforcement action against
[Name of Respondent] SKYLAWN MEMORIAL PARK

PART 2A: Please check all dates for which you are available. For the dates you are not available, please describe the nature of the conflict(s) in the space provided.

- February 7, 2019
- February 8, 2019
- March 11, 2019
- March 12, 2019

I will be unavailable for the dates left unchecked, because _____

PART 2B: If you have a conflict with all tentative hearing dates listed above, State Water Board staff will attempt to reschedule your hearing within 30 days of March 12, 2019. Please list all additional dates below that you will be unavailable during those following 30 days and the reason(s). You will be notified of the time and place of your hearing at least 10 days prior to the rescheduled hearing date. Please note that all currently scheduled submittal deadlines remain in effect for any rescheduled hearing dates unless you are notified otherwise. If you require additional space, please attach a separate sheet to this form. If you have questions, please contact Michael Buckman, Hearings Unit Chief, at (916) 341-5448 or Michael.Buckman@waterboards.ca.gov.

Upon receiving this form, State Water Board staff will provide you with a hearing notice that either confirms your tentatively scheduled hearing date and time or provides an alternative date and time.

Hong, Lisa@Waterboards

From: Richard McCown <richard.mccown@skylawn.com>
Sent: Tuesday, October 23, 2018 6:29 PM
To: Unit, Wr_Hearing@Waterboards
Subject: 2016-2017 Failure to File Hearing Request
Attachments: 20181023180555613.pdf

Follow Up Flag: Follow up
Flag Status: Flagged


To Whom It May Concern:

I am filing this hearing request in response to the letter I received today, dated October 19,2018, for Water Right ID: A025198. I have completed my reports and do not believe a fine is justified. I have been in contact with two different water board employees since receiving notices, and did as I was instructed to do. There was misinformation in the waterboard's system that led to confusion as to location of the water right (it is shown off of our property, in the incorrect location, on the waterboards GIS site) – an issue having to do with coordinates being in NAD27 vs NAD83. Being new to the property, I was unaware of any diversions, and the information presented by the board's system, and the board's employees, led me to believe this was sent to me in error and that filing was unnecessary (how would I report on a water diversion off of Skylawn's property?).

Your understanding in this matter is appreciated.

Kind regards,

Richard



Richard McCown

General Manager, Skylawn Memorial Park & Funeral Home
main: 650.349.4411 | direct: 650.376.5022
PO Box 5070, Highway 92 and Skyline Blvd., San Mateo, CA 94402



*** This message has been sent utilizing systems and resources of NorthStar Memorial Group, LLC or its affiliates, and may contain information that is confidential. If you received this transmission in error, please notify the sender by reply e-mail and delete the message and any attachments. Please verify the credentials of your sender if you doubt the source of any communication. ***