

ATTACHMENT 5: REFERENCES

ATTACHMENT 5: REFERENCES

Ackerman, N. K., B. Pyper, I. Courter, and S. Cramer. 2006. Estimation of returns on naturally produced coho to the Klamath River. Klamath Coho Integrated Modeling Framework Technical Memorandum 1 of 8. Review draft. Prepared by Cramer Fish Sciences, Gresham, Oregon for Bureau of Reclamation, Klamath Basin Area Office, Klamath Falls, Oregon.

AECOM Technical Services, Inc., CDM Smith, River Design Group. 2018. Definite Plan for the Lower Klamath Project. Prepared for Klamath River Renewal Corporation.

Armstrong, N., and G. Ward. 2008. Coherence of nutrient loads and AFWO Klamath River grab sample water quality database. Technical Report. Prepared for USFWS, Arcata Fish and Wildlife Office, Arcata, California.

Asarian, E., J. Kann, and W. W. Walker. 2010. Klamath River nutrient loading and retention dynamics in free-flowing reaches, 2005–2008. Prepared by Kier Associates, Eureka, California and Aquatic Ecosystem Sciences, LLC, Ashland, Oregon for the Yurok Tribe Environmental Program, Klamath, California.

Bartholomew, J. L., and J. S. Foott. 2010. Compilation of information relating to myxozoan disease effects to inform the Klamath Basin Restoration Agreement. Department of Microbiology, Oregon State University, Corvallis, and U.S. Fish and Wildlife Service, California-Nevada Fish Health Center.

Beeman, J. W., G. M. Stutzer, S. D. Juhnke, and N. J. Hetrick. 2008. Survival and migration behavior of juvenile coho salmon in the Klamath River relative to discharge at Iron Gate Dam, 2006. Open-File Report 2008-1332. U.S. Geological Survey.

Busby, P. J., T. C. Wainwright, and R. S. Waples. 1994. Status review for Klamath Mountains Province steelhead. NOAA Technical Memorandum NWFSC-19. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington.

CDFG. 2010. California Salmonid Stream Habitat Restoration Manual.

CDFW. 2015b. Klamath River Basin spring Chinook salmon spawner escapement, river harvest and run-size estimates, 1980-2014
<https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=100231&inline>

CDFW. 2017. Klamath River Basin fall Chinook salmon spawner escapement, in-river harvest and run-size estimates, 1978-2016
<http://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=123560>.

CDFW. 2017d. Bald eagle breeding survey instructions and California bald eagle nesting territory survey form.

ATTACHMENT 5: REFERENCES

CH2M Hill. 2009. Occurrence of microcystin in tissues of Chinook salmon and steelhead in the Klamath River in 2007, Appendix E. Report on histopathological examination of fish livers. Prepared for PacifiCorp Energy.

DOI. 2007. Modified terms and conditions, and prescriptions for fishways filed pursuant to sections 4(e) and 18 of the Federal Power Act with the Federal Energy Regulatory Commission for the Klamath River Hydroelectric Project No. 2082. Bureau of Land Management, Bureau of Reclamation, U.S. Fish and Wildlife Service, and National Marine Fisheries Service. Sacramento, California.

FERC (Federal Energy Regulatory Commission). 2007. Final Environmental Impact Statement for Hydropower License, Klamath Hydroelectric Project, FERC Project No. 2082-027. FERC/EIS-0201F. FERC, Office of Energy Projects, Division of Hydropower Licensing, Washington, DC.

Fetcho, K. 2008. 2007 Klamath River blue-green algae summary report. Final Report. Prepared by the Yurok Tribe Environmental Program, Klamath, California.

Fetcho, K. 2009. 2008 Klamath River blue-green algae summary report. Final Report. Prepared by the Yurok Tribe Environmental Program, Klamath, California.

Fujiwara, M., M. S. Mohr, A. Greenberg, J. S. Foott, and J. L. Bartholomew. 2011. Effects of ceratomyxosis on population dynamics of Klamath fall Chinook salmon. *Transactions of the American Fisheries Society* 140: 1,380–1,391.

Hamilton, J. B., G. L. Curtis, S. M. Snedaker, and D. K. White. 2005. Distribution of anadromous fishes in the upper Klamath River Watershed prior to hydropower dams -- a synthesis of the historical evidence. *Fisheries* 30: 10–20.

Hardy, T., and C. Addley. 2001. Evaluation of interim instream flow needs in the Klamath River. Phase II. Final Report. Prepared for U.S. Department of the Interior, Washington, DC by Institute for Natural Systems Engineering, Utah Water Research Laboratory, Utah State University, Logan.

Huntington, C. W. 2006. Estimates of anadromous fish runs above the site of Iron Gate Dam. Clearwater BioStudies, Canby, Oregon.

HVTEPA (Hoopa Valley Tribe Environmental Protection Agency). 2008. Water quality control plan Hoopa Valley Indian Reservation. Approved September 11, 2002, Amendments Approved February 14, 2008. Hoopa Valley Tribal Environmental Protection Agency, Hoopa, California.

Interagency Ecological Program. 2007. Interagency Ecological Program 2006–2007 work plan to evaluate the decline of pelagic species in the upper San Francisco estuary. 12 January 2007. https://water.ca.gov/LegacyFiles/iep/docs/pod/Workplan_011207.pdf

ATTACHMENT 5: REFERENCES

- Kann, J., C. Bowman, L. Bowater, G. Johnson, and S. Raverty. 2013. Microcystin bioaccumulation in Klamath River Salmonids; 2010 Study Results. (Updated 6-12-2013). Technical Memorandum. Prepared by Aquatic Ecosystem Sciences LLC, Ashland, Oregon for the Karuk Tribe, Orleans, California.
- Kann, J., and E. Asarian. 2007. Nutrient Budgets and Phytoplankton Trends in Iron Gate and Copco No. 1 Reservoirs, California, May 2005–May 2006. Final Technical Report to the State Water Resources Control Board, Sacramento, California.
- Kann, J., and S. Corum. 2006. Summary of 2005 toxic *Microcystis aeruginosa* trends in Copco and Iron Gate reservoirs on the Klamath River, California. Technical DRAFT EIR Lower Klamath Project License Surrender December 2018 Volume I 3-445 Memorandum. Prepared by Aquatic Ecosystem Sciences, LLC, Ashland, Oregon and the Karuk Tribe Department of Natural Resources for the Karuk Tribe Department of Natural Resources, Orleans, California.
- Kier Associates. 2006. Nutrient Criteria for the Klamath River on the Hoopa Valley Indian Reservation. Prepared by Kier Associates Mill Valley and Arcata, California for the Hoopa Valley Tribal Environmental Protection Agency, Hoopa, California.
- Moyle, P. B., R. M. Yoshiyama, J. E. Williams, and E. D. Wikramanayake. 1995. Fish species of special concern in California. Prepared by Department of Wildlife and Fisheries Biology, University of California, Davis for California Department of Fish and Game, Inland Fisheries Division, Rancho Cordova.
- Moyle, P. B. 2002. Inland fishes of California. Second edition. University of California Press, Berkeley.
- NMFS. 1997a. Endangered and threatened species: threatened status for southern Oregon/northern California coast evolutionarily significant unit of coho salmon. Federal Register 62: 24,588–24,609.
- NMFS. 2007b. National Marine Fisheries Service Modified Prescriptions for Fishways and Alternatives Analysis Pursuant to Section 18 and Section 33 of the Federal Power Act for the Klamath Hydroelectric Project (FERC Project No. 2082). Sacramento, California.
- NMFS and USFWS (National Marine Fisheries Service and U. S. Fish and Wildlife Service). 2013. Biological opinions on the effects of proposed Klamath Project operations from May 31, 2013, through March 31, 2023, on five federally listed threatened and endangered species. Prepared by NMFS, Southwest Region, Northern California Office; and USFWS, Pacific Southwest Region, Klamath Falls Fish and Wildlife Office.
- North Coast Regional Board (North Coast Regional Water Quality Control Board). 2010. Action plan for the Klamath River Total Maximum Daily Loads addressing temperature,

ATTACHMENT 5: REFERENCES

dissolved oxygen, nutrient, and microcystin impairments in the Klamath River, California, and Site-specific objectives for dissolved oxygen in the Klamath River in California, and implementation plans for the Klamath and Lost River basins. NCRWQCB, Santa Rosa, California. Available at: https://www.waterboards.ca.gov/northcoast/water_issues/programs/tmdls/klamath_river/100927/03_BasinPlanLanugage_Klamath_Lost.pdf.

North Coast Regional Board. 2011. Water Quality Control Plan for the North Coast region (Basin Plan). Santa Rosa, California.

OEHHA. 2012. Toxicological summary and suggested action levels to reduce potential adverse health effects of six cyanotoxins. Office of Environmental Health Hazard Assessment, California Environmental Protection Agency, Sacramento, California.

Oliver A. A., R. A. Dahlgren, and M. L. Deas. 2014. The upside-down river: Reservoirs, algal blooms, and tributaries affect temporal and spatial patterns in nitrogen and phosphorus in the Klamath River, USA. *Journal of Hydrology* 519: 164–176. <http://dx.doi.org/10.1016/j.jhydrol.2014.06.025>.

Oregon Department of Environmental Quality. 2018. Evaluation and Findings Report for Section 401 Water Quality Certification for the Removal of the Lower Klamath Project (FERC Project Number 14803). Bend, Oregon.

Oregon Department of Environmental Quality. 2018. Clean Water Act Section 401 Certification for the Klamath River Renewal Corporation License Surrender and Removal of the Lower Klamath Project (FERC No. 14803). Klamath County, Oregon

Otten, T. G., J. R. Crosswell, S. Mackey, and T. W. Dreher. 2015. Application of molecular tools for microbial source tracking and public health risk assessment of a DRAFT EIR Lower Klamath Project License Surrender December 2018 Volume I 3-448 Microcystis bloom traversing 300 km of the Klamath River. *Harmful Algae* 46: 71–81. <http://dx.doi.org/10.1016/j.hal.2015.05.007> .

Snyder, J. O. 1931. Salmon of the Klamath River, California. Division of Fish and Game of California, Sacramento. *Fish Bulletin* No. 34: 5–22.

State Water Board. 2020. Final Environmental Impact Report for the Lower Klamath Project. Prepared by Stillwater Sciences, Berkeley, California for State Coastal Conservancy, Oakland, California.

State Water Board, California Department of Public Health, and Office of Environmental Health and Hazard Assessment. 2010, updated 2016. Cyanobacteria in California recreational water bodies: providing voluntary guidance about harmful algal blooms, their monitoring, and public notification. July 2010 Draft. Blue Green Algae Work Group of the State Water Resources Control Board, the California Department of Public Health, and Office of Environmental Health and Hazard Assessment.

ATTACHMENT 5: REFERENCES

Stillwater Sciences. 2009. Dam removal and Klamath River water quality: a synthesis of the current conceptual understanding and an assessment of data gaps. Technical Report. Prepared by Stillwater Sciences, Berkeley, California for State Coastal Conservancy, Oakland, California.

Teh, S. J., D. V. Baxa, and S. Acuña. 2010. Effects of *Microcystis aeruginosa* in threadfin shad (*Dorosoma petenense*). Final Report. Contract No. 4600008137. Prepared for California Department of Water Resources.

True K., A. Bolick, and J. S. Foott. 2013. Myxosporean Parasite (*Ceeratomyxa Shasta* and *Parvicapsula minibicornis*) Prevalence of Infection in Klamath River Basin Juvenile Chinook Salmon, April-August 2012. FY 2012 Investigational Report. U.S. Fish and Wildlife Service, California–Nevada Fish Health Center, Anderson, California.

USBR. 2012. Hydrology, Hydraulics and Sediment Transport Studies for the Secretary's Determination on Klamath River Dam Removal and Basin Restoration, Technical Report No. SRH-2011-02. Prepared for Mid-Pacific Region, Bureau of Reclamation, Technical Service Center, Denver, CO. Report dated April 2011, updated January 2012.

USFWS. 2003. Klamath River fish die-off, September 2002: Report on estimate of mortality. Report No. AFWO-01-03. Arcata Fish and Wildlife Office, Arcata, California.

Ward, G., and N. Armstrong. 2010. Assessment of primary production and associated kinetic parameters in the Klamath River. Draft Report. Prepared for the USFWS, Arcata Fish and Wildlife Office, Arcata, California.

Williams, T. H., J. C. Garza, N. Hetrick, S. T. Lindley, M. S. Mohr, J. M. Myers, M. R. O'Farrell, R. M. Quinones, and D. J. Teel. 2011. Upper Klamath and Trinity River Chinook salmon Biological Review Team report. National Marine Fisheries Service, Southwest Fisheries Science Center, La Jolla, California.