4.8 Alternatives References

Addley, R. C., B. Bradford, and J. Ludlow. 2005. Klamath River bioenergetics report. Utah State University, Institute for Natural Systems Engineering, Utah Water Research Lab, Logan, Utah.

Allen, M. B., R. O. Engle, J. S. Zendt, F. C. Shrier, J. T. Wilson, and P. J. Connolly. 2016. Salmon and steelhead in the White Salmon River after the removal of Condit Dam–planning efforts and recolonization results. Fisheries 41: 190–203.

Araki, H., B. Cooper M. S. Blouin. 2007. Genetic effects of captive breeding cause a rapid, cumulative fitness decline in the wild. Science 318: 100–103.

Ashton, D. T., A. J. Lind, and K. E. Schlick. 1997. Western pond turtle (*Clemmys marmorata*). Natural history. Prepared by USDA Forest Service, Pacific Southwest Research Station, Arcata, California.

Austin, D., M. Deas, and K. Carlson. 2016. Interim Measure 11, Activity 6 – Study of algal conditions management within a reservoir cove using physical measures. Technical Memorandum. Prepared by CH2M and Watercourse Engineering, Inc. for PacifiCorp, Portland, Oregon.

Bartholomew, J. L., and J. S. Foott. 2010. Compilation of information relating to myxozoan disease effects to inform the Klamath Basin Restoration Agreement. Department of Microbiology, Oregon State University, Corvallis, and U.S. Fish and Wildlife Service, California-Nevada Fish Health Center.

Bartholomew, J. L., S. D. Atkinson, S. L. Hallett, C. M., Zielinski, and J. S. Foott. 2007. Distribution and abundance of the salmonid parasite *Parvicapsula minibicornis* (Myxozoa) in the Klamath Basin (Oregon-California, USA). Diseases of Aquatic Organisms 78: 137.

Bartholow, J. 2005. Recent water temperature trends in the Lower Klamath River, California. North American Journal of Fisheries Management 25: 152–162.

Bartholow, J. M., S. G. Campbell, and M. Flug. 2005. Predicting the thermal effects of dam removal on the Klamath River. Environmental Management 34: 856–874.

Beamish, R. J., C. Mahnken, and C. M. Neville. 1997. Hatchery and wild production of Pacific salmon in relation to large-scale, natural shifts in the productivity of the marine environment. ICES Journal of Marine Science 54: ,1200–1,215

Boyle, J. C. 1976. 50 years on the Klamath. Klocker Printery, Medford, Oregon.

Bryant, M. D., B. J. Frenette, and S. J. McCurdy. 1999. Colonization of a watershed by anadromous salmonids following installation of a fish ladder in Margaret Creek, Alaska. North American Journal of Fisheries Management 19: 1,129–1,136.

Buchanan, D., M. Buettner, T. Dunne, and G. Ruggerone. 2011a. Scientific assessment of two dam removal alternatives on resident fish. Draft report. Klamath River Expert Panel.

Buchanan, R., R. Townsend, J. Skalski, and K. Ham. 2011b. The effect of bypass passage on adult returns of salmon and steelhead: an analysis of PIT-tag data using the program ROSTER. Draft report. Prepared by Battelle, Pacific Northwest Division, Richland, Washington for U.S. Army Corps of Engineers, Walla Walla District, Washington.

Boyle, J. C. 1976. 50 years on the Klamath. Klocker Printery, Medford, Oregon.

Buer, K. 1981. Klamath and Shasta rivers spawning gravel enhancement study. Department of Water Resources, Northern District, Red Bluff, California.

Buettner, M., R. Larson, J. Hamilton, and G. Curtis. 2006. Contribution of Klamath reservoirs to federally listed sucker populations and habitat. U.S. Fish and Wildlife Service, Yreka, California.

Burger, C. V., K T. Scribner, W. J. Speannan, C. O. Swanton, and D. E. Campton. 2000. Genetic contribution of three introduced life history forms of sockeye salmon to colonization of Fraser Lake, Alaska. Canadian Journal of Fisheries Aquatic Sciences 57: 2,096–2,111.

Butler, V. L., A. E. Stevenson, J. A. Miller, D. Y. Yang, C. F. Speller, and N. Misarti. 2010. The use of archaeological fish remains to establish predevelopment salmonid biogeography in the Upper Klamath Basin. Final Report. Department of Anthropology, Portland State University, Portland, Oregon.

Carlson, K., and K. Foster. 2008. Water quality monitoring during turbine venting tests at the Iron Gate Powerhouse, Klamath Hydroelectric Project. Final Report. Prepared by CH2M HILL and Mason, Bruce, and Girard for PacifiCorp Energy, Portland, Oregon.

Carlson, K., and K. Foster. 2009. Water quality monitoring during testing of solarpowered circulators in Copco Reservoir, Klamath Hydroelectric Project. Final Report. Prepared by CH2M HILL (K. Carlson) and PacifiCorp (K. Foster) for PacifiCorp Energy, Portland, Oregon. October 2009.

Cunanan, M. 2009. Historic anadromous fish habitat estimates for Klamath River mainstem and tributaries under Klamath Hydropower reservoirs. U.S. Fish and Wildlife Service, Arcata, California.

CDM. 2011. Screening-level evaluation of contaminants in sediments from three reservoirs and the estuary of the Klamath River, 2009–2011. Prepared for the U.S. Department of the Interior, Klamath River Secretarial Determination, Water Quality Sub Team, Sacramento, California.

CDFG (California Department of Fish and Game). 2009. Technical Memorandum: Preliminary Evaluation of the Hart Bypass as Proposed in Siskiyou County's Congressional Briefing Paper: Solutions and Alternatives for the Klamath River. California Department of Fish and Game, Northern Region, Redding, California. CDFW (California Department of Fish and Wildlife). 2014. Hatchery and Genetic Management Plan for Iron Gate Hatchery Coho Salmon. Prepared by CDFW, Redding, California and PacifiCorp, Portland, Oregon for National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Arcata, California.

CDFW. 2016a. Trinity River Basin Salmon and Steelhead Monitoring Project: Chinook and Coho Salmon and Fall-Run Steelhead Run-Size Estimates Using Mark-Recapture Methods 2015-16 Season. Annual Report. Northern Region. Klamath-Trinity Program. Redding, California.

CDFW. 2016b. Annual Report, Iron Gate Hatchery, 2015-2016. CDFW, Northern Region, Inland Fisheries. Sacramento, California.

CH2M HILL. 2013. Assessment of technologies for dissolved oxygen improvement in J.C. Boyle Reservoir. Final Report. Prepared by CH2M HILL, Inc., Portland, Oregon. Prepared for PacifiCorp Energy, Portland, Oregon. July 2013.

CH2M HILL. 2015. Interim Measure 11 study of nutrient reduction methods: Jar test results and summary report. Prepared by CH2M HILL, Inc., Portland, Oregon. Prepared for PacifiCorp Energy, Portland, Oregon. March 12, 2015.

Chasco, B.E., I. C. Kaplan, A. C. Thomas, A. Acevedo-Gutiérrez, D. P. Noren, M. J. Ford, M. B. Hanson, J. J. Scordino, S. J. Jeffries, K. N. Marshall, A. O. Shelton, C. Matkin, B. J. Burke, and E. J. Ward. 2017. Competing tradeoffs between increasing marine mammal predation and fisheries harvest of Chinook salmon. Scientific Reports 7: 15439. doi: 10.1038/s41598-017-14984-8.

Chilcote, M. W. 2003. Relationship between natural productivity and the frequency of wild fish in mixed spawning populations of wild and hatchery steelhead (*Oncorhynchus mykiss*). Canadian Journal of Fisheries and Aquatic Sciences 60: 1,057–1,067.

City of Klamath Falls. 1986. Application for license – Salt Caves Hydroelectric Project. Initial Stage consultation, Volume II. Klamath Falls, Oregon.

Cornell Lab of Ornithology. 2017a. Barrow's goldeneye. Website. https://www.allaboutbirds.org/guide/Barrows_Goldeneye/lifehistory#food [Accessed December 2018]. Prepared by Cornell Lab of Ornithology, Ithaca, New York.

Cornell Lab of Ornithology. 2017b. Common loon. Website. https://www.allaboutbirds.org/guide/Common_Loon/lifehistory#food [Accessed December 2018]. Prepared by Cornell Lab of Ornithology, Ithaca, New York.

Davis, E.A., David, A.T., Norgaard, K.M., Parker, T.H., McKay, K., Tennant, C., Soto, T., Rowe, K. & Reed, R. 2013. Distribution and abundance of freshwater mussels in the mid Klamath subbasin, California. Northwest Science 87, 189-206.

Deas, M.L. and Orlob, G.T. 1999. Klamath River modeling project. Report No. 99-04. Prepared by Center for Environmental and Water Resources Engineering, Department

of Civil and Environmental Engineering, Water Resources Modeling Group, University of California, Davis.

Deas, M. L., J.C. Vaughn, and S. K. Tanaka. 2009. Algaecide pilot study: Copco Reservoir 2008. Prepared by Watercourse Engineering, Inc., Davis, California for PacifiCorp, Portland, Oregon.

Deas, M. L., S. K. Tanaka, E. Limanto, and E. Miao. 2012. Pilot testing of environmentally-safe algaecide on Copco Reservoir water – 2011 study results. Prepared by Watercourse Engineering, Inc., Davis, California for PacifiCorp, Portland, Oregon.

DWR. 2013. Technologies for Passing Fish at Large Dams Draft. Sacramento, California.

DOI (Department of the Interior). 2007. The Department of the Interior's Filing of Modified Terms, Conditions, and Prescriptions (Klamath Hydroelectric Project, No. 2082). Sacramento, California.

Desjardins, M. and D. F. Markle. 1999. *Distribution and Biology of Suckers in Lower Klamath Reservoirs. 1999 Final Report.* Submitted to PacifiCorp by Department of Fisheries and Wildlife, Oregon State University, Corvallis, Oregon.

Dunsmoor, L. K., and C. W. Huntington. 2006, revised. Suitability of environmental conditions within upper Klamath Lake and the migratory corridor downstream for use by anadromous salmonids. Technical Memorandum. Prepared by Klamath Tribes, Chiloquin, Oregon and Clearwater BioStudies, Inc., Canby, Oregon.

EPRI (Electric Power Research Institute). 1987. Turbine-related fish mortality: review and evaluation of studies. Final Report EPRI AP-5480, Project 2694-4. Palo Alto, California

Energy Policy Act. 2005. Public law 109-59-8—Aug. 8, 2005.

E&S Environmental Chemistry, Inc. 2013. Results of cyanobacteria and microcystin monitoring in the vicinity of the Klamath Hydroelectric Project: November 11th and November 19th. Technical Memorandum. November 25, 2013. Prepared by E&S Environmental Chemistry, Inc. for PacifiCorp, Portland, Oregon.

E&S Environmental Chemistry, Inc. 2014. Results of cyanobacteria and microcystin monitoring in the vicinity of the Klamath Hydroelectric Project. Technical Memorandum. December 8, 2014. Prepared by E&S Environmental Chemistry, Inc. for PacifiCorp, Portland, Oregon.

E&S Environmental Chemistry, Inc. 2015. Results of cyanobacteria and microcystin monitoring in the vicinity of the Klamath Hydroelectric Project. Technical Memorandum. December 1, 2015. Prepared by E&S Environmental Chemistry, Inc. for PacifiCorp, Portland, Oregon.

E&S Environmental Chemistry, Inc. 2016. Results of cyanobacteria and microcystin monitoring in the vicinity of the Klamath Hydroelectric Project. Technical Memorandum.

December 21, 2016. Prepared by E&S Environmental Chemistry, Inc. for PacifiCorp, Portland, Oregon.

E&S Environmental Chemistry, Inc. 2018a. Results of cyanobacteria and microcystin monitoring in the vicinity of the Klamath Hydroelectric Project. Technical Memorandum. January 2, 2018. Prepared by E&S Environmental Chemistry, Inc. for PacifiCorp, Portland, Oregon.

E&S Environmental Chemistry, Inc. 2018b. Results of cyanobacteria and microcystin monitoring in the vicinity of the Klamath Hydroelectric Project. Technical Memorandum. November 20, 2018. Prepared by E&S Environmental Chemistry, Inc. for PacifiCorp, Portland, Oregon.

FEMA (Federal Emergency Management Agency). 2011a. National Flood Insurance Program, Flood Insurance Rate Map, Siskiyou County, California and Incoporated Areas, Panel 700 of 3750. Map Number 06093C0700D. Effective Date January 19, 2011.

FEMA (Federal Emergency Management Agency). 2011b. National Flood Insurance Program, Flood Insurance Rate Map, Siskiyou County, California and Incoporated Areas, Panel 675 of 3750. Map Number 06093C0675D. Effective Date January 19, 2011.

FERC (Federal Energy Regulatory Commission). 2007. Final Environmental Impact Statement for hydropower license. Klamath Hydroelectric Project (FERC Project No. 2082-027). Available at: http://www.ferc.gov/industries/hydropower/enviro/eis/2007/11-16-07.asp.

Feldhaus, J. W., T. L. Hoffnagle, and R. W. Carmichael. 2016. The influence of size at release on performance of Imnaha River Chinook salmon hatchery smolts. North American Journal of Fisheries Management 36: 363-374.

Flagg, T. A., B. A. Berejikian, J. E. Colt, W. W. Dickhoff, L. W. Harrell, D. J. Maynard, C. E. Nash, M. S. Strom, R. N. Iwamoto, and C. V. W. Mahnken. 2000. Ecological and Behavioral Impacts of Artifical Production Strategies on the Abundance of Wild Salmon Populations. NOAA Technical Memorandum. National Marine Fisheries Service, Seattle, Washington.

Foott, J. S., R. Fogerty, R. Stone, S. Bjork, and J. Bigelow. 2012. Effects of a simulated Klamath River summer temperature profile on juvenile Chinook salmon (*Oncorhynchus tshawytscha*) immune function. FY 2010 Technical Report. U.S. Fish and Wildlife Service, California Nevada Fish Health Center, Anderson, California.

Fortune, J. D., A. R. Gerlach, and C. J. Hanel. 1966. A study to determine the feasibility of establishing salmon and steelhead in the Upper Klamath Basin. Pacific Power and Light.

GANDA (Garcia and Associates). 2008. Identifying microclimatic and water flow triggers associated with breeding activities of a foothill yellow-legged frog (Rana boylii) population on the North Fork Feather Friver, California. Prepared by GANDA, San

Francisco, California for California Energy Commission, Public Interest Research Group, Sacramento, California.

Fujiwara, M., M. S. Mohr, A. Greenberg, J. S. Foott, and J. L. Bartholomew. 2011. Effects of ceratomyxosis on population dynamics of Klamath fall Chinook salmon. Transactions of the American Fisheries Society 140: 1,380–1,391

Gannett, M., K. E. Lite, Jr, J. L. La Marche, B. J. Fisher, and D. J. Polette. 2007. Ground-water hydrology of the Upper Klamath Basin, Oregon and California. Scientific Investigations Report 2007-5050. U.S. Geological Survey in cooperation with Oregon Water Resources Department.

Glen, D. 2002. Recovery of salmon and trout following habitat enhancement works: review of case studies 1995–2002. Pages 93–112 *in* M. O'Grady editor. Proceedings of the 13th international salmonid habitat enhancement workshop, Westport, County Mayo, Ireland. Central Fisheries Board. Dublin.

Gonsolin Jr., T. E. 2010. Ecology of foothill yellow-legged frogs in Upper Coyote Creek, Santa Clara County, CA. Master's thesis. San Jose State University, California.

Goodman, D., M. Harvey, R. Hughes, W. Kimmerer, K. Rose, and G. Ruggerone. 2011. Klamath River Expert Panel, Addendum to Final Report, Scientific Assessment of Two Dam Removal Alternatives on Chinook Salmon. Addendum to Final Report. Prepared with the assistance of Atkins, Portland, Oregon.

Hamilton, J. B., D. Rondorf, M. Hampton, R. Quinones, J. Simondet, and T. Smith. 2011. Synthesis of the Effects to Fish Species of Two Management Scenarios for the Secretarial Determination on Removal of the Lower Four Dams on the Klamath. Prepared by the Biological Subgroup for the Secretarial Determination Regarding Potential Removal of the Lower Four Dams on the Klamath River. Accessed on December 21, 2011.

Hamilton, J. B., D. W. Rondorf, W. T. Tinniswood, R. J. Leary, T. Mayer, C. Gavette, and L. A. Casal. 2016. The persistence and characteristics of Chinook salmon migrations to the upper Klamath River prior to exclusion by dams. OHQ 117: 326–377.

Hamilton, J. B., G. L. Curtis, S. M. Snedaker, and D. K. White. 2005. Distribution of anadromous fishes in the upper Klamath River Watershed prior to hydropower dams -- a synthesis of the historical evidence. Fisheries 30: 10–20.

Hanington, M. 2013. 2012 Klamath River continuous water quality monitoring summary report. Final Report. Prepared by Yurok Tribe Environmental Program: Water Division, Klamath, California.

Hanington, M., and K. Ellien. 2013. 2013 Klamath River continuous water quality monitoring summary report. Final Report. Prepared by Yurok Tribe Environmental Program: Water Division, Klamath, California.

Hendrix, N. 2011. Forecasting the response of Klamath Basin Chinook populations to dam removal and restoration of anadromy versus no action. Review Draft Report. R2 Resource Consultants, Redmond, Washington.

Hendry, A. P., H. V. Castric, M. T. Kinnison, and T. P. Quinn. 2004. The evolution of philopatry and dispersal: homing versus straying in salmonids. Pages 52–91 *in* A. P. Hendry and S. C. Stearns, editors. Evolution illuminated: salmon and their relatives. Oxford University Press, New York.

Herald and News. 2010. Creating a water solution: Klamath Falls man proposes a unique water storage idea. Herald and News, Klamath Falls, Oregon. July 27, 2010.

Hetrick, N. J., T. A. Shaw, P. Zedonis, J. C. Polos, and C. D. Chamberlain. 2009. Compilation of information to inform USFWS principals on the potential effects of the proposed Klamath Basin Restoration Agreement (Draft 11) on fish and fish habitat conditions in the Klamath Basin, with emphasis on fall Chinook salmon. U.S. Fish and Wildlife Service, Arcata Fish and Wildlife Office, Arcata, California.

Holtby, L. B., B. C. Andersen, and R. K. Kadowaki. 1990. Importance of smolt size and early ocean growth to interannual variability in marine survival of coho salmon (*Oncorhynchus kisutch*). Canadian Journal of Fisheries and Aquatic Sciences 47: 2,181–2,194.

Hooton, B., and R. Smith. 2008. A plan for the reintroduction of anadromous fish in the Upper Klamath Basin. Public Review Draft. Oregon Department of Fish and Wildlife, Klamath Watershed District.

Horne, A., K. O'Hara, and K. Carlson. 2009. Feasibility and conceptual design of an air injection diffuser system in J.C. Boyle Reservoir. Prepared by CH2M Hill and Alex Horne Associates. Prepared for PacifiCorp Energy, Portland, Oregon. October 2009.

Huntington, C. W. 2006. Estimates of anadromous fish runs above the site of Iron Gate Dam. Clearwater BioStudies, Canby, Oregon.

ICF. 2010. Final Hatchery and Stocking Program Environmental Impact Report, Hydrology, Water Supply, and Water Quality. California Department of Fish and Game and U.S. Fish and Wildlife Service.

KRTT (Klamath River Technical Team). 2011. Ocean abundance projections and prospective harvest levels for Klamath River fall Chinook, 2011 season.

KRTT. 2013. Ocean abundance projections and prospective harvest levels for Klamath River fall Chinook, 2013 season.

KRTT. 2015. Ocean abundance projections and prospective harvest levels for Klamath River fall Chinook, 2015 season.

Kiffney, P. M., G. R. Pess, J. H. Anderson, P. Faulds, K. Burton, S. C. Riley. 2009. Changes in fish communities following recolonization of the Cedar River, Washington, USA by Pacific salmon after 103 years of local extirpation. River Research and Applications 25: 438–452. Kirk, S., D. Turner, and J. Crown. 2010. Upper Klamath and Lost River sub-basins total maximum daily load (TMDL) and water quality management plan (WQMP). Oregon Department of Environmental Quality, Bend, Oregon.

Kostow, K. E., A. R. Marshall, and S. R. Phelps. 2003. Naturally spawning hatchery steelhead contribute to smolt production but experience low reproductive success. Transactions of the American Fisheries Society 132: 780–790.

Mefford, B. 2011. Review of proposal entitled "Proposal alternative tunnel route Shasta Nation anadromous fish bypass" by J. Bacigalupi and H. I. Lake. Letter to John Hamilton, U.S. Fish and Wildlife Service dated November 8, 2011. 2p.

Miller, R. R., and G. R. Smith. 1981. Distribution and evolution of Chasmistes (Pisces: Catostomidae) in western North America. Occasional Papers of the Museum of Zoology, University of Michigan, Ann Arbor 696: 1–46.

Milner, A. M., A. L. Robertson, K. Monaghan, A. J. Veal, and E. A. Flory. 2008. Colonization and development of a stream community over 28 years; Wolf Point Creek in Glacier Bay, Alaska. Frontiers in Ecology and the Environment 6: 413–419.

Moyle, P. B. 2002. Inland fishes of California. Second edition. University of California Press, Berkeley.

NMFS (National Marine Fisheries Service). 1999. Designated critical habitat; Central California Coast and Southern Oregon/Northern California Coast coho salmon. Federal Register 64: 24,049–24,062.

NMFS. 2006. Decision in the matter of Klamath Hydroelectric Project, FERC Project Number 2082. Docket Number 2006-NOAA Fisheries Service-0001, September 27, 2006. Alameda, California. Available at: http://www.fws.gov/yreka/P2082/20060927/2Klamath_DNO_Final.pdf.

NMFS. 2007. National Marine Fisheries Service Modified Prescriptions for Fishways and Alternatives Analysis Pursuant to Section 18 and Section 33 of the Federal Power Act for the Klamath Hydroelectric Project (FERC Project No. 2082). Sacramento, California.

NMFS. 2010. Biological opinion for the operation of the Klamath Project between 2010 and 2018. File Number 151422SWR2008AR00148. Consultation conducted by NOAA Fisheries - National Marine Fisheries Service, Southwest Region, Northern California Office and U.S. Fish and Wildlife Service, Pacific Southwest Region, Klamath Falls Fish and Wildlife Office.

NMFS. 2011. Anadromous salmonid passage facility design. National Marine Fisheries Service, Northwest Region, Portland, Oregon.

NMFS. 2018a. Endangered and threatened wildlife; 90-day finding on a petition to list Chinook salmon in the Upper Klamath-Trinity Rivers Basin as threatened or endangered under the Endangered Species Act. Federal Register 83: 8,410–8,414.

NMFS. 2018b. Southern resident killer whales and West Coast Chinook salmon fact sheet. Available at:

https://www.westcoast.fisheries.noaa.gov/publications/protected_species/marine_mamm als/killer_whales/srkw-salmon-sources-factsheet.pdf.

NMFS and WDFW (Washington Department of Fish and Wildlife). 2018, Southern resident killer whale priority Chinook stocks report. NOAA Fisheries West Coast Region and Washington Department of Fish and Wildlife. Available at: https://www.westcoast.fisheries.noaa.gov/publications/protected_species/marine_mamm als/killer_whales/recovery/srkw_priority_chinook_stocks_conceptual_model_report___lis t_22june2018.pdf.

NMFS and USFWS (National Marine Fisheries Service and U.S. Fish and Wildlife Service). 2006. Excerpt from Attachment A: National Marine Fisheries Service United States Fish And Wildlife Service Preliminary Fishway Prescriptions.

NMFS and USFWS. 2013. Biological opinions on the effects of proposed Klamath Project operations from May 31, 2013, through March 31, 2023, on five federally listed threatened and endangered species. NMFS File Number SWR-2012-9372. Consultation conducted by National Marine Fisheries Service, Southwest Region, Northern California Office and U.S. Fish and Wildlife Service, Pacific Southwest Region, Klamath Falls Fish and Wildlife Office.

NRC (National Research Council). 2004. Endangered and threatened fishes in the Klamath Basin: causes of decline and strategies for recovery. The National Academies Press, Washington, D.C. http://www.nap.edu/openbook.php?isbn+0309090970.

NOAA (National Oceanic and Atmospheric Administration). 2006. Seal and sea lion facts of the Columbia River and adjacent nearshore marine areas.

North Coast Regional Board (North Coast Regional Water Quality Control Board). 2010. Klamath River total maximum daily loads (TMDLs) addressing temperature, dissolved oxygen, nutrient, and microcystin impairments in California, the proposed site specific dissolved oxygen objectives for the Klamath River in California, and the Klamath River and Lost River implementation plans. Final Staff Report. North Coast Regional Water Quality Control Board, Santa Rosa, California.

http://www.waterboards.ca.gov/northcoast/water_issues/programs/tmdls/klamath_river [Accessed June 2017].

North Coast Regional Board. 2011. Water Quality Control Plan for the North Coast region (Basin Plan). Santa Rosa, California.

Oosterhout, G. R. 2005. KlamRAS Results of Fish Passage Simulations on the Klamath River. Prepared by Decision Matrix, Inc., for PacifiCorp and The Habitat Modeling Group, Portland, Oregon.

Oregon Climate Change Research Institute. 2010. Oregon climate assessment report. K.D. Dello and P.W. Mote, editors. College of Oceanic and Atmospheric Sciences, Oregon State University, Corvallis, Oregon. Available at: http://www.occri.net/OCAR.

ODFW (Oregon Department of Fish and Wildlife). 2017. Willamette Falls pinniped monitoring project, 2017.

PacifiCorp. 2004a. Water resources for the Klamath Hydroelectric Project (FERC Project No. 2082). Final Technical Report. Prepared by PacifiCorp, Portland, Oregon.

PacifiCorp. 2004b. Analysis of potential Klamath Hydroelectric Project effects on water quality aesthetics for the Klamath Hydroelectric Project (FERC Project No. 2082). Final Technical Report. Prepared by PacifiCorp, Portland, Oregon.

PacifiCorp. 2005. Response to FERC AIR AR-2, anadromous fish restoration for the Klamath Hydroelectric Project (FERC Project No. 2082). Final Technical Report, with figures. Portland, Oregon.

PacifiCorp. 2006b. PacifiCorp positions on important topics, Klamath Hydroelectric Project No. 2082. PacifiCorp, Portland, Oregon.

PacifiCorp. 2008. 2008 Iron Gate turbine venting study of dissolved oxygen improvement. PacifiCorp, Portland, Oregon.

PacifiCorp. 2011. Results of 2010 turbine venting tests to improve dissolved oxygen below Iron Gate Dam. PacifiCorp Energy, Portland, Oregon.

PacifiCorp. 2012. PacifiCorp Klamath Hydroelectric Project Interim Operations Habitat Conservation Plan for Coho Salmon. Prepared by PacifiCorp Energy, Inc, Portland, Oregon for National Marine Fisheries Service, Arcata Area Office, Arcata, California.

PacifiCorp. 2013. 2012 Localized treatment of Copco Cove in Copco Reservoir using environmentally safe algaecide. Prepared by Watercourse Engineering, Inc. Davis, California for PacifiCorp Energy, Portland, Oregon.

PacifiCorp. 2014a. Klamath Hydroelectric Settlement Agreement Implementation Report. FERC Project No. 2082. Prepared by PacifiCorp, Portland, Oregon.

PacifiCorp. 2014b. 2013 Localized treatment of Long Gulch Cove in Iron Gate Reservoir using environmentally safe algaecide. Prepared by Watercourse Engineering, Inc. Davis, California for PacifiCorp Energy, Portland, Oregon.

PacifiCorp. 2015. 2014 Localized treatment of Long Gulch Cove in Iron Gate Reservoir using hydrogen peroxide based algaecide. Prepared by Watercourse Engineering, Inc. Davis, California for PacifiCorp Energy, Portland, Oregon.

PacifiCorp. 2017. 2016 Evaluation of intake barrier curtain in Iron Gate Reservoir to improve water quality in the Klamath River. Final Report. PacifiCorp, Portland, Oregon.

PacifiCorp. 2018. Klamath Hydroelectric Settlement Agreement Implementation Report FERC Project No. 2082. PacifiCorp, Portland, Oregon. August 2018.

Pearsons, T. N., and G. M. Temple. 2010. Changes to rainbow trout abundance and salmonid biomass in a Washington watershed as related to hatchery salmon supplementation. Transactions of the American Fisheries Society 139: 502–520.

Perry, R. W., J. C. Risley, S. J. Brewer, E. C. Jones, and D. W. Rondorf. 2011. Simulating water temperature of the Klamath River under dam removal and climate change scenarios. U.S. Geological Survey Open File Report 2011-1243. U.S. Department of Interior, U.S. Geological Survey, Reston, Virginia.

Pess, G. R. 2009. Patterns and processes of salmon colonization. Dissertation. University of Washington, Seattle, Washington.

Pess, G. R., T. J. Beechie, J. E. Williams, D. R. Whitall, J. I. Lange, and J. R. Klochak. 2003. Chapter 8: Watershed assessment techniques and the success of aquatic restoration activities. Pages 185–201. *in* R. C. Wissmar and P. A. Bisson, editors. Strategies for restoring river ecosystems: sources of variability and uncertainty in natural and managed systems. American Fisheries Society. Bethesda, Maryland.

Quinn, T. P. 1984. Homing and straying in Pacific salmon. Pages 357–362 *in* J. D. McCleave, G. P. Arnold, J. J. Dodson, and W. H. Neill, editors. Mechanisms of migration in fishes. Plenum Press, New York.

Quinn, T. P., R. S. Nemeth, and D. O. McIsaac. 1991. Homing and straying patterns of fall chinook salmon in the lower Columbia River. Transaction of the American Fisheries Society 120: 150–156.

Raymond, R. 2008. Water quality conditions during 2007 in the vicinity of the Klamath Hydroelectric Project. Prepared by E&S Environmental Chemistry, Inc., Corvallis, Oregon for PacifiCorp Energy, Portland, Oregon

Reisenbichler, R., S. and Rubin. 1999. Genetic changes from artificial propagation of Pacific salmon affect the productivity and viability of supplemented populations. ICES Journal of Marine Science 56: 459–466.

Scheuerell, M. D., R. W. Zabel, and B. P. Sandford. 2009. Relating juvenile migration timing and survival to adulthood in two species of threatened Pacific salmon (*Oncorhynchus* spp.). Journal of Applied Ecology 46: 983–990.

Seltenrich, C. P., and A. C. Pool. 2002. A standardized approach for habitat assessments and visual encounter surveys for the foothill yellow-legged frog (*Rana boylii*). Pacific Gas and Electric Company.

Sinnott, S. 2010a. 2009 Klamath River dataSonde report. Final Report. Prepared by Yurok Tribe Environmental Program, Klamath, California.

Sinnott, S. 2011a. 2010 Klamath River continuous water quality monitoring summary report. Final Report. Prepared by Yurok Tribe Environmental Program, Water Division, Klamath, California.

Sinnott, S. 2012a. 2011 Klamath River continuous water quality monitoring summary report. Final Report. Prepared by Yurok Tribe Environmental Program, Water Division, Klamath, California.

Som, N. A., N. J. Hetrick, J. S. Foott, and K. True. 2016. Response to Request for Technical Assistance - Prevalence of *C. shasta* Infections in Juvenile and Adult Salmonids. USFWS, Arcata, California.

State Water Board (State Water Resources Control Board). 2017. Scoping Report for Lower Klamath Project License Surrender. Prepared by Stillwater Sciences, Berkeley, California for the State Water Resources Control Board.

Stillwater Sciences. 2008. Klamath River dam removal study: sediment transport DREAM-1 simulation. Technical Report. Prepared by Stillwater Sciences, Arcata, California for California Coastal Conservancy, Oakland, California.

Stillwater Sciences. 2010a. Anticipated sediment release from Klamath River dam removal within the context of basin sediment delivery. Prepared by Stillwater Sciences, Arcata, California for California Coastal Conservancy, Oakland, California.

Stillwater Sciences. 2010b. Potential responses of coho salmon and steelhead downstream from Iron Gate Dam to No-Action and Dam-Removal alternatives for the Klamath Basin. Prepared by Stillwater Sciences, Arcata, California for Bureau of Reclamation in support of the Biological Subgroup for the Klamath Basin Secretarial Determination. Arcata, California.

Stillwater Sciences. 2011. Qualitative assessment of prolonged facility removal for the Klamath River dams. Technical Memorandum. Stillwater Sciences, Arcata, California.

Stillwater Sciences. 2018. Predator Control Program, 2017 Soda Springs Reservoir Predation Studies. Technical Memorandum. Prepared by Stillwater Sciences, Arcata, California for North Umpqua Hydroelectric Project Resource Coordination Committee, Roseburg, Oregon.

Stillwater Sciences, Jones & Trimiew Design, Atkins, Tetra Tech, Riverbend Sciences, Aquatic Ecosystem Sciences, and NSI/Biohabitats. 2013. Water Quality Improvement Techniques for the Upper Klamath Basin: A Technical Workshop and Project Conceptual Designs. Final Design. Prepared for California State Coastal Conservancy, Oakland, California.

Sweeting, R. M., R. J. Beamish, D. J. Noakes, and C. M. Neville. 2003. Replacement of wild coho salmon by hatchery-reared coho salmon in the Strait of Georgia over the past three decades. Transactions of the American Fisheries Society 23: 492–502.

Thompson, T. Q., R. M. Bellinger, S. M. O'Rourke, D. J. Prince, A. E. Stevenson, A. T. Rodrigues, M. R. Sloat, C. F. Speller, D. Y. Yang, V. L. Butler, M. A. Banks, and M. R. Miller. 2018. Anthropogenic habitat alteration leads to rapid loss of adaptive variation and restoration potential in wild salmon populations. bioRxiv 310714: doi <u>https://doi.org/10.1101/310714.</u>

True K., A. Bolick, and J. S. Foott. 2013. Myxosporean Parasite (Ceeratomyxa Shasta and Parvicapsula minibicornis) Prevalence of Infection in Klamath River Basin Juvenile Chinook Salmon, April-August 2012. FY 2012 Investigational Report. U.S. Fish and Wildlife Service, California–Nevada Fish Health Center, Anderson, California.

USBR (U.S. Bureau of Reclamation). 2011. Sediment chemistry investigation: Sampling, analysis, and quality assurance findings for Klamath River Reservoirs and Estuary, October 2009–January 2010. Prepared by Bureau of Reclamation, Mid-Pacific Region, Branch of Environmental Monitoring, MP-157. USBR. 2012. Hydrology, hydraulics and sediment transport studies for the Secretary's Determination on Klamath River dam removal and basin restoration, Klamath River, Oregon and California, Mid-Pacific Region. Technical Report No. SRH-2011-02. Prepared for Bureau of Reclamation, Mid-Pacific Region, Technical Service Center, Denver, Colorado.

USBR. 2014. PacifiCorp Agrees to Reservoir Drawdown to Lessen Impacts of Water Shortage in Reclamation's Klamath Project. News Release, August 8, 2014. MP-14-150.

USBR. 2016. Klamath Facilities Removal Environmental Impact Statement/Environmental Impact Report Supplemental Information Report. State Clearinghouse #2010062060.

USBR. 2018. PacifiCorp Klamath Hydroelectric Project Storage Utilization. Draft memo. September 26, 2018.

USBR and CDFG (California Department of Fish and Game). 2012. Klamath Facilities Removal Final Environmental Impact Statement/Environmental Impact Report. Volume 1. December 2012.

https://klamathrestoration.gov/sites/klamathrestoration.gov/files/Additonal_Files/Volumel _FEIS.pdf

U.S. District Court. 2017. Hoopa Valley Tribe v. U.S. Bureau of Reclamation et al. and Klamath Water Users Association et al. Case No. 3:16-cv-04294-WHO. Order modifying February 8, 2017 injunction. U.S. District Court for the Northern District of California, San Francisco Division.

USEPA (U.S. Environmental Protection Agency). 1986. Ambient water quality criteria for dissolved oxygen. EPA 440/5-86-003. Office of Water Regulations and Standards, Washington, D.C.

USFWS (U.S. Fish and Wildlife Service). 2008. Formal consultation on the Bureau of Reclamation's proposed Klamath project operations from 2008 to 2018. April 2, 2008.

USFWS. 2013. Revised Recovery Plan for the Lost River sucker and Shortnose sucker. Pacific Southwest Region. Sacramento, California

USGS. 2018. Lakes and Reservoirs: Guidelines for Study Design and Sampling. U.S. Geological Survey Techniques and Methods, Book 9, Chapter A10 [Supersedes USGS Techniques of Water-Resources Investigations, Book 9, Chapter A10, version 1.0].

Watercourse Engineering, Inc. 2011a. Klamath River baseline water quality sampling, 2009 Annual Report. Prepared for the KHSA Water Quality Monitoring Group.

Watercourse Engineering, Inc. 2011b. Klamath River baseline water quality sampling, 2010 Annual Report. Prepared for the KHSA Water Quality Monitoring Group.

Watercourse Engineering, Inc. 2012. Klamath River baseline water quality sampling, 2011 Annual Report. Prepared for the KHSA Water Quality Monitoring Group.

Watercourse Engineering, Inc. 2013. Klamath River baseline water quality sampling, 2012 Annual Report. Prepared for the KHSA Water Quality Monitoring Group.

Watercourse Engineering, Inc. 2014. Klamath River baseline water quality sampling, 2013 Annual Report. Prepared for the KHSA Water Quality Monitoring Group.

Watercourse Engineering, Inc. 2015. Klamath River baseline water quality sampling, 2014 Annual Report. Prepared for the KHSA Water Quality Monitoring Group.

Watercourse Engineering, Inc. 2016. Klamath River Water Quality Sampling Final 2015 Annual Report. Prepared for the KHSA Water Quality Monitoring Group.

White, D. 2011. Preliminary evaluation of fish passage alternatives to dam removal. Memorandum from David White to Rick Wantuck (NMFS) and John Hamilton (USFWS) dated October 13, 2011.

Wiese, F. K., J. K. Parrish, C. W. Thompson, and C. Maranto. 2008. Ecosystem-based Management of Predator-Prey Relationships: Piscivorous Birds and Salmonids. Ecological Applications 18: 681–700.

Withler, F. C. 1982. Transplanting Pacific salmon. Canadian Technical Report of Fisheries and Aquatic Sciences 1079.