1	MICHAEL H. ZISCHKE (SB# 105053)	
2	COX, CASTLE & NICHOLSON, LLP 555 California Street	
3	Tenth Floor San Francisco, CA 94104	
4	Telephone: (415) 262-5109 Facsimile: (415) 392-4250	
5	Email: mzischke@coxcastle.com	
	J. DREW PAGE (SB# 146437) LAW OFFICES OF J. DREW PAGE	
6	11622 El Camino Real	
7	Suite 100 San Diego, CA 92130	
8	Telephone: (858) 433-0122 Facsimile: (858) 433-0124	
9	Email: drew@jdp-law.com	
10	TRACY J. EGOSCUE (SB# 190842) EGOSCUE LAW GROUP	
11	3777 Long Beach Boulevard Suite 280	
12	Long Beach, CA 90807	
13	Telephone: (562) 988-5978 Facsimile: (562) 988-5802	
14	Email: tracy@egoscuelaw.com	
15	Attorneys for Petitioner Pacific Gas & Electric Company	
16		
17	STATE OF C	CALIFORNIA
18	STATE WATER RESOU	RCES CONTROL BOARD
19		
	IN THE MATTER OF LAHONTAN	CASE NO.
20	REGIONAL WATER QUALITY CONTROL BOARD RESOLUTION NO. R6V-2013-0060	CIABLITO.
21	CERTIFYING A FINAL ENVIRONMENTAL IMPACT REPORT	PETITION FOR REVIEW
22	IVII ACT KEI OKT	REQUEST TO HOLD PETITION IN
23		ABEYANCE
24		
25		
26		
27		
28		

This Petition for Review is respectfully submitted to the California Water Resources Control Board ("State Board") on behalf of the Pacific Gas and Electric Company ("PG&E" or "Petitioner") pursuant to Water Code Section 13320(a), and California Code of Regulations ("CCR") Title 23, Section 3720 et seq., for review of Resolution No. R6V-2013-0060 (the "Resolution") Certifying a Final Environmental Impact Report for Comprehensive Groundwater Cleanup Strategy for Historical Chromium Discharges from Pacific Gas and Electric Company's Hinkley Compressor Station (the "EIR"), dated July 17, 2013 and issued by the Acting Executive Officer of the Lahontan Regional Water Quality Control Board ("Regional Board") with respect to the Hinkley Compressor Station located at 35863 Fairview Road (APN 048S-112-52) in Hinkley, California and specifically for review of Mitigation Measure WTR-MM-2. A copy of the Resolution is attached hereto as Exhibit 1.

As required by California Environmental Quality Act ("CEQA") Guideline section 15090, the Resolution finds that (1) the EIR was completed in compliance with CEQA; (2) the Regional Board reviewed and considered the information in the Final EIR; and (3) the EIR reflects the independent judgment and analysis of the Regional Board. The Regional Board did not make any other approvals at the July 17 hearing related to the Project such as the adoption of Waste Discharge Requirements (WDRs) or a Cleanup and Abatement Order (CAO). The Regional Board has indicated that it intends to implement the groundwater cleanup strategy by approving sequential CAOs related to the cleanup. These CAOs could include provisions requiring PG&E to comply with the mitigation measures in the EIR.

PG&E petitions the State Board for review of the adoption, as part of the Resolution, of Mitigation Measure WTR-MM-2. That measure exceeds the Regional Board's authority under the Porter Cologne Water Quality Control Act (the "Act") and is therefore unlawful under both the Act and CEQA. Specifically, Mitigation Measure WTR-MM-2 requires the provision of replacement water to wells that exceed maximum background levels for hexavalent chromium in Hinkley even if those wells are below the Maximum Contaminant Level (MCL) for hexavalent chromium that California Department of Public Health ("CDPH") will develop, which exceeds the Regional Board's authority under section 13304(f) of the Act.

1	With a copy to:	
2	Tracy J. Egoscue	
3	Egoscue Law Group 3777 Long Beach Boulevard, Suite 280	
4 5	Long Beach, CA 90807 Telephone: (562) 988-5978 Facsimile: (562) 988-5802 Email: tracy@egoscuelaw.com	
6	2. Specific Action Or Inaction For Which This Petition For Review Is Sought	
7	Petitioner seeks review of the Regional Board's adoption of Mitigation Measure WTR-M	M-2
8	through enacting Resolution No. R6V-2013-0060 titled "Certifying a Final Environmental Impac	t
9	Report for Comprehensive Groundwater Cleanup Strategy for Historical Chromium Discharges t	rom
10	Pacific Gas and Electric Company's Hinkley Compressor Station," dated July 17, 2013.	
11	3. Date the Regional Board Acted	
12	The date of the Regional Board's action is July 17, 2013, which is the date the Resolution	was
13	signed by the Acting Executive Officer of the Regional Board.	
14	4. Statement of Reasons the Action is Inappropriate or Improper	
15	The issuance of the Resolution was beyond the authority of the Regional Board, inapprop	riate,
16	improper, or not supported by the record, for the following reasons:	
17 18	 a) The Regional Board has no legal authority to require replacement water for well v that meets federal, state, and local drinking standards, and 	vater
19	b) CEQA does not allow the Regional Board to adopt a mitigation measure that is out the Regional Board's authority or that is arbitrary and capricious.	tside
20	5. The Manner In Which Petitioner Is Aggrieved	
21	Petitioner is aggrieved by the Regional Board's certification of an EIR that includes a	
22	mitigation measure that is outside the scope of the Regional Board's authority to adopt or enforce) .
23	The unlawful mitigation measure, Mitigation Measure WTR-MM-2, requires the following:	
24	The Mitigation Program will determine all "actually affected" and all	
25	"potentially affected" wells (defined for each sub-mitigation measure, WTR-MM-2a through 2c, below). If a water supply well is determined to be an "extrally affected," well then DC &F will a variety after the supply well as the supply well a	
26	to be an "actually affected" well, then PG&E will provide alternative water supply meeting the requirements described below	
27	"Actually affected domestic wells" will be defined as any domestic	
28	water supply well with chromium (hexavalent or total) concentrations that exceed any of the following criteria due to remedial actions:	

- Maximum background levels (if the well previously had concentrations below maximum background levels); or
- concentrations increase by 10% or more (if the well previously had concentrations that exceed maximum background levels).

(EIR at pp. 3.1-110, 3.1-113.) Mitigation Measure WTR-MM-2 fails to acknowledge that CDPH will be setting a maximum contaminant level (MCL) for hexavalent chromium (Cr6) soon. (See Cal. Dep't of Public Health, *Chromium-6 in Drinking Water: MCL Update*, available at http://www.cdph.ca.gov/certlic/drinkingwater/Pages/Chromium6.aspx ["CDPH is working to have an MCL proposal developed and available for public comment in August 2013."].) If the MCL is higher than the maximum background levels of hexavalent chromium in Hinkley, then Mitigation Measure WTR-MM-2 would require Petitioner to provide replacement water to owners of wells with water that meets all applicable water quality standards. Mitigation Measure WTR-MM-2 would also require this with respect to particular wells that have experienced an increase in chromium concentration by 10% or more, if the MCL is higher than that increased level. As explained in Section 7, below, the Regional Board lacks legal authority to require Petitioner to take such an action.

6. Petitioner's Requested Action By The State Board

Petitioner respectfully requests that the State Board: (1) find that the Regional Board would exceed its legal authority if it demands compliance with Mitigation Measure WTR-MM-2 as currently written in a CAO or other order, or (2) modify WTR-MM-2 to comply with the law. PG&E also requests that the State Board: (3) hold this Petition in abeyance until the Regional Board issues an order that is conditioned on compliance with the unlawful mitigation measure in the EIR, and (4) allow Petitioner to amend this Petition pending an action by the Regional Board that implements this mitigation measure in a manner that exceeds its legal authority.

7. Memorandum Of Points And Authorities

The Regional Board lacks authority to require Petitioner to provide replacement water to owners of wells with water meeting all applicable federal, state, and local water quality standards.

Because an order implementing Mitigation Measure WTR-MM-2 could require Petitioner to provide replacement water in such cases, that mitigation measure is unlawful and should be revised before

being made a requirement of an order. In addition Mitigation Measure WTR-MM-2 as written is arbitrary and capricious and for this reason, the State Board should find it invalid as a matter of law.

a. The Regional Board Lacks Authority To Require PG&E Provide Replacement
Water To Owners Of Wells With Water Meeting Federal, State, And Local
Water Quality Standards

The Porter-Cologne Water Quality Control Act (the "Act") sets forth the legal authority of the Regional Board. (See Cal. Water Code § 13200 et. seq. [setting forth the organization and powers of the regional water boards].) The Act states that the Regional Board can order a person "who has discharged or discharges waste into the waters of this state in violation" of the law to take "necessary remedial action, including, but not limited to, overseeing cleanup and abatement efforts." (*Id.* § 13304(a).) The CAO "may require the provision of, or payment for, uninterrupted replacement water service... to each affected public water supplier or private well owner." (*Id.*) The Act further states that replacement water required by a CAO "shall meet all applicable federal, state, and local drinking water standards." (*Id.* § 13304(f).) The State Board has interpreted Water Code section 13304(f) as limiting the power of a regional board to require replacement water in excess of applicable federal, state, and local drinking water standards, or where no such standards exist, in excess of the public health goals set by the California Office of Environmental Health Hazard Assessment (OEHHA). (State Water Resources Control Board Order WQ 2005-0007, *In the Matter of the Petitions of Olin Corp. and Std. Fusee, Inc. for Review of Clean up and Abatement Order No. R3-2004-0101* (May 19, 2005) at pp. 6–7 ("In re Olin").)

In re Olin considered whether a regional board could, pursuant to its power under Water Code section 13304, require a discharger to provide replacement water service to owners of private domestic wells with levels of a contaminant below an existing California public health goal (PHG) but above maximum background levels. (*Id.* at pp. 1–2.) The regional board there issued a CAO requiring the discharger to provide replacement water to owners of wells that exceeded the maximum background contaminant levels of 4 μ g/L even though the background level was lower than the applicable public health goal (PGH) of 6 μ g/L; at the time, no MCL had been established for the contaminant. The State Board noted that the Act gives the regional boards the power to require

14

25

26

27

28

replacement water to owners of "affected" wells, but does not define "affected." (Id. at p. 3.) However, the State Board specifically stated that "affected" wells include those wells that don't meet drinking water standards. "Wells 'affected' by a discharge of waste include those wells in which water does not meet the federal, state and local drinking water standards." (Id at p. 6.) The State Board in *In re Olin* only moved to the PHG when there was no drinking water standard available. "There is currently no enforceable state or federal standard for perchlorate in drinking water for use in determining when a well is affected such that the user should be entitled to replacement water service." (Id. at p. 3.) "Where no federal, state, or local standard yet exists, it is appropriate to use goals developed by agencies with expertise for public health determinations in deciding whether replacement drinking water is necessary." (Id. at p. 6.) Thus, while Olin utilized the PHG to trigger replacement water, the State Board specifically said that an "affected" well under the Water Code replacement water provision included a well that did not meet a drinking water standard and that health goals should be used when no drinking water standard yet exists.

The reasoning behind the use of the PHG in Olin is the State Board's direction to the regional board to defer to state agencies with expertise for public health determinations when deciding where to require replacement water. The State Board included the Department of Health Services (DHS), the predecessor to CDPH in setting drinking water standards, in addition to OEHHA (the entity charged with establishing PHG's) throughout its Olin opinion when it directed the regional board to defer to state agencies. "The Water Boards should defer to OEHHA and DHS in determining the appropriate level of contamination requiring replacement drinking water service requirements." (Id. at p. 5.) "Where new water replacement orders are considered . . . regional water boards should defer to OEHHA and DHS in determining safe drinking water levels." (Id. at p. 7.) "Any other approach would require regional water boards to make individual, possibly inconsistent public health and toxicological determinations or, in the alternative, to require replacement drinking water whenever there is any detection of a contaminant." (Id. at p. 6.) Other approaches also "ignore the expertise of OEHHA and, in the case of contaminants for which MCLs have been developed, DHS." (Id.) Accordingly, the State Board ordered that the contested CAO be revised to require replacement water only for wells that exceeded the PHG and to add a provision that allowed the discharger to end

2

3

5

6 7

8

9

10

11

12

13

14

15

16

17

18

19

20

2122

23

24

2526

27

28

replacement water service to owners of wells that tested at or below the applicable PHG for four consecutive quarters. (*Id.* at p. 8.)

Similar to the regional board in In re Olin, the Regional Board here has defined "affected domestic wells" in a manner that fails to defer to the expertise of the state regulatory agency charged with determining safe drinking water levels, CDPH. Specifically, Mitigation Measure WTR-MM-2 defines "[a]ctually affected domestic wells" as "wells with chromium (hexavalent or total) concentrations that exceed . . . : [1] Maximum background levels (if the well previously had concentrations below maximum background levels); or [2] concentrations increase by 10% or more (if the well previously had concentrations that exceed maximum background levels)." (EIR at p. 3.1-113.) Yet as was the case *In re Olin*, in a circumstance where maximum background levels are lower than applicable state drinking water quality requirements, the "affected well" definition should use the applicable drinking water standard. (Cf. In re Olin at pp. 4–5 [maximum background levels were 4 μg/L and the PHG was 6 μg/L].) Accordingly, as in *In re Olin*, the State Board should revise Mitigation Measure WTR-MM-2 so that when CDPH releases an MCL for hexavalent chromium, the trigger for Petitioner to provide replacement water to affected domestic wells is the MCL and not maximum background levels or any other measure. Further, similar to the revisions ordered in *In re* Olin, the State Board should revise Mitigation Measure WTR-MM-2a to allow Petitioner to stop replacement water service if the well has tested at or below the applicable MCL for four consecutive quarters.1

b. <u>CEQA Does Not Grant The Regional Board Additional Legal Authority And Therefore The Regional Board Cannot Require Compliance With Mitigation Measure WTR-MM-2a</u>

Because Mitigation Measure WTR-MM-2 exceeds the Regional Board's authority under the Act, it is also unlawful under CEQA. Public Resources Code section 21004 states that "[i]n mitigating or avoiding a significant effect of a project on the environment, a public agency may

¹ As a related matter, the provision in Mitigation Measure WTR-MM-2 defining affected wells as those wells that have exceeded background levels and in which chromium levels have increased by ten percent or more should likewise be revised. The ten percent threshold is arbitrary, as PG&E noted in its comments on the Draft EIR, and this applies particularly to the extent that this provision may require replacement water for a well that meets a newly adopted MCL for hexavalent chromium.

25 26

27

28

"potentially affected" wells (defined for each sub-mitigation measure, WTR-MM-2a through 2c, below). If a water supply well is determined

to be an "actually affected" well, then PG&E will provide alternative

water supply meeting the requirements described below

1		"Actually affected domestic wells" will be defined as any domestic water supply well with chromium (hexavalent or total) concentrations
2		that exceed any of the following criteria due to remedial actions:
3		 Maximum background levels (if the well previously had concentrations below maximum background levels); or
5		 concentrations increase by 10% or more (if the well previously had concentrations that exceed maximum background levels).
6		However, after the State of California adopts an MCL for hexavalent
7		chromium, if that MCL is above maximum background levels, a well shall not be considered an "actually affected well" after four consecutive
8		quarters of hexavalent chromium detections which do not exceed the MCL.
9	8.	A Copy Of This Petition Has Been Sent To The Regional Water Board
10	In acc	ordance with title 23, section 2050(a)(8) of the California Code of Regulations, the
11	Petitioner has	smailed a true and correct copy of this petition by first class mail on August 16, 2013, to
12	the Regional	Board at the following address:
13		Lauri Kemper, Acting Executive Officer Regional Water Quality Control Board – Lahontan Region
14		2501 Lake Tahoe Boulevard South Lake Tahoe, CA 96150-7704
15		South Lake Tailoe, CA 70130-7704
16	9.	Issues Raised In The Petition Were Presented To The Regional Board Before It Acted
17		Acteu
18	Petitio	oner raised the issues disclosed in this Petition to the Regional Board several times,
19	including in a	comment letter on the Draft EIR dated November 5, 2012 and in a comment letter on
20	the Final EIR	, dated June 24, 2013. The November 5, 2012 and June 24, 2013 comment letters are
21	attached as Ex	xhibits 2 and 3, respectively, to this Petition.
22	///	
23	///	
24	///	
25	///	
26	///	
27	///	
28	///	

1 2	DATED: August 16, 2013	COX, CASTLE & NICHOLSON LLP
3		
4		By: MICHAEL H. ZISCHKE
5		Attorneys for Petitioner Pacific Gas & Electric Company
6	DATED A	LAW OFFICES OF LIDDEW DACE
7	DATED: August 16, 2013	LAW OFFICES OF J. DREW PAGE
8		By: INW Man Judge
9		J. DREW PAGE
10		Attorneys for Petitioner Pacific Gas & Electric Company
11	DATED: August 16, 2013	EGOSCUE LAW GROUP
12	5711B5	/
13		Ву:
14		TRACY J. EGOSCUE Attorneys for Petitioner Pacific Gas & Electric Company
15		Pacific Gas & Electric Company
16		
17		
18 19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

EXHIBIT 1





Lahontan Regional Water Quality Control Board

July 24, 2013

To Interested Parties:

ADOPTED RESOLUTION NO. R6V-2013-0060 CERTIFYING A FINAL ENVIRONMENTAL IMPACT REPORT, COMPREHENSIVE GROUNDWATER CLEANUP STRATEGY FOR HISTORICAL CHROMIUM DISCHARGES FROM PACIFIC GAS & ELECTRIC COMPANY'S HINKLEY COMPRESSOR STATION, SAN BERNARDINO COUNTY

Enclosed is a copy of Resolution No. R6V-2013-0060 that was adopted at the Regional Board meeting held in Barstow, CA on July 17 & 18, 2013. If you have any questions, please contact our office at (530) 542-5400.

Amber Wike

Office Technician

nleer Wite

Enclosure

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD LAHONTAN REGION

RESOLUTION NO. R6V-2013-0060

CERTIFYING A FINAL ENVIRONMENTAL IMPACT REPORT

FOR

COMPREHENSIVE GROUNDWATER CLEANUP STRATEGY FOR HISTORICAL
CHROMIUM DISCHARGES FROM PACIFIC GAS AND ELECTRIC COMPANY'S
HINKLEY COMPRESSOR STATION (STATE CLEARINGHOUSE NO. 2008011097)

San Bernardino County

WHEREAS the California Regional Water Quality Control Board, Lahontan Region (Water Board), finds:

- 1) The Pacific Gas and Electric Company's (PG&E's) Hinkley Compressor Station is located southeast of the community of Hinkley, about 8 miles west of Barstow in San Bernardino County. The Compressor Station has operated since 1952. From 1952 to 1965, hexavalent chromium-based corrosion inhibitor was added to water used in the cooling towers, and the untreated cooling tower water was discharged to unlined evaporation ponds. The unlined ponds have since been closed, covered, and replaced by lined evaporation ponds. In 1987, PG&E reported to the State that total chromium and hexavalent chromium concentrations exceeding the California drinking water standard of 50 parts per billion (ppb) total chromium were found in groundwater beneath and down gradient of the site.
- 2) Since 1987, The Water Board has been requiring PG&E to carry out investigation and cleanup actions for chromium in groundwater at the Hinkley Compressor Station. Various cleanup methods have been operated on a limited-scale basis to stop the spreading of chromium in groundwater and to test cleanup methods to remove chromium from soils and groundwater, including excavation of contaminated soil, groundwater extraction and agricultural land treatment, in-situ (subsurface) treatment, and freshwater injection into the aquifer.
- 3) In Cleanup and Abatement Order (CAO) No. R6V-2008-0002 dated August 6, 2008, the Water Board directed PG&E, among other things, to develop a Feasibility Study for a comprehensive cleanup strategy for chromium in groundwater. Amended CAO R6V-2008-0002A1 established background chromium concentrations to be used to assess cleanup strategies.

- 4) PG&E submitted a Feasibility Study (FS), dated August 2010, presenting four action alternatives for final cleanup of the chromium-contaminated groundwater, along with a "no action" alternative. The action alternatives involved different combinations and intensities of four cleanup technologies, three of which were already being implemented on a limited scale (as described in finding 2, above). In addition to the three implemented technologies, the FS also proposed ex-situ remediation, which involves groundwater extraction and chromium removal at an aboveground facility. The four action alternatives evaluated cleanup to the currently adopted maximum background levels of 3.1 parts per billion (ppb) hexavalent chromium and 3.2 ppb total chromium. The 2010 FS estimated the time required to clean up groundwater to maximum background levels ranged from 110 to 260 years.
- 5) Current cleanup activities are regulated under individual and general Waste Discharge Requirements (WDRs) and/or monitoring orders. Implementation of any final cleanup proposal will require new and/or additional WDRs. The expansion of remediation activities using existing or new technologies may result in potentially significant impacts to the environment that were not analyzed in previous environmental documents. In addition to issuing general (project areawide) WDRs for implementation of the cleanup, the Water Board will also consider issuance of a new CAO, which will specify cleanup levels and time requirements. The issuance of new WDRs and a CAO are discretionary actions subject to the California Environmental Quality Act (CEQA). Therefore, the Water Board, as Lead Agency in accordance with CEQA, must certify an Environmental Impact Report (EIR) before taking these discretionary actions.
- 6) On November 24, 2010, a Notice of Preparation of a Draft EIR was circulated for a 30-day comment period. A CEQA scoping meeting was held in Hinkley to gain input from the public on the scope and content of the Draft EIR. As required by California Water Code section 13307.5, a 30-day public review period on the Feasibility Study was also initiated.
- 7) On January 26 and 27, 2011, Water Board staff held public information meetings in Hinkley to discuss comments received on PG&E's FS and the scope and content of the EIR, and provide information on the chromium plume boundary and PG&E's cleanup activities.
- 8) At its regular meeting in March 2011, the Water Board held a public workshop on the Draft EIR. The workshop focused on key issues to be examined in the Draft EIR, including cleanup levels to be considered in the EIR; whether the alternatives in PG&E's FS represented a reasonable range of cleanup times and best available technologies; and the types of environmental impacts that should be considered in the EIR. Members of the public expressed concerns over the lengthy time periods required for all alternatives to achieve final cleanup.

- 9) Water Board staff requested review of PG&E's FS from the California Department of Toxic Substances Control and the US Environmental Protection Agency. Both agencies had suggestions to strengthen the FS, but generally agreed that the range of technologies proposed represented best available technologies for chromium groundwater remediation.
- 10) To address concerns over the cleanup times estimated in PG&E's FS, Water Board staff directed PG&E to propose additional alternatives with reduced cleanup times. Throughout 2011 and into 2012, PG&E submitted FS addenda proposing optimized combinations of the four cleanup technologies to reduce the time required to clean up the chromium from groundwater. Staff selected five of the most promising optimized alternatives to analyze in the Draft EIR, along with the "No Project" alternative as required by CEQA. The five action alternatives estimated cleanup of groundwater to maximum background levels to take between 29 to 50 years; estimates to clean up to the average background hexavalent chromium level of 1.2 ppb ranged from 75 to 95 years. Cleanup of groundwater to below 50 ppb chromium (the current drinking water standard for chromium) were estimated to take between 3 and 20 years.
- 11)Throughout development of the EIR, the Water Board has sought to involve and inform interested stakeholders, and to exceed the public noticing and review requirements specified by CEQA. For example, from 2010 through 2013, Water Board staff held seven informational meetings at the Hinkley School to hear public input and provide information on the Draft EIR. The Draft EIR or related topics were also on the agenda at five Water Board public meetings held in Barstow during EIR development from 2011 through 2013. Spanish-language interpreters were present at meetings and Spanish translation of notices, fact sheets and meeting materials were provided.
- 12)On August 20, 2012, a Notice of Availability of a Draft EIR was mailed to interested parties, distributed via an electronic mail subscription service, posted to the Water Board's webpage, and published in three newspapers of regional interest, including one Spanish-language newspaper. A Notice of Completion was filed with the State Clearinghouse to notify responsible and trustee agencies of the availability of the Draft EIR. The Draft EIR was circulated for a 76-day public review and comment period, exceeding CEQA's 45-day review requirement. At a Water Board meeting on September 12, 2012, the Draft EIR was summarized, and a court reporter was present to transcribe all verbal comments made to the Water Board on the Draft EIR. Two public information meetings on the Draft EIR were also held in Hinkley in August and October 2012.
- 13) Following the close of the comment period, Water Board staff and its EIR consultant, ICF International, prepared responses to comments and made revisions to the Draft EIR. Comments received were summarized at a public meeting of the Water Board on January 16, 2013, held in Barstow.

- 14) Revisions to the Draft EIR were made to provide additional detail and information on several key issues raised during the comment period:
 - Expanded project boundaries to account for chromium detections in domestic wells in the northern and western project areas
 - Identification of an "environmentally superior alternative"
 - Changed significance conclusion to "less than significant" for the impact of potential aquifer compaction based on new information
 - Additional details on remediation byproducts, including requirements for monitoring prior to any increase of in-situ remediation
 - Enhanced investigation on stability of trivalent chromium in soils
 - Literature evaluation of electrocoagulation technology

Numerous other revisions were made to provide clarity or additional information, correct typographical errors, and improve readability. All revisions are clearly shown in strikeout and underline format in Volume II of the Final EIR. Volume I of the Final EIR contains comment letters, and responses to all comments received, including those transcribed at the September 12, 2012 Water Board meeting in Barstow.

- 15) Although not required by CEQA, the Water Board released the entire Final EIR 62 days prior to the Water Board's consideration of certification of the Final EIR. This was not a recirculation of the EIR pursuant to CEQA, as none of the revisions resulted in "significant new information", as that term is defined in CEQA regulations. Rather, recognizing the volume and complexity of the document, staff opted to provide an extended period to review the responses and revisions contained in the Final EIR.
- 16)On June 6, 2013, Water Board staff held a public meeting in Hinkley to review the Final EIR, including the key revisions bulleted in finding 14, above. In addition to the responses to comments, the Final EIR describes the cleanup project's goals and objectives, provides details on five "action alternatives" to meet those goals, and discusses impacts associated with each alternative. Ways to avoid or reduce impacts (mitigation measures) are outlined. Impacts which cannot be avoided or reduced to less than significant levels are clearly identified in the Final EIR.
- 17) In a letter dated June 24, 2013 (shown in Attachment 1 to this Resolution), PG&E requested changes to the Final EIR. Water Board staff's response to PG&E's letter is included in Attachment 2, and proposed revisions to the Final EIR are shown in Attachment 3 (Errata Sheet). The proposed revisions correct a typographical error, and clarify certain mitigation requirements related to biological resources. As such, the revisions are not significant new information to the Final EIR, and recirculation is not required. The Attachments, including the Errata Sheet are made a part of the Final EIR and its record.

- 18)Water Board staff will develop draft WDRs and a CAO for public review and comment in fall 2013. When the Water Board adopts WDRs and a CAO in winter 2014, it will make the findings required by CEQA sections 15091 through 15093, regarding any significant environmental effects of the project, including a statement of overriding considerations before adopting a project which may result in unavoidable significant impacts.
- 19)In summary, the Water Board finds that the record as whole demonstrates that the Final EIR analyzes a reasonable range of alternatives which would feasibly attain the project's goals and objectives, and would avoid or substantially lessen the significant impacts of the project. Impacts which cannot be avoided or reduced to less than significant levels are clearly identified in the Final EIR. Public involvement and consultation requirements of CEQA were met or exceeded throughout the development of the EIR.

THEREFORE, BE IT RESOLVED that:

Pursuant to § 21080, et seq. of the California Public Resources Code, the Lahontan Water Board, after considering the entire record, including written and oral testimony at the hearing, certifies that:

- a. The Final EIR, including Attachments 1 and 2, and the Errata Sheet (Attachment 3), has been completed in compliance with CEQA.
- The Lahontan Water Board has reviewed and considered the information in the Final EIR, and Attachments 1 and 2, and the Errata Sheet (Attachment 3).
- c. The Final EIR, Attachments 1 and 2, and Errata Sheet (Attachment 3) reflect the independent judgment and analysis of the Lahontan Water Board.


CERTIFICATION

I, Lauri Kemper, Acting Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of a Resolution adopted by the California Regional Water Quality Control Board, Lahontan Region on July 17, 2013.

LAURI KEMPER, P.E. Acting Executive Officer

Attachments:

- 1. Comment letter from PG&E, dated June 24, 2013
- 2. Water Board staff responses to PG&E letter
- 3. Errata Sheet, Final EIR



Juan M. Jayo

Mailing Address P.O. Box 7442 San Francisco CA 94120 Street/Courier Address Law Department 77 Beale Street San Francisco CA 94105

June 24, 2013

Kim M. Niemeyer Senior Staff Counsel, State Water Resources Control Board Office of Chief Counsel 1001 I Street Sacramento, CA 95814

Re: Final EIR for the Comprehensive Groundwater Cleanup for Historical Chromium Discharges from PG&E's Hinkley Compressor Station

Dear Ms. Niemeyer:

We have reviewed the Final EIR for the groundwater cleanup work associated with historic discharges from the Hinkley Compressor Station (the "Final EIR"). The changes between the Draft EIR and Final EIR have improved the quality and accuracy of the document. We have a few additional comments suggesting revisions that could be made prior to the certification of the Final EIR that would further improve the document. These comments are outlined below.

Revise the Requirement for Replacement Water

The Final EIR has been revised to require replacement water for interior household uses to be equal to or less than Water Board established maximum background levels. (Final EIR at p. 3.1-110.) PG&E requests that this mitigation measure be revised to permit replacement water to meet the primary MCL for Cr6 at such time it is adopted consistent with PG&E's Voluntary Whole House Replacement Water Program. PG&E requests the following revision to WTR-MM-2 on Final EIR page 3.1-110:

For chromium, alternative water supply shall be equal to or less than Water Board established maximum background levels until an MCL for Cr6 (as opposed to the existing MCL for CrT) is adopted by the State of California. At such time, alternative water supply shall be equal to or less than the MCL for Cr6.

Responses

1. Significant impacts related to chromium increases in a water supply well are defined in the EIR as exceedances of the currently adopted maximum background levels. The maximum background level for Cr6 is currently 3.1 ppb. There is no current MCL specifically for Cr6.

This significance criterion is consistent with State Water Board Anti-degradation Policy, which requires that high quality waters be maintained unless certain findings are made, and Resolution 92-49, which states, in part, that attaining background water quality levels is the goal for cleanup and abatement of polluted groundwater. Therefore, using the maximum background value of Cr6 is appropriate to define significant impacts under CEQA.

In order to mitigate increases in Cr6 in water supply wells due to remedial actions to a level of insignificance, replacement water is required. Replacement water quality must be equal to or better than the maximum background level for Cr6. This is consistent with the requirements of Water Code section 13304(f), which requires that the replacement water "meet not only all applicable federal, state and local drinking water standards," but that it also is of comparable quality to that pumped by the ... private well owner prior to the discharge of waste."

The background value, rather than a future (unknown) MCL for Cr6 -is the appropriate level for replacement water because if the future MCL for Cr6 was adopted at a level higher than the maximum background, then replacement water quality could be provided at a quality <u>worse</u> than the water quality in an impacted well. This situation would render the mitigation measure ineffective for its intended purpose – to mitigation impacts from the remediation project to a level of insignificance, where feasible. Providing replacement water at a quality worse than that in the impacted well would not meet this purpose.

Therefore, no revisions to the Final EIR are proposed.

Revise the Definition of Actually Affected Well

PG&E requests that the definition of an actually affected well be revised to be consistent with CAO R6V-2011-005A2. After an MCL for Cr6 is adopted by the State of California, that order no longer requires replacement water for a well that meets the new MCL for four quarters. PG&E requests the following revision to Mitigation Measure WTR-MM-2a on Final EIR page 3.1-113:

"Actually affected domestic wells" will be defined as any domestic water supply well with chromium (hexavalent or total) concentrations that exceed any of the following criteria due to remedial actions:

- Maximum background levels (if the well previously had concentrations below maximum background levels); or
- concentrations increase by 10% or more (if the well previously had concentrations that exceed maximum background levels).

However, after an MCL for Cr6 is adopted by the State of California, a well shall not be considered an "actually affected well" after four consecutive quarters of Cr6 detections which do not exceed the MCL.

The requested revision will provide consistency with the obligations imposed on PG&E while also ensuring that domestic users of wells that may be significantly impacted by remedial activities will be provided indoor household water meeting California drinking water standards. See In The Matter Of The Petitions Of Olin Corporation And Standard Fusee, SWRCB Order WQ 2005-0007 at p. 6 (replacement water should only be required for well water that does not meet federal, state and local drinking standards where such standards exist.)

Clarify the Timing for Completion of TDS and Radionuclides Investigation

Mitigation Measure WTR-MM-5 has been revised to require PG&E to complete an investigation of TDS and radionuclides within one year of the approval of WDRs allowing new agricultural treatment units. PG&E requests that the timing for completion of the investigation be tied to the approval of the investigation plan rather than approval of the WDRs. Otherwise, if there is a significant time period between PG&E's submittal of the investigation plan (due within 3 months of the approval of WDRs) and its approval, it may be infeasible to complete the investigation for reasons beyond PG&E's control. PG&E requests the following revision to WTR-MM-5 on Final EIR page 3.1-122:

Responses

2. See response to comment 1 regarding why maximum background values are appropriate to define significant impacts that trigger mitigation rather than the unknown future MCL for Cr6.

"Actually affected wells" for the purposes of EIR mitigation are determined using exceedances of the maximum background chromium values as one threshold. This criterion is based on the significance criteria specified in the Draft and Final EIR.

Because it is unknown at this time what the future MCL for Cr6 might be, using the future MCL to define affected wells could result in one of two unacceptable situations:

- a. If the MCL is set lower than the maximum background level for Cr6, affected wells could include those containing naturally-occurring Cr, requiring PG&E to mitigate impacts for which it may not be responsible for. This would be inconsistent with State of California policies and regulations, and CEQA regulations.
- b. If the future MCL for Cr6 was adopted at a level higher than maximum background, then a well would not be considered affected until the Cr6 levels rose to exceed that MCL. Depending on the level of the future Cr6 MCL, this could allow significant degradation to the water quality in the aquifer, inconsistent with the State Board's Resolution 68-16 (Statement of Policy with Respect to Maintaining High Quality Waters).

Therefore, no revisions to the Final EIR are proposed.

3. PG&E has already been collecting TDS and uranium data for agricultural fields currently in operation and could reasonably submit its investigation plan within months of the approval of a general WDR, having still more than half a year to complete the investigation. Thus, the request to have up to a year following workplan approval does not appear necessary. However, in the unlikely occurrence that Water Board staff's approval of an

investigation plan is delayed such that completing the investigation within one year of WDR approval is not feasible, PG&E may always request an extension to the due date for the investigation completion.
Therefore, no revisions to the Final EIR are proposed.

The investigation shall be completed within one year of Water Board approval of WDRs allowing new agricultural treatment units the investigation plan.

Revise Text Regarding a Potential Leak of Chromium

The presence of the northwestern plume finger, which was noted in the Fourth Quarter 2012 Report, is discussed in the response to comments in Volume 1 and in text changes made to Volume 2 (the Draft EIR). The discussion of the northwestern plume finger is not consistent across the EIR. The master response to comment on the chromium plume boundary control (pages 3-6 of Volume 1) and the additions to the Project Description (pages 2-5 of Volume 2), acknowledge that there are several possible explanations for the plume finger. To better understand the cause, this "new area is presently being investigated to determine the migration pathway for chromium." (Volume 2, p. 2-5.) The text on page 3.1-50, however, is inconsistent with this statement. That text draws conclusions about the migration pathway despite the statements in other sections that further assessment is ongoing and necessary to determine the pathway. Accordingly, we suggest modifying the text on page 3.1-50, lines 13 to 16, as follows so that it is consistent with statements that the migration pathway is not yet known:

Plume migration may be explained several different ways, but the actual cause has not yet been determined. The area is being investigated to determine the migration pathway for chromium, appears to be a result of two actions: pumping from an agricultural well-near-Hinkley-Road and significant decreased-freshwater injection into-well IN 03. The Water Board will be requiring that PG&E conduct corrective actions to re-establish the freshwater barrier and contain the plume once the cause of migration has been determined,—migration back to the original configuration.

5. Revise the Mitigation Measure for Greenhouse Gas Emissions

The County instituted a Greenhouse Gas Reduction Plan in 2011 that aims to decrease the overall emissions attributable to new development in the County by 31% from projected 2020 unmitigated emissions. (GHG Emissions Reduction Plan, Appendix A at p. 61.) Under that plan, projects that do not exceed 3,000 MTCO₂e per year are considered to be consistent with the plan's reduction goals. (Id. at p. 4-5.) For projects exceeding 3,000 MTCO₂e per year, the County may use screening tables that have a point system to determine appropriate GHG reduction measures. (Id.) If screening tables are not used, the project is required to "quantify project specific GHG emissions or otherwise demonstrate that project specific GHG emissions achieve the equivalent level of GHG emissions efficiency as a 100-point project." (Id. at p. 4-6.) The plan does not require individual projects with emissions that exceed 3,000 MTCO₂e per year to necessarily reduce emissions by 31%. Instead, the requirement is to reduce emissions to a point where the emissions from the project "when considered together with those from existing

Responses

4. While the wording in various sections of the EIR regarding the western plume finger is not exactly the same, Water Board staff do not believe that this presents an inconsistency. On page 3.1-50, the paragraph states that the migration of the plume finger "appears to be a result of two actions" This is not a conclusive statement on the cause of plume migration, and the two actions discussed in that paragraph are reasonable scenarios based on pumping and injection data.

Therefore, no revisions to the Final EIR are proposed.

5. The 100-point screening table is appropriate for residential and commercial projects. The EIR project (groundwater remediation) does not fit into the screening table framework and thus it would be inappropriate to do a 100-point equivalent. The 100 points corresponds roughly to 31% on average. Thus, the project should be required to reduce emissions by 31%.

Therefore, no revisions to the Final EIR are proposed.

development, will allow the County to meet its 2020 target and support longer-term reductions in GHG emissions beyond 2020." (Id. at p. 4-5.)

Mitigation measure AIR-MM-8 requires PG&E to comply with the County's GHG emission reduction standards. The mitigation measure mischaracterizes the requirements of the reduction plan, however, by requiring an alternative with GHG emissions that exceed 3,000 MTCO $_2$ e to reduce those emissions by 31% rather than to comply with reduction measures in the screening table or demonstrate efficiency equal to 100 points. To avoid potential conflicts between the County's requirements and this EIR $_2$ we suggest the following changes to the text on page 3.5-44, lines 1 to 9:

If any alternative is confirmed to be more than 3,000 MTCO₂e per year, then instead of the requirements above in Mitigation Measure AIR-MM-7 and the requirements described above, PG&E will be responsible to reduce emissions by amounts required by the County's Greenhouse Gas Reduction Plan-at least 31% percent. In this case PG&E will work with County Planning and submit any required evidence that emissions will be reduced by required amounts₂ anticipated to be a minimum of 31 percent

6. Revise Mitigation Measures that Require the Approval of CDFW for Issues Outside of CDFW's Jurisdiction

The Final EIR has been revised to add the requirement that the California Department of Fish and Wildlife ("CDFW") approve certain mitigation measures related to special status plant species. PG&E believes that the Water Board is the more appropriate agency to make such approvals. Because there is no specific application that PG&E will be submitting to CDFW, the process to obtain CDFW's approval is unclear. Without a clear approval process, trying to obtain CDFW approval could negatively affect the Water Board's implementation schedule. Accordingly, deleting the requirement that CDFW approve measures related to special status plant species would provide the Water Board greater control over the project's timing.

Further, case law supports the Water Board retaining approval authority over this mitigation measure. (See, e.g., Ass'n of Irritated Residents v. County of Madera (2003) 107 Cal.App.4th 1383 [county was not required to conduct protocol-level surveys].) The changes proposed below, which delete the requirement to obtain approval from CDFW, will not lessen the certainty that the mitigation will be effective because it is reasonable to assume that the Water Board will enforce the mitigation and, as revised, CDFW would still have the opportunity to comment on the mitigation through a consultation process. Moreover, the changes would be consistent with CDFW's statements that it does not have authority to approve projects (although it can impose conditions when approving a Section 2081 permit or streambed alteration agreement), but instead offers expert advice through consultation with the permitting agency. (See, e.g., Cal. Energy Commission Webpage, available at http://www.energy.ca.gov/windguidelines/faq.html.)

Responses

6. PG&E is correct that there is no formal approval process through the California Department of Fish and Wildlife regarding mitigation for impacts to special status plants. Therefore, deleting the requirement that CA DFW approve measures related to special status plants is appropriate. Water Board staff will consult with appropriate agencies as needed, and retain the ability to enforce mitigation measures related to special status plants.

The Final EIR will be revised as suggested.

For the reasons stated above, we request the following revisions mitigation measure BIO-MM-10 on page 3.7-55, lines 20 to 34:

- If any listed plant species are observed during focused surveys of the work areas, the extent of the population will be clearly demarcated in the field by protective fencing, lath stakes, and/or flagging, as appropriate, for avoidance and the regulatory agencies will be notified. If project related impacts to a listed plant species will occur, initiation of consultation with CDFGW or USFWS as appropriate will be required. Avoidance of listed species is the first priority; disturbance shall only be approved if the Water Board, CDFG and/or USFWS all determines, after consultation with CDFW and/or USFWS and approval of the appropriate agency if a take permit is required, that complete avoidance is infeasible.
- If any plant species that are not listed under CESA or ESA but are
 identified as special-status species ("non-listed plant species") are
 observed during focused surveys of the work areas, the extent of the
 population will be clearly demarcated in the field by protective fencing,
 lath stakes, and/or flagging, as appropriate, for avoidance... Avoidance
 of non-listed, but rare species is the first priority; disturbance shall only be
 approved if the Water Board and CDFG-both determines, after
 consultation with CDFW, that complete avoidance is infeasible.
- Clarify Discussion of the Mojave Fringe Toed Lizard Habitat Location and Revise the Mitigation for Potential Impacts to that Habitat

The final EIR adds a few sentences that discuss the location of habitat suitable for the Mojave fringe-toed lizard. We agree that Mojave fringe-toed lizards could live in desert dunes (habitat and soil), and according to Figure 3.7.1, this habitat exists south of the Mojave River and in a small area in the northwestern portion of the project area. Accordingly, we suggest that you make the following correction on page 3.7-42, lines 8 to 10:

Desert dunes habitat is located in the south part of the project area (below the Mojave River) and in the northwesterneasters part of the project area (See Figure 3.7.1).

The final EIR also adds a mitigation measure in response to a comment from CDFW to reduce potential impacts to Mojave fringe-toed lizard habitat. (Final EIR at p. 3.7-55.) CDFW requested that the mitigation measure require replacing lost habitat at a ratio of 3 to 1.

Notably, CDFW did not state whether this was a minimum ratio and did not suggest that the ratio should apply to mitigate temporary, rather than permanent, impacts to habitat. We are mitigating temporary impacts to other species' habitat, such as the Mojave ground squirrel and desert tortoise, at a ratio of 1 to 1. Although CDFW did not suggest that temporary impacts to Mojave fringe-toed lizard habitat had to be mitigated, if it does, it should be at no more than a 1

Responses

 The first part of this comment suggests a revision to correct an error describing where habitat for Mojave fringe-toed lizards occurs in the project area.

The Final EIR will be revised as suggested.

The second part of comment 7 suggests clarifying that the 3:1 ratio for compensatory mitigation for the loss of Mojave fringe-toed lizard applies to permanent loss of habitat, rather than temporary impacts. This is correct.

The Final EIR will be revised as suggested.

to 1 ratio, which would be consistent with the EIR's treatment of the Mojave ground squirrel and desert tortoise.

To clarify the mitigation requirements, we suggest modifying mitigation measure BIO-MM-1p on page 3.7-55, lines 40 to 42, as follows:

Compensatory mitigation for the loss of Mojave fringe-toed lizard habitat will be determined through consultation with CDFGW. The minimum-compensation ratio for the permanent loss of suitable Mojave fringe-toed lizard habitat will be 3:1

8. Conclusion

The changes proposed above will make the EIR more accurate and comprehensive than it is now. These changes do not alter the alternatives analyzed by the EIR or introduce new information that suggests an alternative would have a potentially significant environmental impact that has not already been addressed. The proposed text changes merely clarify, amplify, and make insignificant modifications to the EIR to make it more accurate, and therefore, if accepted, would not require the Water Board to recirculate the EIR. (See 14 Cal. Code Regs. § 15088.5(b).) Please contact me if you have any questions or would like to discuss any of the above suggestions further.

Sincerely,

Juan M. Jayo

Anne Holden, Lahontan Regional Water Quality Control Board Rich Walter, ICF International

Responses

ERRATA SHEET

FINAL ENVIRONMENTAL IMPACT REPORT, COMPREHENSIVE GROUNDWATER CLEANUP STRATEGY HISTORICAL CHROMIUM DISCHARGES FROM PG&E'S HINKLEY COMPRESSOR STATION, SAN BERNARDINO COUNTY

The following revisions, shown in strikeout and underline format, are made to the Final EIR.

Section, pages, line numbers	Revision
3.7, 3.7-42, lines 8 to 10	Desert dunes habitat is located in the south part of the project area (below the Mojave River) and in the northwestern eastern part of the project area (See Figure 3.7.1)
3.7, 3.7-55, lines 20 to 34	• If any listed plant species are observed during focused surveys of the work areas, the extent of the population will be clearly demarcated in the field by protective fencing, lath stakes, and/or flagging, as appropriate, for avoidance and the regulatory agencies will be notified. If project related impacts to a listed plant species will occur, initiation of consultation with CDFG and or USFWS as appropriate will be required. Avoidance of listed species is the first priority; disturbance shall only be approved if the Water Board, CDFG and/or USFWS all determines, after consultation with CDFG and/or USFWS and approval of the appropriate agency if a take permit is required, that complete avoidance is infeasible.
	• If any plant species that are not listed under CESA or ESA but are identified as special-status species ("non-listed plant species") are observed during focused surveys of the work areas, the extent of the population will be clearly demarcated in the field by protective fencing, lath stakes, and/or flagging, as appropriate, for avoidance. Avoidance will occur to the maximum extent feasible. If impacts are proposed to non-listed CRPR rank 1A, 1B, or 2 plant species, a brief analysis will be completed to determine the appropriate mitigation. Additional measures as a result of this analysis may be required, such as seeding, transplanting, collection of seeds to be used for the future conservation of the species, and/or compensatory mitigation habitat. Avoidance of non-listed, but rare species is the first priority; disturbance shall only be approved if the Water Board and CDFG both determines, after consultation with CDFG, that complete avoidance is infeasible.
3.7, 3.7-55, lines 40 to 42	Compensatory mitigation for the loss of Mojave fringe-toed
	lizard habitat will be determined through consultation with CDFG. The minimum compensation ratio for the permanent loss of suitable Mojave fringe-toed lizard habitat will be 3:1.

EXHIBIT 2



Kevin M. SullivanPrincipal Remediation
Specialist
Hinkley Remediation
Project

3401 Crow Canyon Rd San Ramon, CA 94583 (925) 415-2615 kmsu@pge.com

November 5, 2012

Anne Holden Engineering Geologist & EIR Project Manager California Regional Water Quality Control Board, Lahontan Region 2501 Lake Tahoe Boulevard South Lake Tahoe, California 96150

Subject: Draft Environmental Impact Report, Comprehensive Groundwater Cleanup Strategy for Historical Chromium Discharges from Pacific Gas and Electric Company's Hinkley Compressor Station San Bernardino County

Dear Ms. Holden:

Pacific Gas and Electric (PG&E) submits the attached comments (Attachments 1 and 2) on the Draft Environmental Impact Report (EIR) released by the Lahontan Regional Water Quality Control Board (Water Board) in August 2012 for the Groundwater Cleanup Strategy for the PG&E Hinkley Compressor Station site located in Hinkley, California.

The EIR document provides sufficient flexibility required to implement the final groundwater remedy in the most efficient and least impactful manner. The six alternatives analyzed in the EIR (4B through 4C-5) provide a range of options that weigh the speed of groundwater cleanup against potential environmental impacts. PG&E believes that the most beneficial alternative is either Alternative 4B or 4C-2, as both of those alternatives provide the best balance between clean-up speed and minimization of potential environmental impacts. In addition, those alternatives are consistent with PG&E's on-going efforts to actively and effectively remediate the hexavalent chromium groundwater plume utilizing proven technologies previously approved by the Water Board, namely the operation of agricultural units in the northern portion of the plume and in-situ treatment in the southern higher-concentration areas.

30-1

Over the past several years, under the regulatory oversight of the Water Board, PG&E has collected extensive data on the effectiveness of and potential impacts from the operation of agricultural treatment units and in-situ treatment. We have also collected data for constituents other than chromium as part of our voluntary Whole House Replacement Water program. While the EIR appropriately utilizes all of this existing data to determine the effectiveness and potential impacts of the remedial alternatives, we believe that the EIR and related permits should also acknowledge that the implementation of the remedy can be optimized during the operational period to reduce impacts. This can be done using such features as crop rotation and advanced irrigation strategies in the agricultural treatment units, to reduce the amount of by-products that are generated. The EIR and related permits should be flexible enough to allow for such future optimization efforts to reduce by-products and address potential impacts as they develop and are

30 - 2

observed. Absent such flexibility, the potential impacts may be overestimated in this EIR and in turn the mitigation measures will be unnecessarily over-reaching.

30-2 cont'd

With respect to the mitigation measures, PG&E believes that the environmental impacts of the mitigation measures should also be considered in the impacts analysis and should not be more disruptive and impactful that the original impact. In particular, the time frames proposed for the completion of the potential post chromium remediation mitigation measures are unrealistically short, technically impracticable and are not in proportion to the overall aquifer remediation program. For example, Total Dissolved Solids (TDS) mitigation could potentially require the construction and operation of a reverse osmosis treatment system to remove TDS from the aquifer. Impacts from such a system should be considered in the impacts analysis. Further, we suggest that the EIR allow for consideration of natural restoration processes and/or basin-wide solutions that achieve the same basin-wide restoration goals with reduced environmental impacts; these options are discussed more thoroughly in Attachment 2.

30-3

30-4

PG&E is committed to continuing the substantial progress we've made in cleaning up the hexavalent chromium groundwater plume. Since beginning operations in 2004, the Desert View Dairy Land Treatment Unit has treated over one billion gallons of extracted groundwater. In 2010, PG&E began to expand agricultural operations, increasing extraction capacity from 168 million gallons per year in September 2009 to 546 million gallons per year in September 2012. In addition, in-situ remediation efforts have reduced hexavalent chromium concentrations across 54 acres of the plume core from over 1,000 ppb (parts per billion) to less than 3.1 ppb. Continuing to implement these proven technologies is in the best interest of all the stakeholders and is consistent with the historical agricultural presence in Hinkley. Increased agricultural presence in the Hinkley Valley will support local dairies as well as local agriculture, dairy-related jobs and local economic activity. These alternatives also minimize the long-term negative effects, such as excessive aquifer drawdown, by-product generation, unsightly treatment plant construction and long-term truck traffic.

30-5

30-6

We look forward to continue to work together with the Water Board and the community of Hinkley, on selection of a final remedy that appropriately balances the speed of the cleanup with the least amount of environmental impacts.

30-7

PG&E appreciates this opportunity to comment on the EIR. If you have any questions, feel free to contact me at (925) 415-2615.

Sincerely.

Kevin M. Sullivan

Enclosures:

Attachment 1 – Main Comment Table

Attachment 2 - Discussion of Alternate Mitigation Options for Effects due to Agricultural

Treatment

Attachment 1 – Main Comment Table Hinkley Comprehensive Groundwater Cleanup Strategy Draft Environmental Impact Report

Comments of Pacific Gas and Electric Company November 5, 2012

Page	Lines	Comment	
		ECT DESCRIPTION	
2.0-20 ES-9	25-27 6-7	The statement, "This expansion is proposed to achieve and maintain year-round extraction/hydraulic control of the plume movement to foster faster cleanup periods compared to Alternative 4B" is not accurate. Alternative 4B includes year-round extraction and achieves year-round hydraulic control, as indicated by the hydraulic analysis in Addendum 3 of the Feasibility Study (Figure 8). The difference between Alternative 4B and Alternative 4C-2 is the amount of winter pumping. The following revision is suggested to resolve this issue:	30-8
2010	20	"This expansion is proposed to increase winter pumping rates and to foster faster cleanup periods compared to Alternative 4B"	
2.0-18	39	For Alternative 4B, there would still be pumping and treatment during winter months, although at a lower rate than the 4C series alternatives. The statement "land treatment will not occur during winter months," is inaccurate and should be deleted.	30-9
2.0-23	1-5	The size of the two aboveground treatment plants associated with Alternative 4C-3 would total approximately 81,060 square feet, which is approximately five times larger than the aboveground treatment plant at Topock. Given the comparison of the proposed plants with "similar operations that have been implemented by PG&E at its Topock site" in the preceding text, the following language should be included for context: There would be up to a total of two above-ground treatment facilities, in structures of approximately 81,060 square feet (approximately five times the size of the existing above-ground treatment plant at Topock). One treatment facility would be located generally near the Compressor Station adjacent to the southern boundary of the Source Area IRZ in OU1, and one treatment facility would be located generally near the Desert View Dairy adjacent to the northwestern boundary of OU2.	30-10
2.0-33	6	The discussion in the section regarding the operating characteristics of wells applies to monitoring wells as well. Thus, revise "extraction and injection" to "extraction, injection, and monitoring"	30-11
2.0-33	32	The description of the well operation only refers to "freshwater supply wells." Add a description of well operation for monitoring wells by inserting the following new text: Monitoring wells would also continue to be operated as under existing conditions. The wells will be used for groundwater samplings and water	30-12
		level readings, with samples being taken quarterly, semi-annually, annually or less frequently, depending on the well. PG&E may sometimes sample more frequently at a new well. Monitoring wells may be established throughout the project area. Access to the wells is	

		generally from existing secondary roads or from public streets where feasible.	30-12 cont'd
Various	Tables and	Proposed changes and additions to Section 2 tables and figures are attached to	T 30-13
CIVADE	Figures	this table.	I T as is
СНАРТ	CHAPTER 3 - EXISTING CONDITIONS		
2 1 5	Table 2.1.2	Chapter 3.1 – Water Quality The Ne Project elegant time from so in the EIR may be expended and an expense of the EIR may be expensed in the EIR may be expe	 -
3.1-5	Table 3.1-2	The No Project cleanup timeframes in the EIR may be overestimated. Based on groundwater modeling, we recommend revising the estimated No Project	
	Table ES-1	timeframes as follows:	30-14
3.1-66	Table 3.1-	 Total chromium MCL (50 μg/L): 6 years 80% Chromium Mass Removal: 10 to 13 years 	30-14
3.1-00	11	• Maximum background (3.1 µg/L): 75 to 150 years	
	11	• Average background (1.2 μg/L): 130 to 220 years	
3.1-5	Table 3.1-2	It appears that the maximum drawdown at scaled flows was estimated overly conservatively, perhaps assuming a linear relationship between flowrate and maximum drawdown. As the project is scaled, pumping would occur in areas outside of the FS pumping center, for example in areas to the north, and, as such, maximum drawdown at the FS pumping center is not expected to increase linearly with the scaling. It should be noted that the scaled maximum drawdown estimates are likely conservative. For additional comments on this issue refer to	30-15
		the comment on Table 3.1-8 (page 3.1-55).	
		The number of potentially affected wells listed on Table 3.1-2 does not match with the quantities shown on Table 3.1-8. Please revise Table 3.1-2 to make the numbers match those listed in Table 3.1-8.	30-16
3.1-6	Table 3.1-2	The analysis indicates that the amount of plume bulging increases with increased in situ flow rates for Alternatives 4C-2, 4C-3, and 4C-5 over existing conditions, without considering the additional extraction for agricultural treatment in OU-1 in those alternatives. The additional extraction in those alternatives should decrease the potential for bulging in those alternatives in comparison with existing conditions. Accordingly, the text in the third row of the table under the columns corresponding to Alternatives 4C-2 and 4C-3 should be revised as shown:	
		Injection for in-situ remediation, higher pumping rate (431 gpm) increases potential for plume "bulging," <u>but the addition of the three AUs in OU1 reduces the potential for plume bulging in comparison with Alternative 4B and the No Project Alternative.</u>	30-17
		The text in the third row of the table under the column corresponding to Alternatives 4C-5 should be revised as shown:	
		Injection for in-situ remediation, higher pumping (244 gpm) than existing increases potential for plume "bulging," but lower than other alternatives the addition of the three AUs in OU1 reduces the potential for plume bulging in comparison with Alternative 4B and the No Project Alternative.	
3.1-9	11-15	The EIR should clarify that the MCL for total chromium regulates Cr[VI]. In fact Cr[VI] represents that vast majority of health risk that drives the MCL for	30-18

Attac	hment	1

		Little Control of the	1 1
		total chromium. (For further discussion, see our comment to page 1-9 of the EIR on this same topic). Accordingly, revise the text as follows:	
		on this same topic). Accordingly, revise the text as follows:	
		Maximum Contaminant Levels are federal enforceable limits for	
		contaminants in drinking water. The federal rules for chromium include a	
		Maximum Contaminant Level of 100 parts per billion (ppb) for total	
		chromium. There are two forms of chromium, Cr[VI] and Cr[III], that	30-18
		may be significant as drinking water contaminants. Chromium III has not	cont'd
		been shown to be carcinogenic to animals or humans by the oral route.	
		Thus the MCL for total chromium protects against the health risks	
		associated with Cr[VI]. There is no established federal Maximum	
		Contaminant Level for Cr[VI]. Federal Maximum Contaminant Levels	
3.1-13	27	are presented below in Table 3.1-3.	T 20 10
		Change "pm" to "ppm." The Harmon Lebel is in the incorrect leastion on this figure. Places may the	$\frac{1}{2}$ 30-19
After	Figure 3.1-2	The Harper Lake label is in the incorrect location on this figure. Please move the	30-20
3.1-22	21	label to the correct location.	<u> </u>
3.1-23	21	The settlement agreement should be referenced in the EIR in the same way that it	
		is referenced in the Board's February 1, 2012 announcement of the agreement,	
		and consistent with the terms of the Agreement itself, which notes in the recitals	30-21
		that the question of violations is disputed. Therefore, prior to the word	30-21
		"violations" in line 21, the word "alleged" should be inserted. This is the same	
		terminology as used in the Water Board's announcement of the proposed	
2.1.24	20.40	settlement.	Ţ
3.1-24	38-40	The delineation of the northern boundary of the plume has been a key concern	
		from the public in the public meetings on the EIR. Therefore, to provide more	
		information about what is being done to delineate the boundary, revise the text as	
		follows:	
			30-22
		At present, the plume is thought to be at least 5.5 miles north of the	30-22
		Compressor Station, but the northern boundary is not fully delineated yet:	
		ongoing assessment is being conducted and a revised background study	
		has been proposed and is currently under review by the Water Board. The	
		plume length, however, was greatly influenced by pumping and	
2 1 20	10.22	movement by others instead of under natural conditions.	Ţ
3.1-29	19-23	The TDS concentrations near the Hinkley Compressor station are subject to	
		many mechanisms that impact concentration and movement, including nearby	
		farming/dairy activities, fluctuating groundwater levels, and natural groundwater	
		movement. PG&E is not aware of any studies that concluded that the pumping	
		of PG&E's station water supply wells pulled TDS south to the station	
		property. A review of gradient data obtained since the mid-1990s (while the	
		station supply wells were in operation) does not show evidence of any significant	
		southward gradients. Given the farming and dairy activities adjacent to PG&E's	20.22
		Hinkley station, it would require significant study to sort out whether TDS	30-23
		present in groundwater near PG&E's Hinkley station came from farming and	
		dairy activities south, east, west, or north of the station. A similar point can be	
		made about chromium levels near the Hinkley station supply wells. It would	
		require additional study in order to conclude that any chromium in a certain area	
		of the Hinkley station was pulled to that location by Hinkley station supply well	
		pumping as opposed to a number of additional mechanisms, including naturally	
		occurring chromium levels in the groundwater and natural groundwater	

	I	I may a sum and	ı 1
		movement.	30-23
		Since this text is speculative and not critical to the EIR, it should be deleted.	cont'd
3.1-31	1-2	The EIR states that half of the lysimeters are currently yielding nitrate concentrations of more than 10 ppm [as nitrogen]. However, only 3 of 14 wet lysimeters (approximately 20 percent) yielded concentrations of nitrate above 10 mg/L N in the fourth quarter 2011. Therefore revise the text as follows: Current data from the agricultural treatment unit reveals that 3 about half of the 14 samples from lysimeters in the alfalfa fields have yielded samples with nitrate concentrations of less than 1 ppm, and half of the samples have nitrate concentrations of more than 10 ppm. About half of the lysimeters have yielded samples with nitrate concentrations of less than 1 ppm.	30-24
3.1-39	21	Revise the text to reflect the fact that the revised manganese mitigation plan was submitted in May 2012, rather than March 2012.	30-25
3.1-40	23-26	The EIR's reference to occupational studies of Cr[VI] exposure should be clarified by noting that the occupational studies were based on exposure in industrial settings, so that the reader understands that these results are limited to such settings and not based on domestic or household exposures. We recommend the following changes: While Cr[VI] has long been recognized as a cancer-causing substance (also referred to as a "carcinogen") via inhalation in occupational and industrial settings, there is sufficient evidence that Cr[VI] is also carcinogenic by the oral route of exposure (meaning drinking or consuming) at high concentrations, based on studies in rats and mice conducted by the National Toxicology Program (OEHHA 2010).	30-26
3.1-40	36-41	The EIR's reference to occupational studies of Cr[VI] exposure should be clarified by noting that the occupational studies were based on exposure in industrial settings, so that the reader understands that these results are limited to such settings and not based on domestic or household exposures. We recommend the following addition: Mice that ingested drinking water containing high doses (14,000 ppb or greater) of Cr[VI] had statistically significant increases in stomach, oral cavity, and intestine tumors compared to control subjects (OEHHA 2010). Review of occupational studies in which humans were exposed to Cr[VI] in industrial settings primarily by the inhalation route identified reports of significantly increased risk of lung cancer. It is estimated that exposure to airborne Cr[VI] is 1000 times more potent than exposure from drinking water (OEHHA 2009).	30-20
3.1-42	4	Revise the text to reflect that the formula for sodium chloride is "NaCl", rather	T 30-27
		than "NACl ₂ ".	1 1 20 2,

Αt	ta	\sim	h	m	Δ	n	ŀ	1
ΑI	เส	(.			н:			

3.1-46	16-24	The EIR states that there is no current MCL for Cr[VI]. Although that is true, the EIR should clarify that the MCL for total chromium governs the standard for Cr[VI] until the Department of Public Health sets an MCL for Cr[VI]. The MCL for total chromium is largely based on health risks associated with Cr[VI]. In addition, the EIR should state that if the Department of Public Health sets an MCL for Cr[VI], that MCL would constitute the applicable threshold of significance.	30-28
3.1-46 3.1-47	25-36 1-8	A significance criteria was added for any wells that have detectable Cr[VI] concentrations below maximum background levels within one mile of the plume,	
		but whose Cr[VI] increases. This significance criteria is not appropriate, because concentrations of Cr(VI) may increase below the maximum background concentration and be unrelated to remedial actions. Accordingly, the Water Supply Well Impacts (Hexavalent Chromium) significance criteria should be revised as follows: • Impacts to water supply wells are considered significant when remedial actions cause concentrations of hexavalent chromium in a water supply well that was previously below background levels to exceed background levels. • If water supply wells already contain hexavalent chromium that exceed background levels, and remedial actions cause an increase in concentration by 10% or more and is statistically significant, this is also considered significant. • If and when California adopts a MCL for hexavalent chromium, if the MCL exceeds the Hinkley Valley background level, then the MCL would constitute the applicable threshold of significance the background level shall continue to be used as the significance eriteria due to the evidence of potential health effects from concentrations above the PHG. If the MCL is less than the Hinkley Valley background level, then the background level shall also continue to be used as the significance criteria because PG&E is only responsible for levels that exceed background levels. • Because the plume is defined by the maximum background hexavalent chromium level, it is possible that wells may be affected by hexavalent chromium contamination due to remedial actions cause an increase in concentrations of hexavalent chromium within a water supply well within 1 mile of the defined chromium plume. This criterion is also designed to address the potential for wells to become affected in a short period of time after detection of increased hexavalent chromium levels in groundwater nearby due to remedial actions.	30-29

30-30

30-31

3.1-47	9-26	The EIR states that the MCL for total chromium is "outdated" because it does not consider the health threat from Cr[VI]. The MCL for total chromium is largely based on health risks associated with Cr[VI] and is not outdated for this reason. In addition, the EIR should state that if the Department of Public Health sets an MCL for Cr[VI], that MCL would constitute the applicable threshold of significance. Accordingly, the EIR should be revised as follows: The existing California MCL for total chromium of 50 ppb is not used as a significance criterion for this EIR because (1) the ratio of hexavalent to total chromium in the Hinkley Valley is high (PG&E's groundwater monitoring report data show that 85 to 100% of the chromium detected in monitoring wells is in the hexavalent form) and (2) the MCL is outdated as it does not consider the more recent health data and information for hexavalent chromium; therefore, the MCL for total chromium is not
		adequately sensitive to determine significant impacts. Instead, the maximum background level for total chromium (currently 3.2 ppb Cr[T]) will be used as a significance criterion. If the Department of Public Health sets an MCL for Cr[VI], that MCL would constitute the applicable threshold of significance.
		Impacts to water supply wells are considered significant when remedial actions cause concentrations of total chromium in a water supply well that was previously below background levels to exceed background levels.
		Because the plume is defined by the maximum background total chromium level, it is possible that wells may be affected by chromium contamination due to remedial action at detectable levels below the maximum background level. Thus, impacts are also considered significant when remedial actions cause an increase in concentrations of total chromium within a water supply well within 1 mile of the defined chromium plume.
3.1-47 3.1-48	27-44 1-7	A 10 percent threshold for wells that start out above an MCL may not be significant. For instance, if an initial concentration of arsenic is 10 ppb, a change of 10 percent to 11 ppb may be natural variation and not significant. To address this issue, it is recommended to include statistical significance in the evaluation.
		In addition, the analysis of whether remediation byproducts would violate water quality standards or Waste Discharge Requirements or otherwise substantially degrade water quality, the EIR should clarify that the project must cause the increase in concentrations of remediation byproducts before mitigation will be imposed. The EIR should use the phrase "due to remedial actions" as stated in MM-2a.
		Accordingly, please rewrite the text starting on line 33 as follows:
		If a water supply well has concentrations of these remediation byproducts that currently exceed a California primary Maximum Contaminant Level (see Table 3.1-3), then a 10% increase above

		current levels in a water supply well due to remedial actions, which is also statistically significant, is considered significant (unless it can be demonstrated that an increase is statistically significant at a different level). This criterion is set to address the significance threshold of substantial degradation to water quality, and the 10% increase level is set conservatively to recognize the known and recognized health risks associated with these constituents in drinking water. • If a water supply well has concentrations of these remediation byproducts that currently exceed a California primary Maximum Contaminant Level (see Table 3.1-3), then a 10% increase above current levels in a water supply well due to remedial actions, which is also statistically significant, is considered significant (unless it can be demonstrated that an increase is statistically significant at a different level). This criterion is set to address the significance threshold of substantial degradation to water quality, and the 10% increase level is set conservatively to recognize the known and recognized health risks associated with these constituents in drinking water. • If a water supply well has concentrations of these remediation byproducts that are currently less than a California primary Maximum Contaminant Level (see Table 3.1-3) then a 20% increase above current contaminant levels in a water supply well is considered significant (unless it can be demonstrated that an increase is statistically significant at a different level). This criterion is set to address the significant centreshold of substantial degradation to water quality, and the 20% increase level is set to comply with the State Board Resolution 68-16 and the Nondegradation Objective (Lahontan Basin Plan at p. 3-14). The Nondegradation Objective is an integral part of the water quality objectives contained in the Lahontan Basin Plan, and provides that where the existing quality of water is better than that needed to protect all beneficial uses, that existing hig
3.1-48	21-41	Similarly to the comment above, we suggest to rewrite text on page 3.1-48, lines 21-41 as follows: • If remediation byproduct levels in a water supply currently exceed a Federal or California secondary Maximum Contaminant Level (see Table 3.1-3) or water quality objective (see Table 3.1-4), then a 20% increase above current levels in a water supply well due to remedial actions, which increase is also statistically significant is considered significant (unless it can be demonstrated that an increase is statistically significant at a different level). This criterion is set to address the significance threshold of substantial degradation to water quality. The criterion is set at 20% increase because there are no primary MCLs for these contaminants, only Secondary MCLs. Secondary MCLs are based on taste, odor, and visual thresholds rather than on adverse health effects, and so a higher significance threshold is appropriate.

30-31 cont'd

		• If remediation byproduct levels are currently less than a Federal or California secondary Maximum Contaminant Level (see Table 3.1-3) or water quality objective (see Table 3.1-4), then a 20% increase above current levels in a water supply well is considered significant (unless it can be demonstrated that an increase is statistically significant at a different level). This criterion is set to address the significance threshold of substantial degradation to water quality, and the 20% increase level is set to comply with the State Board Resolution 68-16 and the Nondegradation Objective (Lahontan Basin Plat at p. 3-14).	30-31 cont'd
3.1-55	Table 3.1-8	It appears that the maximum drawdown at scaled flows was estimated overly conservatively, perhaps assuming a linear relationship between flow rate and maximum drawdown. As the project is scaled, pumping would occur in areas outside of the FS pumping center, for example in areas to the north and as such maximum drawdown at the FS pumping center is not expected to increase linearly with the scaling. As such, it should be noted that the scaled maximum drawdown estimates are likely conservative. Comment b should be extended to all alternatives for the Maximum Drawdown	30-32
		at Scaled Flows column. As described in the text on page 3.1-55 lines 5-17, drawdown greater than 30 to 40 feet is not anticipated to be sustainable and pumping would have to be reduced as these levels are approached. This would be particularly the case for the FS extraction rates for Alternatives 4C-3 and 4C-4. For the scaled flows, this would be the case for Alternatives 4B, 4C-2, and 4C-5 as well where the predicted drawdown is listed as greater than 50 feet.	
		Note "b" should reference Table 3.1-7 not 3.1-6. Please revise.	30-33
3.1-56	Table 3.1-9	To ensure that the level of certainty of the information is properly disclosed, add a footnote that states "Groundwater elevations in private wells were estimated based on available data from monitoring wells. The actual number of partially or fully affected private wells may differ."	30-34
3.1-56	24	Based on the sum of the number of wells listed in Table 3.1-9, change "133 wells" to "147 wells."	30-35
3.1-62	Table 3.1-	For comments on this issue refer to the comment on Table 3.1-8 (page 3.1-55).	30-36
3.1-68	21	The EIR indicates that freshwater injection wells have the potential to cause plume spreading. The freshwater injections are designed to be placed sufficiently outside the Cr[VI] plume and would cause a decrease in plume area, rather than an increase. Accordingly, revise the text to explain that the freshwater injection wells are designed to decrease the plume area.	30-37
3.1-68	25-28	A 10 % increase may not be significant, therefore, we suggest revising the text as follows:	Ī
		This impact is considered significant if: • remedial actions cause concentrations of hexavalent or total chromium in a water supply well to increase from below background levels to above background levels or increase by 10% or more and the increase is statistically significant if current levels are exceed the background level; or	30-38

3.1-68	29-30	It appears that lines 29-30 are redundant to the information provided in lines 26-28. Therefore, we suggest deleting lines 29-30.	30-39
3.1-70	14-15	The analysis indicates that the amount of plume bulging increases with increased in situ flow rates for Alternatives 4C-2 over existing conditions, without considering the additional extraction for agricultural treatment in OU-1 in that alternative. The additional extraction should decrease the potential for bulging in those alternatives in comparison with existing conditions. Accordingly, the text should be revised as shown:	
		Thus, w With increased injection and irrigation, there is could be a greater potential for localized plume bulging to occur during implementation, but the addition of the three AUs in OU1 results in net extraction in this area and reduces the potential for plume bulging as compared to Alternative 4B and the No Project Alternative.	30-40
3.1-70	29-30	The analysis indicates that the amount of plume bulging increases with increased in situ flow rates for Alternatives 4C-3 over existing conditions, without considering the additional extraction for agricultural treatment in OU-1 in that alternative. The additional extraction should decrease the potential for bulging in those alternatives in comparison with existing conditions. Accordingly, the text should be revised as shown:	
		Thus, w With increased injection and irrigation, there is could be a greater potential for localized plume bulging to occur during implementation, but the addition of the three AUs in OU1 results in net extraction in this area and reduces the potential for plume bulging as compared to Alternative 4B and the No Project Alternative.	
3.1-70	7, 22, 37	The EIR states, "Freshwater injection for plume control would similar to increased conditions." This sentence appears to be missing a word. Suggest revising the sentence to state "Freshwater injection for plume control would be similar to existing conditions."	30-41
3.1-70 3.1-71	7-40 1-7	Alternatives 4C-2, 4C-3, and 4C-4 include increased extraction in OU1 for additional southern agricultural units. The increased extraction would decrease the potential for spreading of the plume for these alternatives in comparison to Alternative 4B. The influence of southern extraction in these alternatives on the potential for plume spreading should be discussed in this section.	30-42
3.1-71	7, 25	The EIR states, "Freshwater injection for plume control would similar to increased conditions." This sentence appears to be missing a word. Suggest revising the sentence to state "Freshwater injection for plume control would be similar to existing conditions."	30-43
3.1-71 3.1-72	38-41 1-6	A 10 or 20% increase may not be significant, therefore, we suggest revising the text as follows: "Where existing levels of TDS in groundwater in the study area already exceed the secondary Maximum Contaminant Levels (both federal and state), an increase of more than 20% above existing levels and statistically significant is considered significant. Where existing levels of uranium and gross alpha already exceed the primary Maximum Contaminant Level (presently known to occur in wells near the Gorman agricultural treatment unit) a 10% increase in uranium and gross alpha concentrations above current levels and statistically significant is considered significant. In areas where TDS, uranium or other radionuclide levels do not exceed the Maximum Contaminant Levels, this impact is considered	30-44

		significant if levels increase by 20% and statistically significant.	30-44 cont'd
3.1-72 3.1-73	12-43 1-32	The EIR acknowledges on page 3.1-72 that "mitigation of increased TDS concentrations in the aquifer as a whole is generally feasible but challenging. TDS can be removed from water by reverse osmosis or boiling but is expensive and energy-intensive." In addition, moving agricultural units to areas with relatively low TDS is found to be infeasible because it would reduce remedial options available to clean up the chromium plume.	Cont u
		However, the EIR does not acknowledge the duration of addressing TDS using reverse osmosis (RO), which could take just as long as remediating the chromium in groundwater and would likely have additional impacts to the environment, such as biological and cultural impacts resulting from the construction and operation of an RO system and impacts from the off-site transportation and disposal of brine. To potentially meet this requirement, the reverse osmosis plant would have to be large (up to 25,000 square feet) and would require excessive energy use (approximately 5,260,000 kwh). This option also would also generate excessive greenhouse gasses and would be very unsustainable.	30-45
		These significant additional impacts and resulting mitigation measures that would likely have to be evaluated and are not considered in this EIR.	
3.1-73	37-38	Change the reduced form of uranium to U[IV], rather than U[III].	30-46
3.1-74	2	Change the reduced form of uranium to U[IV], rather than U[III].	
3.1-75 3.1-76	13, 35 18, 43	The area shown in figures 3.1-19 to 3.1-22 depict the area of "potential" impacts, rather than the area of "likely" impacts. The hashed areas include downgradient and cross-gradient buffer zones beyond areas that are anticipated to be impacted to be protective and conservative. The areas within these buffers should not be considered to be "likely" impacted because they are included as protective buffers. Therefore, change "likely" to "potential" in the text.	
After 3.1-76	Figures 3.1-19 to 3.1-22	The area shown in figures 3.1-19 to 3.1-22 depict the area of "potential" impacts, rather than the area of "likely" impacts. The hashed areas include downgradient and cross-gradient buffer zones beyond areas that are anticipated to be impacted to be protective and conservative. The areas within these buffers should not be considered to be "likely" impacted because they are included as protective buffers. Therefore, change "likely" to "potential" in the figure titles.	30-47
3.1-77	25	The area shown in figures 3.1-19 to 3.1-22 depict the area of "potential" impacts,	
3.1-84	16, 29	rather than the area of "likely" impacts. The hashed areas include downgradient	
3.1-85	1, 14, 29	and cross-gradient buffer zones beyond areas that are anticipated to be impacted to be protective and conservative. The areas within these buffers should not be considered to be "likely" impacted because they are included as protective buffers. Therefore, change "likely" to "potential" in the text.	
3.1-78	14-18	A 10 or 20% increase may not be significant, therefore, we suggest revising the	l T
		text as follows: "This impact is considered significant if remedial activities would increase nitrate concentrations in groundwater or water supply wells to levels above Maximum Contaminant Levels (if current concentrations are less than the standard) or would increase nitrate concentration by more than 10% and is statistically significant (if current concentrations exceed the standard) or would increase nitrate concentration by more than 20% and is statistically significant (if current concentrations do not exceed the standard)."	30-48

3.1-82	1-6	A 10 or 20% increase may not be significant, therefore, we suggest revising the text as follows:	
		This impact is considered significant if in-situ remediation results in an increase	
		of concentrations above primary or secondary Maximum Contaminant Levels, an	
		increase of 10% or more of arsenic and is statistically significant if current levels	30-48
		are more than the primary Maximum Contaminant levels, an increase of 20% of	cont'd
		more of iron or manganese and is statistically significant if current levels are	
		more than secondary Maximum Contaminant Level, or an increase of 20% or	
		more and is statistically significant if current levels are less than the primary or	
2.1.00	5.7	secondary Maximum Contaminant Levels.	Ī
3.1-90	5-7	The EIR currently requires that, if PG&E fails to acquire adequate water rights,	
		PG&E must implement above-ground treatment. In the unlikely event that	
		PG&E is not able to obtain sufficient water rights, PG&E may be able to modify the remedy in a manner that is sufficient to compensate for any loss in in planned	
		agricultural treatment. Suggest revising the final bullet point as follows:	
		agricultural treatment. Suggest revising the final bullet point as follows.	20.40
		If PG&E fails to acquire adequate water rights and FPA to support agricultural	30-49
		treatment, PG&E will be required to modify the operation of the remedy in a	
		manner sufficient to compensate for any loss in planned agricultural treatment,	
		or implement above-ground treatment adequate to compensate for any loss in	
		planned agricultural treatment.	
3.1-92	33-34	Similar to the comment provided in the significance criteria for remedial by-	Ť
		products, the definition of actually affected wells in WTR-MM-2a should be	
		revised to include a statistical basis, rather than a straight percentage that may	
		not have statistical significance.	
			20.50
		Accordingly, rewrite the text on page 3.1-92, lines 33-34 as follows:	30-50
		• "Concentrations increase by 10% or more <u>and is statistically</u>	
		significant (if the well previously had concentrations that exceed	
		background levels)."	
3.1-93	21-35	Similar to the comment provided in the significance criteria for remedial by-	†
0.1 >0		products, the definition of actually affected wells in WTR-MM-2b should be	
		revised to include a statistical basis, rather than a straight percentage that may	
		not have statistical significance.	
		Accordingly, rewrite the text on page 3.1-93, lines 21-35 as follows:	
		"Actually affected domestic wells" will be defined as any domestic water supply	
		well with remediation byproduct concentrations that exceed any of the following	
		criteria due to remedial actions:	30-51
		criteria due to remediai actions.	
		concentrations above a California primary or secondary Maximum	
		Contaminant Levels if the well currently contains concentrations that are less	
		than California primary or secondary Maximum Contaminant Level or water	
		quality objective; or	
		a 10% and statistically significant increase above current levels if the well	
		has concentrations that currently exceed a California primary Maximum	
		Contaminant Level (unless it can be demonstrated that an increase is statistically	
		significant at a different level); or	
			-

		• a 20% and statistically significant increase above current levels if the well has concentrations that currently exceed a California secondary Maximum Contaminant Level or water quality objective (unless it can be demonstrated that an increase is statistically significant at a different level); or a 20% increase above current levels if the well has concentrations that currently are less a California primary or secondary Maximum Contaminant Level or water quality objective (unless it can be demonstrated that an increase is statistically significant at a different level).	30-51 cont'd
3.1-94	1-3	The EIR currently states, "All wells located within one-half mile downgradient or one-quarter mile cross gradient of an "actually affected domestic well" or an affected monitoring well (when no domestic well exists within these intervals)." The text does not state what the definition of an affected monitoring well is. Additional text should be added to define an affected monitoring well similarly to the requirements of the current WDRs and Notice of Applicability of the IRZs: Defining Actually Affected Monitoring Wells "Actually affected monitoring wells" will be defined as any monitoring well within the remedial action monitoring program which, due to remedial actions, contains remediation byproduct concentrations that increase more than 25 percent above the maximum baseline monitoring well concentration and which are statistically significant.	30-52
3.1-94	6	The phrase "water quality modeling" is unclear. Suggest changing to	
3.1-94	40	'groundwater flow and transport modeling' The text should be revised to describe a Water Board approval of PG&E- provided alternate water supply. Suggest revising text as follows: "If any domestic or agricultural wells are found to be impacted by remedial byproducts (as described below), PG&E will increase monitoring of the impacted well to once-a-month until alternate water supply is provided to the satisfaction of the Water Board well owner, after which monitoring can be reduced to twice-yearly (semi-annual) basis."	30-54
3.1-95	10-15	Mitigation measure WTR-MM-2b, <i>Water-Supply Program for Water Supply Wells Affected by Remedial Activity Byproducts</i> , is overly broad and should not include the requirement to monitor any chemicals applied to fields as fertilizers, pesticides, etc., in the byproducts of agricultural treatment units. The farming community is not currently required to monitor groundwater for applied herbicides, fertilizers, and pesticides. The use of pesticides and fertilizers in accordance with those product's labels and other applicable local, state, and federal environmental laws adequately protects the health of workers, nearby residents, and the environment. For example, pesticide and fertilizer use is regulated by the California Department of Pesticide Regulation and PG&E must follow that department's regulations, as well as the applicable rules in the California Pesticide Contamination Prevention Act. Pesticide sale and use also is regulated by the United States EPA under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). Such state and federal regulations make additional monitoring unnecessary, especially because it exceeds the requirements placed on similarly situated agricultural operators.	30-55

	1	Ţ	1
		Rewrite the following paragraph of mitigation measure WTR-MM-2b as follows: Agricultural treatment unit byproduct monitoring will consist of TDS, and nitrate, and any chemicals applied to fields as fertilizers, pesticides, etc. If the investigation required by Mitigation Measure WTR-MM-5 identifies that agricultural treatment would significantly affect uranium or grossalpha levels in groundwater, then agricultural treatment unit byproduct monitoring will also include uranium, gross-alpha, and any other applicable radionuclide, such as radium.	30-55 cont'd
3.1-95	38-40	Similar to the comment provided in the significance criteria, the definition of actually affected wells in WTR-MM-2c should be revised to include a statistical basis, rather than a straight percentage that may not have statistical significance. Accordingly, please rewrite the text on page 3.1-95, lines 38-40 as follows: • All wells where groundwater drawdown of at least 10 feet occurs and water quality sampling shows at least a 10% increase over baseline conditions and is statistically significant of arsenic, uranium, or gross alpha.	30-56
3.1-97	5-27	As written, mitigation measure WTR-MM-3 contains very detailed specifications for requirements that will be included in the new CAO and associated WDRs for site-wide remediation. The provision of such detailed requirements in the EIR may limit the flexibility for drafting and amending the CAO and WDRs as conditions evolve over time. For instance, the current capture metric specified in R6V-2008-0002A3 may be initially expanded, making some of the current metric components irrelevant, and then be retracted over time as the plume is remediated and shrinks. A provision for a flexible metric that can evolve overtime with the plume would avoid conflicts between the EIR requirements and future changes to the capture metric and boundary monitoring program is suggested, as follows:	Ŧ
		Mitigation Measure WTR-MM-3: Boundary Control Monitoring, Enhancement and Maintenance of Hydraulic Control and Plume Water Balance to Prevent or Reduce Potential Temporary Localized Chromium Plume Bulging	30-57
		The Water Board will include requirements in the new CAO and associated WDRs issued for the remediation for boundary monitoring and requirements for plume containment to be evaluated through establishment of a hydraulic capture metric. The monitoring plan and hydraulic capture metric will be flexible to allow for expansion and contraction of the plume overtime as the entirety of the plume is addressed and remediated. The monitoring plan and hydraulic capture measure is expected to contain the following options as follows:	
		PG&E will develop a Boundary Monitoring Plan to identify the entirety of the chromium plume over time.	

		During remedial pumping and injection activities, PG&E will can limit plume bulges by maintaining hydraulic control with adjustments to pumping rates where necessary, and inward gradients will be maintained as long as necessary to prevent Cr[VI] migration. Hydraulic control can be obtained by capturing the plume at extraction wells. Although the plume can be allowed to move toward these extraction wells, the extraction wells will be designed to stop the spread of the plume beyond the wells. PG&E also may limit plume bulges by adding or modifying the operational design of injection wells.	
		PG&E will operate and maintain the existing groundwater extraction system to achieve and maintain hydraulic capture within targeted areas on a year round basis consistent with CAO R6V 2008-0002A3, (Lahontan Regional Water Quality Control Board 2012). PG&E will expand plume containment and monitoring to include the entirety of the chromium plume over time and develop a contingency plan in case containment is not met.	30-57 cont'd
		 Agricultural treatment units and/or above-ground treatment can be used for water treatment as appropriate to assist with inward hydraulic gradients, plume water balance, and water quality restoration of the aquifer. 	
		 PG&E will implement the Contingency Plan for AU Operations as described in the Feasibility Study Addendum No. 3 (Pacific Gas and Electric Company 2011c). 	
3.1-97 3.1-98	28-40 1-11	WTR-MM-4: PG&E suggests that Water Quality Mitigation Measure 4 be restructured to allow for larger-scale, more effective aquifer management strategies that would achieve the goal of aquifer protection and restoration while maintaining or even improving the productive use of the resource. The logic behind this restructuring is in Attachment 2.	30-58
3.1-97	35-37	Any new impacts that are found to exist in excess of the assimilative capacity of the aquifer due to remedial activities, but not exceeding a water quality objective, will be assessed for their ability to be naturally attenuated. We suggest edits to lines 35-37 as follows:	Ī
		"If the assessment finds that the aquifer contains constituents, exceeding drinking water standards or water quality objectives and are in excess of baseline conditions and of the assimilative capacity of the aquifer, and that these constituents are likely to be present upon the conclusion of remedial actions, PG&E will"	30-59
3.1-97 3.1-98	28-40 1-11	The comments below are offered for Water Board consideration on WTR-MM-4 as written. PG&E suggests a more substantial revision to this which is discussed in Attachment 2 (described two rows above). The comments below are also included in the proposed new text in Attachment 2.	30-60
		First, the measure should recognize that PG&E may be able to operate the	

remedy in a manner that avoids changes in the aquifer baseline conditions.

Second, the requirement to return the aquifer to baseline is overbroad – the aquifer is not static, and there are other farming operations in the Hinkley Valley, as there historically have been for some time. The mitigation measure should be limited to adverse changes that are attributable to the remedy. This is stated to some extent in the measure as currently worded, but needs to be made explicit.

Third, the ten-year time frame for restoration of the aquifer to baseline conditions may be unrealistic. Since there are increases in TDS in groundwater due to agricultural operations at the site and in the Hinkley Valley, we believe that restoring the TDS in the aquifer to background as described in water quality mitigation measure WTR-MM-4 may not be practicable or feasible in the 10 year timeframe indicated in the EIR. As currently drafted, the measure imposes an arbitrary timeline that does not appear to account for its practicability or for the potential secondary impacts of such an aggressive schedule, and the time required for the restoration work should be determined at the time that the comparison to baseline is assessed. Mitigation Measure WTR-MM-4 should accordingly be revised to read as follows:

Mitigation Measure WTR-MM-4: Mitigation Program for Restoring the Hinkley Aquifer Affected by Remedial Activities for Beneficial Uses

This requirement holds PG&E responsible for restoring the Hinkley aquifer back to baseline conditions to the extent changes from baseline conditions are attributable to the implementation of the remedy. PG&E may operate the remedy in a manner that avoids changes to baseline conditions, or PG&E will comply with the following procedures to determine and implement the necessary level of restoration activity.

No later than 5 years prior to the conclusion of the proposed project, PG&E will conduct an assessment to evaluate adverse impacts or potential adverse impacts to the Hinkley aquifer <u>attributable to</u> its remedial actions.

If the assessment finds (a) that the aquifer contains constituents, exceeding drinking water standards or water quality objectives and are in excess baseline conditions, (b) that these constituents are likely to be present upon the conclusion of remedial actions. and (c) that these changes from baseline conditions are attributable to the implementation of the remedy, PG&E will propose cleanup actions to restore the aquifer for beneficial uses as soon as possible, as approved by the Water Board. The assessment shall specify the time required for restoration activities, and aAquifer water quality restoration to baseline conditions will occur within that time frame, subject to adjustment as needed, with approval of the Water Board, based on the implementation of the restoration activities no longer than 10 years after completion of chromium remediation.

30-60 cont'd

		PG&E will monitor these levels in and adjacent to all agricultural treatment units for the duration of operation and propose remedial methods to restore the aquifer to baseline conditions. • If the study of agricultural units indicates that TDS, uranium, and other radionuclide concentrations increase due to in association with agricultural operations associated with remedial actions and boundary monitoring confirms an increase in these levels, then corrective actions and or alternative water supplies will be provided per Mitigation Measure WTR-MM-2 and Mitigation	30-61
		The Water Board will include requirements in the new CAO and/or associated WDRs issued for the remediation as follows: • If TDS, uranium, and other radionuclides levels are determined to increase measurably by a statistically significant amount due to agricultural treatment associated with remedial actions, then	20.61
3.1-98	26-35	Mitigation measure WTR-MM-5 is overly broad. The EIR should clarify that the mitigation measure will be imposed if the impacts it mitigates are "due to remedial actions." The mitigation measure should be revised as follows:	Ī
		 approval of the Water Board or the Mojave Water Agency, based on the implementation of the restoration activities no longer than 20 years after the completion of chromium remediation. Every year afterwards following preparation of the assessment, PG&E must submit a status report of actions to restore the aquifer for beneficial uses. The status report will describe all actions taken over the course of the year and list proposed actions for implementation during the following year. An updated schedule will be provided predicting fulfillment of aquifer restoration. 	
		• If the assessment finds that the aquifer includes groundwater drawdown such that domestic or agricultural wells were still experiencing water supply shortages and require alternative water supplies, and these excess levels are likely to exist upon the conclusion of remedial actions, and these changes are attributable to the implementation of the remedy, PG&E will propose actions to restore the aquifer for beneficial uses as soon as possible, as approved by the Water Board or Mojave Water Agency. The assessment shall specify the time required for restoration activities, and gGroundwater levels will be restored to baseline conditions within that time frame, subject to adjustment as needed, with	30-60 cont'd

		actually affected wells in WTR-MM-6 should be revised to include a statistical basis, rather than a straight percentage that may not have statistical significance.	
		Accordingly, please rewrite the text on page 3.1-99, lines 3-13 as follows:	
		• Given that prior agricultural treatment at the Desert View Dairy has been shown to reduce nitrate levels substantially, it is possible that use of irrigation water with higher nitrate levels may not result in increased nitrate levels in groundwater beneath new agricultural treatment locations. In order to confirm if this is occurring, PG&E will monitor nitrate levels for one year before creating new agricultural treatment units (as feasible without delaying remediation), monitor at the start of new agricultural treatment, and continue monitoring nitrate levels during implementation of all new agricultural treatment units. If nitrate levels do not increase above 10 ppm (as N) or by more than 10% and is statistically significant compared to existing levels (if current levels are already above 10 ppm as N), or by more than 20% and is statistically significant compared to existing levels (if current levels are less than 10 ppm as N) then no further action, other than monitoring, will be required.	30-62 cont'd
3.1-99	25-34	WTR-MM-6: Similar to mitigation measure WTR-MM-4, PG&E requests that nitrate levels in the aquifer also be treated on a basin-wide approach. As noted above on page 3.1-99, line 3 of the EIR, prior agricultural treatment associated with the remedy has substantially reduced nitrates, and any increases associated with the remedy should be netted out or balanced against reductions in nitrates associated with the remedy. Suggest revising lines 33-34 as follows: • "PG&E will be held accountable for implementing remedial methods to	30-63
		restore the aquifer to baseline conditions such that, determined over the basin as a whole, and taking into account any reductions in nitrates associated with the remedy, there is overall no net increase in nitrates associated with the remedy." We believe that well planned agricultural management in the Hinkley Valley could result in more predictable plume hydraulic control, overall lower TDS levels, lower nitrate levels, and greater forage crop production per gallon of water used.	30-03
3.1-99	37	In the text of mitigation measure WTR-MM-6, it appears that the EIR is mixing the use of or interchanging the terms "background" and "baseline" concentrations. These phrases are not interchangeable and the EIR should be revised so that the terms are used consistently throughout the document. For example, the text on line 37 should be revised to use the word "baseline":	†
		PG&E will estimate the duration of nitrate impairment of water quality due to remedial activities and will identify how affected groundwater nitrate levels will return to background baseline conditions prior to the timeframe for remediation of the chromium plume to the established cleanup levels. The duration of nitrate impairment due to remedial activities may possibly extend beyond the time necessary to remediate	30-64

		the chromium plume; the goal of remedial operation in the later stages	30-64
		of the cleanup should be to minimize the duration of all impacts.	⊥ cont'd
3.1-100	14-19	The EIR text currently requires implementation of additional mitigation for insitu remediation by-products, if concentrations above Maximum Contaminant Levels or Secondary Maximum Contaminant Levels are detected. Based on baseline sampling of existing in-situ remediation system monitoring wells, some concentrations of these constituents naturally occur above the water quality standards at baseline. The criteria in these lines should be replaced to allow for increases to 25 percent above maximum baseline and is statistically significant which is consistent with the thresholds in the current WDRs and Notice of Applicability for the IRZs as follows:	30-65
		PG&E will construct and operate additional extraction wells or implement an equally effective mitigation measure along or upgradient of the designated IRZ treatment boundary to prevent effects to domestic water supply wells, if concentrations of dissolved arsenic, iron, or manganese increase to more than 25 percent above the maximum baseline monitoring well concentration and is statistically significant.	
	S	ection 3.2: Land Use, Agriculture, Population and Housing	
3.2-7	14-17	Local land use requirements generally apply when some local discretionary permit required for the activity, and in many cases the remediation activities will not require any local permits. To clarify this, revise lines 14-17 as follows: "As a state agency, the Water Board itself is not subject to local land use authority; however provided exercise of local land use regulations does not impede or hinder state exercise of authority over the remediation, remedial actions can be subject to local applicable local land use requirements."	30-66
3.2-23	12-34	Discussion of the potential secondary impacts of home acquisition is beyond the scope of CEQA since they result from contracts between private parties and do not involve a discretionary government approval. Accordingly, this discussion should be deleted.	30-67
3.2-24	4-7	PG&E will obtain approvals from BLM for proposed remedial activities on federal land. The consistency of the remedial activities on federal land with BLM policies will be considered by BLM in determining whether to approve the activities, and the BLM approval of any such activities will be evidence of such consistency. To avoid the potential of inconsistent determinations of policy consistency by two agencies, the Water Board should rely on the BLM approval as evidence of such consistency, rather than requiring PG&E to separately demonstrate such consistency to the Water Board. In order to keep the Water Board informed of BLM policies and approvals, PG&E will provide copies of	
		these approvals to the Water Board. The following revisions are suggested to the text: PG&E will obtain approvals any required approvals from BLM for proposed remedial activities on federal land prior to implementing such actions. PG&E will demonstrate consistency with all relevant provide copies of BLM policies for use of the subject land and provide evidence of such consistency submittals and approvals to the Water Board to keep them informed of any proposed remedial activities on federal land.	30-68
3.2-24	8-17	PG&E's operation of the remedy will increase agricultural uses, and may	T 30-69

		increase the use of existing important farmland as defined in the EIR. The mitigation to require PG&E to obtain easements should be modified to require such easements if there has been a net loss of such existing important farmland. On line 12, suggest adding "if there has been a net loss of such important farmland considering any additions to such farmland that have occurred as a result of implementation of the remedy."	30-69 cont'd
		Section 3.3: Hazards and Hazardous Materials	1
3.3-2	Table 3.3-1	Impact Haz-1b is listed both as potentially and less than significant in the significance before mitigation column. The text of the EIR on page 3.3-17 indicates this impact is potentially significant for all alternatives, so the entry in this table referring to the impact as less than significant should be deleted.	30-70
3.3-20	27-37	Soil excavation and grading activities will be conducted under the oversight of an experienced, qualified and licensed professional engineer or professional geologist. Professional engineers and geologists are licensed by the state and are required under licensure terms to practice only in areas where they are competent and qualified. A separate review and approval of those individual(s) by the Water Board is therefore unnecessary. Therefore, please revise lines 29-32 of this section as follows:	30-71
		PG&E will provide the resume of work with an experienced and qualified Professional Engineer or Professional Geologist, who will be available for consultation during soil excavation and grading activities, to the Water Board for review and approval. The resume will demonstrate experience in remedial investigation and feasibility studies.	
3.3-21	4-5	The items listed to be covered by the spill plan seem to pertain to operations and maintenance activities rather than construction. Therefore, revise this heading as follows: "Mitigation Measure HAZ-MM-2: Implement Spill Containment, Control, and Countermeasures Plan During Construction Operations and Maintenance."	30-72
3.3-21	4-25	PG&E will work with the San Bernardino County Fire Department to prepare the necessary Spill Prevention, Control, and Countermeasure Plans (SPCC) or equivalent, if required by the County. An SPCC Plan is typically required for aboveground petroleum storage of greater than 1,320 gallons. To avoid any conflict between the requirements of the County and the EIR, the following edits are suggested for lines 6-14:	
		To prevent accidental spills and contain spills of hazardous substances that might occur, PG&E will prepare a Spill Prevention, Control, and Countermeasure Plan (SPCC Plan), prior to commencement of construction activities for approval if required by the San Bernardino County Fire Department prior to commencement of construction activities. The SPCC plan will be in accordance with all federal and state laws that addresses procedures to (1) properly handle, use, store, and/or transport potentially flammable and/or other chemical hazardous wastes, (2) emergency response protocols to contain these substances in the event of an accidental spill or release, (3) specific worker safety training and (4) reporting requirements in the event of an accidental spill or release.	30-73
		If the SPCC Plan is required, it is anticipated that it The SPCC Plan will]

		include the following features:	1 30-73
3.3-21	26-33	Hazardous materials storage and usage will be in accordance with the	-
		requirements of the San Bernardino County Fire Code. To avoid any conflict	
		between the requirements of this agency and the EIR, revise the EIR as follows:	
		Hazardous materials storage and usage will be in accordance with the	
		requirements of the San Bernardino County Fire Code, Articles 79 and	
		80. A Business Contingency/Emergency Plan will be prepared in	30-74
		accordance with San Bernardino County Fire Department requirements	30-74
		for chemicals stored on-site for more than 30 days in excess of the	
		regulatory thresholds (55 gallons, 500 pounds, or 200 standard cubic feet	
		of gas). It is anticipated that the plan will list hazardous materials	
		handled and include procedures for emergency response, training, and	
		inspections. Hazardous wastes will be managed in accordance with the	
		requirements of Title 22, California Code of Regulations, Division 4.5.	 ↓⊥
		Section 3.4: Geology and Soils	1
3.4-11	25, 29	It appears that the references to the land subsidence sections be to Section	T 30-75
0.4.10	26.20	3.4.3.3, rather than 3.4.3.2.	
3.4-13	36-39	The statement that the northern part of the project area has a greater fraction of	
		fine-grained silts and clays is inaccurate and should be deleted. Our rationale is	
		as follows:	
		Stantec has described the stratigraphy of investigation areas in several reports,	
		including the Technical Memorandum - Update to Upper Aquifer Groundwater	
		Investigation Activities (Stantec, February 2012). One of the key stratigraphic	
		layers identified is a clay layer that is present at some locations between the	
		upper (A1) and lower (A2) portions of the upper aquifer (i.e., the "Brown Clay"	
		or Upper Aquifer Confining Clay Layer - UACCL). The majority of	
		investigations conducted to date that have assessed stratigraphy at and below the	
		depth of the Brown Clay have been south of Sonoma Road, with the majority of	
		borings to this depth south of Thompson Road.	30-76
		Monitoring wells have been installed north of Sonoma Road, extending to Red	
		Hill near Burnt Tree Road. The majority of the borings for these wells have	
		focused on the uppermost portion of the upper aquifer (i.e., the A1) with limited	
		assessment of deeper geologic conditions. The geologic conditions north of	
		Sonoma Road, as they are currently understood, are depicted on Cross	
		Sections A, B, C, P, Q, R, and S in the above-referenced report.	
		As shown on the referenced cross-sections, there is no current data suggesting	
		the Brown Clay increases in thickness to the north. There is no indication of	
		continuous section of clay materials from 80 to 150 feet below ground surface	
		near Red Hill as suggested. Further, as shown on sections A, B, C, R, and S	
		there is data suggesting substantial thickness of A1 sandy deposits in the	
		northern part of the valley including the vicinity of wells MW-139 and MW-142.	<u> </u>
3.4-18	13-43	Impact Geo-1c: Same comments as in section 3.1 related to drawdown/aquifer] † 30-77
3.4-19	1-33	compaction	1130-77
3.4-20	19-20	Generally, as noted in the discussion at pages 3.4-19, there is no history of land	T
		subsidence problems or damage in the Hinkley area, despite a long history of	30-78
		substantial groundwater usage and drawdown for historical agricultural and dairy	

		operations. This point should be added to the discussion of Impact Geo-1c on page 3.4-20, lines 16-22 as follows:	
		In the northern part of the project area (generally north of Thompson Road), there are more limited number of residential or non-residential structures and far fewer roads than in the southern and central parts of the project area. However, individual structures or roads might be affected, if land subsidence were to occur. But as noted previously, the overall potential for substantial land subsidence is low.	30-78 cont'd
		It cannot be concluded <u>for certain</u> that land subsidence will occur due to the project given the nature of this impact and the available data and thus, this is considered a potentially significant impact of all the action alternatives, with the greatest potential for effect due to Alternative 4C-4.	
3.4-22	32-39	An accidental exposure to chromium-laden water or remediation byproducts is not a "substantial" risk to human health and safety. As stated on page 3.1-41, lines 7-13, the California PHG for hexavalent chromium is based on the consummation of 2 liters of waters a day for 70 years, not from spray of a few minutes. The risk that a person would be harmed from a short-term, accidental exposure is speculative and should be removed from EIR.	30-79
3.4-24 3.4-25	18-44	According to the General Industry Safety Orders from CalOSHA regulations, Title 8, Chapter 4, Subchapter 7, Group 1, Article 2, Section 3220 (e) (3), it is typically not required to prepare an Emergency Response Plan or Emergency Action Plan for fewer than 10 full-time staff on-site. Rather than prepare a separate detailed emergency response plan to be implemented in the event of a major earthquake, PG&E recommends including a section in the system operation and maintenance (O&M) manual and/or the site Health and Safety Plan (HASP) that describes the specific procedures to be followed. PG&E also recommends specifying the spill and release notifications procedures	
		in the WDRs rather in each section in the EIR, such that there will be one unified set of requirements for notification, regardless of whether a spill or release is caused by seismic activity or equipment malfunction.	
		Recommended edits to the text include the following:	30-80
		PG&E will prepare a detailed emergency response plan-section in the treatment system operation and maintenance (O&M) manual and/or Health and Safety Plan (HASP) that describes the specific procedures to be followed in the event of earthquake induced damage to project pipelines or above-ground storage tanks in order to avoid all human exposures to contaminated groundwater or stored chemicals. The plan will include, at a minimum, the following a major seismic event:	
		Shut-down of remedial pumping of contaminated water-in the event of a major seismic event.	
		Visual inspection of project pipelines and aboveground tanks to determine if any leakage has occurred.	
		Spill containment <u>and recovery procedures to contain for</u> any	

		recoverable contaminated groundwater or chemical that has reached the surface or spilled onto the ground and to prevent human exposure. Procedures to reinfiltrate or siphon contaminated groundwater or chemicals into appropriate storage containers to prevent long term exposure to workers or nearby residents may have leaked from project pipelines or aboveground tanks. Spill containment and recovery procedures for any chemicals that may have spilled from project pipelines or aboveground tanks. Pressure testing of project pipelines and above-ground storage tanks following a major seismic event to determine pipeline and/or tank integrity prior to putting these features back in service resuming system operation. Repair of any damaged pipelines or above ground storage tanks prior to putting these features back in service. Details of failed pipelines, tanks, or other structures resulting in rupture and exposure of contaminated groundwater or chemicals to workers will be reported to the Water Board either verbally or through electronic messaging within 3 working days and with a report within 30 days. The report will cite appropriate information such as the cause of the release, volume of the release, number of workers affected, whether surface waters were affected, and the types of repairs or remedial actions planned.	30-80 cont'd
		All workers will be required to review the emergency plan annually, and a copy of the plan will be kept at appropriate workstations used by the employees. Communication requirements for notifying the Water Board of spills and releases will be specified in the WDRs for the project.	
3.4-24	10-17	Mitigation Measure GEO-MM-1 needs to be revised to set forth a Water Board process for determining if subsidence is caused by remedial activities, so that a claim that subsidence has occurred and is caused by the remedy can be independently evaluated and confirmed. We suggest the following revisions to the text: Where changes in ground surface elevations greater than 1 foot are identified by PG&E or the Water Board or where structural damage is identified by PG&E or reported by a landowner, PG&E will investigate site structures for subsidence-related damage. If damage is identified by PG&E and/or landowners, PG&E will retain an expert to evaluate whether the damage is due to remedial-induced groundwater drawdown. If the expert determines that the damage is and is determined to be due to remedial-induced groundwater drawdown, then PG&E will identify proposed remedial actions to the Water Board and, once approved by the Water Board, will repair, replace, and/or reimburse for any damaged structures (e.g., buildings, garages, barns) or infrastructure (e.g., pipelines, septic systems, supply wells) to its baseline condition. PG&E will report all identified areas of structural damage whether identified by	30-81



		PG&E and/or reported by landowners and identify proposed remedial	30-81
		actions to the Water Board.	∐ cont'd
2.5.1	126	Section 3.5: Air Quality and Climate Change	T 20 02
3.5-1	26 19-24	The sentence appears to be missing the word "that." Greenhouse Gas (GHG) emissions were calculated using URBEMIS, a model to	<u>∓</u> 30-82
3.3-0	19-24	calculate air emissions for land use projects. There are EPA methodologies that	
		may be more appropriate (EPA, 2012). The EPA guidelines were published this	30-83
		year (as opposed to 2007 for URBEMIS) and provides guidance and emissions	
		factors relevant to remediation activities.	1
3.5-20	Table 3.5-9	Proposed revisions to Table 3.5-9 are attached.]
3.5-21	Table 3.5-	The existing and no project alternatives do not have emissions listed for	IT
	10	harvesting and plowing of existing agricultural operations, such as the Desert	
		View Dairy. This oversight should be remedied. The numbers for Alternative	
		4C-3 in this table are incorrect. For example, some of the numbers in the daily	30-85
		VMTs column are actually monthly VMTs and thus inconsistent with the yearly VMTs shown. The worker commute number is substantially overestimated. In	
		addition, the VMT numbers do not line up with the activity that they are	
		associated with. Proposed revisions to Table 3.5-10 are attached.	
3.5-23	7	The generator set default number from URBEMIS is 549 HP is larger than the	17
		size that the proposed project will use. The EIR should use a generator set size	30-86
		of 400 HP because that size may be more appropriate for this project.	<u>↓</u>
3.5-38	4-5	It is not necessary for PG&E to hire a third-party monitor to periodically inspect	
3.5-38 3.5-39	38-39 8-9	construction equipment and practices to ensure compliance of AIR-MM-3, 4 and	30-87
3.3-39	0-9	5. PG&E is required to comply with all mitigation measures in the EIR. Accordingly, this requirement should be deleted.	
3.5-39	12-15	Rather than submit a separate plan for review and obtain approval from San	┤茾
3.5 5	12 13	Bernardino County Planning Department, PG&E would like to amend the text to	
		specifically state their activities to reduce greenhouse gas (GHG) emissions	
		during construction. Specific recommended edits to text are as follows:	
		PG&E or its contractor will submit for review and obtain approval from	30-88
		County Planning or a signed letter agreeing to include as a condition of all construction contracts/subcontracts requirements to reduce GHG	
		emissions and submitting documentation of compliance results. PG&E or	
		its contractor will do the following	
			1
3.5-39	16	PG&E recommends removing the requirement to submit a separate Coating	T
		Restriction Plan (CRP) to the County for approval. This is not a greenhouse gas	
		reduction measure as it is primarily used to reduce Volatile Organic Compounds	30-89
		(VOC) emissions. VOC emissions do not exceed thresholds and do not need to be addressed under this mitigation measure. Therefore the requirement to	
		"implement a County approved Coating Restriction Plan" should be deleted.	
3.5-42	30-33	To avoid potential conflicts between County Planning requirements and this EIR,	† †
		the following text edits are suggested:	
		PG&E will submit for review and obtain approval from work with County	30-90
		Planning of and submit any required reports for evidence that all	30-30
		applicable GHG performance standards have been installed and	
		implemented properly, and that specified performance objectives are being met to the satisfaction of County Planning and County Building and	
<u> </u>		to the satisfaction of County Fraining and County Dunding and	J

		Safety.	30-90 cont'd
3.5-42	36-38	To avoid potential conflicts between County Planning requirements and this EIR, the following text edits are suggested: In this case, PG&E will work with County Planning and submit for	30-91
		review and obtain approval from County Planning of any required evidence that emissions will be reduced by a minimum of 31 percent by a project specific reduction plan required amounts.	
		Section 3.6: Noise	
3.6-7	3-6	Local land use requirements generally apply if there is some local discretionary permit required for the activity, and in many cases the remediation activities will not require any local permits. To clarify this, add the following sentences:	
		The purpose of the San Bernardino County General Plan (2007a) Noise Element is to limit the exposure of the community to excessive noise levels. The Noise Element is used to guide decisions concerning land use and the location of new roads and transit facilities, which are common sources of excessive noise. The San Bernardino County General Plan would apply to the project only if the project will require local permits. It is not anticipated that such permits will be required for project activities, but the following discussion is included here for informational purposes.	30-92
3.6-8	34-35	Throughout this section, tables list the number of wells, while the text states that the numbers of pumps are quantified in the tables. Not every remedial well will have a pump. Only extraction wells will be equipped with pumps, while many of the remedial wells listed are injection wells which will not be equipped with pumps. Accordingly, revise the text as follows:	30-93
		Table 3.6-10 shows the number of <u>pumps-wells</u> and linear feet (LF) of pipeline associated with the existing remediation program.	
3.6-24	20-38	Rather than submit a separate noise/vibration control plan, PG&E recommends including noise/vibration control measures as part of the construction specifications. The following text edits are recommended:	
		Mitigation Measure NOI-MM-1: Employ Noise/Vibration-Reducing Construction Practices to Comply with County Noise Standards	
		PG&E or its contractor will ensure that noise/vibration-reducing construction practices are implemented so that construction noise does not exceed applicable County standards. As part of the construction specifications, tThe project contractor will prepare a noise/vibration control plan that will identify feasible measures that can be employed to reduce construction noise/vibration. These may include the measures listed below.	30-94
		Scheduling substantial noise-generating/vibration activity during]

		exempt daytime hours	
		Requiring construction equipment to be equipped with factory- installed muffling devices and all equipment to be operated and maintained in good working order to minimize noise generation	
		 Locating noise/vibration-generating equipment as far as practical from noise-sensitive uses including avoiding vibration-generation within 25 feet of any residence, wherever feasible 	
		Using temporary noise/vibration-reducing enclosures around noise- generating equipment	30-94 cont'd
		 Placing temporary barriers between noise/vibration sources and noise-sensitive land uses or taking advantage of existing barrier features (e.g., terrain, structures, edge of trench) to block sound transmission 	
		The noise/vibration control plan will demonstrate that Per the construction specifications, control measures will be implemented to reduce noise and vibration to a level that is in compliance with County noise standards.	
		Section 3.7: Biological Resources	_
3.7-3	Impact Bio-	Change impact to "Less than Significant" for desert tortoise and see comment below regarding Impact BIO-4.	T 30-95
3.7-15	26	Existing agricultural units currently support Bermuda grass and sudan grass in addition to alfalfa.	30-96
3.7-21	25	The word 'biologists' is redundant and should be deleted.	
3.7-31	21-31	See comment below on Impact BIO-4.	ΙT
3.7-32	35-36	Impacts from Alternative 4B should be considered less than significant for desert tortoise movement. See comment below regarding Impact BIO-4.	
3.7-33	7-8	Impacts from Alternative 4C-2 should be considered less than significant for desert tortoise movement. See comment below regarding Impact BIO-4.	
3.7-33	22-23	Impacts from Alternative 4C-3 should be considered less than significant for desert tortoise movement. See comment below regarding Impact BIO-4.	30-98
3.7-33	35-36	Impacts from Alternative 4C-4 should be considered less than significant for desert tortoise movement. See comment below regarding Impact BIO-4.	
3.7-34	1-4	Impacts from Alternative 4C-5should be considered less than significant for desert tortoise movement. See comment below regarding Impact BIO-4.	
3.7-36	36-39	Harm to burrowing owls from exposure to waterborne hexavalent chromium is exceedingly speculative and unsupported by any data; accordingly, it should be deleted.	30-99
3.7-38	41-43	The EIR text here states that BIO-MM-1n will limit construction to occur outside the breeding season for the loggerhead shrike and northern harrier; however, the mitigation measure itself (page 3.7-51, lines 8-23) requires pre-construction surveys and imposes buffer requirements, rather than preventing construction altogether. The EIR text on lines 41 through 43 should be revised to read as follows:	30-100
		"Mitigation Measure BIO-MM-1n would further avoid or reduce these impacts to a less-than-significant level by requiring pre-construction surveys and	

		imposing buffer requirements when needed limiting construction to occur	30-100
		outside breeding season and establish exclusionary areas for project-related disturbance."	cont'd
3.7-43 3.7-44 3.7-45	2-3 23-44 1-22	In the discussion of Impact BIO-4, the EIR suggests (page 3.7-43, lines 42 & 43) that there is an east-west movement corridor north of Thompson Road and south of the existing agricultural unit, south of State Route 58, by stating that there is suitable habitat for desert tortoise there. However, no studies were completed to document any movement of tortoises in this area. The EIR biological Resources report does not reference such a movement corridor in its discussion of the desert tortoise, and the pattern of tortoise sightings reported in the EIR does not support this conclusion. (EIR Appendix C). Therefore, the statement that there is an east-west movement corridor for the desert tortoise north of Thompson Road and south of the existing agricultural treatment units is incorrect and unsubstantiated.	Ī
		Further, there are two existing barriers to movement in the area assumed to be an east-west corridor: (1) State Route 58, which runs east west and (2) the railroad which runs diagonally through the area. To state that this is an existing open, expansive area for tortoise movement is incorrect. Development of agricultural units in this area, which is already disturbed and contains a patch work rural residential development, may impact habitat were tortoises currently exist but will not isolate a tortoise or a population of tortoises from movement and the potential to continue breeding.	
		Accordingly, we suggest that the text be revised as follows: Impact BIO-4: Conflicts with Wildlife Movement (Less than Significant, No Project Alternative; Potentially Significant, All Action Alternatives)	30-101
		Although dDesert tortoise would be physically able to move through the agricultural treatment units and there would not be any physical barriers (like fences) to their movement. Even though they would likely avoid the agricultural treatment areas because they would be largely unsuitable irrigated parcels that would not favor tortoise locomotion, desert tortoise movement would not be significantly impacted. There are no known eastwest corridors in the area, which is disturbed by State Route58 and a railroad, as well as a patchwork of other development. This impact is potentially less than significant impact for all action alternatives because it could result in a substantial constraint of a general east west movement pattern for desert tortoise individuals.	
		Because the impact is less than significant for all alternatives, no mitigation is required Further, wWhile feasible mitigation was reviewed for this impact, none of the following measures are recommended for the following reasons:	
		Wildlife movement corridors. A mitigation measure was considered to require PG&E to segregate new agricultural treatment areas (by perhaps 500 to 1,000 feet). This mitigation is not proposed because	

it is highly uncertain whether desert tortoise would actually use such corridors and because spreading out (as opposed to concentrating) agricultural areas would actually increase fragmentation of habitat even further and would push more agricultural areas further north, which is considered counterproductive in terms of maintain habitat for the desert tortoise.

- Limit the number of agricultural treatment areas. A mitigation was considered to limit the areas new agricultural treatment such that substantial desert tortoise east-west movement areas could be maintained throughout the Hinkley Valley. For example, if agricultural treatment units were limited to the 40 acres for Alternative 4B included in the Feasibility Study/Addenda (and shown in Figure 3.7-5), then east-west movement areas would be maintained. This measure is not recommended because it would substantially slow down remediation and may impede hydraulic containment of the plume.
- Adopt one of the alternatives with less agricultural treatment. One mitigation option would be to adopt the No Project Alternative, but this would not meet the project objectives and was thus rejected. Another option would be to adopt Alternative 4B which would have the least amount of new agricultural treatment, but since this alternative may need to be scaled up to provide up to 264 acres of new agricultural treatment, this alternative would lower but would not avoid a potentially significant impact.
- Eliminate new agricultural treatment. One mitigation option would be to use a different remediation technology than new agricultural treatment. One option could include wide-scale above-ground treatment ("plume-wide pump and treat"). While this option would provide for hydraulic containment if extraction flows were sufficiently high, as discussed in Chapter 2, *Project Alternatives*, Section 2.8, this alternative would take approximately 50 years to reduce Cr[VI] concentrations throughout the plume to 50 ppb, approximately 140 years to reduce Cr[VI] concentrations to 3.1 ppb, and 210 years to reduce Cr[VI] concentrations to 1.2 ppb. This alternative was rejected because it does not meet the fundamental project objectives because it does not clean up chromium in groundwater within a meaningful period of time. Chapter 2, *Project Alternatives*, Section 2.8, also discusses why other alternatives were not carried forward fur further analysis.

Mitigation was examined even though impacts are less than significant and no mitigation is required. However, Since no feasible mitigation was identified that would meet most of the project goal objectives and would reduce this impact to a less than significant level, the action alternatives are considered to result in a potentially significant and unavoidable impact related to desert tortoise movement (depending ultimately on the amount and configuration of new agricultural treatment areas). Because mitigation is not required for an impact found to be less than significant and there are no feasible mitigation measures, no mitigation measures will be imposed.

30-101 cont'd

3.7-46 3.7-47	20-42 1-7	PG&E will obtain appropriate incidental take authorizations following consultation with CDFG and USFWS for potential impacts to desert tortoise. Minimization measures within either of these two permits would supersede these minimization measures, to the extent of any conflict. To avoid the possibility of conflicting requirements, we suggest inserting the following text at line 20 on page 3.7-46, before the six bulleted paragraphs:
		"The following measures shall be implemented to reduce construction impacts to the desert tortoise. These measures shall be implemented in a manner consistent with any incidental take authorizations issued by CDFG and USFWS, and to the extent that the below measures may be inconsistent with the requirements imposed by CDFG and USFWS, the requirements imposed by those agencies shall govern."
3.7-48	18-30	Rather than specifying that a separate raven management plan be developed, the specific requirements for raven management should be included in any incidental take authorizations issued by CDFG and USFWS to meet the requirements of Section 10(a) of the Endangered Species Act. In addition, construction may or may not occur on BLM lands therefore there is a strong likelihood that BLM would have no nexus to approve any plans for the project. To avoid any conflict between the requirements of this agency and the EIR, PG&E suggests revising this section as follows: PG&E will implement measures to minimize and prevent attraction of
		predators during construction and operation in compliance with the incidental take authorizations issued by CDFG and USFWS, as necessary. It is anticipated that the mitigation measures will include:
		• Litter control measures will be implemented. Trash and food items will be contained in closed containers and removed daily to reduce the attractiveness or the area to opportunistic predators such as common ravens (<i>Corvus corax</i>), coyotes (<i>Canis latrans</i>), and feral dogs.
		If water trucks are to be used, pooling of water will be avoided so to minimize the potential to attracting common ravens or other potential predators.
		 Potential perches and nest substrates for the common raven will be reduced to the greatest extent practicable within permanent project facilities.
		A raven management plan will be developed by the project proponent and approved by BLM that will include at a minimum establishing a common raven population baseline, with ongoing and post-construction monitoring of common raven populations, and triggers for adaptive management actions if ravens are occurring above baseline conditions and observed to be utilizing facilities and structures built as part of this project. .

30-101 cont'd

30-102

3.7-49	3, 8-9	As noted in this discussion compensatory mitigation ratios for loss of habitat would be determined through consultation with CDFG and USFWS. Field surveys of the project area have yet to be completed. Once surveys are completed to quantify the quality of habitat occurring on the project site, effective compensation ratios can be determined. While this survey effort supports that habitat exist within the study area and that compensation would likely be required, the actual compensation ratios should and will be determined by the resource agencies with jurisdiction over this issue. Therefore, the text on these lines should be modified to say that these proposed ratios "could be" or "may be" applicable as minimum compensation, but ratios would be determined after surveys are completed and in consultation with appropriate resource agencies.
3.7-49	19-32	Rather than developing a separate AU integrated pest management (IPM) plan and adaptive management plan, the specific requirements should be included in any incidental take authorizations issued by CDFG and USFWS, as necessary. To avoid any potential conflict between the requirements of this agency and the EIR, revise the text as follows: Mitigation Measure BIO-MM-1i: Integrated Pest Management and Adaptive Management Plan for Agricultural Treatment Units
		An agricultural unit integrated pest management (IPM) plan will be developed and implemented for all new (and existing) agricultural units, and will be compliant with the California Statewide IPM year round program for alfalfa and any other crops that may be proposed for use. The plan will explicitly detail an integrated pest management plan to ensure that risks of any proposed use of herbicides, pesticides, or rodenticides will pose a negligible risk to wildlife species. Herbicides, pesticides, or rodenticides will only be used at new agricultural units if specifically authorized by USFWS and CDFG in the take permits for the desert tortoise and the Mohave ground squirrel. The adaptive management plan will detail the predicted harvest of the agricultural crops and how harvest will be conducted in such a manner to reduce potential impacts to nesting birds. The adaptive management plan will provide other population monitoring guidelines for predatory species such as brown headed cowbird, with management actions that will be required if fields are found to be supporting these species. The adaptive management plan will also outline irrigation control to avoid pooled water, as well as dust control methods.
		PG&E will implement measures to manage pests at all new (and existing) agricultural units in ways that pose a negligible risk to wildlife species and are aligned with the current land use for agricultural crops in compliance with any incidental take authorizations issued by CDFG and USFWS, as necessary.
		Mitigation measures in the incidental take authorizations may include: Pest management actions will be compliant with the California Statewide IPM year-round program for alfalfa and any other crops grown on the agricultural units.

30-103

30-104

		. TT 1: 1 /: 1 1 /: 1 91 1 1 1 /	1
		Herbicides, pesticides, or rodenticides will only be used at new agricultural units if they pose a negligible risk to wildlife species and are consistent with USFWS and CDFG requirements for the desert tortoise and the Mohave ground squirrel.	
		The incidental take authorizations are anticipated to include an adaptive management plan for agricultural treatment units. This section of the incidental take authorizations is anticipated to detail the predicted harvest of agricultural crops and how harvest will be conducted in such a manner to reduce potential impacts to nesting birds.	30-104
		The incidental take authorizations adaptive management plan is anticipated to provide other population monitoring guidelines for predatory species such as the brown-headed cowbird, with management actions that would be required if fields are found to be supporting these species.	cont'd
		The incidental take authorizations adaptive management plan is anticipated to also outline irrigation control measures to avoid pooled water on the fields.	
3.7-50	10-17	The first bullet of Mitigation Measure BIO-MM-11 states that the focused survey for burrowing owl will utilize the most recent CDFG protocol. CDFG at times approves modifications to the protocol for specific surveys. To avoid any inconsistencies between the survey requirements of CDFG and the EIR mitigation measures, suggest revising the first bullet as follows:	Ī
		• To confirm the current existing condition for burrowing owls in the study area, a focused nesting season survey for burrowing owl will be completed for all potential disturbance limits and a minimum 400 feet buffer area, where accessible, prior to construction. This focused survey will utilize the most recent CDFG protocol (including any variations in that protocol that may be approved by CDFG for the survey).	30-105
3.7-50	24-29	Rather than submit an avian protection plan, the specific requirements for protecting burrowing owls can be specified in any incidental take authorizations issued by CDFG and USFWS, as necessary. To avoid any conflict between the requirements of that agency and the EIR, PG&E suggests revising Mitigation Measure BIO-MM-11 as follows.	
		Avoid impacting burrows occupied during the non-breeding season (September 1–January 31) by migratory or non-migratory resident burrowing owls.	30-106
		• An avian protection plan will be developed in consultation with CDFG-If necessary, procedures to address burrowing owls or signs of burrowing owls should they be found on site during the focused nesting or preconstruction surveys will be specified in any incidental take authorizations issued by CDFG and USFWS, as necessary. Unless otherwise approved by CDFG, the minimum no construction buffers will be 160 feet for occupied burrows during the	30-100

		 non-breeding season of September 1 through January 31 and 250 feet during the breeding season of February 1 through August 31. If burrowing owls and their habitat can be protected in place on or adjacent to a project area, the use of buffer zones, visual screens (such as hay bales) or other feasible measures while project activities are occurring will be used to minimize disturbance impacts. These will be outlined in the avian protection plan. 	30-106 cont'd
3.7-52	5-10	Remove the text related to the preparation of a brief analysis to determine if removal of non-listed special status plant species would be significant under CEQA. Such a requirement is unnecessary. We already commit to avoiding such plants to the maximum extent feasible. Moreover, because the species are not listed, impacts to those species are not significant under CEQA. Further impacts to such species will not be significant for a project such as the one here, which proposes to install discrete facilities rather than develop the entire property.	30-107
3.7-52	14-24	Rather than develop a separate compensatory mitigation program or plan, the specific requirements for compensatory mitigation should be specified by the appropriate agencies. PG&E proposes the following text revisions to mitigation measure BIO-MM-2: Mitigation Measure BIO-MM-2: Habitat Compensation for Loss of Sensitive Natural Communities If new remediation activities result in the permanent removal and loss of sensitive natural communities such as the California joint fir scrub, aPG&E will implement compensatory mitigation, program or plan will be developed and implemented through consultation PG&E will consult with the USFWS, CDFG, and the Lahontan Water Board. Compensatory mitigation may include a fee-based program and/or direct habitat replacement on a to replace habitat on an anticipated minimum 1:1 basis and in accordance with those agencies' recommendations. Lands provided as mitigation for desert tortoise, Mohave ground squirrel, and burrowing owls may also be used to provide mitigation for any loss of sensitive nature community habitat, if the land in question includes sensitive natural communities. If 1:1 direct habitat replacement is not practicable, PG&E will consult with USFWS, CDFG, and the Lahontan Water Board to supplement the compensatory mitigation with fees.	30-108

		Section 3.8: Cultural Resources]_
3.8-17	11-14	These are the preliminary findings of FWARG's survey, and have since been updated. Please use the following data: FWARG recorded 74 resources,	
		including 42 historic period sites with 55 features, mostly refuse scatters or	
		elements of water/irrigation systems; 26 historic-period isolates consisting of 32	30-109
		irrigation system elements and two miscellaneous features; two small prehistoric	
		flaked stone scatters, three single flake isolates, and one other prehistoric isolate	
		consisting of a ground stone fragment and one piece of flaked stone.	11
3.8-28	17-32	Propose deleting this mitigation measure CUL-MM-4 (Evaluate Archaeological	1 T
		Resources to Determine if Historical Resources under CEQA or Unique	
		Archaeological Resources under PFC 21083.2). Any necessary evaluation of	30-110
		archaeological resources is already covered under mitigation measure CUL-MM-	
		6, following an opportunity to redesign and avoid impacting archaeological	
		resources (CUL-MM-5).	<u> </u>
3.8-28	17-32	Both CUL-MM-4 and CUL-MM-6 require evaluation of archaeological sites,	
3.8-29	6-40	which is confusing. It would seem more appropriate for MM-4 to be limited to	
		identification of sites. If those sites that are identified can be avoided, MM-5	30-111
		(avoidance) comes into play. If the site cannot be avoided MM-6	30-111
		(evaluation/data recovery) would be implemented. If these items are changed, the Table on 3.8-1 would need to be updated as well. It also identified both	
		MM-4 and MM-6 as evaluating archaeological resources.	
		Section 3.11: Aesthetics	-
3.11-	18	Delete the "3" at the end of the sentence.	30-112
10			1 30-112
3.11-	33-40	The screening mitigation measures should only apply to "major above-ground	T 30-113
3.12	1-20	treatment facilities."	T
2 12 1	16.17	Section 3.12: Socioeconomics	_
3.12-1	16-17	Generally, chapter 3.12 of the EIR overstates the potential for blight resulting	
		from implementation of the remedy, and our comments are directed at this in several specific respects. The text suggests that any departure of people from the	
		community causes blight, which is incorrect. The text should be revised to read	
		as follows:	30-114
		as follows.	
		These secondary effects could result in people leaving the community; <u>if</u>	
		such departures result in a substantial number of vacant lots and homes	
		this could contribute to physical deterioration or blight.	1 1
3.12-5	15-19	The EIR states the project could "disrupt, hinder or otherwise discourage	1 T
		existing residential and other land use due to effects of groundwater drawdown	
		and water quality changes from remedial actions that might result in blighted	
		conditions."	
		There is no causal link between groundwater drawdown and water quality	
		changes due to the project and blight, and suggesting otherwise is speculation.	
		Moreover, the project will improve water quality in the long term. Further, as	30-115
		stated on page 3.12-6, the temporary groundwater drawdown that the project	
		may cause would "take decades at a minimum" to impact water supply wells in	
		the area. Finally, mitigation measures WTR-MM-2 through WTR-MM-8 ensure	
		that any affected homes, businesses, and agricultural facilities would receive	
		alternative water supplies and that PG&E restore the aquifer for all beneficial	
1	I	uses. (DEIR at 3.12-6:40–3.12-7:5.) Accordingly, the EIR should be revised as	1 1

		follows:]
		The project could create blighted conditions that could result in secondary physical impacts due to land and water rights acquisition to facilitate remedial actions. The project could also disrupt, hinder or otherwise discourage existing residential and other land use due to effects of groundwater drawdown and water quality changes from remedial actions, but those actions likely would not that might result in blighted conditions and associated secondary physical impacts.	30-115 cont'd
3.12-5	21-38	Several revisions should be made in the discussion of the effects of property purchases associated with the remediation.	30-116
		 In line 24, the word "local" appears to be out of place In lines 28-29, there is no basis for asserting that properties could be subject to arson, or that if there were fires due to arson, that fires would affect other neighbors given the fact that homes and structures in the area where the remedy will be implemented are generally widely dispersed. This sentence is speculative and should be deleted. 	30-117
		• The statement that PG&E acquisitions under the land acquisition program should not be stated as part of the paragraph analyzing the No Project Alternative. It is correct that the private purchases are outside the scope of the project and the CEQA analysis, but this conclusion is not limited to the No Project Alternative. This should be made into a separate paragraph, prefaced with "Under any of the alternatives, including the No Project Alternative and the action alternatives"	30-118
3.12-5	24-39	Revise the text in this section to clarify that all private purchase and sale agreements, not just those in the no project alternative, are outside of the project mandated by the Water Board and outside the scope of the CEQA analysis in this EIR.	
СНАРТ	ER 4 - OTHE	CR CEQA ANALYSIS	_
4-27; 4-30	18-26; 8-29	The EIR suggests that agricultural units could substantially impede east-west desert tortoise movement through the center of Hinkley Valley. However, the EIR biological resources report does not reference such a movement corridor in its discussion of the desert tortoise, and the pattern of tortoise sightings reported in the EIR does not support this conclusion. Further, present infrastructure in the area that the EIR suggests is a movement corridor, including State Route 58 and the railroad, are a barrier for movement of desert tortoise. Therefore, as noted	30-119
		above in the comment regarding impact BIO-4, it is speculative and highly unlikely that such a movement corridor for tortoises exists. The effect of all alternatives on the movement of desert tortoises is not cumulatively considerable. Therefore, the development of agricultural units in this area does not contribute to a potentially significant cumulative impact.	
4-47	Table 4-4	Alternatives 4C-2, 4C-3, and 4C-4 include increased extraction in OU1 for additional southern agricultural units. The increased extraction would decrease the potential for spreading of the plume for these alternatives in comparison to Alternative 4B. Therefore, Alternatives 4C-2, 4C-3, and 4C-3 should be ranked with less severity for this impact than 4B.	30-120
4-47	Table 4-4	The amount of in situ remediation is similar among alternatives 4B, 4C-2, 4C-3, and 4C-4 and by-product impacts are expected to be similar, as indicated in the	30-121

		text on page 4-52, lines 26-28. These alternatives should therefore have similar rankings for in-situ by-product impacts in Table 4-4, rather than alternative 4C-3 being ranked less severe than the others.	30-121 cont'd
4-51	17-20	Alternatives 4C-2, 4C-3, and 4C-4 include increased extraction in OU1 for additional southern agricultural units. The increased extraction would decrease the potential for spreading of the plume for these alternatives in comparison to Alternative 4B. Therefore, Alternatives 4C-2, 4C-3, and 4C-3 should be ranked with less severity for this impact than 4B.	30-122
4-60	32-34	In the overall comparison of alternatives, the EIR states that Alternative 4B would have the least groundwater drawdown, the lowest level of remedial byproducts, and the least new disturbance of special-status species habitat, but it would take "much longer" to treat the plume under Alternative 4B than Alternatives 4C-2, 4C-3, or 4C-4. The statement that it will take "much longer" overstates the magnitude of the time difference.	
		Although it would take longer to treat the plume under Alternative 4B than Alternatives 4C-2, 4C-3, or 4C-4, the statement that it will take "much longer" does not reflect the fact that the time differentials are not substantial, and does not take into account the uncertainties of the modeling assumptions that produced this number.	
		The model, like all mathematical models of natural systems, has accuracy limitations due to the underlying simplifications and assumptions incorporated into the model. Accordingly, the simulated times to cleanup are qualitative estimates based upon the mathematical representation of the hydrogeologic system and has inherent uncertainties. Examining the time to clean up the Cr[VI] to 3.1 ppb shows that under Alternative 4B the time to clean up is estimated to be 40 years. Under Alternative 4C-2, the time to clean up is estimated to be 39 years; under Alternative 4C-3, the time to clean up is estimated to be 36 years, and under Alternative 4C-4, the time to clean up is estimated to be 29 years. Taking into account both the length of time and the model accuracy, the time to treat the plume under Alternatives 4B, 4C-2, and 4C-3 is comparable. A relative comparison of the remedial time frames of Alternatives 4B, 4C-2, and 4C-3 relative to a 40 year baseline remedy indicates	30-123
		that there is less than a 10% range in timeframe differential, whereas Alternative 4C-4 has greater than a 25% range in timeframe differential.	

Attachment 1

Table ES-1. PG&E Hinkley Groundwater Remediation Alternatives Analyzed in the EIR

Alternatives	No Project ^a	4B	4C-2	4C-3	4C-4	4C-5
Source of Information	FS Addendum 3	FS Addendum 2	FS Addendum 3	FS Addendum 3	FS Addendum 3	F S Addendum 4 <u>Technical</u> Memorandum
Plume FS analysis based on	01/2011	01/2010	Q1/2011	Q1/2011	Q1/2011	01/2011
OU1–Remedial Method for High Concentration Plume	In-Situ	In-Situ	In-Situ	In-Situ	In-Situ	Above-ground <u>Treatment/</u> In-situ
Time to 50 ppb	q9	9	9	4	3	20
Time to 80% Cr[VI] Mass Conversion to Cr[III] or Removal	13b	10	7	9	9	15
OU 1/2/3-Remedial method for low concentration plume	IRZ/ AUS ^c	IRZ for 20 years ^x AUs for 95 years	IRZ for 20 years* AUs for 90 years	IRZ for 20 years* AUs for 85 years	IRZ for 20 years ^x AUs for 75 years	IRZ for 32 20 years ^{xx} AUs for 95 years
				<u>Aboveground</u> <u>Treatment</u>		
Time to 3.1 ppb cleanup	NA^c	40	39	36	56	20
Time to 1.2 ppb cleanup	NA^{c}	95	06	85	75	95
Fate of Cr3+ in the soil	Leaves	Leaves	Leaves	Leaves	Leaves	Removes from high concentration area
AU Pumping Rates ^c	1,100 gpm (FS)	1,270 gpm (FS) 2,395 gpm (total)	2,042 gpm (FS) 3,167 gpm (total)	2,829 gpm (FS) 4,388 gpm (total)	2,829 gpm (FS) 4,388 gpm (total)	2,042 gpm (FS) 3,167 gpm (total)
AUsd, e	182 acres	222 acres (FS)/ 446 acres (total)	351 acres (FS)/ 575 acres (total)	351 acres (FS)/ 575 acres (total)	895 acres (FS)/ 1,394 acres (total)	351 acres (FS)/ 575 acres (total)
FS Estimated Costs (NPV) ^f	N/A	\$84.9M	\$118M	\$276M	\$173M	\$171M
Key Feature	Required by CEQA	Less groundwater pumping, AU acreage and lower cost.	Year round pumping for plume control (winter Crop).	Year round pumping for plume control (winter above-ground treatment).	Year round pumping for plume control. Fastest cleanup of all alternative.	Removal of chromium from the high concentration plume area.

Alternatives	No Project $^{\mathrm{a}}$	4B	4C-2	4C-3	4C-4	4C-5	
Notes:							
a No Project Alternative defined based on the No	d based on the No Pr	oject details provid	ded for Alternative 40	Project details provided for Alternative 4C-2 in FS Addendum No. 3.	. 3.		
b Based on FS Alternative No. 4 cleanup times be	ר cleanup times becaו	use FS Addendum I	No. 3 did not identify	cause FS Addendum No. 3 did not identify cleanup times for No Project conditions	roject conditions.		
	-	. 0,00					

c No Project Alternative limited to addressing the 2008–2010 plume. Thus, no duration for cleanup of entire plume is identified.

× Intermittent, low concentration carbon amendment continues beyond 20 years in SCRIA injection area and Source Area

d Two pumping rates shown for action alternatives. First is highest pumping rate in the FS/Addenda marked with a (FS). Second is scaled up to account for expanded × Intermittent, low concentration carbon amendment continues beyond 20 years in SCRIA injection area and begins at year 32 in the Source Area plume beyond that at the time of the FS/Addenda.

Two acreages shown for agricultural units for action alternatives. First is from the FS/Addenda marked with a (FS). Second is scaled up to account for expanded plume beyond that at the time of the FS/Addenda.

6 Costs are based on FS/Addenda costs to remediate to 1.2 ppb Cr[VI] level and only include the infrastructure described in the FS/Addenda and do not account for the additional cost for the infrastructure and activities to address the expanded plume.

Agricultural Units

Feasibility Study

gallons per minute = mdg

In-Situ Remediation IRZ

Net present value NPV

parts per billion qaa

59974\4198182v1

Table 2-3. Summary of Components under No Project Alternative^a

	Initial Buildout	Year 5	Year 10	Year 20
Optimization Period	(0-5 years)	(5-10 years)	(10-20 years)	(20+ years)
Agricultural Land Application				
Agricultural Units (AUs)	182 acres ^b			
AU Extraction Wells	29			
Pipelines	24,499 If			
AU Extraction Flow ^c	1,100 gpm			
In-Situ Remediation Zone (IRZ)				
Extraction Wells	17	17	20	20
Injection Wells	98	98	68	68
Pipelines	31,392 If	31,992 If	33,892 If	33,892 If
Carbon amended IRZ flow (SCRIA, SAIRZ) ^{c, d}	190 gpm (110 g	190 gpm (110 gpm - SCRIA; 80 gpm - SAIRZ)	SAIRZ)	
IRZ Recirculation flow (CAIRZ)c, d	83 gpm			
Northwest Area Freshwater Injection				
Extraction Wells	2 3			
Injection Wells	3 2			
Pipelines	31,886 lf			
Northwest Freshwater Reinjection Flow ^c	80 gpm			
Monitoring Wells				
Monitoring Wells	446			
Wells and Supporting infrastructure acreage ^e	39	39	39	39
Access roads	1	₩	1	₩

Comment [d1]: 24,499 is the linear feet of trenching, we suggest adding a note to clarify. Also applies to IRZ pipeline totals below

^a All totals include existing infrastructure (see Table 2-1)

b Agricultural Units = DVD, Gorman, Cottrell, and Ranch (all existing).
 c All flows are based on average annual rates.
 d SCRIA refers to the South Central Reinjection Area.
 SAIRZ refers to the Source Area In-Situ Remediation Zone.
 CAIRZ refers to the Central Area In-Situ Remediation Zone.

e Includes acreage for all wells, including Agricultural Units, In-Situ Remediation, Northwest Freshwater Reinjection, and monitoring wells.

lf = linear feet

gpm = gallons per minute

Table 2-4. Summary of Components under Alternative 4B^a

	Initial Buildout	Year 5	Year 10	Year 20	ĺ
Optimization Period	(0-5 years)	(5–10 years)	(10-20 years)	(20+ years)	
Agricultural Land Application					ĺ
Agricultural Units (AUs) ^b	446 acres				ĺ
AU Extraction Wells	65	65	06	06	
AU Pipeline	59,049 If	59,049 If	78,419 lf	78,419 lf	
AU Extraction Flow ^c	2,395 gpm				
In-Situ Remediation Zone (IRZ)					ĺ
Extraction Wells	21	21	<u>2125</u>	25	ĺ
Injection Wells	108	108	111	111	
Pipelines	39,240 If	39,990 If	42,365 lf	42,365 lf	1
Carbon-amended IRZ flow (SCRIA/SAIRZ)cd	431 gpm	244 gpm	319 gpm	213 gpm	
IRZ Recirculation flow (CAIRZ) ^{c,d}	279-175 g pm	175 gpm	175 gpm	<u>0 gpm</u>	\
Northwest Area Freshwater Injection					j
Extraction Wells	<u>다</u>				
Injection Wells	46				\ \
Pipelines	36,669 If				
Northwest Freshwater Reinjection Flow ^c	92 gpm				ĺ
Monitoring Wells/Supporting Infrastructure					ı

Access roads (acres)

a All totals include existing infrastructure. All estimates have been scaled up from the data from the Feasibility Study and Addenda to account for a larger plume than used in the feasibility study. See discussion in text.

^b Desert View Dairy, Gorman, Cottrell, Ranch, plus additional Agricultural Units.
^c All flows are based on average annual rates.

d SCRIA refers to the South Central Reinjection Area; SAIRZ refers to the Source Area In-Situ Remediation Zone; CAIRZ refers to the Central Area In-Situ Remediation Zone.

e Includes acreage for all wells, including Agricultural Units, In-Situ Remediation, Northwest Freshwater Reinjection, and monitoring wells.

If = linear feet

gpm = gallons per minute

Comment [d2]: 140 gpm + 25% contingency trenching, we suggest adding a note to clarify Comment [d1]: Totals are linear feet of

Comment [d3]: 5 + 15% contingency

53

53

51

558 51

Wells and Supporting Infrastructure (acres)^e

Monitoring Wells

Comment [d4]: Suggest clarifying that well estimates include the number of wells to be constructed; not all wells may be operating at one time

Table 2-5. Summary of Components under Alternative 4C-2^a

	Initial Buildout	Year 5	Year 10	Year 20
Optimization Period	(0-5 years)	(5–10 years)	(10-20 years)	(20+ years)
Agricultural Land Application				
Agricultural Units (AUs) ^b	575 acres			
AU Extraction Wells	80	80	102	102
AU Pipeline	68,489 If	68,489 If	83,374 lf	83,374 lf
AU Extraction Flow ^c	3,167 gpm			
In-Situ Remediation Zone (IRZ)				
Extraction Wells	21	21	25	25
Injection Wells	108	108	111	111
Pipelines	39,240 lf	39,990 If	42,365 lf	42,365 lf
Carbon-amended IRZ flow (SCRIA/SAIRZ)cd	431 gpm	244 gpm	319 gpm	213 gpm
IRZ Recirculation flow (CAIRZ) ^{c,d}	279-175 gpm	175 gpm	$175~\mathrm{gpm}$	$0 \mathrm{gpm}$
Northwest Area Freshwater Injection				
Extraction Wells	53			
Injection Wells	46			
Pipelines	36,669 If			

Monitoring Wells

92 gpm Northwest Freshwater Reinjection Flow^c

Monitoring Wells/Supporting Infrastructure

558 52 Wells and Supporting Infrastructure Acreage^e

Notes:

Access roads (acres)

a All totals include existing infrastructure. All estimates have been scaled up from the data from the Feasibility Study and Addenda to account for a larger plume than used in the feasibility study. See discussion in text.

^b Desert View Dairy, Gorman, Cottrell, Ranch, plus additional Agricultural Units.
^c All flows are based on average annual rates.

^d SCRIA refers to the South Central Reinjection Area.

SAIRZ refers to the Source Area In-Situ Remediation Zone.

CAIRZ refers to the Central Area In-Situ Remediation Zone.

e Includes acreage for all wells, including Agricultural Units, In-Situ Remediation, Northwest Freshwater Reinjection, and monitoring wells.

If = linear feet

gpm = gallons per minute

constructed; not all wells may be operating at one time **Comment [d4]:** Suggest clarifying that well estimates include the number of wells to be

54

54

52 4

Comment [d2]: 140 gpm + 25% contingency

Comment [d3]: 5 + 15% contingency

trenching, we suggest adding a note to clarify Comment [d1]: Totals are linear feet of

Table 2-6. Summary of Components under Alternative 4C-3

	Initial Duildont	7.00/	V.c 10	70
	initial buildout	rear 5	rear 10	rear 20
Optimization Period	(0–5 years)	(5–10 years)	(10-20 years)	(20+ years)
Agricultural Land Application				
Agricultural Units (AUs) ^a	575 acres			
AU Extraction Wells	80	80	102	103 102
AU Pipeline	72,751 If	72,751 lf	83,374 lf	83,374 If
AU Extraction Flow	4,388 gpm	4,388 gpm	4,388 gpm	3,606 gpm
In-Situ Remediation Zone (IRZ)				
Extraction Wells	22 2 <u>1</u>	<u>2221</u>	25	25
Injection Wells	108	108	111	111
Pipelines	39,240 If	39,990 If	42,365 lf	42,365 lf
Carbon-amended IRZ flow (SCRIA/SAIRZ)b.c	431 gpm	244 gpm	$319\mathrm{gpm}$	213 gpm
IRZ Recirculation flow (CAIRZ) ^{b, c}	279-175 gpm	175 gpm	$175\mathrm{gpm}$	0 gpm
Ex-Situ Treatment				
Extraction-Injection Wells	31			
Pipelines	41,816 lf			
Extraction-System Flow (annualized average)	1,222 gpm			
Northwest Area Freshwater Injection				
Extraction/Injection Wells	5/4 3/6			
Pipelines	36,669 If			
Northwest Freshwater Reinjection Flow ^b	92 gpm			
Monitoring Wells/Supporting Infrastructure				
Monitoring Wells	258			
Wells and Supporting Infrastructure acreaged	54	54	56	56
Access roads (acres)	7	6	12	15

Comment [d2]: 140 gpm + 25% contingency **Comment [d1]:** Totals are linear feet of trenching, we suggest adding a note to clarify

Comment [d3]: 5 + 15% contingency

All totals include existing infrastructure. All estimates have been scaled up from the data from the Feasibility Study and Addenda to account for a larger plume than used in the feasibility study. See discussion in text

- ^a Desert View Dairy, Gorman, Cottrell, Ranch, plus additional Agricultural Units.
 - ^b All flows are based on average annual rates.
- c SCRIA refers to the South Central Reinjection Area.

SAIRZ refers to the Source Area In-Situ Remediation Zone.

CAIRZ refers to the Central Area In-Situ Remediation Zone.

d Includes acreage for all wells, including Agricultural Units, In-Situ Remediation, Northwest Freshwater Reinjection, and monitoring wells. lf=linear feet

gpm = gallons per minute

Comment [d4]: Suggest clarifying that well estimates include the number of wells to be constructed; not all wells may be operating at one time

Table 2-7. Summary of Components under Alternative 4C-4

	Initial Buildout	Year 5	Year 10	Year 20
Optimization Period	(0-5 years)	(5-10 years)	(10-20 years)	(20+ years)
Agricultural Land Application				
Agricultural Units (AUs) ^a	1,394 acres			
AU Extraction Wells	149	149	190	190
AU Pipeline	132,875 lf	132,875 lf	147,374 lf	147,374 lf
AU Extraction Flow	4,388 gpm			
In-Situ Remediation Zone (IRZ)				
Extraction Wells	22<u>21</u>	<u>2221</u>	25	25
Injection Wells	108	108	111	111
Pipelines	39,240 lf	39,990 If	42,365 lf	42,365 lf
Carbon-amended IRZ flow (SCRIA/SAIRZ)b.c	431 gpm	244 gpm	319 gpm	213 gpm
IRZ Recirculation flow $(CAIRZ)^{b,c}$	279 -175 gpm	<u>175 gpm</u>	<u>175 gpm</u>	<u>0 gpm</u>
Northwest Area Freshwater Injection				
Extraction Wells	5 3			
Injection Wells	46	11 11 11 11 11 11 11 11 11 11 11 11 11		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Pipelines	36,669 If			
Northwest Freshwater Reinjection Flow ^b	92 gpm			
Monitoring Wells/Supporting Infrastructure				
Monitoring Wells	558			
Wells and Supporting Infrastructure acreaged	26	26	59	29
Access roads (acres)	8	8	6	6

All totals include existing infrastructure, All estimates have been scaled up from the data from the Feasibility Study and Addenda to account for a

Comment [dd]: Suggest clarifying that well estimates include the number of wells to be constructed; not all wells may be operating at one time

- a Desert View Dairy, Gorman, Cottrell, Ranch, plus additional Agricultural Units.
 - ^b All flows are based average annual rates.
- c SCRIA refers to the South Central Reinjection Area.

SAIRZ refers to the Source Area In-Situ Remediation Zone.

CAIRZ refers to the Central Area In-Situ Remediation Zone.

^d Includes acreage for all wells, including Agricultural Units, In-Situ Remediation, Northwest Freshwater Reinjection, and monitoring wells.

lf = linear feet

gpm = gallons per minute

Comment [d1]: Totals are linear feet of trenching, we suggest adding a note to clarify
Comment [d2]: 140 gpm + 25% contingency

Comment [d3]: 5 + 15% contingency

Table 2-8. Summary of Components under Alternative 4C-5

	Initial Buildout	Year 5	Year 10	Year 20
Optimization Period	(0-5 years)	(5-10 years)	(10-20 years)	(20+ years)
Agricultural Land Application				
Agricultural Units (AUs) ^a	575 acres			
AU Extraction Wells	80	80	102	102
AU Pipeline	68,489 If	68,489 If	83,374 lf	83,374 lf
AU Extraction Flow ^b	3,167 gpm	3,167 gpm	3,167 gpm	2,618 gpm
In-Situ Remediation Zone (IRZ)				
Extraction Wells	19	19	23	23
Injection Wells	06	06	91	91
Pipelines	33,940 If	34,690 If	36,340 lf	36,340 lf
Carbon-amended IRZ flow (SCRIA/SAIRZ) b.c	244 gpm	244 gpm	319 gpm	213 gpm
IRZ Recirculation flow (CAIRZ) _{b,c}	279-175 gpm	175 gpm	175 gpm	$\frac{0}{2}$
Ex-Situ Treatment				
Extraction Wells	907	907	24 6	24 <u>6</u>
Injection Wells	10	10	13 (year 15)	13
Pipelines	7,719 lf	7,719 lf	8,594 If	8,589 If
Extraction-System Flow (annual)	250 gpm	250 gpm	250 gpm	0-<u>250</u> g pm
Northwest Area Freshwater Injection				
Extraction/Injection Wells	5/43/6			
Pipelines	36,669 If			
Northwest Freshwater Reinjection Flow ^b	92 gpm			
Monitoring Wells/Supporting Infrastructure				
	(1111			

Notes:

Access roads (acres)

All totals include existing infrastructure. All estimates have been scaled up from the data from the Feasibility Study and Addenda to account for a

54 5

54 5

52 4

558 52

Wells and Supporting Infrastructure (acres)^d

Monitoring Wells

Desert View Dairy, Gorman, Cottrell, Ranch, plus additional Agricultural Units.

All flows are based on average annual rates. SCRIA refers to the South Central Reinjection Area.

SAIRZ refers to the Source Area In Situ Remediation Zone.
CAIRZ refers to the Central Area In-Situ Remediation Zone.

d Includes acreage for all wells, including Agricultural Units, In-Situ Remediation, Northwest Freshwater Reinjection, and monitoring wells.


If = linear feet


gpm = gallons per minute

Comment [d2]: 140 gpm + 25% contingency **Comment [d1]:** Totals are linear feet of trenching, we suggest adding a note to clarify


Comment [d3]: 5 + 15% contingency


Comment [d4]: Suggest clarifying that well estimates include the number of wells to be constructed; not all wells may be operating at one time











California Regional Water Quality Control Board, Lahontan Region

Air Quality and Climate Change

Table 3.5-9. Estimated New Construction Quantities by Alternative

		Before	Scaling	•		After S	caling	
Alternative	Agricultural Treatment Unit (Acres)	Pipeline (linear feet)	Wells	Above-Ground Treatment Facility (square feet)	Agricultural Treatment Unit (Acres)	Pipeline (linear feet)	Wells	Above-Ground Treatment Facility (square feet)
No Project	0	16,407	45	0	0	16,407	45	0
4B	40	19,557	48	0	264	58,805	219	0
4C-2	168 169	26,142	60	0	392 393	68,245	233	0
4C-3	168 169	50,322	82 79	81,060	392 393	72,507 <u>114</u> , <u>323</u>	265	125,705
4C-4	713	40,572	63 <u>60</u>	0	1,212	132,631	303	0
4C-5	168 169	32,317 <u>28.</u> <u>077</u>	60	37,500	392 393	70,664	233 234	37,500

Motos

1

3

4 5

6

8

9

10

11

12 13

14

15

16

17

18

All numbers represent new infrastructure in addition to that which already existed as of late 2011.

"Before Scaling" refers to the data on remedial infrastructure provided by PG&E based on the conceptual alternatives design in the Feasibility Study/Addenda. As discussed in Chapter 2, the Feasibility Study/Addenda evaluated the remedial infrastructure needed to address chromium plume as it is existed in 2010 and early 2011.

"After Scaling" refers to estimates of the potential amount of remedial infrastructure that may be needed to address the chromium plume as it existing in the Fourth Quarter 2011, when it was somewhat larger than in 2010 and early 2011, plus an assumed 15% potential expansion in the future. As discussed in Chapter 2, ICF worked with PG&E to scale up the potential infrastructure using various scaling factors and considerations for different remedial actions. The "after scaling" numbers are used for environmental analysis as they represent a conservative estimate.

2 3.5.5.2 Operations Emissions

Operational activities associated with each alternative would result in a continuous source of criteria pollutant and GHG emissions associated with worker vehicle commute trips, materials delivery truck trips, waste hauling truck trips, and the operation of wells and above-ground treatment facility equipment.

Emissions associated with worker vehicle commute trips, materials delivery truck trips, and waste hauling truck trips from each alternative were quantified using emission factors from the EMFAC2011 web tool and trip data from the project applicant. Exhaust emission factors from EMFAC2011 for light duty vehicles, light duty trucks, and medium duty vehicles were utilized in conjunction with the worker commute trip data received from the project applicant in estimating emissions associated with worker trips. Similarly, an emission factor for heavy-duty tractor trucks was used with the materials delivery and waste hauling trip data to account for delivery and waste hauling trips. Re-entrained road dust was quantified using EPA re-entrained road dust methodologies for paved and unpaved roads. The variables used to estimate motor vehicle emissions are summarized in Table 3.5-10. Note that while materials delivery and waste hauling trips would occur sporadically throughout the year, the daily emission calculations assume one trip on the maximum day.

Comment [d1]: 351-182

Comment [d2]: 575-182

Comment [d3]: +41,816 ex-situ trenching

Comment [d5]: 51 AU wells + 39 IRZ +20 exsitu + 124 monitoring = 234

Comment [d4]: 16,407-4,240(Source Area)+9,735+6,175 = 28,077

California Regional Water Quality Control Board, Lahontan Region

Air Quality and Climate Change

Comment [d6]: There are only a few ethanol deliveries per year

Table 3.5-10. Maintenance and Operations Sources of Emissions by Alternative

Max. Daily Annual Max Daily Annual			Totals Bef	Totals Before Scaling	Totals Afte	Totals After Scaling (1)
Worker Commute (VMT)	Alternative	Activities	Max. Daily	Annual	Max. Daily	Annual
Ethanol Deliveries (VMT) 240 2,8801,485 2.49 2,880 Betricity Consumption (kwh) 25 6,000 25 2,98 Worker Commute (VMT) 27,422 6,581,323 27,422 6,581,323 Bethanol Deliveries (VMT) 240 2,8801,485 300 4,214 Ethanol Deliveries (VMT) 29,055 6,973,263 42,491 10,19 Ethanol Deliveries (VMT) 29,055 6,973,263 42,491 10,19 Harvesting and Plowing (acres) 40 2,880,1485 300 3,584 Electricity Consumption (kwh) 30,362 2,472,1485 300 3,584 Worker Commute (Ex-Situ) (VMT) 120 2,880 10,42 Material Deliveries (Kwh) 2,40 2,472,1485 300 3,584 Worker Commute (FWT) 2,055 6,973,263 42,491 10,42 Harvesting and Plowing (acres) 2,880 Worker Commute (WMT) 2,40 2,880	Existing	Worker Commute (VMT)	25	000'9	25	0000'9
Electricity Consumption (kwh) 8,510 2,042,501 8,510 2,02 Worker Commute(VMT) 25 6,000 25 2,889 Ethanol Deliveries (VMT) 27,422 6,581,323 27,422 6,581,323 27,422 6,581 Worker Commute (VMT) 29,055 6,973,263 42,491 10,19 4,214 Electricity Consumption (kwh) 29,055 6,973,263 42,491 10,19 4,214 Harvesting and Plowing (acres) 40 40 10,19 3,554 1,2000 3,554 1,2491 10,19 3,554 1,2000 3,554 1,2491 10,19 10,19 10,14 10,1		Ethanol Deliveries (VMT)	240	2,8801,485	240	2,8801,485
Worker Commute (VMT) 25 6,000 25 Ethanol Deliveries (VMT) 240 2,881,1485 240 2,881,1485 Electricity Consumption (kwh) 27,422 6,581,323 27,422 6,881,323 Worker Commute (YMT) 20 2,881,323 27,422 6,881,323 Ethanol Deliveries (VMT) 29,055 6,973,263 42,491 10,19 Harvesting and Plowing (acres) - 40 2,4721,485 300 3,536 Ethanol Deliveries (WT) 240 2,4721,485 300 3,536 - Worker Commute (WMT) 240 2,4721,485 300 3,536 - Harvesting and Plowing (acres) - 168 - - - Worker Commute (WMT) 240 2,480 372 - - - Worker Commute (VMT) 240 2,480 479 - - - - - - - - - - - - - - - -		Electricity Consumption (kwh)	8,510	2,042,501	8,510	2,042,501
Ethanol Deliveries (VMT) 240 2,880,1485 240 2,880 Electricity Consumption (kwh) 27,422 6,581,323 27,422 6,58 Worker Commute (VMT) 50 12,000 73 1 Ethanol Deliveries (WT) 29,055 6,973,263 42,491 10,19 Ethanol Deliveries (WT) 50 12,000 72 1 Worker Commute (WT) 240 2,4721,485 300 3,536 Electricity Consumption (kwh) 30,362 7,286,815 42,491 10,42 Harvesting and Plowing (acres) 2,880 372 Worker Commute (KwT) 288 69,120 186 4 Material Deliveries (Ex-Situ) (WT) 240 2,880 65,120 41,88 Worker Commute (WT) 288 69,120 5,86 5,154 Worker Commute (WT) 40,424 9,701,702 58,625 14,06 Ethanol Deliveries (WT) 50 12,000 97 2,452 Worker Commute (WMT) 40,424 <td>No Project</td> <td>Worker Commute(VMT)</td> <td>25</td> <td>6,000</td> <td>25</td> <td>9000'9</td>	No Project	Worker Commute(VMT)	25	6,000	25	9000'9
Electricity Consumption (kwh) 27,422 6,581,323 27,422 6,58 Worker Commute (VMT) 50 12,000 73 1 Ethanol Deliveries(VMT) 240 2,8991,485 300 4,212 Electricity Consumption (kwh) 29,055 6,973,263 42,491 10,19 Harvesting and Plowing (acres) 40 10,19 Worker Commute (VMT) 30,362 7,286,815 42,491 10,42 Harvesting and Plowing (acres) 1,200 3,536 2,426,815 42,491 10,42 Harvesting and Plowing (acres) 2,880 7,286,815 42,491 10,42 Material Deliveries (Ex-Situ) (WT) 288 69,120 2,880 372 44 Worker Commute (WT) 240 1,485 300 2,154 Treatment Residue Disosal (WT) 40,424 9,701,702 58,625 14,06 Harvesting and Plowing (acres) 2,442,1485 300 2,154 Worker Commute (WMT) 50 1		Ethanol Deliveries (VMT)	240	2,880<u>1.485</u>	240	2,880<u>1,485</u>
Worker Commute (VMT) 50 12,000 73 1 Ethanol Deliveries(VMT) 240 2,8891,485 300 4,212 Electricity Consumption (kwh) 29,055 6,973,263 42,491 10,19 Harvesting and Plowing (acres) - 40 - 40 - Worker Commute (VMT) 240 2,4721,485 300 3,559 10,42 Entanol Deliveries (VMT) 30,362 7,286,815 42,491 10,42 Harvesting and Plowing (acres) - 168 - - Worker Commute (Ex-Situ) (VMT) 240 2,880 372 44 Worker Commute (WT) 288 69,120 418 10 Worker Commute (WT) 240 1,200 8 5 Fethanol Deliveries (WT) 40,424 9,701,702 58,625 14,06 Ex-Situ Diesel Fuel (gallons) 5 12,000 97 2,154 Harvesting and Plowing (acres) - 168 - - Worker Commute(VMT)		Electricity Consumption (kwh)	27,422	6,581,323	27,422	6,581,323
Ethanol Deliveries (VMT) 240 2,8801485 300 4,212 Electricity Consumption (kwh) 29,055 6,973,263 42,491 10,19 Harvesting and Plowing (acres) - 40 - Worker Commute (VMT) 50 12,000 72 1 Ectricity Consumption (kwh) 30,362 7,286,815 42,491 10,42 Harvesting and Plowing (acres) - 168 - - Material Deliveries (Ex-Situ) (VMT) 240 2,880 186 418 Worker Commute (EX-Situ) 240 1,485 300 2,154 Worker Commute (WTT) 240 1,200 8 5 Fethanol Deliveries (WT) 40,424 9,701,702 58,625 14,06 Harvesting and Plowing (acres) - 168 - - Worker Commute(VMT) 50 12,000 97 2,154 Harvesting and Plowing (acres) - 168 - Harvesting and Plowing (acres) - 2,4721,485 300 <td< td=""><td>Alternative 4B</td><td>Worker Commute (VMT)</td><td>50</td><td>12,000</td><td>73</td><td>17,549</td></td<>	Alternative 4B	Worker Commute (VMT)	50	12,000	73	17,549
Harvesting and Plowing (acres)		Ethanol Deliveries(VMT)	240	2,880<u>1,485</u>	300	4,2121,856
Harvesting and Plowing (acres) 40 Worker Commute (VMT) 50 12,000 72 1 Ethanol Deliveries (VMT) 240 2,4721,485 300 3,536 Electricity Consumption (kwh) 30,362 7,286,815 42,491 10,42 Harvesting and Plowing (acres) 120 28,800 186 4 Worker Commute (Ex-Situ) (VMT) 240 2,880 418 10 Worker Commute (VMT) 240 1,485 300 2,154 Treatment Residue Disposal (VMT) 40,424 9,701,702 58,625 14,06 Ex-Situ Diesel Fuel (gallons) 5 12,000 97 2,154 Harvesting and Plowing (acres) - 16,8 - - Worker Commute(VMT) 50 12,000 97 2,4721,485 Ethanol Deliveries(VMT) 2,4721,485 300 4,793 Electricity Consumption (kwh) - 2,4721,485 300 4,793 Electricity Consumption (kwh) - - 7,316,211 59,109 14,18 Harvesting and Plowing (acres)		Electricity Consumption (kwh)	29,055	6,973,263	42,491	10,197,856
Worker Commute (VMT) 50 12,000 72 1 Ethanol Deliveries (VMT) 240 2,4721485 300 3,536 Electricity Consumption (kwh) 168 Harvesting and Plowing (acres) 168 Worker Commute (Ex-Situ) (VMT) 240 28,800 418 10,42 Worker Commute (VMT) 288 69,120 418 10 Worker Commute (VMT) 240 1,485 300 2,154 Worker Commute (VMT) 40,424 9,701,702 58,625 14,06 Ex-Situ Diesel Fuel (gallons) 5 12,000 97 - Harvesting and Plowing (acres) 168 Worker Commute(VMT) 50 2,4721,485 300 2,459 Harvesting and Plowing (acres) 16,8 Harvesting and Plowing (acres) 7,316,211 59,109 14,18 Harvesting and Plowing (acres) 11,000		Harvesting and Plowing (acres)	;	40	:	264
Ethanol Deliveries (VMT) 240 2,472,1485 300 3,536 Electricity Consumption (kwh) 30,362 7,286,815 42,491 10,42 Harvesting and Plowing (acres) - 168 - - Worker Commute (Ex-Situ) (VMT) 240 28,800 186 4 Material Deliveries (Ex-Situ) 240 2,880 372 10 Worker Commute (VMT) 288 69,120 418 10 Ethanol Deliveries (WT) 240 1,485 300 2,154 Treatment Residue Disposal (VMT) 40,424 9,701,702 58,625 14,06 Harvesting and Plowing (acres) - 168 - - Worker Commute(VMT) 50 12,000 97 2 Ethanol Deliveries (VMT) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) - - 11,200 97 - T13 - - 14,793 - -	Alternative 4C-2	Worker Commute (VMT)	50	12,000	72	17,164
Electricity Consumption (kwh) 30,362 7,286,815 42,491 10,42 Harvesting and Plowing (acres)		Ethanol Deliveries (VMT)	240	2,472<u>1,485</u>	300	3,536<u>1,856</u>
Harvesting and Plowing (acres) 168 Worker Commute (Ex-Situ) (VMT) 120 28,800 186 4 Material Deliveries (Ex-Situ) (VMT) 240 2,880 372 10 (VMT) 288 69,120 418 10 Worker Commute (VMT) 240 1,485 300 2,154 Ethanol Deliveries (VMT) 424 5,088 658 Ex-Situ Diesel Fuel (gallons) 5 1,200 8 Ex-Situ Diesel Fuel (gallons) 5 1,200 8 Electricity Consumption (kwh) 40,424 9,701,702 58,625 14,06 Harvesting and Plowing (acres) 50 12,000 97 2,4721,485 Electricity Consumption (kwh) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) 713		Electricity Consumption (kwh)	30,362	7,286,815	42,491	10,422,673
Worker Commute (Ex-Situ) (VMT) 120 28,800 186 4 Waterial Deliveries (Ex-Situ) 240 2,880 372 (VMT) 288 69,120 418 10 Ethanol Deliveries (VMT) 240 1,485 300 2,154 Treatment Residue Disposal (VMT) 424 5,088 658 14,06 Ex-Situ Diesel Fuel (gallons) 5 1,200 8 14,06 Harvesting and Plowing (acres) 168 14,06 Worker Commute (VMT) 50 12,000 97 2 Ethanol Deliveries (VMT) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) 713 713		Harvesting and Plowing (acres)	;	168	:	392
Material Deliveries (Ex-Situ) 240 2,880 372 (VMT) 288 69,120 418 10 Ethanol Deliveries (VMT) 240 1,485 300 2,154 Treatment Residue Disposal (VMT) 424 5,088 658 5,154 Ex-Situ Diesel Fuel (gallons) 5 1,200 8 14,06 Harvesting and Plowing (acres) - 168 - - 2,4721,485 300 4,793 Ethanol Deliveries (VMT) 240 2,4721,485 300 4,793 Electricity Consumption (kwh) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) - 713 - - 713 -	Alternative 4C-3	Worker Commute (Ex-Situ) (VMT)	120	28,800	186	44,662
(VMT) Worker Commute (VMT) 288 69,120 418 10 Ethanol Deliveries (VMT) 240 1,485 300 2,154 Treatment Residue Disposal (VMT) 5 1,208 658 Ex-Situ Diesel Fuel (gallons) 5 1,200 8 Ex-Situ Diesel Fuel (gallons) 640,424 9,701,702 58,625 14,06 Harvesting and Plowing (acres) 50 12,000 97 2 Ethanol Deliveries(VMT) 240 2,4721,485 300 4,793 Electricity Consumption (kwh) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) - 713 -		Material Deliveries (Ex-Situ)	240	2,880	372	4,466
Worker Commute (VMT) 288 69,120 418 10 Ethanol Deliveries (VMT) 240 1,485 300 2,154 Treatment Residue Disposal (VMT) 5 1,208 658 Ex-Situ Diesel Fuel (gallons) 5 1,200 8 Ex-Situ Diesel Fuel (gallons) 640,424 9,701,702 58,625 14,06 Harvesting and Plowing (acres) 50 12,000 97 2 Worker Commute(VMT) 240 2,4721,485 300 4,793 Ethanol Deliveries(VMT) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) - 713 - -		(VMT)				
Ethanol Deliveries (VMT) 240 1,485 300 2,154 Treatment Residue Disposal (VMT) 424 5,088 658 658 Ex-Situ Diesel Fuel (gallons) 5 1,200 8 14,06 Harvesting and Plowing (acres) 168 2,4721,485 300 4,793 Ethanol Deliveries(VMT) 240 2,4721,485 300 4,793 Electricity Consumption (kwh) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) 713 713		Worker Commute (VMT)	288	69,120	418	100,242
Treatment Residue Disposal (VMT) 424 5,088 658 Ex-Situ Diesel Fuel (gallons) 5 1,200 8 Electricity Consumption (kwh) 40,424 9,701,702 58,625 14,06 Harvesting and Plowing (acres) - 168 - - Worker Commute(VMT) 50 12,000 97 2 Ethanol Deliveries(VMT) 240 2,4721,485 300 4,793 Electricity Consumption (kwh) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) - 713 - -		Ethanol Deliveries (VMT)	240	1,485	300	2,154<u>1,856</u>
Ex-Situ Diesel Fuel (gallons) 5 1,200 8 Electricity Consumption (kwh) 40,424 9,701,702 58,625 14,06 Harvesting and Plowing (acres) - 168 - - Worker Commute(VMT) 50 12,000 97 2 Ethanol Deliveries(VMT) 240 2,4721,485 300 4,793 Electricity Consumption (kwh) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) - 713 - -		Treatment Residue Disposal (VMT)	424	5,088	658	7,890
Electricity Consumption (kwh) 40,424 9,701,702 58,625 14,06 Harvesting and Plowing (acres) 168 Worker Commute(VMT) 50 12,000 97 2 Ethanol Deliveries(VMT) 240 2,4721,485 300 4,793 Electricity Consumption (kwh) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) 713		Ex-Situ Diesel Fuel (gallons)	5	1,200	8	1,861
Harvesting and Plowing (acres) 168 Worker Commute(VMT) 50 12,000 97 2 Ethanol Deliveries(VMT) 240 2,4721,485 300 4,793 Electricity Consumption (kwh) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) 713		Electricity Consumption (kwh)	40,424	9,701,702	58,625	14,069,994
Worker Commute(VMT) 50 12,000 97 2 Ethanol Deliveries(VMT) 240 2,4721,485 300 4,793 Electricity Consumption (kwh) 30,484 7,316,211 59,109 14,18 Harvesting and Plowing (acres) 713		Harvesting and Plowing (acres)	1	168	+	392
bl Deliveries(VMT) 240 2,4721,485 300 4,793 icity Consumption (kwh) 30,484 7,316,211 59,109 14,18 sting and Plowing (acres) 713	Alternative 4C-4	Worker Commute(VMT)	50	12,000	26	23,268
icity Consumption (kwh) 30,484 7,316,211 59,109 14,18 sting and Plowing (acres) 713		Ethanol Deliveries(VMT)	240	2,472 <u>1,485</u>	300	4,793 <u>1,856</u>
713		Electricity Consumption (kwh)	30,484	7,316,211	59,109	14,186,259
		Harvesting and Plowing (acres)	;	713	:	1,212

Comment [d7]: 288 miles per day which assumes 4 people for 3 shifts (12 miles each way). This number is excessive by a factor of 2 or more

Comment [d8]: 240 VMT/month, not daily

Comment [d9]: 424 VMT/month, not daily

August 2012

Attachment 1

California Regional Water Quality Control Board, Lahontan Region

Air Quality and Climate Change

		Totals Before Scaling	e Scaling	Totals Afte	Totals After Scaling (1)
Alternative	Activities	Max. Daily	Annual	Max. Daily	Annual
Alternative 4C-5	Worker Commute (Ex-Situ) (VMT)	120	28,800	120	28,800
	Material Deliveries (Ex-Situ)	240	2,880	240	2,880
	(VMT)				
	Worker Commute (VMT)	400	000'96	572	137,214
	Ethanol Deliveries (VMT)	240	1,485	300	2,1231,856
	Treatment Residue Disposal (VMT)	424	2,088	424	5,088
	Ex-Situ Diesel Fuel (gallons)	ro	1,200	ĸ	1,200
	Electricity Consumption (kwh)	30,261	7,262,532	43,252	10,380,413
	Harvesting and Plowing (acres)	1	168	;	392

Source: PG&E 2011, 2012 data responses.

Scaling factors used: Worker Commute(Ex-Situ) = ex situ gpm; Material Deliveries(Ex-Situ) = ex situ gpm; Worker Commute(VMT/day) = # of wells (not including monitoring wells); Ethanol Deliveries(VMT/day) = carbon injection gpm; Treatment Residue Disposal(VMT/day) = ex situ PG&E data based on Feasibility Study/addenda based on February 2011 plume. ICF scaled up based on estimated plume size 15% larger than gpm; Ex-Situ Diesel Fuel (gals/yr)= ex situ gpm; Electricity Consumption(kwh/yr) = # of wells (not including mon. wells). (1) Data shown herein is the total for each emission source by alternative, and not net new over existing. (2) PG&E data based on Feasibility Study/addenda based on February 2011 plume. ICF scaled up based o December 2011 plume (see discussion in Chapter 2, Project Description).


VMT = vehicle miles traveled; kwh = kilowatt hours; yr = year; ex-situ = above-ground treatment facility

assumes 4 people for 3 shifts (12 miles each way). This number is excessive by a factor of 2 or more Comment [d11]: 240 VMT/month not daily

Comment [d10]: 288 miles per day which


Comment [d12]: 424 VMT/month, not daily


August 2012













Attachment 2 – Discussion of Alternate Mitigation Options for Effects due to Agricultural Treatment

Background: A key aspect of the proposed remedy is the use of agricultural treatment for treatment of hexavalent chromium. In addition to being a well-proven method for groundwater treatment, this treatment approach has several large-scale benefits for the community and the environment, including:

- 1) Beneficial utilization of the groundwater resource during the life of the cleanup
- 2) Production of a useful, locally-used product (crops/animal feed)
- 3) Creating a land use that is consistent with and builds upon the agricultural heritage of the Hinkley area
- 4) Providing employment for local agricultural-related workers and contractors
- 5) Potential avoidance of greenhouse gas and other transport-related emissions due to the reduction in trucking of animal feeds from areas outside the Hinkley Valley
- 6) Providing a basis for a stable, sustainable economic activity in the Hinkley area

As noted in the EIR, agricultural treatment may have impacts on groundwater quality (such as potential increases in total dissolved solids [TDS] and nitrate). At some level, these impacts may require mitigation, as set out in Mitigation Measures WTR-MM-4, WTR-MM-5 and WTR-MM-6 of the draft EIR. This addendum is intended to offer an alternative and potentially superior approach to these draft mitigation measures for the RWQCB's consideration.

Groundwater quality issues related to agricultural impacts are a challenge facing much of California. State Water Board Policies acknowledge the need for area-wide and basin-wide approaches to salt and nutrient management. This is shown in the state's Recycled Water Policy, adopted in Resolution No. 2009-0011. A Regional Water Quality Control Board, Lahontan Region (LRWQCB) staff briefing to the Board in January 2012 stated in part "The Recycled Water Policy.... establishes goals to manage a sustainable water supply through increased use of recycled water, enhanced stormwater management, and improved water conservation efforts. The Water Boards have determined that regulating individual waste discharges in a groundwater basin may not be effective or efficient at ensuring long-term protection of groundwater resources and its beneficial uses without some overall evaluation of potential salt and nutrient loading."

The location and geometry of the Hinkley plume may afford a unique opportunity for positive basin-level salt and nutrient management approaches. Conceptually, if beneficial uses of groundwater in the basin (such as farming) can be relocated from an area where they may cause a significant impact (near other quality-sensitive water users) to an area where they do not (in an area away from other quality-sensitive

Language from this policy states: These challenges also present an unparalleled opportunity for California to move aggressively towards a sustainable water future. The State Water Resources Control Board (State Water Board) declares that we will achieve our mission to "preserve, enhance and restore the quality of California's water resources to the benefit of present and future generations." To achieve that mission, we support and encourage every region in California to develop a salt/nutrient management plan by 2014 that is sustainable on a long-term basis and that provides California with clean, abundant water. These plans shall be consistent with the Department of Water Resources' Bulletin 160, as appropriate, and shall be locally developed, locally controlled and recognize the variability of California's water supplies and the diversity of its waterways. We strongly encourage local and regional water agencies to move toward clean, abundant, local water for California by emphasizing appropriate water recycling, water conservation, and maintenance of supply infrastructure and the use of stormwater (including dry-weather urban runoff) in these plans; these sources of supply are drought-proof, reliable, and minimize our carbon footprint and can be sustained over the long-term. We declare our independence from relying on the vagaries of annual precipitation and move towards sustainable management of surface waters and groundwater, together with enhanced water conservation, water reuse and the use of stormwater.

Attachment 2

users), then the overall water quality and usefulness of the groundwater resources of the basin may actually be improved (when compared to baseline conditions).

PG&E is planning to explore this option in cooperation with existing farmers and dairy producers in the Hinkley area. Conceptually, the idea of a 'farm swap' during the life of a cleanup may offer significant environmental benefits. By having a local farmer remove a given field from production (idling), and transferring that pre-existing farming to a field planned for use as part of the remedy, the overall net effect will be that no extra salt or nutrient impacts will be created. In fact, if the idled field uses an older, less efficient form of irrigation (when compared to a new high-efficiency irrigation method such as drag drip, as discussed below) the overall environmental impact of this farming activity will be reduced. This reduction in net environmental impact may reduce or eliminate the need for some of the mitigation measures.

In a related but separate vein, the agricultural approaches being used at Hinkley may hold promise for a net reduction of the potential groundwater impacts of agriculture in the area. The advanced drag-drip irrigation systems currently being deployed at the site have several benefits for arid-land agriculture. By applying water directly to the base of the crop (rather than spraying it out into the air) a significant source of evaporation is eliminated. This reduction in evaporation results in less water use per unit of agricultural production, which is turn leads to the following environmental benefits:

- 1) Less use of limited groundwater resources
- 2) Reduction in agriculture-induced aquifer drawdown
- 3) Lower salt loading to the aquifer for a given unit of agricultural production
- 4) Reductions in electric use for pumping (thereby reducing secondary effects of power generation such as GHG emissions, transmission impacts, etc.,)

The higher capital costs of the drag-drip systems have been a deterrent to having local farmers employ this method. PG&E is prepared to explore the development of demonstration/incentive programs to encourage adaptation of these or similar conservation-focused agricultural techniques for the Mohave basin. PG&E believes that having the current agricultural units as demonstration units that local farmers can see and observe in everyday use may assist in dispelling concerns about operational issues, maintenance, etc. Such a conservation program, if successful, would reduce the net water usage and salt and nutrient load on the basin. This reduction would serve as mitigation for the potential impacts of the project.

PG&E believes that these approaches offer a significant opportunity for environmental benefits at the area and basin level of analysis. However, it is important that these approaches are not misconstrued to mean impacts to water users in the immediate vicinity of the project will not be mitigated. PG&E notes that Mitigation Measure WTR-MM-2: Water Supply Program for Wells that are Affected by Remedial Activities is specifically designed to address and mitigate this concern. PG&E is fully supportive of the adoption of WTR-MM-2, and regardless of approach, will work to minimize and, if necessary, mitigate the potential impacts of the remedy on local groundwater users.

As such, PG&E offers the draft text edits for the RWQCB's consideration. The intent of the text is to provide the necessary flexibility to allow PG&E to pursue the programs described above. It is structured to provide alternatives: either mitigation via the use of the alternative mitigation strategies enumerated here, OR to ensure mitigation via the approaches already contained within the EIR. The existing language from the EIR has been extensively copied below. At the RWQCB's discretion, PG&E is prepared to assist in the refinement of this language, in order to allow for these environmentally superior alternative mitigations to be employed.

Proposed Revised EIR text is provided below in italics.

Mitigation Measure WTR-MM-4: Mitigation Program for Restoring the Hinkley Aquifer Affected by Remedial Activities for Beneficial Uses

This requirement holds PG&E responsible for restoring the Hinkley aquifer back to baseline conditions to the extent changes from baseline conditions are attributable to the implementation of the remedy, or otherwise mitigating the effects on the aquifer of the remedial actions.

Due to the beneficial nature of the agricultural treatment proposed for the site, this may be accomplished in one of two ways, or some combination thereof:

- 1) Aquifer restoration
- 2) Agricultural offsets and/or salt/nutrient mitigation

Aquifer restoration

- 1) No later than 5 years prior to the conclusion of the proposed project, PG&E will conduct an assessment to evaluate adverse impacts or potential adverse impacts to the Hinkley aquifer from its remedial actions.
- a) If the assessment finds that (i) the aquifer contains constituents, exceeding drinking water standards or water quality objectives and are in excess of baseline conditions and of the assimilative capacity of the aquifer, (ii) that these constituents are likely to be present upon the conclusion of remedial actions in a manner that would restrict beneficial uses of the aquifer and (iii) that these changes from baseline conditions are attributable to the implementation of the remedy, PG&E will propose cleanup actions to restore the aquifer for beneficial uses as soon as possible, as approved by the Water Board. Aquifer water quality restoration to baseline conditions will occur no longer than 30 years after completion of chromium remediation.
- b) If the assessment finds that the aquifer includes groundwater drawdown such that domestic or agricultural wells were still experiencing water supply shortages and require alternative water supplies, and these excess levels are likely to exist upon the conclusion of remedial actions, and these changes are attributable to the implementation of the remedy, PG&E will propose actions to restore the aquifer for beneficial uses as soon as possible, as approved by the Water Board or Mojave Water Agency. The assessment shall specify the time required for restoration activities, and groundwater levels will be restored to baseline conditions within that time frame, subject to adjustment as needed, with approval of the Water Board or the Mojave Water Agency, based on the implementation of the restoration activities.
- c) Every year following preparation of the assessment, PG&E must submit a status report of actions to restore the aquifer for beneficial uses. The status report will describe all actions taken over the course of the year and list proposed actions for implementation during the following year. An updated schedule will be provided predicting fulfillment of aquifer restoration.

Agricultural offsets and or salt/nutrient mitigation

2) In the case of impacts due to agricultural treatment, it is recognized that some increases in TDS and other dissolved constituents may occur. These potential increases are an inherent result of the beneficial use of the aquifer for farming, and are similar to impacts that are caused by other agriculture in the Hinkley Valley and the greater Mojave Basin. Acknowledging that salt and

nutrient issues are most effectively managed on a basin-wide plan, the Board may approve the use of agricultural offsets, or salt and nutrient management programs in lieu of aquifer restoration as set forth in item 1a above (or to reduce the scope of potential aquifer restoration). (However, this section is not intended to relieve PG&E of any responsibility for mitigating impacts to individual well owners as described in MM-WTR-2.) The measures used under this section must provide an equivalent level of mitigation, and may include the following:

- a) Temporary relocation of current farming activities (agricultural offsets) extensive farming is currently taking place in close proximity to the planned remediation site. PG&E may work with farmers to relocate existing agricultural activities into the footprint of currently planned AUs; or may elect to pipe water from the current extraction wells to nearby currently irrigated fields. These agricultural offsets will have the net effect of not adding additional agriculture to the basin, and shall therefore serve as complete mitigation for the water quality impacts to the aquifer of those agriculture units which are offset (on an acre for acre basis). However, this section is not intended to any relieve PG&E of responsibility for mitigating impacts to individual well owners as described in MM-WTR-2.
- b) Funding of salt/nutrient management planning and mitigation programs PG&E may work with farmers, local agencies and other interested parties to develop salt/nutrient management, planning and mitigation programs. These programs may include measures such as incentives and outreach for reducing water use in local agriculture, funding for development of regional plans, studies and strategies, and/or funding for regional salt/nutrient removal or management programs.

Mitigation Measure WTR-MM-5: Investigate and Monitor Total Dissolved Solids, Uranium, and Other Radionuclide Levels in relation to Agricultural Treatment and Take Contingency Actions

The Water Board will include requirements in the new CAO and/or associated WDRs issued for the remediation as follows:

- PG&E will submit an investigation plan to the Water Board concerning TDS, uranium, and other radionuclides levels in relation to existing agricultural treatment by sampling water used for agricultural treatment and in groundwater upgradient, beneath and downgradient of agricultural treatment units
- After approval of the investigation plan by the Water Board, PG&E will conduct the investigation and provide the results to the Water Board along with an analysis of whether agricultural treatment is affecting naturally occurring uranium levels.
- PG&E will monitor all new agricultural treatment units by establishing a baseline of TDS, uranium, and other radionuclides levels at the outset agricultural treatment and during operation.
- If TDS, uranium, and other radionuclides levels are determined to increase measurably by a statistically significant amount due to agricultural treatment_associated with remedial actions, then PG&E will monitor these levels in and adjacent to all agricultural treatment units for the duration of operation and propose remedial methods to restore the aquifer to baseline conditions.
- If the study of agricultural units indicates that TDS, uranium, and other radionuclide concentrations increase due to agricultural operations associated with remedial action and boundary monitoring confirms an increase in these levels, then corrective actions and or alternative water supplies will be provided per Mitigation Measure WTR-MM-2 and Mitigation

Measure WTR-MM-4 will be implemented toward the end of chromium plume remediation to restore aquifer beneficial uses.

Alternatively, this mitigation measure may be implemented through the use of the Agricultural offsets and or salt/nutrient mitigation program as described in Mitigation Measure WTR-MM-4.

Mitigation Measure WTR-MM-6: Monitor Nitrate Levels and Manage Agricultural Treatment to Avoid Significant Increases in Nitrate Levels and Provide Alternative Water Supplies As Needed

Agricultural treatment will likely reduce nitrate levels in the groundwater aquifer overall. However, if groundwater is extracted from an area of higher nitrate concentrations and then treated in an area with much lower nitrate concentrations, it is possible that nitrate concentrations could increase in those areas.

The Water Board will include requirements in the new CAO and/or associated WDRs issued for the remediation as follows:

- Given that prior agricultural treatment at the Desert View Dairy has been shown to reduce nitrate levels substantially, it is possible that use of irrigation water with higher nitrate levels may not result in increased nitrate levels in groundwater beneath new agricultural treatment locations. In order to confirm if this is occurring, PG&E will monitor nitrate levels for one year before creating new agricultural treatment units (as feasible without delaying remediation), monitor at the start of new agricultural treatment, and continue monitoring nitrate levels during implementation of all new agricultural treatment units. If nitrate levels do not increase above 10 ppm (as N) or by more than 10% compared to existing levels (if current levels are already above 10 ppm as N) and is statistically significant, or by more than 20% compared to existing levels (if current levels are less than 10 ppm as N) and is statistically significant then no further action, other than monitoring, will be required.
- If monitoring indicates that nitrate levels are approaching 10 ppm (as N) or increasing by more than the criteria noted above, then PG&E will implement a contingency plan for managing nitrate levels which may include some combination of the following:
 - Extraction source water will be shifted from application where it would raise concentrations substantially to locations with existing higher concentrations provided it would not cause an exceedance of nitrate levels at any domestic well.
 - Extraction source water will be blended before application to agricultural treatment units so as to avoid exceedance of 10 ppm as N and avoid increases in existing levels that exceed the criteria noted above.
 - Above-ground treatment may be used as necessary to meet the concentration levels described above.
 - o If control of nitrate cannot meet these requirements, PG&E may request permission from the Water Board to allow temporary increases in nitrate conditions at certain agricultural treatment units, if and only if, the following can be demonstrated:
 - no domestic wells will contain nitrate concentrations above 10 ppm or an increase in nitrate levels exceeding the criteria above; or
 - PG&E will provide whole house water for any affected domestic well until such a time as nitrate concentrations return to existing concentrations at the affected well, and
 - PG&E will be held accountable for implementing remedial methods to restore the aquifer to baseline conditions.

Attachment 2

- PG&E will estimate the duration of nitrate impairment of water quality due to remedial activities and will identify how affected groundwater nitrate levels will return to background conditions prior to the timeframe for remediation of the chromium plume to the established cleanup levels. The duration of nitrate impairment due to remedial activities may possibly extend beyond the time necessary to remediate the chromium plume; the goal of remedial operation in the later stages of the cleanup should be to minimize the duration of all impacts.
- The Water Board will retain the authority to approve or deny temporary impairment of the aquifer due to nitrate contamination and will make determinations on a case by case basis taking into account information on remedial progress, the affected wells and community, the certainty of returning affected groundwater to background water quality over time and any other relevant considerations.

Alternatively, this mitigation measure may be met through the use of the Agricultural offsets and or salt/nutrient mitigation program as described in Mitigation Measure WTR-MM-4.

EXHIBIT 3

EXHIBIT 3