



Los Angeles Regional Water Quality Control Board

December 5, 2017

Alex Farassati
City of Calabasas Department of Public Works
100 Civic Center Way
Calabasas, CA 91302

VIA CERTIFIED MAIL RETURN RECEIPT REQUESTED No. 7016 0750 0000 8035 3599

Dear Mr. Farassati:

RE: CLEAN WATER ACT SECTION 401 WATER QUALITY CERTIFICATION AND ORDER FOR THE LAS VIRGENES CREEK RESTORATION PROJECT (4WQC4015131)

Enclosed please find a CLEAN WATER ACT SECTION 401 WATER QUALITY CERTIFICATION AND ORDER, authorized by Los Angeles Regional Water Quality Control Board Executive Officer, Samuel Unger. This Order is issued to Alex Farassati, City of Calabasas Department of Public Works for Las Virgenes Creek Restoration Project (Project). Attachments A through C of the Enclosure are also part of the Order.

This Order is issued in response to an application submitted by City of Calabasas Department of Public Works for proposed Project discharge to waters of the state, to ensure that the water quality standards for all waters of the state impacted by the Project are met. You may proceed with your Project according to the terms and conditions of the enclosed Order.

If you require further assistance, please contact Valerie CarrilloZara by phone at (213) 576-6759 or by email at Valerie.CarrilloZara@waterboards.ca.gov. You may also contact me by phone at (213) 576-6785 or by email at LB.Nye@waterboards.ca.gov.

Sincerely,

Valerie Carrillo Zara, lead

Section 401 Certification and Wetlands Unit Los Angeles Water Quality Control Board

Enclosures (1): Order for Las Virgenes Creek Restoration Project, File No. 15-131

Reg. Meas. ID: 403435 Place ID: 818975

File No.: 15-131

cc: [Via email only] (w/ enclosure):

Jillian Moore Organization Rincon Consultants, Inc.

Bill Orme CWA Section 401 WQC Program Division of Water Quality State Water Resources Control Board

Melissa Scianni U.S. Environmental Protection Agency, Region 9

Brock Warmuth
California Department of Fish and Wildlife
Streambed Alteration Team

Daniel P. Swenson U.S. Army Corps of Engineers

G. Mendel Stewart Jonathan Snyder U.S. Fish and Wildlife Service





Los Angeles Regional Water Quality Control Board

CLEAN WATER ACT SECTION 401 WATER QUALITY CERTIFICATION AND ORDER

Effective Date: December 5, 2017

Reg. Meas. ID: 403435

Place ID:

NWP:

818975

Program Type: Fill/Excavation

WDID: 4WQC40115131

27 and 14

USACOE#:

SPL-2015-00711-JMV

R4 File No

15-131

Project Type: Restoration Bank Stabilization and/or Adjacent Upland Area

Project: Las Virgenes Creek Restoration Project (Project)

Applicant: City of Calabasas, Department of Public Works

Applicant Contact: Alex Farassati

City of Calabasas, Department of Public Works

100 Civic Center Way Calabasas, CA 91302 Phone: (818) 224-1600 Fax: (818) 225-7338

Email: afarassati@cityofcalabasas.com

Applicant's Agent: Jillian Moore

Rincon Consultants, Inc.

5135 Avenida Encinas, Suite A

Carlsbad, CA 92008

Phone: (760) 918-9444 x203

Email: jmoore@rinconconsultants.com

Water Board Staff: Valerie Carrillo Zara

Engineering Geologist 320 W. 4th Street, Suite 200 Los Angeles, CA 90013

Phone: (213) 576-6759

Email: Valerie.carillozara@waterboards.ca.gov

Water Board Contact Person:

If you have any questions, please call Los Angeles Regional Water Quality Control Board (Los Angeles Water Board) Staff listed above or (213) 576-6600 and ask to speak with the Water Quality Certification and Wetlands Unit Program Manager.

Table of Contents

1.	Order	3
11.	Public Notice	3
III.	Project Purpose	3
IV.	Project Description	3
V.	Project Location	5
VI.	Project Impact and Receiving Waters Information	5
VII.	Description of Direct Impacts to Waters of the State	6
VIII.	Compensatory Mitigation	6
IX.	California Environmental Quality Act (CEQA)	6
X.	Petitions for Reconsideration	6
XI.	Fees Received	7
XII.	Conditions	7
XIII.	Water Quality Certification	14
Atta	hment A Signatory Requirements hment B Map hment C Report and Notification Requirements	

I. Order

This Clean Water Act (CWA) section 401 Water Quality Certification action and Order (Order) is issued at the request of the City of Calabasas (herein after Permittee) for the Project. This Order is for the purpose described in application submitted by the Permittee. The application was received on October 14, 2015. The application was deemed complete on October 16, 2017.

II. Public Notice

The Los Angeles Water Board provided public notice of the application pursuant to California Code of Regulations, title 23, section 3858 from October 21, 2015 to the effective date of the Order. The Los Angeles Water Board did not receive any comments during the comment period.

III. Project Purpose

It is the goal of this Project to preserve and protect portions of the creek, and to enhance and restore the functions and values of existing wetland and waters.

The Project is intended to:

- To improve the fluvial geomorphic balance of the channel;
- Remove obstacles to fish and pond turtle passage and improve aquatic habitat;
- Arrest vertical and lateral erosion, and sedimentation;
- · Re-establish a coherent riparian corridor in a substantially urban setting; and
- Provide opportunities for public access, education and stewardship of the natural creek setting.

IV. Project Description

The Project includes two primary components along Las Virgenes Creek between Agoura Road and Lost Hills Drive in Calabasas: creek restoration and development of public access facilities.

Creek Restoration

Creek and riparian corridor restoration will include: debris removal, erosion and sediment control and biotechnical slope and bank stabilization, fish habitat enhancement, fish passage barrier remedial measures, and improving flood carrying capacity through selective willow thinning and removal of aggressive non-native trees and shrubs. These activities are described further below.

A. Habitat Enhancement and Fish Passage Improvements

An approximately 310-foot long by 4-foot high concrete wall on the west side of the creek associated with the construction of the Meadow Creek Lane concrete culvert in the early 1960's has been undermined by ongoing creek down-cutting in this area. The concrete wall has now completely failed and fallen into the creek bed. The pieces of broken wall have diverted flow against the opposite bank, resulting in bank erosion, especially on the east side of the channel.

The concrete pieces also create barriers to upstream fish movement. The down-cutting of the stream bed in this area also has created a jump barrier and combined with the high stream velocities through the concrete culvert preclude upstream fish movement during nearly all flow events.

Stream restoration and fish habitat enhancement and barrier removal in the Meadow Creek Lane area will include:

- Removal of vegetation and pieces of broken concrete from the channel bottom for fish passage construction;
- Grade control using large rock;
- Channel bank slope restoration and stabilization using planted rock rip rap on the lower slopes and earthen fill stabilized with coir end-wrapped geogrids (planted coconut fiber encased earthen fill structures which are stacked on top of each other) and coir blankets on the upper slopes;
- Willow planting;
- Construction of a series of rock step pools and rock riffles to gradually raise the channel bed to the invert elevation of the culvert over a distance of 310 linear feet; and,
- Addition of baffles (concrete weirs) and a low flow channel in the culvert barrel to reduce stream velocities.

Habitat restoration efforts will enhance and restore degraded wetland/riparian habitat to facilitate future use by wildlife species such as the California red-legged frog. Enhanced habitat will support a diversity of native wetland species as well as provide for improved water quality by reducing erosion and sedimentation along the creek.

Creek rehabilitation will also include general cleanup for habitat improvement as well as management of fire fuel loads, including removal of downed wood, debris and other materials in the creek. Fish passage improvements may also require use of a temporary cofferdam for dewatering of surface waters temporarily during construction.

B. Erosion Control

Project activities which will reduce erosion in the channel, and watershed as a whole, will include:

- Removal of obstructions to flood flows that are causing local slope erosion and siltation problems;
- Construction of a stable channel bed and banks;
- Construction of storm drain outlet protection;
- Use of bioengineering techniques for bank stabilization;
- Enhancement of bed morphologic diversity; and
- Replanting of riparian revegetation.

Banks and slopes will be stabilized in areas where there is erosion and/or concentration of drainage from upland areas that may increase siltation or sedimentation in the creek. Channel banks in areas with active gully erosion from upstream drainage and over-slope flow will be repaired using soil bioengineering. The main focus area for bank stabilization will be downstream of Meadow Creek Lane, where there is approximately 310 feet of unstable bank within Waters of the State. A storm drain downstream of this area will receive rock outlet

protection. There is also a 200 linear foot section with 0.023 acres within Waters of the State near Cold Springs Rd where willows will be staked.

The project also includes temporary stormwater management and erosion control during construction. An erosion control plan has been developed for implementation by the Contractor for temporary construction related erosion control.

Public Access Facilities

The proposed project will include public access amenities including a public trail network, an outdoor environmental education area, and learning stations at three locations along the creek. All public access facilities are outside Waters of the State except for a 24' length of 6' wide timber steps at Agoura Rd.

V. Project Location

Proposed project is to take place in Las Virgenes Creek located in the City of Calabasas in Los Angeles County.

<u>Latitude</u>	Longitude
34.125687 34.127756 34.130168 34.139495 34.144086 34.126164 34.127775 34.131504	-118.706663 -118.706004 -118.707231 -118.702587 -118.699363 -118.707366 -118.707904 -118.708428
34.140656	-118.704122

A map showing the Project location is found in Attachment B of this Order.

VI. Project Impact and Receiving Waters Information

The Project is located within the jurisdiction of Los Angeles Regional Water Quality Control Board. Receiving waters and groundwater potentially impacted by this Project are protected in accordance with the applicable water quality control plan (Basin Plan) for the region and other plans and policies which may be accessed online at:

http://www.waterboards.ca.gov/plans_policies/. The Basin Plan includes water quality standards, which consist of existing and potential beneficial uses of waters of the state, water quality objectives to protect those uses, and the state and federal antidegradation policies.

It is the policy of the State of California that every human being has the right to safe, clean, affordable, and accessible water adequate for human consumption, cooking, and sanitary purposes. This Order promotes that policy by requiring discharges to meet maximum contaminant levels designed to protect human health and ensure that water is safe for domestic use.

Receiving Water:

Las Virgenes Creek

(Hydrologic Unit Code: 180701040103)

Designated Beneficial Uses:

MUN*, REC-1, REC-2, WARM, COLD, WILD, RARE, MIGR, SPWN,

*Conditional beneficial use

VII. Description of Direct Impacts to Waters of the State

Permanent and temporary impacts to aquatic resources are summarized in Table 1, below. No permanent physical loss of habitat will result from the creek restoration component of the project. The permanent physical loss will be a result of the removal of the broken concrete structure.

Impacts to waters are temporary and/or will improve ecological functioning.

Total Project fill/excavation quantities for all impacts are summarized in Table 1.

				Permanent Impact					
Aquatic Resource Type	Temporary Impact ¹		Physical Loss of Area			Degradation of Ecological Condition Only			
	Acres	CY ²	LF	Acres	CY	LF	Acres	CY	LF
Riparian Zone									
Stream Channel	0.052		900						
Wetland	0.336		550	0.003		6			

VIII. Compensatory Mitigation

No compensatory mitigation is required for impacts because this project is restoration.

IX. California Environmental Quality Act (CEQA)

On December 9, 2015, the City of Calabasas, as lead agency, adopted an initial study/mitigated negative declaration (IS/MND) (State Clearinghouse (SCH) No. 2015101049) for the Project. The Los Angeles Water Board is a responsible agency under CEQA (Pub. Resources Code, § 21069) and in making its determinations and findings, must presume that City of Calabasas's adopted environmental document comports with the requirements of CEQA and is valid. (Pub. Resources Code, § 21167.3.) The Los Angeles Water Board has reviewed and considered the environmental document and finds that the environmental document prepared by City of Calabasas addresses the Project's water resource impacts. (Cal. Code Regs., tit. 14, § 15096, subd. (f).) The environmental document includes mitigation measures that have been adopted for the Project to reduce potential significant impacts. (Pub. Resources Code, § 21081.6, subd. (a)(1); Cal. Code Regs., tit. 14, § 15074, subd. (d).)

X. Petitions for Reconsideration

¹ Includes only temporary direct impacts to waters of the state and does not include upland areas of temporary disturbance which could result in a discharge to waters of the state.

² Cubic Yards (CY); Linear Feet (LF)

Any person aggrieved by this action may petition the State Water Board to reconsider this Order in accordance with California Code of Regulations, title 23, section 3867. A petition for reconsideration must be submitted in writing and received within 30 calendar days of the issuance of this Order.

XI. Fees Received

An application fee of \$200.00 was received on October 14, 2015. The fee amount was determined as required by California Code of Regulations, title 23, sections 3833(b)(3) and 2200(a)(3), and was calculated as category D - Ecological Restoration and Enhancement Projects (fee code 85) with the dredge and fill fee calculator.

XII. Conditions

The Los Angeles Water Board has independently reviewed the record of the Project to analyze impacts to water quality and designated beneficial uses within the watershed of the Project. In accordance with this Order, the Permittee may proceed with the Project under the following terms and conditions:

A. Authorization

Impacts to waters of the state shall not exceed quantities shown in Table 1.

B. Reporting and Notification Requirements

The following section details the reporting and notification types and timing of submittals. Requirements for the content of these reporting and notification types are detailed in Attachment C, including specifications for photo and map documentation during the Project. Written reports and notifications must be submitted using the Reporting and Notification Cover Sheet located in Attachment C, which must be signed by the Permittee or an authorized representative.

1. Project Reporting

a. Annual Reporting: The Permittee shall submit an Annual Report each year on the anniversary of Project effective date. Annual reporting shall continue until a Notice of Project Complete Letter is issued to the Permittee.

2. Project Status Notifications

- a. Request for Notice of Completion of Discharges Letter: The Permittee shall submit a Request for Notice of Completion of Discharges Letter following completion of active Project construction activities, including any required restoration and permittee-responsible mitigation. This request shall be submitted to the Los Angeles Water Board staff within thirty (30) days following completion of all Project construction activities. Upon acceptance of the request, Los Angeles Water Board staff shall issue a Notice of Completion of Discharges Letter to the Permittee which will end the active discharge period and associated annual fees.
- **b.** Request for Notice of Project Complete Letter: The Permittee shall submit a Request for Notice of Project Complete Letter when construction and/or any post-

construction monitoring is complete,³ and no further Project activities will occur. This request shall be submitted to Los Angeles Water Board staff within thirty (30) days following completion of all Project activities. Upon approval of the request, the Los Angeles Water Board staff shall issue a Notice of Project Complete Letter to the Permittee which will end the post discharge monitoring period and associated annual fees.

- **3. Conditional Notifications and Reports:** The following notifications and reports are required as appropriate.
 - a. Accidental Discharges of Hazardous Materials⁴

Following an accidental discharge of a reportable quantity of a hazardous material, sewage, or an unknown material, the following applies (Wat. Code, § 13271):

- As soon as (A) Permittee has knowledge of the discharge or noncompliance,
 (B) notification is possible, and (C) notification can be provided without substantially impeding cleanup or other emergency measures then:
 - first call 911 (to notify local response agency)
 - then call Office of Emergency Services (OES) State Warning Center at: (800) 852-7550 or (916) 845-8911
 - Lastly follow the required OES procedures as set forth in: http://www.caloes.ca.gov/FireRescueSite/Documents/CalOES-Spill Booklet Feb2014 FINAL BW Acc.pdf
- **ii.** Following notification to OES, the Permittee shall notify Los Angeles Water Board, as soon as practicable (ideally within 24 hours). Notification may be via telephone, e-mail, delivered written notice, or other verifiable means.
- iii. Within five (5) working days of notification to the Los Angeles Water Board, the Permittee must submit an Accidental Discharge of Hazardous Material Report.
- b. Violation of Compliance with Water Quality Standards: The Permittee shall notify the Los Angeles Water Board of any event causing a violation of compliance with water quality standards. Notification may be via telephone, e-mail, delivered written notice, or other verifiable means.
 - i. Examples of noncompliance events include: lack of storm water treatment following a rain event, discharges causing a visible plume in a water of the state, and water contact with uncured concrete.

³ Completion of post-construction monitoring shall be determined by Los Angeles Water Board staff and shall be contingent on successful attainment of restoration and mitigation performance criteria.

⁴ "Hazardous material" means any material that, because of its quantity, concentration, or physical or chemical characteristics, poses a significant present or potential hazard to human health and safety or to the environment if released into the workplace or the environment. "Hazardous materials" include, but are not limited to, hazardous substances, hazardous waste, and any material that a handler or the administering agency has a reasonable basis for believing that it would be injurious to the health and safety of persons or harmful to the environment if released into the workplace or the environment. (Health & Saf. Code, § 25501.)

ii. This notification must be followed within three (3) working days by submission of a Violation of Compliance with Water Quality Standards Report.

c. In-Water Work

- i. If stream diversion will be necessary, the Permittee shall submit to the Los Angeles Water Board staff a Stream Diversion Plan, with a diagram and a narrative description of the method to divert the stream and associated BMPs for acceptance at least 30 days in advance of any stream diversion.
- ii. During stream diversion, water quality monitoring shall be conducted. Requirements for water quality monitoring are in Section XII, C, 3.
- iii. The Permittee shall notify the Los Angeles Water Board at least forty-eight (48) hours prior to initiating work in water or stream diversions. Notification may be via telephone, e-mail, delivered written notice.
- iv. Within three (3) working days following completion of work in water or stream diversions, an In-Water Work/Diversions Water Quality Monitoring Report must be submitted to Los Angeles Water Board staff.

d. Modifications to Project

Project modifications may require an amendment of this Order. The Permittee shall give advance notice to Los Angeles Water Board staff if Project implementation as described in the application materials is altered in any way or by the imposition of subsequent permit conditions by any local, state or federal regulatory authority by submitting a Modifications to Project Report. The Permittee shall inform Los Angeles Water Board staff of any Project modifications that will interfere with the Permittee's compliance with this Order.

- **e. Transfer of Property Ownership:** This Order is not transferable in its entirety or in part to any person or organization except after notice to the Los Angeles Water Board in accordance with the following terms:
 - i. The Permittee must notify the Los Angeles Water Board of any change in ownership or interest in ownership of the Project area by submitting a Transfer of Property Ownership Report. The Permittee and purchaser must sign and date the notification and provide such notification to the Los Angeles Water Board at least 10 days prior to the transfer of ownership.
 - **ii.** Until such time as this Order has been modified to name the purchaser as the permittee, the Permittee shall continue to be responsible for all requirements set forth in this Order.

C. Water Quality Monitoring

1. **General:** If surface water is present, continuous visual surface water monitoring shall be conducted to detect accidental discharge of construction related pollutants (e.g. oil and grease, turbidity plume, or uncured concrete).

2. Accidental Discharges/Noncompliance: Upon occurrence of an accidental discharge of hazardous materials or a violation of compliance with a water quality standard, Los Angeles Water Board staff may require water quality monitoring based on the discharge constituents and/or related water quality objectives and beneficial uses.

3. In-Water Work or Diversions:

During planned work in water or stream diversions any discharge(s) to waters of the state shall conform to the following water quality standards:

- a. Oil and Grease. Waters shall not contain oils, greases, waxes or other materials in concentrations that result in a visible film or coating on the surface of the water or on objects in the water, that cause nuisance, or that otherwise adversely affect beneficial uses.
- **b.** Dissolved Oxygen. At a minimum, the mean annual dissolved oxygen concentration of all waters shall be greater than 7 mg/L, and no single determination shall be less than 5.0 mg/L, except when natural conditions cause lesser concentrations. The dissolved oxygen content of all surface waters designated as WARM shall not be depressed below 5 mg/L as a result of waste discharges.
- c. pH. The pH of inland surface waters shall not be depressed below 6.5 or raised above 8.5 as a result of waste discharges. Ambient pH levels shall not be changed more than 0.5 units from natural conditions as a result of waste discharge.
- d. Turbidity. Downstream TSS shall be maintained at ambient levels. Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%

Sampling shall be conducted in accordance with Table 2 sampling parameters.⁵

and is calibrated and maintained in accordance with the manufacturer's instructions. A calibration and maintenance log for each meter used for monitoring shall be maintained onsite.

⁵ Pollutants shall be analyzed using the analytical methods described in 40 Code of Federal Regulations Part 136; where no methods are specified for a given pollutant, the method shall be approved by Los Angeles Water Board staff. Grab samples shall be taken between the surface and mid-depth and not be collected at the same time each day to get a complete representation of variations in the receiving water. A hand-held field meter may be used, provided the meter utilizes a U.S. EPA-approved algorithm/method

Table 2: Sample Typ	oe and Frequency F	Requirements	s e e
Parameter	Unit of Measurement	Type of Sample	Minimum Frequency
Oil and Grease	N/A	Visual	Continuous
Dissolved Oxygen	mg/L & % saturation	Grab	Daily for the first week, weekly, thereafter
рН	Standard Units	Grab	Daily for the first week, weekly, thereafter
Turbidity	NTU	Grab	Daily for the first week, weekly, thereafter
Temperature	°F (or as °C)	Grab	Daily for the first week, weekly, thereafter

Baseline sampling may be conducted at one location within the project boundary for each phase. All other sampling shall take place at a minimum of two locations. Results of the analyses shall be submitted to the Los Angeles Water Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal.

4. Post-Construction: Visually inspect the Project site during the rainy season for one (1) year to ensure excessive erosion, stream instability, or other water quality pollution is not occurring in or downstream of the Project site. If water quality pollution is occurring, contact the Los Angeles Water Board staff member overseeing the Project within three (3) working days. The Los Angeles Water Board may require the submission of a Violation of Compliance with Water Quality Standards Report. Additional permits may be required to carry out any necessary site remediation.

D. Standard

- 1. This Order is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to Water Code section 13330, and California Code of Regulations, title 23, chapter 28, Article 6 commencing with sections 3867-3869, inclusive. Additionally, the Los Angeles Water Board reserves the right to suspend, cancel, or modify and reissue this Order, after providing notice to the Permittee, if the Los Angeles Water Board determines that: the Project fails to comply with any of the conditions of this Order; or, when necessary to implement any new or revised water quality standards and implementation plans adopted or approved pursuant to the Porter-Cologne Water Quality Control Act (Wat. Code, § 13000 et seq.) or federal Clean Water Act section 303 (33 U.S.C. § 1313). For purposes of Clean Water Act section 401(d), the condition constitutes a limitation necessary to assure compliance with water quality standards and appropriate requirements of state law.
- 2. This Order is not intended and shall not be construed to apply to any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license, unless the pertinent certification application was filed pursuant to subsection 3855(b) of chapter 28, title 23 of the California Code of Regulations, and that application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
- 3. This Order is conditioned upon total payment of any fee required under title 23 of the California Code of Regulations and owed by the Permittee.

4. In the event of any violation or threatened violation of the conditions of this Order, the violation or threatened violation shall be subject to any remedies, penalties, process, or sanctions as provided for under state and federal law. For purposes of Clean Water Act, section 401(d), the applicability of any state law authorizing remedies, penalties, processes, or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Order.

E. General Compliance

- 1. Failure to comply with any condition of this Order shall constitute a violation of the Porter-Cologne Water Quality Control Act and the Clean Water Act. The Permittee and/or discharger may then be subject to administrative and/or civil liability pursuant to Water Code section 13385.
- 2. Permitted actions must not cause a violation of any applicable water quality standards, including impairment of designated beneficial uses for receiving waters as adopted in the Basin Plans by any applicable Los Angeles Water Board or any applicable State Water Board (collectively Water Boards) water quality control plan or policy. The source of any such discharge must be eliminated as soon as practicable.
- 3. In response to a suspected violation of any condition of this Order, the Los Angeles Water Board may require the holder of this Order to furnish, under penalty of perjury, any technical or monitoring reports the Water Boards deem appropriate, provide that the burden, including costs, of the reports shall bear a reasonable relationship to the need for the reports and the benefits to be obtained from the reports. The additional monitoring requirements ensure that permitted discharges and activities comport with any applicable effluent limitations, water quality standards, and/or other appropriate requirement of state law.
- **4.** The Permittee must, at all times, fully comply with engineering plans, specifications, and technical reports submitted to support this Order; and all subsequent submittals required as part of this Order. The conditions within this Order and Attachments supersede conflicting provisions within Permittee submittals.
- 5. This Order and all of its conditions contained herein continue to have full force and effect regardless of the expiration or revocation of any federal license or permit issued for the Project. For purposes of Clean Water Act, section 401(d), this condition constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements of state law.

F. Administrative

- 1. Signatory requirements for all document submittals required by this Order are presented in Attachment A of this Order.
- 2. This Order does not authorize any act which results in the taking of a threatened, endangered or candidate species or any act, which is now prohibited, or becomes prohibited in the future, under either the California Endangered Species Act (Fish & G.

Code, §§ 2050-2097) or the federal Endangered Species Act (16 U.S.C. §§ 1531-1544). If a "take" will result from any act authorized under this Order held by the Permittee, the Permittee must obtain authorization for the take prior to any construction or operation of the portion of the Project that may result in a take. The Permittee is responsible for meeting all requirements of the applicable endangered species act for the Project authorized under this Order.

- 3. The Permittee shall grant Los Angeles Water Board staff, or an authorized representative (including an authorized contractor acting as a Water Board representative), upon presentation of credentials and other documents as may be required by law, permission to:
 - **a.** Enter the Project or compensatory mitigation site(s) premises where a regulated facility or activity is located or conducted, or where records are kept.
 - **b.** Have access to and copy any records that are kept and are relevant to the Project or the requirements of this Order.
 - **c.** Inspect any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this Order.
 - d. Sample or monitor for the purposes of assuring Order compliance.
- 4. A copy of this Order shall be provided to any consultants, contractors, and subcontractors working on the Project. Copies of this Order shall remain at the Project site for the duration of this Order. The Permittee shall be responsible for work conducted by its consultants, contractors, and any subcontractors.
- **5.** A copy of this Order must be available at the Project site(s) during construction for review by site personnel and agencies. All personnel performing work on the Project shall be familiar with the content of this Order and its posted location at the Project site.
- **6.** This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application at least 90 days prior to termination of this Certification if renewal is requested.

G. Best Management Practices

1. Good Site Management "Housekeeping"

- The Permittee shall submit a Storm Water Pollution Prevention Plan (SWPPP) for construction at the Project site to the Los Angeles Water Board for review. This plan shall describe the Best Management Practices (BMPs) that will be implemented to protect water quality at the Project site and down gradient of the Project site during Project construction.
- BMPs for erosion, sediment and turbidity control shall be implemented and in place at commencement of, during and after any ground-clearing activities or any other project activities that could result in erosion or sediment discharges to surface water.
- Biotechnical bank and slope stabilization will be completed in areas where there is existing erosion and/or concentration of drainage from upland areas that may

increase siltation or sedimentation in the creek. In some areas, the channel banks of the creek will be repaired using bioengineering techniques, while in other areas active gully erosion from upstream drainage and over slope flow will be repaired using soil bioengineering.

- Fueling, lubrication, maintenance, storage and staging of vehicles and equipment shall not result in a discharge or a threatened discharge to any waters of the state.
- The number of access routes, number and size of staging areas, and the total area of the activity will be limited to the minimum necessary to achieve the Project goal.
 Routes and boundaries will be clearly demarcated, and these areas will be outside of riparian and wetland areas.
- No construction material, spoils, debris, or any other substances associated with the Project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the state. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.

2. Storm Water

The project shall comply with the local regulations associated with the Los Angeles Water Board's Municipal Stormwater Permit issued to Los Angeles County and copermittees under NPDES No. CAS004001 and Waste Discharge Requirements Order No. R4-2012-0175. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) General Permit for Storm Water Discharges Associated with Construction Activity, Order No. 2009-0009-DWQ.

XIII. Water Quality Certification

I hereby issue the Order for the Las Virgenes Creek Restoration Project, 4WQC40115131 certifying that as long as all of the conditions listed in this Order are met, any discharge from the referenced Project will comply with the applicable provisions of Clean Water Act sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards).


This discharge is also regulated pursuant to State Water Board Water Quality Order No. 2003-0017-DWQ which authorizes this Order to serve as Waste Discharge Requirements pursuant to the Porter-Cologne Water Quality Control Act (Wat. Code, § 13000 et seq.).

Except insofar as may be modified by any preceding conditions, all Order actions are contingent on: (a) the discharge being limited and all proposed mitigation being completed in strict compliance with the conditions of this Order and the attachments to this Order; and, (b) compliance with all applicable requirements of Statewide Water Quality Control Plans and Policies, the Regional Water Boards' Water Quality Control Plans and Policies.

Executive Officer

Los Angeles Water Quality Control Board

Samuel Unger, PE 12-5-17
Date



Reg. Meas. ID: 403435 Place ID: 818975


File No: 15-131

SIGNATORY REQUIREMENTS


All Documents Submitted In Compliance With This Order Shall Meet The Following Signatory Requirements:


- 1. All applications, reports, or information submitted to the Los Angeles Water Quality Control Board (Los Angeles Water Board) must be signed and certified as follows:
 - For a corporation, by a responsible corporate officer of at least the level of vice-president.
 - b) For a partnership or sole proprietorship, by a general partner or proprietor, respectively.
 - c) For a municipality, or a state, federal, or other public agency, by either a principal executive officer or ranking elected official.
- 2. A duly authorized representative of a person designated in items 1.a through 1.c above may sign documents if:
 - a) The authorization is made in writing by a person described in items 1.a through 1.c above.
 - b) The authorization specifies either an individual or position having responsibility for the overall operation of the regulated activity.
 - c) The written authorization is submitted to the State Water Board Staff Contact prior to submitting any documents listed in item 1 above.
- 3. Any person signing a document under this section shall make the following certification:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."










Page 4 of 4



Copies of this Form

In order to identify your project, it is necessary to include a copy of the Project specific Cover Sheet below with your report: please retain for your records

Report Submittal Instructions

- Check the box on the Report and Notification Cover Sheet next to the report or notification you are submitting.
 - Part A (Annual Report): This report will be submitted annually from the anniversary of Project effective date until a Notice of Project Complete Letter is issued.
 - Part B (Project Status Notifications): Used to notify the Los Angeles Water Board of the status of the Project schedule that may affect Project billing.
 - Part C (Conditional Notifications and Reports): Required on a case by case basis for accidental discharges of hazardous materials, violation of compliance with water quality standards, notification of in-water work, or other reports.
- 2. Sign the Report and Notification Cover Sheet and attach all information requested for the Report Type.
- 3. Electronic Report Submittal Instructions:
 - Submit signed Report and Notification Cover Sheet and required information via email to: Valerie.CarrilloZara@waterboards.ca.gov
 - Include in the subject line of the email:
 Subject: ATTN: Valerie CarrilloZara; File No: 15-131, Reg. Measure ID: 403435 Report

Definition of Reporting Terms

- 1. <u>Active Discharge Period</u>: The active discharge period begins with the effective date of this Order and ends on the date that the Permittee receives a Notice of Completion of Discharges Letter or, if no post-construction monitoring is required, a Notice of Project Complete Letter. The Active Discharge Period includes all elements of the Project including site construction and restoration, and any Permittee responsible compensatory mitigation construction.
- 2. Request for Notice of Completion of Discharges Letter: This request by the Permittee to the Los Angeles Water Board staff pertains to projects that have post construction monitoring requirements, e.g. if site restoration was required to be monitored for 5 years following construction. Los Angeles Water Board staff will review the request and send a Completion of Discharges Letter to the Permittee upon approval. This letter will initiate the post-discharge monitoring period and a change in fees from the annual active discharge fee to the annual post-discharge monitoring fee.
- 3. Request for Notice of Project Complete Letter: This request by the Permittee to the Los Angeles Water Board staff pertains to projects that either have completed post-construction monitoring and achieved performance standards or have no post-construction monitoring requirements, and no further Project activities are planned. Los Angeles Water Board staff will review the request and send a Project Complete

Letter to the Permittee upon approval. Termination of annual invoicing of fees will correspond with the date of this letter.

- 4. <u>Post-Discharge Monitoring Period</u>: The post-discharge monitoring period begins on the date of the Notice of Completion of Discharges Letter and ends on the date of the Notice of Project Complete Letter issued by the Los Angeles Water Board staff. The Post-Discharge Monitoring Period includes continued water quality monitoring or compensatory mitigation monitoring.
- 5. Effective Date: Date of Order issuance.

Map/Photo Documentation Information

When submitting maps or photos, please use the following formats.

1. Map Format Information:

Preferred map formats of at least 1:24000 (1" = 2000') detail (listed in order of preference):

- GIS shapefiles: The shapefiles must depict the boundaries of all project areas and extent of aquatic resources impacted. Each shape should be attributed with the extent/type of aquatic resources impacted. Features and boundaries should be accurate to within 33 feet (10 meters). Identify datum/projection used and if possible, provide map with a North American Datum of 1983 (NAD38) in the California Teale Albers projection in feet.
- Google KML files saved from Google Maps: My Maps or Google Earth Pro. Maps must show the
 boundaries of all project areas and extent/type of aquatic resources impacted. Include URL(s) of maps.
 If this format is used include a spreadsheet with the object ID and attributed with the extent/type of
 aquatic resources impacted.
- Other electronic format (CAD or illustration format) that provides a context for location (inclusion of landmarks, known structures, geographic coordinates, or USGS DRG or DOQQ). Maps must show the boundaries of all project areas and extent/type of aquatic resources impacted. If this format is used include a spreadsheet with the object ID and attributed with the extent/type of aquatic resources impacted.
- Aquatic resource maps marked on paper USGS 7.5 minute topographic maps or Digital Orthophoto
 Quarter Quads (DOQQ) printouts. Maps must show the boundaries of all project areas and extent/type
 of aquatic resources impacted. If this format is used include a spreadsheet with the object ID and
 attributed with the extent/type of aquatic resources impacted.
- 2. <u>Photo-Documentation:</u> Include a unique identifier, date stamp, written description of photo details, and latitude/longitude (in decimal degrees) or map indicating location of photo. Successive photos should be taken from the same vantage point to compare pre/post construction conditions.

	REPORT ANI	NOTIFICATION COVER SHEET
Project:	Las Virgenes C	eek Restoration Project
Permittee:	City of Calabasa	s Department of Public Works, Alex Farassati
Reg. Meas. ID:	403435	Place ID: 818975 File No: 15-131

	Report Type Submitted			
	Part A – Project Reporting			
Report Type	☐ Annual Report			
	Part B - Project Status Notifications			
Report Type	□ Commencement of Construction			
Report Type	☐ Request for Notice of Completion of Discharges Letter			
Report Type	☐ Request for Notice of Project Complete Letter			
	Part C - Conditional Notifications and Reports			
Report Type	☐ Accidental Discharge of Hazardous Material Report			
Report Type	☐ Violation of Compliance with Water Quality Standards Report			
Report Type	☐ In-Water Work/Diversions Water Quality Monitoring Report			
Report Type	☐ Modifications to Project Report			
Report Type	☐ Transfer of Property Ownership Report			
Report Type	☐ Transfer of Long-Term BMP Maintenance Report			

"I certify under penalty of law that I have personally examine this document and all attachments and that, based or responsible for obtaining the information, I believe that the aware that there are significant penalties for submitting imprisonment."	n my inquiry of those individuals immediately the information is true, accurate, and complete. I am
Print Name ¹	Affiliation and Job Title
Signature	Date
¹ STATEMENT OF AUTHORIZATION (include is application was submitted) I hereby authorize to a submittal of this report, and to furnish upon requesubmittal.	act in my behalf as my representative in the
Permittee's Signature	Date
*This Report and Notification Cover Sheet must be representative and included with all written subm	

Part A – Project Reporting

Report Type	Annual Report
Report Purpose	Notify the Los Angeles Water Board staff of Project status during both the active discharge and post-discharge monitoring periods.
When to Submit	Annual reports shall be submitted each year on the anniversary of Project effective date. Annual reports shall continue until a Notice of Project Complete Letter is issued to the Permittee.
Report Contents	The contents of the annual report shall include the topics indicated below for each project period. Report contents are outlined in Annual Report Topics below.
	During the Active Discharge Period
	Topic 1: Construction Summary
	 Topic 2: Mitigation for Temporary Impacts Status Topic 3: Compensatory Mitigation for Permanent Impacts Status
	 During the Post-Discharge Monitoring Period Topic 2: Mitigation for Temporary Impacts Status Topic 3: Compensatory Mitigation for Permanent Impacts Status
	Annual Report Topics (1-3)
Annual Report Topic 1	Construction Summary
When to Submit	With the annual report during the Active Discharge Period.
Report Contents	 Project progress and schedule including initial ground disturbance, site clearing and grubbing, road construction, site construction, and the implementation status of construction storm water best management practices (BMPs). If construction has not started, provide estimated start date and reasons for delay. Map showing general Project progress. If applicable: Summary of Conditional Notification and Report Types 6 and 7 (Part C below). Summary of Certification Deviations. See Certification Deviation Attachment for further information.
Annual Report Topic 2	Mitigation for Temporary Impacts Status
When to Submit	With the annual report during both the Active Discharge Period and Post- Discharge Monitoring Period.

Report Contents	 Planned date of initiation and map showing locations of mitigation for temporary impacts to waters of the state and all upland areas of temporary disturbance which could result in a discharge to waters of the state. If mitigation for temporary impacts has already commenced, provide a map and information concerning attainment of performance standards contained in the restoration plan.
Annual Report Topic 3	Compensatory Mitigation for Permanent Impacts Status
When to Submit	With the annual report during both the Active Discharge Period and Post-Discharge Monitoring Period.
Report Contents	 *If not applicable report N/A. Part A. Permittee Responsible 1. Planned date of initiation of compensatory mitigation site installation. 2. If installation is in progress, a map of what has been completed to date. 3. If the compensatory mitigation site has been installed, provide a final map and information concerning attainment of performance standards contained in the compensatory mitigation plan.
	Part B. Mitigation Bank or In-Lieu Fee 1. Status or proof of purchase of credit types and quantities. 2. Include the name of bank/ILF Program and contact information. 3. If ILF, location of project and type if known.

Part B – Project Status Notifications

Report Type	Commencement of Construction
Report Purpose	Notify Los Angeles Water Board staff prior to the start of construction.
When to Submit	Must be received at least seven (7) days prior to start of initial ground disturbance activities.
Report Contents	 Date of commencement of construction. Anticipated date when discharges to waters of the state will occur. Project schedule milestones including a schedule for onsite compensatory mitigation, if applicable.

Report Type	Request for Notice of Completion of Discharges Letter
Report Purpose	Notify Los Angeles Water Board staff that post-construction monitoring is required and that active Project construction, including any mitigation and permittee responsible compensatory mitigation, is complete.
When to Submit	Must be received by Los Angeles Water Board staff within thirty (30) days following completion of all Project construction activities.
Report Contents	 Status of storm water Notice of Termination(s), if applicable. Status of post-construction storm water BMP installation. Pre- and post-photo documentation of all Project activity sites where the discharge of dredge and/or fill/excavation was authorized. Summary of Certification Deviation discharge quantities compared to initial authorized impacts to waters of the state, if applicable. An updated monitoring schedule for mitigation for temporary impacts to waters of the state and permittee responsible compensatory mitigation during the post-discharge monitoring period, if applicable.

Report Type	Request for Notice of Project Complete Letter
Report Purpose	Notify Los Angeles Water Board staff that construction and/or any post- construction monitoring is complete, or is not required, and no further Project activity is planned.
When to Submit	Must be received by Los Angeles Water Board staff within thirty (30) days following completion of all Project activities.
Report Contents	Part A: Mitigation for Temporary Impacts 1. A report establishing that the performance standards outlined in the restoration plan have been met for Project site upland areas of temporary disturbance which could result in a discharge to waters of the state.
	2. A report establishing that the performance standards outlined in the restoration plan have been met for restored areas of temporary impacts to waters of the state. Pre- and post-photo documentation of all restoration sites.

Reg. Meas. ID: 403435 Place ID: 818975

File No: 15-131

Part B: Permittee Responsible Compensatory Mitigation

- 3. A report establishing that the performance standards outlined in the compensatory mitigation plan have been met.
- **4.** Status on the implementation of the long-term maintenance and management plan and funding of endowment.
- 5. Pre- and post-photo documentation of all compensatory mitigation sites.
- 6. Final maps of all compensatory mitigation areas (including buffers).

Part C: Post-Construction Storm Water BMPs

- 7. Date of storm water Notice of Termination(s), if applicable.
- 8. Report status and functionality of all post-construction BMPs.

Part C – Conditional Notifications and Reports

Report Type	Accidental Discharge of Hazardous Material Report
Report Purpose	Notifies Los Angeles Water Board staff that an accidental discharge of hazardous material has occurred.
When to Submit	Within five (5) working days following the date of an accidental discharge. Continue reporting as required by Los Angeles Water Board staff.
Report Contents	 The report shall include the OES Incident/Assessment Form, a full description and map of the accidental discharge incident (i.e. location, time and date, source, discharge constituent and quantity, aerial extent, and photo documentation). If applicable, the OES Written Follow-Up Report may be substituted. If applicable, any required sampling data, a full description of the sampling methods including frequency/dates and times of sampling, equipment, locations of sampling sites. Locations and construction specifications of any barriers, including silt curtains or diverting structures, and any associated trenching or anchoring.

Report Type	Violation of Compliance with Water Quality Standards Report
Report Purpose	Notifies Los Angeles Water Board staff that a violation of compliance with water quality standards has occurred.
When to Submit	The Permittee shall report any event that causes a violation of water quality standards within three (3) working days of the noncompliance event notification to Los Angeles Water Board staff.
Report Contents	The report shall include: the cause; the location shown on a map; and the period of the noncompliance including exact dates and times. If the noncompliance has not been corrected, include: the anticipated time it is expected to continue; the steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance; and any monitoring results if required by Los Angeles Water Board staff.

Report Type	In-Water Work and Diversions Water Quality Monitoring Report
Report Purpose	Notifies Los Angeles Water Board staff of the completion of in-water work.
When to Submit	Within three (3) working days following the completion of in-water work. Continue reporting in accordance with the approved water quality monitoring plan.
Report Contents	As required by the approved water quality monitoring plan.

Report Type	Modifications to Project Report

Report Purpose	Notifies Los Angeles Water Board staff if the Project, as described in the application materials, is altered in any way or by the imposition of subsequent permit conditions by any local, state or federal regulatory authority.
When to Submit	If Project implementation as described in the application materials is altered in any way or by the imposition of subsequent permit conditions by any local, state or federal regulatory authority.
Report Contents	A description and location of any alterations to Project implementation. Identification of any Project modifications that will interfere with the Permittee's compliance with the Order.

Report Type	Transfer of Property Ownership Report
Report Purpose	Notifies Los Angeles Water Board staff of change in ownership of the Project or Permittee-responsible mitigation area.
When to Submit	At least 10 working days prior to the transfer of ownership.
Report Contents	 A statement that the Permittee has provided the purchaser with a copy of this Order and that the purchaser understands and accepts: a. the Order's requirements and the obligation to implement them or be subject to administrative and/or civil liability for failure to do so; and b. responsibility for compliance with any long-term BMP² maintenance plan requirements in this Order. A statement that the Permittee has informed the purchaser to submit a written request to the Los Angeles Water Board to be named as the permittee in a revised order.

Report Type	Transfer of Long-Term BMP Maintenance Report
Report Purpose	Notifies Los Angeles Water Board staff of transfer of long-term BMP maintenance responsibility.
When to Submit	At least 10 working days prior to the transfer of BMP maintenance responsibility.
Report Contents	A copy of the legal document transferring maintenance responsibility of post- construction BMPs.

² Best Management Practices (BMPs) is a term used to describe a type of water pollution or environmental control.